

HUTCHINSON COUNTY
ROLLED SKETCH NO. 15

LETTER

counter 46061

Amarillo, Texas. Jan. 31" 1911.

Hon. J.T. Robison,

Austin, Texas.

Dear Sir:-

In constructing the surveys in the which I have recently made for W.R. Harvey plats and corrected field notes which I am returning to your office with this letter I found original corners of the ground where three circles appear on the plat and I placed corners on the ground where one circle appears on the map. Two on the plat indicate old State Surveyor corners.

The S.E. corner of survey No. 39 block 46 is a mound and four pits placed by Geo. Spiller whence cotton-wood roots and bark where old bearing tree stood brs. S. 31 1/4° E. 217 vrs. and a lone willow others dead on the east bank of slough brs. S. 63° 1' W. 130.3 vrs. and the creek brs. S. 41 1/4° E. 146 vrs. By connecting from this corner to the S.W. corner of section 48 block 46 a pile of stone as placed by Spiller and fully identified by the S.E. corner of 49 I find an excess of 5.8 vrs. in departure for each river survey and a total excess in latitude of 31.4 vrs. The S.E. corner of survey No. 39 was further identified by unearthing a pile of stone at the S.E. corner of survey No. 38. Connecting the S.E. corner of survey No. 49 with the original N.W. corner of survey No. 238 block 2 I ran east 1119.2 vrs. and south 3294 vrs. to an old earth monument which is now about 2 feet high and a circular trench about 24 ft. in diameter all of which is well sodded and well preserved, Continuing on S. 18' 30" E. from this monument at 1936 I found a State surveyor's iron pipe properly marked and continuing same course I found similar pipes at 1916.8 vrs., 1924 vrs., 1927 vrs., 1921.3 vrs., and 1922.3 vrs. making six miles on the west line of block 2 in all. Connecting the N.W. corner of survey No. 237 as described above with the N.E. corner of survey No. 3 block L I find the distance to be 477 vrs. south and 9091.8 vrs. west. The N.E. corner of survey No. 3 being an old pile of stone on the west side of a hill. At the N.W. corner of survey No. 3 block L I place a pile of small stones whence a large old cotton wood tree marked / (the other prong of the X is peeled off) brs. N. 48° 4' E 57 vrs. and another cotton-wood tree brs. S. 82° 52' E. 47.5 vrs., old banks of the creek brs. E. 158 to 205 vrs. these distances including the original call for creek at 180 vrs. the creek at this point has washed out of its old channel and the water now is 303 vrs. east of this corner. Connecting this corner with the N.E. corner of survey No. 3 I find it to be N. 89° 26' 30" W. 1357 vrs. I also found the original S.E. corner of survey No. 3 as indicated by field notes of section 18 as herewith returned. I connected this N.W. corner of survey No. 3 with the N.E. corner of survey No. 13 block L finding original corners at the S.E. 3, the N.E. corner of 9 and the N.E. I made the relative positions of the N.W. corner of 3 and the N.E. corner of 13 control the course for surveys in block L. At the N.E. corner of this survey 13 I found an old pile of stone whence a cottonwood brs. N. 41° 48' W. 397 vara steps. Connecting this N.W. corner of survey No. 3 with an original pile of stone at the N.W. corner of survey No. 13 block M 21 I find the distance to be west 7165.3 vrs. and south 3331.2 vrs.

Counter 46062

Hon. J.T.R. No. 2.

Connecting the N.W. corner of survey No. 3 block L with the Geo. Spiller ~~survey~~ S.E. corner of survey No. 49 block 46 I find the distance to be N. 33' 30" W. 3705.1 vrs. and N. 89° 26' 30" W. 273.2 vrs. This S.E. corner of section 49 being a pile of small stones whence a 14" cotton wood marked = brs. S. 41 1/4° W. 28.8 vrs. and an 18" cotton wood tree marked = in group of three N. 28 1/2° E. 45.1 vrs. From this corner the S.W. corner of survey No. 48 as above referred to brs. N. 13' 30" E. 989.1 vrs. and the course of these two corners has been adopted as the true course from which to survey block 46 as resurveyed by Geo. Spiller.

Upon these original corners, connections, and your instructions I have constructed these surveys for which I am returning corrected field notes herewith.

A careful search failed to reveal any G & M 6 corners so the Elizabeth Hallmark and Creed Taylor surveys have been constructed course and distance by their calls for surveys in block M 21.

Yours very respectfully,

W.D. Twichell
State Surveyor.



I, W.D. Twickell, State Surveyor, do hereby certify that this map is true and correct.

Indicated by original corners.
State Surveyor corners.
Scale 100m. Prepared by W.D. Twickell, State Surveyor.

PLATE SHEET NO. 15
County: Fiddlers

Filed February 9th 1901
J. Robinson
Commissioner



Hutchinson County Rolled Sk. "15"
 Sk. & Connection, East & South of the Canadian River
 By W.D. Twichell
 Filed Feb. 9, 1911

COUNTER # 323.00

Sketch ^{no.} Connection by
 W.D. Twichell
 Hutchinson Co.
 Filed Feb. 9th 1911