

I.
State of Texas
County of Tom Green }
5327
106
5227
5920
312
974
5166

Field notes of a connecting line.

Beginning at the S. W. corner of Survey No 324 in the name of Geo. Rodi on North Comcho River in the town of San Angela. Old corner found. one of the bearing trees standing.

Thence North 5327. ors.

Thence East 5050. ors.

Thence North at 5594 ors. pass an old rock mound and stake supposed to be the S. E corner of San Saba County School Land bearing trees destroyed. — at 6710 ors. cross Tom Jeff Creek [Red. Royah] 10700. ors. in all a rock mound the S. W. corner of Survey No. 1. Washington County R. R. Co. from which a Live Oak 7' bears N74°W. 34 ors do. N23°W. 61. ors do N76°E 30. ors. all three bearing trees standing and have been fully identified by me.

Thence East 1900. ors. cross Creek

South 20. " found an old Rock mound. 100 ors. East of a Live Oak Grove on West side of hill the South East. corner of Survey No. 1. W. C. R. R. Co.

Thence North 7600. ors.

Thence East 2800 ors. (at 3700. ors. cross Cross
Nest Creek.

Thence South 443 ors.

Thence West 95. " to the N.E. corner of
Survey No. 102. W. C. Ry. Co. 3 Pecans market.

~~X~~ one of them blazed on East bank of Cross
Nest Creek

Thence North 1900. ors. cross Ft. Chadbourne road

" West. 30. to the N.E. corner of Survey
No 105. W. C. Ry. Co. both bearings standing
(This corner is about 100 ors. West of Ft Chadbourne
road.)

Thence North 1900. ors. cross branch

" West. 30 ors. to a large Rock md.
south of Prominent Mountain Point the N.E.
corner of Survey No. 106. W. C. Ry. Co. & S.E. corner No 109.

Thence West. 1900. ors. no corner.

Thence North. 1870 ors. to a rock md. the
N.E. corner of Survey No. 108 W. C. Ry. Co.

from which a live Oak bears. S64°W. 100. ors.
do. S5°W. 205 ors. S36°W. 90. ors. all three
bearings are standing and have been fully
identified by me.

Thence West. 1900. ors.

South. 20. ors. to the N.W. corner of
Survey No. 108. W. C. Ry. Co. a rock md. in a
Prairie dog hole (Valley) from which a

WS!

1 1/2

mesquite bears N 41° E. 24. ors. (marked) a
mesquite stump bears S 30 1/2° W. 2 ors. old.
corner found.

Thence West	2257.	ors.	to a creek
" N. 35° W.	618.	ors.	
" N 45° W.	1282	ors.	cross same creek
N 22° W.	950.	ors.	
N 80° W.	261.	ors.	to a rock mid in

a Live Oak Grove from which a Live Oak
9' N 65° W. 4 ors. ds. 7' bears N. 17° W. 4 1/2 ors.
the N. E. corner of Survey No. 5. Gulf Colorado and
St. Fe Ry Co. The original corner found and
fully identified.

Thence West. 1900 ors. to a stone mid the
S. W. corner of Survey No. 6. G. C. St. Fe Ry Co.
from which a Live Oak 11' bears S 69° E. 26 ors.

Beginning at the N. W. corner of Survey No. 108.
W. C. Ry Co.

Thence North at 250. ors. pass a large pile of
Rock on West side of mountain the S. E. corner
of Bastrop Shuft Co. Survey No. 16. continuing
North 11 400. ors. over rough hills and deep
canyons. Looked 3 days for the corners of
H. B. Martin Survey but did not find them.

WS^r

Beginning at the S. E. corner of Survey No 109.
W. C. Ry. Co. (old rock md)

Thence East at 890 ors. crsp. Ft Chad Bourne
Road at 1020. ors. crsp. Ravine ~~at~~ 1900. ors.

Thence South 35. ors. to an old rock md the
S. E. corner of Survey No 110. W. C. Ry. Co.

Thence East at 1540. ors crsp. Ravine ~~at~~
1900. ors.

Thence South 80. ors. found. old corner from
which a Mesquite 5' S 86° E. 81 ors. do. 5' N 84° E.
60 ors. The 3rd Mesquite is gone

Thence North 1850. ors. to a stone md. the N. E.
corner of Survey No 111. W. C. Ry. Co. a rock md.
from which a. L. N 33° W. 36. ors. do. bears.
N 44 W. 284. ors. fully identified.

Thence East. 1900. ors.

Thence South 80. ors. to a stone md. the S. W.
corner of Survey No 41. W. C. Ry. Co. from which
a Mesquite 12' bears. S. 66° W. 120. ors. 5' S 78 1/2° W
128 ors.

Thence North. 1900 ors.

Thence East. 1900. ors.

4 East. 1940. ors.

South 30. ors. to a stone md.

the N. E. corner of No 54. W. C. Ry. Co. (in
a valley between the forks of a branch.

Thence East cros. branch at 60. ors. at 800 ors.
cros. at 1320. ors. 10. ors. South of branch
at 1900. ors. cros. branch

Thence North 1920. ors.

Thence West. 98 ors. to corner. from a Mesquite
bears. $N 37^{\circ} E$ 11. ors. Mesquite 5' $N 47^{\circ} W$. 20 ors.

Thence East. 1880. ors. to NE corner of No. 122.
from which a mesquite 8' bears West 35 ors.

do. 3' $S 47^{\circ} W$. 10. ors. This corner is about 40.
ors. West of R. K. Wylie's Pasture fence

Thence South. 1900. ors. with the line of said
fence

Thence East at 60. ors. cros. R. K. Wylie's
Pasture fence at 1200. ors. cros. branch. 1900.
ors. in all

Thence East. at. 50. ors. cros. James Creek
at 600. ors. recros. at 2000. ors. in all.

Thence North. 235 ors. to a stone md.
from which a Mesquite 5' $S 54^{\circ} E$. 50 ors.
do. 5' $S 66\frac{1}{2}^{\circ} E$. 65 ors. This being the
S. E. corner of No. 126. W. C. P. R. Co.

Thence East 1900. ors

Thence East. at 1000 ors. cros. branch
at 1900 ors. stone md the NE corner of.
No. 127. W. C. Ry. Co. from which a Mesquite
3' bears $S 84^{\circ} W$. 133. ors. do. 3' $S 86\frac{1}{2}^{\circ} W$. 130.
ors.

Thence East. at 500. ors. cros. road. at.

1900. or. a stone md. in Valley 40. or.
 North of a large water hole in James Creek
 This is the N.E. corner of survey No. 148. W.C.
 R.R. Co.

Thence East at 230. or. crsp James Creek
 at 1580. crsp branch at 1900 or. a small
 stone md. the N.E. corner of. No. 149. W.C.
 Ry Co.

Thence East 1900. or.

Thence North at 1180 or. crsp. R. H. Wylie's
 Pasture fence at 2260. or to Colorado River
 Thence up the River:

S 61 $\frac{1}{2}$ ° E. 112 or

N 84° W. 480. "

N. 55° W. at 227^{or} crsp James Creek. 487. or

N. 9 $\frac{1}{2}$ ° E. 455. or.

N 22° W. 140. "

West. 625 " to the N.E. corner
 of survey No. 408 H. Klopp an Elm 25' S 35° W.
 25 or. standing.



Beginning at the S.E. corner of Alex. Rowlett
 survey, a stone md. from which a. Mesquite
 3' bears. N 12 $\frac{1}{2}$ ° E. 14. or. do. 3' N 68° E. 12. or.
 Mount Margy S. 6 $\frac{3}{4}$ ° W. Warren Peak S 39 $\frac{3}{4}$ ° W.
 Live Oak Grove N 34° W. old corner found.

21
Thence South 3800. ors.

Thence East 688 "


" South. at. 690. ors. crop creek at 1600
ors. crop creek at 2280 ors. crop Pt Chadbourne
Road at 4088. ors. crop creek at 5588 ors.
crop creek at 7588 crop creek at 7748 ors.
crop creek at 8748 ors. crop creek
10988 ors. South. in all.

Thence West 250. ors.

Thence South 1060. ors. to a stone and the S. W.
corner of Survey No 41. W. C. Ry. Co. from
which a Mesquite 12' S. 66° W. 120 ors. do 5'.
bears. S. 18½° W. 128 ors.

Rabbs Point bears. S. 78½° W.

Mt. Margy. . N. 9½° W.



Beginning at the S. E. corner of Alex Rowlett.
Survey. (original corner)

Thence West at. 90. ors. crop branch at 1955.
ors. a stone and on head of Rasine.

Thence West at 1900 ors. a stone and in Mesquite
Valley the N. W. corner of Survey 5. N. E. x W. P.

R. R. Co. Survey from which a Mesquite 4'.
bears. N. 61° W. 7. ors. do. 4' S. 42½° E. 6½ ors.

Thence West. at 400. ors. crop Rasine 1900 ors.

Thence West. at 900. ors. crop Rasine 1900 ors.

Thence South 3800 ors. no corner found. although

diligent search was made.

This course brought me within 100 ors. of my old camping ground, as I searched 3 days for the four corners of the H.B. Martin Survey. Searched again for 2 days. run lines in every direction but did not find them. Thence West 2130. ors.

Thence South 300. ors. to a stone mound the N.E. corner of Survey No 2. G. C. St. Pl. Ry Co. Thence West at 320. ors. found a stone crop. Creek at 720. ors. crop. Creek 1900 ors.

Thence West 1900. ors.

Thence West. 1990 ors. to a stone mound the N.W. corner of Survey No 2 Gulf Colorado & St. Pl. Ry Co. from which a Mesquite 4' bears $S 42^{\circ} E$ 7 ors. $ds. 3' N 63\frac{1}{2} E$. 18 ors. Both trees plainly marked.

Thence North at 545. crop. Ravine at 1900 ors. stone mound the N.W. corner of Survey No 1. G. C. St. Pl. Ry Co.

Thence North. 502 ors. a stone mound the N.E. corner of J. Boyd. Survey.

Thence North at 320 ors. crop. Ravine at 1600 ors. stone mound. on Ravine at 4570. ors. in all.

Thence East. 210. ors. to a stone mound. the N.W. corner of Gutierrez Survey. a mesq. 3' $S 24 W$.

(3)

amateur Mesquite 3' N 24 E. 14 ors.

Beginning again at N.E. corner of J. Boyd
Survey.

Thence North 1952. ors.

N. 84° W. 1750. "

S 13° E. 340 " to the S.E. corner of

Baldwell Co School Land a rock out from
which a Mesquite 6' bears. N 72 W. 57 ors. do 5'
S 44 E. 25 ors.

Thence N. 60° W. at 1430. crop break at 1500.
ors. crop Butterfield trail at 4040. stone md.
the S.W. corner of Baldwin Co. School Land.

from which a Mesquite 4' N 75 E. 11. ors. old corner.

Thence South 45° W 860 ors.

Thence N 45° W. 91. ors. to the N.E. corner of
W^m Shirman Survey. original corner found

and identified Mesquite bears. N. 13 1/2° W. 9. ors.

Mesquite N. 52 W. 12 ors.

Beginning at S.W. corner of Baldwin Co.
School Land.

Thence N. 60° W. at 1400. ors. crop branch. at
2550. stone md.

Thence West. at 2480 ors crop. branch at 2850.
ors. crop. branch at 3000. ors. a stone md.
the original N.E. corner of M. Burnett Sur-
vey. from which a Mesquite bears. S 11° W. 2 ors.

a Mountain with hole bears West.
 Thence West at 1890. ors. cross creek at 3500.
 ors. pass mountain hitherto described as
 mountain with hole at 5620 ors. pass Wild
 cat. creek at 6290. ors. a stone md from
 which a bunch of Mesquite br. W. $19\frac{1}{2}$ ors.
 This being the original N.W. corner of
 M. Burnet league.

Thence North. 1380. ors. to S.P. Reserve line
 to a point 13300 ors. $S74^{\circ}W$. (variation 11.45).
 from a point set where the Reserve line crosses
 Colorado River. from which a Willow 14' bears
 $S84^{\circ}E$ 50 ors. do. 10' $S64^{\circ}E$. 5 ors. both
 trees marked. S T 40. W.

Beginning at the N.W. corner of M. Burnet
 league.

Thence $S9^{\circ}E$. 3660 ors.

" $S24^{\circ}W$. 340. ors.

Thence South 4283. ors. to the N.W. corner
 of S. J. Wiley Preemption.


Thence North 523. ors.

Thence West. crossing creeks and branches.
 11400. ors.

Thence $N.45^{\circ}W$. 2688 ors.

Thence West. 3220. "

Thence North 2846 " to the stake on

the Reserve line marked T 27 S. 40.
 Thence N. 74 E. T. 960 or. to a stake marked
 T. 26. S 40. Thence continuing this
 course at 950 or. T 26. S 40 4 1/2 W.
 at 1900. a stake T 26. S 40. at 2850. or.
 T. 26. S 40. at 3800 or. a cedar
 marked very plainly T. 26. S 40. 3 1/2 W.
 (in all 2 1/2 miles with the Reserve line.)
 x 

Beginning at the N. W. corner of S. J. Wiley
 Preemption

Thence South 950 or. a stone md. from
 which a Live Oak 30' bears. N 3 1/2 E. 168 or.
 " " 12' " N 5 1/2 W. 194 "

Thence East 920 or.

Thence South 672 or. a stone md. from which
 a cedar 6' bears. N 16 1/2 W. 29. or.

Thence East 190 or.

Thence South 672 or. a stone md. from which
 a cedar. bears. S 23 3/4 W. 20. or. do. S 36 E. 54 1/2
 or. (S. W. corner J. W. Wiley Preemption)

Thence East 214. or.

Thence South 950 "

Thence East 365 " a rock md. on Edge of
 Bluff from which a Live Oak bears South. 12 1/2 20 or.
 (N. W. corner of H. Schoonover Preemption)

Thence South 950. or.

Thence East 335 ors.

Thence South 950. ors. to S.W. corner of survey No 1011. Jas Wiley a rock mtd. from which a. Lo. 40' S 27 E. 123 1/2. ors.

Thence East 356. ors.

Thence South 844. ors. } to a rock mt on rocky point. Lo. 10' S 86 W. 54 1/2 ors

Thence East. 130. ors.

All corners of the Preemption surveys have been fully identified by me and are the original corners.

Thence South 950. ors.

Thence East. 100. ors.

Thence S. 17° E. 2660. ors.

Thence S. 6° W. 340. ors. to a rock mtd. the NE corner of survey No 641. Heinrich Ponies from which a Live Oak 30' bears, S. 43° W. 144. ors. This is the original corner of this survey and has been fully identified by me.

Thence S. 40° W. 1944. ors. no corner found Distance to Grape Creek tallies.

Thence South 1000. ors. no corner found } all large mesquite have been cut down in this section.

Thence N 50° W. 200 ors.

" S. 40 W. 1900 "

" S. 15 W. 1317 " to the NE corner.

of survey No. 638. Anton Eisenbach, a stone mark
 240 ors. East of Grape Creek from which a Live Oak
 14' bears N 38° E. 9. ors. do. 22' East 90 ors. (old corner.)
 Thence S. 15° W. 1444. ors. no corner found. Distance
 to creek about correct.

Thence South 1000. ors. no corner found.

All large mesquite trees in this section have been
 destroyed

Thence East 210. ors.

South 1900 "

East 600. "

South 3500. "

West. 800. "

South 1900 "

West 660. " to a point 100. ors. East

of Grape Creek

Thence South 600. ors.

S. 35° W. 2960 ors. to North Conchos River

West. 173. ors. to corner between surveys

No. 295. and 296. a newly established stone mark

from which a Pecan 30' S 54° W. 86. ors.

(old mark) the other bearing tree gone.

Thence N. 35° E. 165 ors.

N. 55° W. 720 "

S. 35° W. 700. " to the River no corner

found.

Thence N. 35° E. 140. ors.

N 55 W. 720 "

Thence S. 35° W. 160. ors. to the North Concho River
 a Pecan 10' bears. S. 14° W. 6. ors.

Found on south side of Concho River due south of
 the above described Pecan two Pecans 25' in dia.
 both blazed, blazed frunling S. W.

Beginning again at corner between Survey No. 295.
 and 296.

Thence North 35° E. 600. ors.

S. 35° E. 720 "

S. 35° W. 300. " to the North bank of

Concho River in old corner found. (found two
 Pecans. marked. H. T. N. 33° W. 100. ors. but
 no old mark.)

Thence N 35° E. 800. ors.

S. 55° E. 720 "

S. 35° W. 640 " to bank of Concho.

Concho River in old corner found a grove
 of Chino trees on River but none marked.

a Pecan 10' on line has 3 hacks. = (old
 mark. This is the corner between Surveys
 No. 297. and 298.

Thence S. 60° W. 35 ors. cross Concho River

Thence S. 30° E. 720. ors.

" N 60° E. 940. " to bank of River

o Pecan 14' N 22½° E. 4½ ors. (old corner).

Thence S. 60° W. 660. or
 " S 30° E. 720. "
 " N 60. E. 340. " to the River a Pecan
 30' bears S 63' W. 14. or. (old corner)
 Thence S. 60' W. 340. "
 " S 30' E. 730 " to the River
 continuing S. 30° E. 720. "
 Thence N 60' E. 300. " to the River a Pecan
 10' S 57 E. 4. or. (old bearing tree.)
 Thence S 30' E. 720. or.
 " N 60' E. 700. " to the River a Pecan
 30' bears N 23° E 15 or. old bearing tree.
 Thence S. 60° W. 110. "
 " S 30° E. 740 "
 " N 60° E. 670 " to the River a Pecan
 12' br. N 15 1/2 W. 10 or. do. 8' br. N 63 W.
 12 or. old bearings.
 Thence S. 60° W. 290. or.
 " S 30° E. 730 "
 " N. 60. E. 60 " to the River a.
 Pecan 30. ' bears N 80' E. 4 or. Pecan 10' S 43 E.
 4 or. old bearings.
 Thence S 60' W. 160. or.
 " S 30 E. 730 "
 " N 60 E. 80 " to the River
 a. Pecan br. S 37° E. 9. or. old bearing
 Thence S. 60' W. 1280 or.
 S 30. E. 720 "

W5 14

Thence $N 60^{\circ} E$. 340. or. to the River a Pecan
br. $S. 47\frac{1}{2}^{\circ} W$. 4. or. old bearing.

Thence $S. 60^{\circ} W$. 720. or.
 $S. 30^{\circ} E$. 740. or.

The river makes a great bend on this survey, and is
dammed.

Thence $N 60^{\circ} E$. 920 or. to River a Pecan
24' $S 28^{\circ} W$ 15 or.

Thence $S. 30^{\circ} E$. 2162 or.

" $N 60^{\circ} E$. 460. " to the River a Pecan
24' bears. $N 7^{\circ} E$. 10. or. ds. 14' $N 72\frac{1}{2}^{\circ} E$. 14. or.
old bearing.

Thence $S. 30^{\circ} E$. 755. or.

" $N 60^{\circ} E$. 1000 " to the River a
Pecan. 15' $N 8^{\circ} W$ 45 or. old bearing.

Thence $S. 30^{\circ} E$. 730. or.

" $N. 60. E$. 180 " to the River.

" $S. 30^{\circ} E$. 727 "

" $N. 60^{\circ} E$ 575 " to the River a Pecan
36' br. $S. 65^{\circ} W$. 8. or. ds. 10' $N 30. W$. 5 or.
old bearings.

Thence $S. 30^{\circ} E$. 744. or.

" $N. 60. E$. 245 " corner fully iden-
tified.

Thence $S. 30. E$. 727 or.

" $N. 60^{\circ} E$. 170. " to the River

" $S 30^{\circ} E$ 728 "

(5).

Thence N 60° E. 980 ors. to the River a.
Pecan. 12' brs. S. 6° E. 8 ors.

Thence S 30° E. 727. ors.

“ N 60° E. 480. “ to the River.

“ S 30° E. 728 “

“ N. 60° E. 760. “ to the River. old,
bearing trees fully identified.

Thence S. 60° W. 490 ors.

S. 30° E. 720 “ to the River both

corners on both sides of the River fully identified

This is the corner between surveys N^o 319/320. and
190./191.

Thence S. 60° W. 310. ors.

S 30° E. 720 “

N. 60° E. 280 “ to the River.

Thence S 30° E 760. “

N. 60° E. 580. “ to the River a Pecan

14' brs. N 79° E. 10. ors. old bearing.

Thence S. 30° E. 702. ors.

N. 60° E. 860 “ to the River a Pecan.

10. ' brs. N. 14° E 7. ors. do. N 81° E 9. ors.

Thence S. 60° W. 190. ors.

S 30° E. 700 “ cornerfully identi-

fied.

Thence N. 60° E crop corner River 35 ors.

to upper corner of survey N^o 323. old corner

found. Thence continuing N 60° E. 2200.

ors. with North line of survey N^o 323. Johann Brown

WS 16

to its North corner.

The meanders of the River from the lower corner of Survey No. 297. and upper corner of Survey No. 298 to this point give

a southing of $\frac{12083}{\text{ors.}}$

an Easting of $\frac{16872}{\text{ors.}}$

Thence South. 1039. ors. to the S. W. corner of the Geo. Rodi Survey No. 324. the beginning corner of this connecting line.

Beginning at the Bank of the Comcho River at the corner between Surveys No. 297. and 298.

Thence East at 1200 ors. cross Grape Creek Road. 6668 ors.

Thence South at 1371. ors. cross Dry Creek (Bald Eagle Creek.) at 2122 ors. searched for corner.

Thence North at 6202 cross rod. in all. 10.000. ors.

Thence S. $33\frac{1}{2}$ E. 234. ors. found an old rock mound with Stake (same class of corner and in same condition as found by me on the S. E. corner of San Sabo School Land. apparently made by the same party. at the same time both mesquit stakes show the same age. Two round mountains bear S. 13° W.

5/2
a Prominent Point S. 48. E.

Thence North 5000. ors. to the N. W. corner
of San Saba County School Land.

Thence East. 1900. ors.

I. C. E. Davis, Deputy Surveyor of Tom Green
County do hereby certify that the foregoing
line has been run by me actually on the ground
and that the limits, boundaries, and corners
with the marks natural and artificial have
been truly described in the foregoing fieldnotes.

Witness my hand at San Angelo this
the 7. day of September AD 1883.

I. C. E. Davis
Deputy Surveyor Tom Green Co.

I. H. B. Tarrow Surveyor of Tom Green County
do hereby certify that I have examined the
foregoing plat and fieldnotes and find
them correct and that they are recorded
in my office in Book ~~16~~ ^{Inclusive} pages 276 to 287.

Given under my hand at San Angelo
this the 7th day of September AD 1883.

I. H. B. Tarrow
County Surveyor Tom Green Co.

Ms 196

① No. 46.

Tom Green Co.

Connecting lines.

filed Sept. 25th 1883.

Det Robinson

Chief Clerk

1950

counter 38219

46

Tom Green Co

~~Relating to Comanche In-~~

~~dian Reserve,~~

~~with dates, authors,~~

~~filings, etc,~~

counter 38220