Jaildry de 11# 1929 RECENTED RECENTED Non Al Malker . Cont. Sh. Queton Ino DEC 12 1929 REFERRED TO MAP Acardin On Nor 30" I mailed to your offer a plat and report of a surry made for the purpose The love of the old County rood in this County I did not attempt to Establish The Comes of any Dections in the Block, along this love, merly Setong mile comean on the Centrelow of the road Survey In Station of I toolo the preated distance between The ME an MW Corner of the Block (which fall at a point on the South line of the modeshage Survey. Blu 1 Lot 3 well set ablished at the center love of Highway nand 5 By State Surry or Inchmel field Note of Surry of Blin Nº1 (no, Dishago) and The South East Corner of See It's and St. Cor of See 47 on the South line of Block 32 6.N. There Connected the two ponts with a line as stated masking Each mile from the North to the South lines I The residuel land owners who are badly in reed of road improvement wants to Know of the line Is acceptable to the Land Office as bring Established in accordance with The law in Such Cause Will you please give me your version of the have that they may be set at right and make the proment improvement badly meded Your Viry Jover Att. un C. Surry Counter 14732

Thertofou t Man Sellis Copy 29 an Black Fik 12 6 Borsen Borser 12 Rid St. 54 States of still 47 an ask mile from the Carlle in cealat al may in das its and Jora has the amend product predent 17. was ad Counter 14733

by a large stone six varas 3. and 15 varas W. (1 um told this ston merked X was set by ' State Surveyor " richwell in making his survey of Sections 23 End 24). His notes on rile in this County shows he followed the M line of Block 31. T. S. M. On Lines (or8, 8, 7) S918 varas to the N.M.Corner Section 12 Block 32 T.d P. nad (turned an angle or 382 40 R) MMM 17 R- 1904 varas to an old per and pile of stones for the M.T. corner of Section 1 Blook 32 T.6.N. This corner has never been looked upon as the true location of the M.L.Corner of the adjacent lands to this corner; hat taken for the S.K.Corner of Deshaco Block 1. .W.W sait mort estev 3.0001 W CI W at doldw Jatog out mort corner of Brock 31 T 5 N plant a mesquite state in a mound of stone angle 9021. S779 W.) and Strike the N bdy. of the Block of the line used oy all surveyors in making curveys ; and/ald renos line Stands on line. also several miles of County Read on the West portion of the Block. 11056.8 vares. In making the measurements of the Heart houndary, the select 31,2,32 c. foubla obeck measure made on each back to the selectre made of the selectre. By measure made of the select respect Triobwell in his seures of this selectre of the selectre of th the Main Road N & S ; E & W. veyor Sandefer some years ago. Thence from the S.E. Corner of Section 46 3.772 E. 3800 varas to the S.E.Corner of Block 32.7.6 M. a recognized corner in the west line of the road which is the west line of Block 31 T 6 M and M. M. corner of Section & Block 31 T 5 M. In conclusion I marked the lines as stated which is accepted as the lines of the highway to be improved and have a platedich the great majority of the land owners wish the become their land lines. and be recognized as such in all their land surveys sait does not errect any improvements as any value. Except one very amall rilling station Section 15, a frame box house about 12 x 14 Z . Some of the rences will have to be noved while some will remain on this line.

I am enclosing a certified copy of the petition for this survey. It is signed by ell the residents land owners (except the owner of Soction 26 and 29 who holds to a survey made by Surveyor Sandefer showing 545 Acres inSection 39) slong the line from N. to S boundary lines as shown by plat ; but agrees to move the fence to the survey of Highway improvement.

Counter # 18901

Gell, Texas, Yovember 29, 1929.

> Hog. J.H.Walker, Com. General Land Orrice, Austin, Teiss. Deer Sir :

> > Counter # 78899

polition signed by the Resident Land Owners in Block 52 Tp 6 N. For s survey.

Wr Fuller has taken pains to rerun the East lines of Bikeks 31 (and 32 Tp 5 and 5 M in order to establish a point loconing the true position of the M.E. corner or Block 32 6 M. This .corner has been in dispute for years, each surveyor using dirintent conners in starting hair work, some taking one or the other of three or rout a ground that was made by the locorner of Beotion 1.

eten file all Block 31 Tp C N and all We SE Maolf Tantos . H. off Bleck 10 in Border 11. in said Block. We or land owners of Block 32. ent tada prus 1307 tan N has been caused ing at different corner. . Roold abit to tentos . H.M. vevrue aint vd betserre yes, and no svidence of its urvey by petition nor need and doldw yevrus s. to: basi inebizer ent bas .SISHWO

ewhers. By the location of the corner is acceptable to us and others effected thereby. We wish the land office would reconize the N.E. corner of Block 32 Tp 6 N. as established by Surveyor Fuller who has written the office as to his findings.

Yours very truly.

. TROTAN :

13me of Block 31. T. S. N. T. & F. Bordan County. 31. T. 6. N.

" Scotion I Balock SR. T. 6. N. T. & P. BR. Borden Co. " Blook 38. T. S. M. T. M F. RR., Borden County. A Mishway line through Mlock 36 T.S.M. Beginning at their opertional ont of .M & T SC Moold (one) I adliged to tentoe .I.M ont mout teew S.R. corner of section 46 which is the S.W. corner of Section 47 .H.a.T SS Xoolf

Mag. Va. 13 E. at S.E.Corner Block 31 T.S.N.

31. T. S. N.

This survey was Been on October 283H 1929. Beginning at the S.E.Corner of Blook 51 T 5 W.T.M S.R.R. recognized and used corner, a large stone firm .R.R.T.S. Tawona syniking blo , See vinit enote authance of thesline I run thence ing stone corners loosely laid at 3 N . No corner marks this ela elane ent . reatos sidt 'to

Levela of one and the second of the second o alsvisial is atomics for aloc solate bas stiriek .taomerus des for fence lines. Along Theid notes of the line running of the line value of the value of the run-ning N. 132.W. at 1330.5 value (of 1 - 49 .varas) the Worth west conner of Block 20 T.S.N. tion - J.F. from which a stone corner Bersy N. 77.E. 1904.vare, and ald fence line marks the origi-nal blocks lines of Blocks 30 and all in angle of 90 from N.te E. and K. to W. (N 77º E. 800 8. 90°W.).

.1909 To signs as atly thing sidt mort .yevrus sidt ditw eerge ceton I run S. 772. H. S. Dong the north line of Block 31 T .S.M. Tindings field notes call for bearings from (not to) Muchuka Teak. (This Q sellm 8) server 8.40011 JA (. entl shir gaois eldisiv tou al Hasq the evidence of an old funce corner is south of my line & verse. A to rentos. A. H ont bairan even year tent asmote to alle boustess section 12 is varas K. Show this point. The distance is noted from the six mile point from which I. run a line W.132 W. with an angle 902 from the North line of Brock 317.6 M. 1900.8 varas to a point Trom which a stone corner apr set x is 32 varas.E. and 4. varas 8. A plus of stone and a small state is 3.2 varas and W. . So varas a bus onois To elle or stone is K.120 verses and S.9 verse. A square stake is lying near to and the second s

County # 28900

When the state of the stream with the stream of the state of the stream of the stream

The land at this point is all pasture land and owned by one caltle company. Clarton & johnson. They are anticus to have the the corners, astablished at its true position and move their rances to conform to the lings run from it in block 52.5.4.

Borden Bak. 32 File 12

Ast Taleray Barren &

Very Freeky

Cantler # 78902

Gail, Texas, November 29, 1929.

Hon. J.H.Walker, /Com. General Land Office, Austin, Texas. Dear Sir :

Mr. R.S.Fuller is mailing you a plat and a copy of a petition signed by the Resident Land Owners in Block 32 Tp 6 N. for a survey.

Mr Fuller has taken pains to rerun the East lines of Blocks 31 and 32 Tp 6 and 5 N in order to establish a point locating the true position of the N.E.corner of Block 32 6 N. This .corner has been in dispute for years, each surveyor using different corners in starting their work, some taking one or the other of three or four on the ground that was made by the locating surveyors of land laying to the North and West of the N.E. corner of Section 1.

We are the land owners of all Block 31 Tp 6 N and all Block 10 in Borden County adjacent to the N.E.corner Block 32,6M as well as Sections 2 and 12 and N half of 11 in said Block. We feel sure that the trouble with the other land owhers of Block 32. 6n N has been caused by the surveys here to fore made by startig ing at different corners taken as the N.E. corner of thes Block. As we are the owners of the land most affected by this survey nad the true corners having been destroyed and no evidence of its exact location Mr. Fuller has made thas survey by petition for for a survey which has been signed by us and the resident land owners.

By the location of this corner is acceptable to us and others affected thereby. We wish that the land office would reconize the N.E. corner of Block 32 Tp 6 N. as established by Surveyor Fuller who has written the office as to his findings.

Yours very truly,

P

auswit 12/14/29 Auswit 12/14/29 RECEIVE DEC 2-1929 Johnson beau ton

BILILUN ---- AURISINISNI.

We the undersigned land owners in Block 32 Twp .6.N.T.P.R.R. Survey in Borden County, Texas do hereby subscribe amount opposite our names and do hereby agree that the amount is to be spent for the surveying and locating of the corners of the above mentioned block and the surveying of the line between Sec.2&3; lo≪ l4& 15; 22&23; 26& 27; 34& 35; 38&39; 46 &47 same to be paid by us when the above work is completed and reconized ## by the State Land Office as correct.

It is understood that while the sim of two hundred dollars (#200.00) is to be paid for the work, we the undersigned agree to do #2 all work necessary to making the survey, accept the transit work and #2 chaining, which is to be done by R.S.Fuller and his assistants.

It is understood that this work is to be done by, first locating the cornerss along the East line of Block31 Twp 5& 6 N. begining at the south east corner of Block 31 twp 5 N and running north to the northeast cornerof block 31 twp 6 N. and establishing beyond a doubt the corners of this line, them running west on the North line of same block to the northwest corner of said block and twp and establishing this corner beyond a doubt , then running north to the northeast corner of Block 32 twp 6 N, for a starting place, the latter work to be double - chained and proven to the satisfaction of all parties concerned.

It is farther agreed by the holders of the above lands that they will adjust all fences and improvements along this line which is being established for the purpose of building a highway on the line, within a reasonable time according to the lines established by this survey

| NAMES | AMOUNT | SECTIONS | NAMES | AMOUNT | SECT. |
|-------------------|------------|--|-------------|----------|-------|
| Johnson & Clayton | \$ 50.00 - | 2 118612 7 | M.W.Hamon | \$ 25.00 | |
| G.W. Møller | 20.00 | all Blogt 3175H " 10 m Borden 6 14 | T.C.Smith | 10.009 | 10 |
| J.W.Ledbetter | | 15- | J.D.Coff | 10.00 | 5 |
| W.M.Hays | 10.00 | 14 | C.A.Bearden | 30.00 | 15 |
| John Kocurek | 20.00 | 3 | V.M. Haysn | 15.00 | 14 |
| THE. Martin | 25.00 | 23 | T.E.Martin | 10.00 | 23 |

ACCEPTANCE :

I-R.S.Fuller, county surveyor of Borden County, Texas do here by accept and approve the above agreement, and in consideration of the terms and sum of two hundred dollars, with above mentioned assistance, agree to make this survey according to terms above set out.

. R.S.Fuller County Surveyor for Borden County, Texas. State Licensed Surveyor.

0

At Juller Surry Surry " Borden Co Jex

State of Jexas Consty of Birden I hereby Certify the above is a true and Correst Copy of the Petition agreement on file in my Office for Surry Oct 24 1929

Counter 14735

Report of netracement of surveys of the following lines; East line of Block 31. T. 5. N. T. & P. RR., Borden County. 17 11 11 11 31. T. 6. N. 17 North 11 11 31. T. 6. N. " Section 1 BBlock 32. T. 6. N. T. & P. RR. Borden Co. 11 East North " " Block 32. T. 6. N. T. & P. RR., Borden County. A Highway line through Block 32 T.6.N. Beginning at the proportional measurement of the N.line of the Block on the second tier of sections west from the N.E. corner of Section 1(one) Block 32 T 6 N. To the S.E. corner of section 46 which is the S.W. corner of Section 47 Block 32 T.6.N.

Claring

Mag.Va. 13 E. at S.E.Corner Block 31 T.5.N.

len Co. Sk. File Nº 12

This survey was **Section** on October 28th 1929. Beginning at the S.E.Corner of Block 31 T 5 N.T.& P.R.R. recognized and used corner, a large stone firmly set, old markings showsT.&.P.R.R. Using the original field notes for guidance of thesline I run thence N 15.W.along the Block line; finding stone corners loosely laid at intervals of one mile more or less varas from my measurements, at eight (8) miles and fifty-seven (57) varas (in all 15212 varas) to the northwest corner of Block 30 T 5 N. No corner marks this point; and old line of fence east and west across Block 30 T 5 N and Block 31.T.5.N holds the location of this corner, the angle of these linesiarch 90 degrees R.&.L.

Continue this tangent (N 132W.) along the East line of Block 32 T.6.N. finding mounds of smallorocks for corners at intervals slightly different in length from my measurement. As pits and stakes were called for these corners might occupy the true position but not falling on line may have been built as guides for fence lines. Along the east line of Sections 13 and 12 the creek crossings given by the field notes of the line running S 13%E. fairly check with my line running N. 13?.W. At 1330.5 varas (7 mikes . 49 .varas) the North West corner of Block 30 T.6.N. section 4 - J.F. from which a stone corner thread N. 77°E. 1904.varas. and old fence line mounts the original blocks lines of Blocks 30 and 31. An angle of 90 from N.to E. and N.to W. (N 77°E. and S.77°W.).

At this point the creek crossing given in the original field notes agree with this survey. From this point with an angle of 90°L. I run S.77°.W. along the north line of Block 31 T .6.N. finding rock mounds at intervals of one mile slightly disagreeing with my measurements, falling short from one to ten varas ; the original field notes call for bearings from (not to) Muchuka Peak. (This peak is not visible along this line .) At 11404.8 varas (6 Miles 0 the evidence of an old fence corner is south of my line 6 varas. A scattered pile of stones that may have marked the N.E.corner of Stotion 12 is 12 varas E. from this point. The distance is noted from the six mile point from which I. run a line N.13°. W. with an angle of 90° from the North line of Brock 31T.6 N. 1900.8 varas to a point from which a stone corner marked x is 32 varas.E. and 4.varas S. A pile of stone and a small stake is S.3 varas and W. 30 varas. A mound of stone is E.120 varass and S.9 varas. A square stake is lying neer

Counter 14733

Borden Co. Sk. File Nº 12

by a large stone six varas S. and 15 varas W. (I am told this ston marked X was set by State Surveyor T richwell in making his survey of Sections 23 2nd 24). His notes on file in this County shows he followed the N line of Block 31.T.6.N. On lines (of8,9,7) 3918 varas to the N.E.Corner Section 12 Block 32 T.6 N. nad (turned an angle of 88.2 40'R) N14917'W- 1904 varas to an old peg and pile off stones for the N.E. corner of Section 1 Block 32 T.6.N. This corner has never been looked upon as the true location of the N.E.Corner of the T&P.R.R. surveys by the ownersof all the adjacent lands to this corner; but taken for the S.E.Corner of Deshazo Block 1.

From the point which is N 13 W 1900.8 varas from the N.W. C corner of BLock 31 T 5 N plant a mesquite stake in a mound of stone anddproceed to measure the North boundary line of Block 32 T 6 N, angle 90°L (577° W.) and strike the N bdy. of the Block to the line used by all surveyors in making surveys ;and odd fence line stands on line, also several miles of County Road on the West portion of the Block, This line shows to be short 148 varas at the N.W.Corner of the Block making a total distance of 11056.8 varas. In making the measurements of the North Boundary line of Block 31.& 32 a double check measure was made on each length of a fifty vara steel tape on line. My measurements agree on this line with those made by Surveyor Trichwell in his survey of Block 1 John DeShazo Lots2,3 & 4.

The N.W.Corner of Block 32 which is the N.E. Corner of Block 33 E.L.R.R.E. Co.Section 1, has been preserved by the owner of adjacent land and buried in the center of the Main Road N & S; E & W. This shortage in the length of the N. boundary line of Block 32 6 N would figure proportionally 24.66 varas per mile.

From a point on the N.line of Block 32.6.N.49.32 varas east of the two mile point from the N.E.Corner of the Block which point is in the center of the County road now used and having been used for years passed; the fences on each side of the road having been placed on the supposed land line ..., I am told by Surveyor "Seay "I run a line S.//3°11" E. (angle 90°11°0) from the N. Block line to the S.E.Corner of Section 46 and the S.W. Corner of Section 47; this point is in the center of the N and S county road. This line follows the road in most places but falls first on one side and then on the other Section as fenced by survey made by Surveyor Sandefer some years ago. Thence from the S.E.Corner of Section 46 S'.77° E. 3800 varas to the S.E.Corner of Block 32.T.6 N. a recognized corner in the west line of the road which is the west line of Block 31 T 6 N and N.W. corner of Section 6 Block 31 T 5 N.

In conclusion I marked the lines as stated which is accepted as the lines of the highway to be improved and have as plated the great majority of the land owners wish **th** become their land lines. **And** be recognized as such in all their land surveys asit does not effect any improvements **af** any value. Except one very small fillings station in Section 15, a frame box house about 12 x 14 **C** . Some of the fences will have to be moved while some will remain on this line.

I am enclosing a certified copy of the petition for this survey. It is signed by all the residents land owners (except the owner of Section 26 and 29 who holds to a survey made by Surveyor Sandefer showing 645 Acres inSection 29) along the line from N.to S i boundary lines as shown by plat; but agrees to move the fence to the survey of Highway improvement.

Counter 14738

The jogging of these section lines along the line of this survey has been caused by an attempt to put the excess showing at the S boundary of the Block (76 varas) into the school sections While, the Block has the area to allot each section 639.66 Acres. The surveys made by former surveyors seem to figure an excess in the Block by using the N.E.Corner of the Block at six miles N 77° E from the N.E.Corner of Block 33.T 6 N which would war not their placing of corners. The N.E.Corner of the Block has been the fault. Which can be remidted by the location of the Block has been the fault. Which can be remidted by the location of the N.E. N F Corner of Block 32 T6 N at the true possition.

The land at this point is all pasture land and owned by one caltle company, Clayton & johnson. They are anxious to have the corners established at its true position and move their fences to conform to the lines run from it in Block 32.6. N.

6

Verytruky Attalling Co Surveyor Bordon C.

Counter 14739