

L O FORM 25

(1)
Traverse by W. W. Barker, Licensed Land Surveyor, from N. W. Corner

Survey 1, Block, 234 T + St L. Ry. Co. to N. E. Corner Survey 43 BK 915 - Brewster Co

Dated April 20 to May 10th 1929 - Received in G. L. O. 3-18-30 - Clerk

Station	Bearing	Distance	LATITUDE		DEPARTURE		D. M. D.	DOUBLE AREAS		REMARKS
			North	South	East	West		North	South	
1	N. 5745	5745	5745							
2	E. 1931	1931			1931					
3	N. 1946	1946	1946							
4	x N88-WE. 1371	1371	37.9		1370.5					
5	x N63-23E. 6360	6360	2849.4		5686					
6	x N75-03E. 3403	3403	877.9		3287.8					
7	589-42E. 913	913		4.3	913					
8	x N82-35E. 1044	1044	134.8		1035.4					
9	N80-35E. 6991	6991	1143.8		6896.8					
10	x N63-05E. 489	489	221.4		436					
11	N22-35E. 341	341	314.9		131					
12	x N46-20E. 411	411	283.8		297.3					
13	x N66-22E. 1413	1413	566.4		1294.5					
14	x N70-16E. 864	864	291.7		813.3					
15	x N66-16E. 603	603	242.7		552					
16	N4-30W. 715	715	712.8			56.1				
17	S. 168	168		168						
18	S. 575	575		575						
19	N65-10E. 1080	1080	453.6		980.1					
20	N81E. 864	864	735.2		853.4					
21	N78-20E. 4212	4212	851.7		4125					
22	N78-05E. 2592	2592	535.2		2536.1					
23	S89E. 792	792		13.8	791.9					
24	N72-15E. 468	468	142.7		445.7					
25	x N71-15E. 396	396	127.3		375					
26	N5-50E. 2052	2052	2041.4		208.6					
27	x N3-30E. 432	432	431.2		26.4					

5773

Counter 15977

(2)

Station	Bearing	Distance	LATITUDE		DEPARTURE		D. M. D.	DOUBLE AREAS		REMARKS
			North	South	East	West		North	South	
1	N41-15E.	972	730.8	685.7	640.9	601.3				
2	N48-30E.	1368	916.5		1024.6					
3	N31-20E.	252	215.2		131.					
4	N65-35E.	756	312.5		688.4					
5	N47-10E.	324	220.3		237.6					
6	N75-50E.	288	70.5		229.2		279.2			
7	N77E.	540	121.5		526.2					
8	S 88-40E.	452		10.5	451.9					
9	S52-35E.	982		596.7	779.9					
10	S43-10E.	504		367.6	344.8					
11	S41-25E.	716		536.9	473.7					
12	S59-55E.	1168		585.5	1010.7					
13	S71-25E.	695		221.5	658.8					
14	N89-15E.	533	7.		533.					
15	N77E.	261	58.7		254.3					
16	N48-45E.	1069	704.3		803.7					
17	N2-20E	410	409.7		16.7					
18	N15-25E.	288	277.6		76.6					
19	N5-15W.	1279	1273.6			117.				
20	N4-30E.	290	289.1		22.8					
21	N43-50W.	260	187.6			180.1				
22			2587.1	3080.3	4385.9	353.2				
23			3080.3		353.2					
24			22746.8		43498.7					
25			22677.		43700.					
26			+69.8		-201.3					
27										

25866.7
 -3080.3

 22786.4
 22677.0

 109.4
 324

43947.0
 -353.2

 43593.8
 43700.0

 -106.2

Comparison of Surveyor Map with his Traverse Line

(3)

Station	Bearing	Distance	LATITUDE		DEPARTURE		D. M. D.	DOUBLE AREAS		REMARKS
			North	South	East	West		North	South	
1										
2										
3										From N.W. Cor. Sur. 1, Block 234 to N.E. Cor. Sur. 25 Block 228 T & St L. 1/4 Sec.
4										
5	Map Shows		15245.0		24700.0					
6	Traverse "		15363.7		24588.4					
7	Difference =		118.7		111.6					
8										
9										
10										
11										
12										From N.E. Cor. Sur. 25, Block 228 T & St L. 1/4 Sec. to N.W. Cor. Sur. 200 Block 61
13										
14	Map and Traverse Show			168.0						
15										
16										
17										
18										From N.W. Cor. Sur. 200 Block 61 to N.E. Cor. Sur. 43 Block 61
19										
20	Map Shows		7600.0		19000.0					
21	Traverse "		7363.1		18910.3					
22	Difference		236.9		89.7					
23										
24										
25										From N.W. Cor. Sur. 1, Block 234 T & St L. 1/4 Sec. to N.E. Cor. Sur. 43 Block 61
26	Map Shows		22677.0		43700.0					
27	Traverse "		22746.8		43498.7					
	Total Difference =		69.8		201.3					

5
S 11

503

Sketch File No. N.S. 44

(North & South) Brewster County

Traverse Barter's Connections N.W.

Cor No. 1 Blk 234 to NE Cor 43 Blk G-15

Filed 1930

J. H. Walker, Comm.

.....
File Clerk

Descriptive:

.....

.....

Counter 15980

925^b