

Also see Roll Sketch N-1-47  
Flat Folder N-1-48

# Howard County Abstract Company, Big Springs, Texas.

Surv. \_\_\_\_\_ Twp. \_\_\_\_\_ Block \_\_\_\_\_ Certificate No. \_\_\_\_\_ Abstract No. \_\_\_\_\_

The State of Texas )

County of Borden )  
and the connecting line

Field notes of a survey of the Standard parallel

and the North boundary line of Borden County, made for Borden County by virtue of an order of the County Court of Borden County, passed at the regular Feb. term of said County Courton the 11th day of Feb, 1908. ✓

Said order of the County Court duly notified both Garza and LYNN Counties to concur with the County Court of Borden County for the purpose of establishing the North boundary line of Borden County and the South boundary line of both Garza and Lynn Counties as touched by the North boundary line of Borden County.

I, W.S. McClung, special surveyor for county boundaries Borden County, - Began May 6th 1908, at the N.E. corner of Borden county, the same being the N.W. corner of Scurry County, as established by said W.S. McClung,

Said N.E. corner Borden County and N.W. corner Of Scurry County being 3.7 vrs. off of high bluff & identified by a large stone, set in large stone mound 100 vrs. South of said corner. Said stone mkd. on West face E.L.B.C. 100 vrs. from wh. the old Camp corner brs. N. 29° 3' W.


Another large stone mkd. N.L.B.C. 100 vrs. is set in large stone mound 100 vrs. West from said corner. From wh. stone in stone mound, the old Wood's corner brs N. 34° 3' W. 584.5 vrs. The old Camp corner brs N. 25° 56' W. 727.7 vrs.

Begining at a hub 3.17 ft. South of said corner. Turn angle from meridian N. 89° 58' 3" West on secant. At 1505 ver. reach East brink of canyon. 1900.8 vrs. a large set rock on ridge in canyon mkd. on S.W. corner N.L.B.C. I.M. On the N.E. corner S.L.G.C.

Position afforded no bearings.

The State of Texas  
County of Borden  
of Borden County Texas do hereby certify that the above and fore-  
going instrument of writing is a true and correct copy of the orig-  
inal as the same appears of record in my office in the Minutes of  
the County Court Volume 1, at page 162 to 170 respectively.  
Given under my hand and seal of Office this 23rd day of June A. D. 1908.

*Redway Kern*  
Clerk County Court of  
Borden County Texas.



Handwritten notes in the bottom right corner, including a vertical list of numbers: 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120.

# Howard County Abstract Company, Big Springs, Texas.

Surv. \_\_\_\_\_ Twp. \_\_\_\_\_ Block \_\_\_\_\_ Certificate No. \_\_\_\_\_ Abstract No. \_\_\_\_\_

30th mile Concl. { (A stone 14"x 14"x 6" mkd on S. face D C N L . brs W. 50 vrs.  
 { (A stone 14"x 14"x 6" mkd on S, face N L B C brs. E. 50vrs, The  
 { Wood old corner mkd on E face N.W.B.C. on W. face D C. brs N 37°  
 { 44' W. 448.8 vrs. A wind mill brs N. 42° E.

Survey finished May 12 th 1908. ✓

J . A . O r r, }  
 Z . R o b i n s o n, } Chain carriers,

D . B . T u c k e r, }  
 M o r r i s L a n e , } Rodmen.

The surveyor of either LYNN or Garza Counties failing to appear and assist in the foregoing survey;

I. W. S. McClung, Special surveyor for County boundaries of Borden County, Do hereby certify that the foregoing survey was made by me in the field and on the ground according to law, with the chaincarriers and rodmen duly qualified, and that the limits, boundaries, and corners, with marks natural and artificial are truly and correctly described and set forth in the foregoing field notes and plat accompanying same.

*I. W. S. McClung*

Special Surveyor for County Boundaries  
 Borden County, State of Texas,

I, H. Seay, District Surveyor Howard Land District do hereby certify that the foregoing survey was made on the ground as stated in the foregoing field notes and that I have examined same and find them correct.  
 this 11<sup>th</sup> day of June 1908 H. Seay District Surveyor Howard Land District

# Howard County Abstract Company, Big Springs, Texas.

Surv. \_\_\_\_\_ Twp. \_\_\_\_\_ Block \_\_\_\_\_ Certificate No. \_\_\_\_\_ Abstract No. \_\_\_\_\_

27th mile {  
 Continuing on secant N 89° 59' 24" W. Cross fence at 917.7 vrs.  
 Cross Gail- Tahoka wagon road 932 vrs. Cross telephone line 1308.7 vrs  
 At 1900.8 vrs. set stone mkd on S, face N L B C 27 M. on parallel  
 1.73 ft S. of secant. From wh. wind-mill br \_\_\_\_\_ Y. Wind-mill  
 brs N. 24° 24' E.

28th mile {  
 Continuing line on secant W. Cross fence 946.7 vrs. At 1900.8 vrs  
 set stone mkd on N face L C . on S face N L B C 28 M. on parallel  
 130 ft S of secant. From wh. wind mill brs. N. 43° 48' E. Wind-mill  
 brs. N. 59° 32' E. Open prairie. Soil firm.

29th mile {  
 Continuing line on secant S. 89° 58' 48" W. Cross fence at 955 vrs.  
 Pass through field. At 1900.8 vrs. set stone in west side of same  
 field. Said stone mkd L C on N face. on S face N L B C 29 M. and  
 placed at intersection of secant and parallel. From wh. wind-mill  
 (brs. N 21° 39' W. Wind-mill brs. N 45° 15' W.

Continuing line on secant S. 89° 58' 24" W. Cross fence at 7 vrs.  
 Pass through basin, black-hogwallow land. Cross fence 957.5 vrs.  
 Cross wagon road at 1565 vrs. At 1900.8 vrs. set stone on parallel  
 at its intersection with secant 2.17 ft. North of hub. Said stone  
 is 2ft X 2 ft X 2" X 2", across which two lines are cut, N & S. E&W.  
 and intersect at right angles at the center. the same being N W cor.  
 Borden County. and N.E.cor. Dawson County.  
 The North half said corner stone mkd L Y N N . 5/18/08. The S.E.  
 quarter mkd N.W.Cor; B.C.. The S.W. quarter mkd N.E.C.O.D.C.  
 Six inches S. of said corner stone , set a stone 10" X 24" X 5" mkd 30 B C.

30th  
 mile  
 Continued

# Howard County Abstract Company, Big Springs, Texas.

Surv. \_\_\_\_\_ Twp. \_\_\_\_\_ Block \_\_\_\_\_ Certificate No. \_\_\_\_\_ Abstract No. \_\_\_\_\_

22nd mile { Continuing line on secant W. Cross fence 880 vrs. 1900, 8 vrs. set stone mkd N L B C 22M . on parallel IX I.30 ft. S. of secant. From wh. point of plains brs. S 76° 15' E. A chalky point of hills brs . N 78° 35' E. This stone is on the plains.

23rd mile { Continuing line on secant S. 89° 58' 48" W. Cross fence 922 vrs. 1900. 8 vrs. set stone at intersection of secant and parallel. Stone mkd N L B C 23M. <sup>From wh. mes. 4" dia brs N. 8° 25' W. 26.3 vrs. mes. 3" dia brs S. 44° 5' 22.4 vrs.</sup> Open prairie. Soil firm and dark red.

24th mile { Continuing line on secant S. 89° 58' 24" W. Cross fence at 338. 5 vrs. Cross fence at 893 vrs. At 1900, 8 vrs. set stone mkd N L B C 24 M. On parallel at its intersection with secant 2.17 ft N. of hub. From wh. mes 6" dia brs S. 25° 47' 206 vrs. Wind-mill brs. S. 88° 59' W / A dug well brs. S 83° 43' E. Open prairie. Soil dark and firm.

25th mile { Turn to new secant and continue line N. 89° 58' 24" W. Cross fence at ~~XXXX~~ 116.4 vrs. Cross wagon road II 36 vrs. I2 1900, 8 vrs. set stone mkd N L B C 25 M. on S face at intersection of secant and parallel. From wh wind-mill brs. S 13° 32' W. Wind-mill brs. S. 44° 34' E. Open prairie.

26th mile { Continuing line on secant N. 89° 59' 24" W. Cross fence at I312.8 vs. At 1900.8 vrs. set stone mkd on S face N L B C 26 M. On parallel ~~XXXX~~ S of secant I.30 ft. From wh. wind-mill brs S. 50° 24' W Wind-mill brs N. 43° 53' W. DeShazo's wind-mill brs. S. 26° 58' E. Open prairie . Soil firm. Stone set near half-dugout.

# Howard County Abstract Company, Big Springs, Texas.

Surv. \_\_\_\_\_ Twp. \_\_\_\_\_ Block \_\_\_\_\_ Certificate No. \_\_\_\_\_ Abstract No. \_\_\_\_\_

Continuing line on secant S 89° 58' 24" W. Cross draw at 177 vrs. Cross wagon road at 544 vrs. Ascend spur of plains at 1490 vrs. A small rock mound on west side of same. Descending same. 1900.8 vrs. set stone mkd. N L B C 18 M, on S face. G C on N face. ~~XXXXXXXXXX~~ at intersection

Stone set 2. 17 ft. N of secant on parallel. From wh. mes 3" dia. mkd XVIII M W brs S 47° 51' E 20.8 vrs. Mes 4" dia mkd XVIII M W. Brs. S.

10° 57' W. 69.5 vrs. Soil firm. Prairie with few mes.  
*N.E. Cor. Survey No. 12 Blk No. 31. T. & P. Ry Co. Top. 4th. is S. 1699 vrs and W. 1113 vrs From 18<sup>th</sup> Mile Stone.*

Camped for the night. By observation determined the true meridian and turn new secant N. 89° 58' 24" W. and continue line on secant. At 1900.8 vrs, set stone mkd on S face N L B C 19 M. at intersection of secant and parallel. From wh. old stone mound brs. N 6° 55' E. 44.2 vrs. Conical hill on West side of Cordova Peak brs. S 19° 32' E.

May 11th 1908.

Continuing line on secant N 89° 58' 48" W. At 1676 vrs. Cross Gail-Post City. wagon road. Cross wagon road near fence at 1812 vrs. Cross fence 1847.3 vrs. At 1900.8 vrs. set stone mkd N L B C 20 M. 1.30 ft. S. of secant and on parallel. From wh wind-mill brs. S 19° 47' W. Cordova Peak brs. S 23° 29' E.

Continuing line on secant N 89° 59' 24" W. Cross draw 220 vrs. Cross draw 890 vrs. 1900.8 vrs. set stone mkd N L B C 21 M. On parallel 1.73 ft. S. of secant. From wh. round top peak brs. S. 35° 33' E. Green bush on hill or bluff Brs S 87° 12' E. Soil firm. Broken country.

# Howard County Abstract Company, Big Springs, Texas.

Surv. \_\_\_\_\_ Twp. \_\_\_\_\_ Block \_\_\_\_\_ Certificate No. \_\_\_\_\_ Abstract No. \_\_\_\_\_

I4 th Mile. { Continuing line on secant N 89° 58' 48" W. Cross creek at 600vrs.  
 Cross fence 1150 vrs. 1900.8 vrs. set stone mkd on S face N L B C  
 I4 M. On N face G C .on parallel 1,30 ft. S of secant. From wh a cedar  
 on bluff brs S 37° W. Small peak brs. S 9° 30' E.

I5 th Mile. { Continuing line on secant N 89° 59' 24" W. Ascending rocky bluff. About  
 115 vrs. and on top on west side of said rocky bluff is a flat rock  
 bedded in the ground mkd (X) N L B C S L G C . Descending bluff. Cross  
 ravine at 708vrs. Cross draw 1112 vrs Cross fence 1250 vrs. Cross  
 ravine at 1340 vrs, Cross ravine 1438 vrs. 1900.8 vrs get stone in  
 stone mound mkd on S face N L B C 15 M. on N face G C .I. 73 ft. on  
 parallel S. of secant. From wh. Ziffs Peak brs. N 61° 52' W Point  
 Of bluff brs, S 55° 55' E.

I6 th Mile. { Continuing line on secant W. Cross ravine at 661 vrs. Cross fence  
 808 vrs. Entering muchas aroyas colorado (many red gulleys) At  
 1900.8 vrs. set large sand stone in large sand stone mound mkd (X) X  
 mkd N L B C 16 M. G C. I.30 ft south of secant on parallel. Said  
 stone mound is on a ridge in gulleys.

I7 th Mile. { Continuing line on secant S 89° 58' 48" W. across muchas aroyas x  
 colorado. Cross draw at 1448 vrs. Cross fence at 1638 vrs. 1900.8 vrs.  
 set hard lime stone mkd on N face G C on S face N L B C I 7 M .in  
 mes flat. at point of intersection of secant and parallel.  
 Soil firm and mes timber young.

# Howard County Abstract Company, Big Springs, Texas.

Surv. \_\_\_\_\_ Twp. \_\_\_\_\_ Block \_\_\_\_\_ Certificate No. \_\_\_\_\_ Abstract No. \_\_\_\_\_

~~CONTINUING LINE ON SECANT~~

10th Mile. Continuing line on secant West, At 88.6 vrs, large flat rock mkd X on a ridge from wh. a cedar brs. S 66° E. 3 vrs. Another cedar brs. 69° 30' W. 4 vrs. At 446 vrs cross rocky ledge. 780 vrs. cross draw. At 1900.8 vrs. set stone I.30 ft. S of secant on parall el.

Stone mkd. N L B C IO M on S. face. G.C. on N. face. From wh double mes. mkd X M W. 8" dia, brs. S 42° II 7. 8 vrs. Red mound Brs. S 10° 30' E. (Magnetic)

11th Mile. Continuing line on secant S 89° 58' 48" W . 745 vrs. cross draw. At 1580 vrs. cross draw. 1859 vrs. cross draw. 1900.8 vrs. set flat stone at intersection of secant and parallel. Stone mkd on N face G.C.L . On S. face N L B C II M. From wh a high red point capped with rock brs S 19° 45' W . Mes 5" dia mkd XI M W. brs N 70° 45' 34.7 vrs. (Magnetic.)

12th Mile. Continuing line on secant S 89° 58' 24" W. At 938 vrs. cross West line survey No. 22 Blk. No 2 T& NO Ry Co. 710.3 vrs. S 1° 25' W. from its N.W. corner, at 1010 vrs, cross draaw. Ascend rocky bluff. 1900.8 vrs set stone 2.17 ft N. of secant. Said stone mkd on S face N L B C 12 M. On N. face G.C. is set in large stone mound in Lanes Gap (being gap betw en the main chain of Mts. and the two red rocky peaks) From wh. Ziffs Peak brs N 77° W. Gap in long Mt. brs, N 6° 30' E.

May, 9th, 1908.

13th Mile. Turn new secant N. 89° 58' 18" W. and continue line. At 620 vrs. cross draw. At 1022.5 vrs cross fence on bluff, Cross draw at 1160 vrs. Cross wagon road at 1825 vrs. at 1900, 8 vrs. Set stone at intersection of secant and parallel. Stone mkd. on S face N L B C 13 M. From wh. Ziffs Peak brs N 74° 30' W. Bush on natural mound brs. N 23° 30' E. abut 200 Vrs. Countr y broken and rolling.



# Howard County Abstract Company, Big Springs, Texas.

Surv. \_\_\_\_\_ Twp. \_\_\_\_\_ Block \_\_\_\_\_ Certificate No. \_\_\_\_\_ Abstract No. \_\_\_\_\_

6th. Mile. { on secant . Said stone mkd. on N. face G C . On S. face N.L.B.C.  
 { 6 M. is in stone mound . From wh. a cedar on top of mound in valley  
 { brs, N. 23°28' W. High rock under bluff brs, S. 89°E. High rock under  
 { bluff brs. S. 89° 42'W. Red mound in valley brs. N. 19° 45' W.

7th. Mile. { May 8th 1908,  
 { Turn from meridian to new secant and continue line N. 89° 58' 18" W.  
 { At 532 vrs. cross branch ~~axe~~ Cse. N.E. At 893 vrs cross fence. 1440  
 { vrs. cross branch. At 1680 vrs. cross branch. At 1900, 8 vrs. set  
 { stone mkd. on S. face N L B C 7 M . On N face G C . at inter-section  
 { Of secant and parallel . From wh. Mes. 4" dia mkd. VIIMW. brs. N.  
 { 4 2° 45' W. 15 vrs. Mes. 4" dia mkd VIIM W . brs N. 63 vrs. (Magnetic)

8th. Mile. { Continuing line on secant N. 89° 59' 24" W. Cross branch at 578 vrs,  
 { Cross draw 1537 vrs. 1900 vrs. set stone in stone mound on parallel  
 { 1.30 ft. S. of secant . Said stone mkd. on S face N L B C 8 M ,  
 { On N face G C . From wh. a table rock brs, N. 47° 35' W . From  
 { wh. cluster of cedars on hill brs. N 31° 30' 28. 3 vrs.

9th. Mile. { Continuing line on secant N. 89° 59' 42" W. through mes. flat. At  
 { 147 vrs, cross fence . 886 vrs, cross fence. At 1260 vrs. cross  
 { rocky ledge @ 1670 vrs, cross branch. At 1900. 8 vrs. set  
 { stone on parallel 1.73 ft. S. of secant. Stone mkd. on S. face N.L.  
 { B.C.9M. On N.face G.C. From wh. large flat rock on ridge mkd.  
 { ~~X~~ brs ~~W~~ 88.6 vrs, from wh . a cedar brs S. 66°E. 3 vrs. A cedar  
 { brs s. 69° 30' W. 4 vrs. Country broken. Soil red.

# Howard County Abstract Company, Big Springs, Texas.

Surv. \_\_\_\_\_ Twp. \_\_\_\_\_ Block \_\_\_\_\_ Certificate No. \_\_\_\_\_ Abstract No. \_\_\_\_\_

May 7th '08,

Continuing line on secant N.  $89^{\circ} 58' 8''$  W. Pass through canyon, ~~are~~  
crossing Sand Creek, Ascend bluff of said canyon, 1900.8 vrs. set stone  
1.30 ft. S. of secant and on parallel. in stone mound about 35 vrs, W.  
2nd Mile. (from brink of canyon. Said stone mkd. on S face N L B C 2M. On N. fac  
G C. From wh. a cedar tree mkd. 4" dia. mkd. I I. M.W. brs. S.  $34^{\circ} 55'$   
W. 36.2 vsr. A cedar tree 4<sup>3</sup> dia. mkd. II.M.W. brs. S  $3^{\circ} 17'$  W. 72.4 vrs

Continuing line on secant N.  $89^{\circ} 59' 42''$  W. over table land. Crossing two  
3rd Mile. (small canyons. At 1360 vrs. East brink of deep canyon. 1900.8 vrs.  
set large flat rock 1.73 ft S. of secant on parallel. Stone mkd. on N  
face N L B C 3 M MAY 7 1908. Said stone set in large sand stone mound  
on the side of a little knoll in canyon.

Continuing line West on secant through canyon, ascend sharp chalky  
4th Mile. (ridge (Tucker's Point) at 1750 vrs. Descending canyon. 1900.8 vrs. A  
large rock 130 ft. S of secant bedded on ridge of small draw. Said  
rock mkd. N L B C 4 M G C. Position afforded no bearings.

Continuing line On secant S  $89^{\circ} 58' 48''$  W. ascending canyon. Pass over  
5th Mile. (narrow table land. At 1100 vrs. brink of another canyon. At 1449 vrs.  
reach W. brink of same canyon. 1900.8 vrs. set stone on secant at  
intersection with parallel. Said stone mkd. on S face N L B C 5M. On  
N face G C, is in stone mound near the S end of an earth tank.

Continuing line on secant S.  $89^{\circ} 58' 18''$  W. Over narrow table land  
6th Mile. (Cross fence 839.7 vrs. At 1220 vrs. reach E. brink of an abrupt bluff.  
( Mile continued)  
Descending canyon, 1900.8 vrs. Set stone 2,17 ft. On parallel N. of hub

Approved 13th of July, A. D. 1908  
 County Clerk  
 Borden County, Texas

Filed this 13th day of July, A. D. 1908.  
 O. D. H. H. H.  
 County Clerk  
 Borden County, Texas

# MAP OF NORTH BOUNDARY LINE BORDEN COUNTY

Scale 1000 Varas to the inch  
 Compiled and Drawn by J.H. Seay

BORDEN CO



The State of Texas }  
 Borden County }  
 We the undersigned Surveyors do hereby certify that the foregoing map is a correct map of the North Boundary Line of Borden County, as surveyed and marked as is shown by us stated all distances, natural and artificial objects, adjacent thereto, and that we have caused this map to be printed and filed in my office of June, A.D. 1908.  
 M. A. Maloney, District Surveyor, Howard Land District  
 H. J. J. J., District Surveyor, Howard Land District

The State of Texas }  
 County of Borden } I, Redway H. H., County Clerk of Borden County, Texas, do hereby certify that the above and foregoing is a true and correct copy of the plat of the North boundary line of Borden County, as the same appears on file in my office.  
 Given under my hand and seal of office this 13th day of July 1908.  
 O. D. H. H. H., County Clerk  
 Borden County, Texas.

K-1-101

These field notes  
is for only one line  
to land survey, this  
is 157 miles for an  
of an 12 block 31-7400

5/6/25/John

12<sup>th</sup>

FIELD NOTES  
OF A SURVEY OF  
LINE OF THE COUNTY OF  
BORDEN STATE OF TEXAS  
FINISHED 13th DAY  
MAY, 1908.

S. 100 2411

3

M/L Borden

counter 50635