



BASCOM GILES

COMMISSIONER

GENERAL LAND OFFICE

AUSTIN, TEXAS

SK. File No. 3

Carson County  
Report of Resurvey, Blk 2,  
T.T.R.R. Co., Vicinity Panhandle

T. S. McClelland 6-22-88

Filed 6-25 1888

R. M. Hall Com'r

File Clerk

Counter 17335

Clemensdon, N.H. June 20<sup>th</sup> / 88

To

Hon. R. W. Hall

Comr. Gen. Land Office

Christown, N.H.

Sir:

Herewith I submit report of the resurvey of Ber. 11. T. T. R. R. Co. Concord County same having been perfected in accordance with instructions had from your Office and at the instance and full approval of those in interest with the Patented Land.

I have the honor to state that I carefully retraced the line on the ground between the old established monument at the S. E. Cor. of Sur. No. 1. Ber. 5. N. Y. N. R. R. Co. (same being the N. E. Cor. of Ber. 11. T. T. R. R. Co.) and the old established monument at the S. W. Cor. of Sur. No. 11, Ber. 5 as above stated, and that I found no identified intermediate corners on said line. I found the distance on said line to be in excess 402. Veras. Pending no corners to establish the North base line of Ber. 11 except its N. E. Cor. I have disregarded the calls for the corresponding surveys in Ber. No. 5 and measured over 1900. vrs for a mile on same. I further found a small excess of some 19. Veras. to the mile from the N. E. Cor. of Ber. 11 to the North base line of Ber. 11. N. Y. N. R. R. Co. as officially established by myself in 1887. This excess grows gradually

(2)

1 as the survey extends westward (as the West  
 2 base line of Bet. 7. I & G. N. P. R. Co. has recently  
 3 been established by Mr. P. G. Amador, I  
 4 accepted that line as the East boundary of Bet.  
 5 II, the course of this line however, is not of a  
 6 perpendicular to the South base line of Bet.  
 7 5. I & G. N. P. R. Co. (as established between  
 8 the two old monuments described above)  
 9 by a deflection of 28' to the west,  
 10 I take this line as a true meridian and  
 11 read the angles to it on the East and West  
 12 lines of the Bet.:

13  
 14 Field Notes survey Bet. 2. I & G. N. P. R. Co.

15 No. = 11° 12' E Carson Co. May 31<sup>st</sup> 1888

16 Began at established monument at the  
 17 N. E. Cor. of the Bet.

18  
 19 1. Thence South

20 at 200 vis. post. between ravines running  
 21 East, @ 1000 vis. ravine, # East, 1919 vis.  
 22 earth mound with gas pipe in center, whd.  
 23 N. E. No. 2. Bet. II

24 2. South.

25 at 400 vis. ravine, # N. E. @ 1100 vis. plains.  
 26 1919 vis. mound and pipe for N. E. No. 3  
 27 300 vis. N. E. small lake

28 3. South

29 at 600 vis. pass 15 vis. East of lake 150  
 30 vis. in dca., 1919 vis. mound and pipe for the  
 31 N. E. Cor. No. 4. Same level,

(2)

4)

South

at 900 vs. East. edge lake 200 vs. in dist.  
1835 vs. mud. N. W. corner 55. Ber. 7,  
1919 vs. mud and pipe for N. E. Cor. No. 5

5.)

South

at 1816, <sup>N. W.</sup> vs. corner 56. Ber. 7, 1919 vs.  
mud. N. E. No. 6, 200 vs. N. E. large lake

6)

South

at 1540 vs. S. N. R. W. + S 60° 25' W  
1795 vs. N. W. Cor. 77. Ber. 7. 1919 vs. mud  
and pipe for the N. E. No. 7

7)

South

at 1500 vs. pers 200 vs. East of large lake  
1919 vs. mud and pipe, N. E. No. 8.

8.)

South

at 1600 vs. East. part of lake 200 vs. in dist.  
1919 vs. mud and pipe N. E. No. 9.

9)

South

1919 vs. mud and pipe, N. E. No. 10.

10)

South

at 1200 vs. valley Mc. Clellan Crk. at  
1720 vs. N. W. Cor. 121. Ber. 7, 1919 vs. mud,  
N. E. 11, 160 vs. north of ravine + East

11)

South

at 1300 vs. cross Mc. Clellan Crk. + N. E.  
1700 vs. corner, N. W. of 122. Ber. 7. 1919,  
vs. mud and pipe for N. E. No. 12,

12)

South

at 1680 vs. corner the N. W. of 143. Ber. 7,  
1919 vs. mud & pipe the N. E. Cor. 13,  
Ber. II. I. I. P. P. P. to

6

- 1)  $N 89^{\circ} 39' E$   
 1900 vis. mud & pipe for N. E. No. 8,  
 Begun at W. W. No. 83. Bet. Tl.
- 2)  $Thence North$   
 at 900 vis. center of lake 500 vis. in dia.  
 1916, vis. mud. W. W. No. 84,
- 3)  $North$   
 1916, vis. mud & pipe for W. W. No. 85.
- 4)  $North$   
 at 600 vis. East. edge of large lake at  
 12120 vis. cross ravine running S. W.  
 1916, vis. mud & pipe for W. W. No. 86,
- 5)  $North$   
 at 1640 vis. stone Brns. 1916, vis. mud.  
 & pipe for W. W. No. 87
- 6)  $North$   
 at 700 vis. cross draw # N 255 E, 1916,  
 vis. mud & pipe for N. W. No. 88, in divide.
- 7)  $North$   
 at 1160 vis. ravine # N 20 E, 1916, vis. mud.  
 & pipe in small mesquite flat for N. W. No. 89
- 8)  $North$   
 1916, vis. mud. and pipe under fence in  
 South bar line of Bet. No. 5. A. G. W.  
 O. O. Co. for N. W. Co. No. 90. Bet. Tl.
- 9)  $Thence N 89^{\circ} 32' E$   
 with the South bar line of Bet. 5 at 12120,  
 vis. cross ravine running N. E. 1900. vis.  
 mud. & pipe for N. E. No. 90. Bet. Tl.
- 10)  $N 89^{\circ} 32' E$   
 at 180 vis. ravine running North, 1900. vis.  
 mud. and pipe for N. E. No. 61, Bet. Tl.

(6)

## Thru North

1) Parallel to East line of O.R.R. 1916.  
 vis. man. & pipe for N.W. Co. No. 76, Blk. II.

2) North.  
 1916. vis. man. & pipe in small cut for  
 N.W. No. 77.

3) North.  
 1916. vis. N.W. Co. 78. 600. vis. N.E. large cut.

4) North.  
 1916. vis. man. & pipe for N.W. No. 79.

5) North.  
 @ 500 vis. lane 150 vis. in dist. 1916. vis.  
 man. for N.W. No. 80.

6) North.  
 @ 10021 vis. A.W. & R. Co. O.R.R. 1916.  
 vis. man. & pipe N.W. No. 81. Small cut.

7) North.  
 1916. vis. man. man. pipe N.W. No. 82.

8) North.  
 1916. vis. man. & pipe for N.W. No. 83.

9) Thru N 89 & 39 E.  
 1900. vis. man. & pipe for N.E. No. 83.

10) N 89, 39 E.  
 1900. vis. man. & pipe for N.E. 68, 50. vis.  
 west of lane 150 vis. in dist.

11) N 89, 39 E.  
 1900. vis. man. & pipe for N.E. No. 53.

12) N 89, 39 E.  
 at 1576 vis. S.W. O.R.R. # 560 215 W.

13) N 89, 39 E.  
 1900. vis. man. & pipe for N.E. No. 38.

14) N 89, 39 E.  
 1900 vis. man. 400. vis. S.W. of large cut  
 for N.E. No. 23.

6

1) N 89° 34' E

1900. vis. mud. & pipe for N. E. No. 8,  
Begin at W. W. No. 83. Bet. II.

2) Thru North  
at 900 vis. center of lake 500. vis. in dial.

1916. vis. mud. W. W. No. 84,  
North

3) 1916. vis. mud. & pipe for W. W. No. 85,  
North

4) at 600 vis. East. edge of Cuyahoga Lake at  
12120. vis. cross ravine running S. W.

1916. vis. mud. & pipe for W. W. No. 86,  
North

5) at 1640 vis. stone Buis. 1916. vis. mud.  
& pipe for W. W. No. 87,  
North

6) at 700 vis. cross draw # N 215 E, 1916,  
vis. mud. & pipe for N. W. No. 88, in divide,  
North

7) at 1160 vis. ravine # N 210 E, 1916. vis. mud.  
& pipe on small mesquite flat for N. W. No. 89,  
North

8) 1916. vis. mud. and pipe under fence in  
South bar line of Bet. No. 5. I. G. W.

On. Co. for N. W. Co. No. 90. Bet. II.  
Thru N 89° 32' E

9) with the South bar line of Bet. 5 at 12220,  
vis. cross ravine running N. E. 1900. vis.

mud. & pipe for N. E. No. 90. Bet. II.  
N 89° 32' E

10) at 180. vis. ravine running North, 1900. vis.  
mud. and pipe for N. E. No. 61, Bet. II.

(6)

3) N 89° 32' E  
at 500. vis. ravine + N 20 E. at 1320. vis.  
ravine + North, 1900. vis. mud. & pipe for  
the N. E. Cor. No: 60.

4) N 89° 32' E  
at 60. vis. ravine + North, at 1720. vis. large  
ravine + North, 1900. vis. mud. on E. bank  
of ravine for N. E. No: 31.

5) N 89° 32' E  
at 200. vis. rough ravine, at 1280. vis. cross  
smooth ravine + N. W. 1900. vis. mud for N. E. 30.

6) N 89° 32' E  
at 400. vis. dup ravine 1900 vis. to well  
established Monument for N. E. Cor. Blk. II.  
Begin at N. E. Cor. No: 30. Blk. II.

7) Through South  
1918 1/2 vis. mud. & pipe on bank of ravine  
running N. W. being the N. E. No: 29. Blk. II.

8) South.  
400 vis. plain, 1918 1/2 vis. mud for N. E. 28.

9) South.  
940 vis. h.d. of ravine + N. W. 1918 1/2 vis.  
mud. & pipe for N. E. No: 27. level land.

10) South.  
1918 1/2 vis. mud. & pipe for N. E. No: 26.

11) South.  
1918 1/2 vis. mud. & pipe, 300. vis. west of lake  
2150. vis. in dirt for the N. E. No: 215.

12) South.  
Through large basin 1918 vis. mud. & pipe  
for N. E. No: 214, 500. vis. N. E. of large  
lake, level land all around for miles.



- 17) South.  
650. vrs. S. N. O. P. # S 60° 21' W.  
1918. vrs. mud. for N. E. no: 23. Per: II.
- 8) South.  
1918. vrs. mud. pipe for N. E. no: 22,
- 9) South.  
at 1500. vrs. west. part of laru 300. vrs.  
in dia; 1918 1/2. vrs. mud. pipe in East.  
part of laru 400. vrs. in dia. for N. E. no: 21,
- 10) South  
2100. vrs. laru 200. vrs. in dia. 1918 1/2. vrs.  
mud. and pipe for No: 20, Per: II.
- 11) South.  
1918 1/2. vrs. mud. pipe for N. E. no: 19,
- 12) South.  
1000. vrs. McMillan Cor. Draw. # N 20° E  
1918 1/2. vrs. mud. pipe for N. E. no: 18,
- 13) South.  
1918 1/2. vrs. mud. pipe for N. E. no: 17,
- 14) South.  
1918 1/2. vrs. mud. pipe for N. E. no: 16,
- 15) South.  
1918 1/2. vrs. mud. pipe for S. E. no: 16,  
2. vrs. North of red fence.  $\pi$   
Begin at S. E. Cor. No: 75. Per: II.
- 16) Thru North.  
1917. vrs. mud. pipe on plains for N. E. no: 75
- 17) North.  
1917. vrs. mud. pipe for N. E. no: 74,
- 18) North.  
1917 vrs. mud. pipe on plains for the N. E.  
Cor. Sur. no: 73. Per: II.

## North

4)

100 vis. McClellan Cor. show H &amp; SW.

1917 vis. man. &amp; pipe for N. E. no. 72,

5)

North

1917 vis. man. &amp; pipe on slope for N. E. no. 71,

6)

North

600 vis. center of lane 150 vis. in div.

1917 vis. man. &amp; pipe for N. E. no. 70,

7)

North

1881 vis. S. S. Co. 1917 vis. man. & pipe  
for the N. E. no. 69, on Plains

8)

North

100 vis. East part of lane 200 vis. in

div. 1917 vis. man. &amp; pipe for N. E. no. 68,

9)

North

1917 vis. man. &amp; pipe for N. E. no. 67,

10)

North

1917 vis. man. & pipe in South edge of  
lane 300 vis. in div. for N. E. no. 66,

11)

North

1917 vis. man. &amp; pipe for N. E. no. 65,

12)

North

1917 vis. man. & pipe on South bank of lake  
500 vis. wide for N. E. no. 64,

13)

North

1917 vis. man. &amp; pipe on plains for N. E. no. 63,

14)

North

200 vis. lane plains, 1917 vis. man. & pipe  
on mosquito flat for N. E. no. 62,

15)

North

Down East slope of divide 1917 vis. man.  
& pipe for the N. E. Cor. no. 61. Dist. II.

Begin at St. E. no. 90. Part II.

- 1) Thence South  
 2) Over rough land, 1916 1/2, vis. mound & pipe  
 in edge of mesquite flat for St. E. no. 89,  
 South  
 3) 1520. vis. bluff on East side ravine, 1916 1/2  
 vis. mound & pipe on bank ravine + W 5 W. for N.E. 88  
 South  
 4) along ravine, 1200. vis. low rough land  
 1916 1/2 vis. mound & pipe for St. E. no. 87,  
 South  
 5) 1916 1/2 vis. mound on level plain for N.E. no. 86,  
 South  
 6) 1916 1/2 vis. mound & pipe for N.E. no. 85,  
 South  
 7) 1916 1/2 vis. mound & pipe for N.E. no. 84, - 100 vis.  
 S.W. of small lake,  
 South  
 8) 1916 1/2 vis. mound & pipe for N.E. no. 83,  
 South  
 9) 1100 vis. pass through west part of large  
 lake, 1916 1/2 vis. mound & pipe for N.E. no. 82,  
 South  
 10) 1084. vis. S. N. Or. Or. S 60° 24' W. 1916 1/2  
 vis. mound & pipe for St. E. no. 81, N.W. of lake  
 South  
 11) 1916 1/2 vis. mound & pipe for N.E. no. 80,  
 South  
 12) 1916 1/2 vis. mound & pipe for St. E. no. 79,  
 South  
 13) 500. vis. low 300. vis. in dist. 1916 1/2 vis.  
 mound & pipe for N.E. no. 78. Part II.

13) South  
 1916 1/2 vis. mud. & pipe just East of long  
 lake in McAllen Cr. H. S. E. W. E. no. 77

14) South  
 1916 1/2 vis. mud. & pipe for N. E. no. 76

15) South  
 at 700 vis center of lake 400 vis. in dec.  
 1916 1/2 vis. mud. & pipe for S. E. no. 76  
 Begin at S. E. cor. H. 6. Ber. II

16) Thru North  
 1917 1/2 vis. mud. & pipe for N. E. no. 46

17) North  
 1917 1/2 vis. mud. & pipe for W. E. no. 47

18) North  
 300 vis. cross bend in ravine + S. E.  
 1917 1/2 vis. mud. & pipe for N. E. no. 48

19) North  
 350 vis. McAllen Cr. Draw. 1000 vis.  
 draw + S. W. 1917 1/2 vis. mud. & pipe for W. E. no. 49

20) North  
 1917 1/2 vis. mud. & pipe for N. E. no. 50, low land

21) North  
 1917 1/2 vis. mud. for W. E. 51, west of small lake

22) North  
 1917 1/2 vis. mud. & pipe for N. E. no. 52,

23) North  
 1027 vis. S. N. O. O. - 1917 1/2 vis. mud.  
 & pipe for W. E. no. 53, plains all around

24) Begin at N. E. cor. no. 38. Ber. II  
 Thru South

25) 1200 vis. center part of lake 550 vis. in  
 dec. 1918 vis. mud. & pipe for N. E. no. 39

12.

2)

South

300. vis. cross long lake running ESW.

1918 vis. man. & pipe for N.E. no. 40,

3)

South

1000. vis. pass through Eastern portion of lake

550. vis. in div. 1918. vis. man. for N.E. no. 41,

4)

South

1800. vis. McWilliam Crk. channel running East

1918 vis. man. for N.E. no. 42.

5)

South

1600. vis. lake 700. vis. in div. 1918. vis.

man. & pipe for N.E. no. 43.

6)

South

1918. vis. man. & pipe for N.E. no. 44.

7)

South

1918. vis. man. & pipe for N.E. no. 45.

8)

South

1918. vis. man. & pipe for S.E. no. 45.

Begin at S.E. Cor. No. 96. B.M. II

1)

Bearing S 89° 37' W

1900. vis. man. & pipe for S.W. no. 96.

1)

Bearing North

1915 1/2 vis. man. & pipe for N.W. no. 96.

2)

North

1915 1/2 vis. man. & pipe just North of small

lake and South of Hwy. cut for N.W. no. 95.

3)

North

1915 1/2 vis. man. & pipe for N.W. no. 94.

4)

North

1915 1/2 vis. man. & pipe for N.W. no. 93.

5)

North

1400. vis. cross ravine, N W 250 E, 1915 1/2 vis. man.

& pipe for N.W. no. 92. at junction of ravine + N.E. & N 20° E.

6)

## North

1100. vis. cross ravine + N. E. 1600. vis. cross  
ravine + N. E. 1915 1/2. vis. man. & pipe under  
fence for N. W. No. 91

11) Show North. 89° 32' East.

975. vis. ravine N. 20 E. 1650. vis. ravine  
+ North 1900. vis. man. & pipe for N. E. No. 91,  
Begin at N. E. No. 53. Per II.

11) Show North.

1917 1/2 vis. man. & pipe for N. E. No. 54,

21) North.

1300. vis. cross west part of lane 650. vis.  
in dia. 1917 1/2. vis. man. in N. W. edge  
of lane for N. E. No. 55. Per II.

31) North.

200. vis. draw running S. E. 1917 1/2 vis. man.  
& pipe on level plain for N. E. No. 56

41) North.

1917 1/2 vis. man. & pipe for N. E. No. 57,

51) North.

1917 1/2 vis. man. & pipe for N. E. No. 58.

61) North.

200. vis. level plain, 1917 1/2 vis. man. &  
pipe for N. E. No. 59. 100. vis. south of rough  
ravine running S. E. and 200. vis. East of grove  
of small trees.

71) North.

1917 1/2 vis. man. & pipe under fence for the  
N. E. Cor. of No. 60.

Begin at the N. E. Cor. No. 31. Per II.

11) Show South.

Up west slope of divide, 1700. vis. ravine 1918  
man. & pipe for the N. E. Cor. No. 32. Per II.

2) South  
1918 vis. man. & pipe for N.E. No. 33, in small  
swell,

3) South  
500 vis. ravine running East, 1200, vis. plain,  
1918 vis. man. & pipe for N.E. No. 34,

4) South  
passing through chain of small lakes at 1500.  
vis. 1918 vis. man. & pipe for N.E. No. 35.

5) South  
1918 vis. man. & pipe for N.E. of No. 36, just N.  
& E of large lake.

6) South  
1918 vis. man. for N.E. No. 37, in western  
part of large long lake.

7) South  
at 1228 vis. S. K. R. R. 1918 vis. man.  
and gas pipe for the N.E. Cor. of No. 38. B.M. II.

I J. N. McClelland, Sur. New Land  
Dist. do hereby certify that the above and  
following 13 pages and 18 lines express a  
true and correct copy of notes as taken in  
actual survey on the ground of B.M. II,  
S. K. R. R. Co. Carson Co. and that all calls  
both natural and artificial are established  
as called for and are true and correct.  
Given under my hand at Cleburne  
New York Co. N.Y. this 22<sup>d</sup> day of June 1888

J. N. McClelland  
Sur. New Land Dist.

Sketch File No. 3

Carson County

T. S. McClelland's Report

Resurvey Blk. <sup>2</sup> T.T.P.C.

Filed June 25th 1890

J. H. Walker, Comm.

File Clerk

Descriptive: Vicinity Panhandle

See Sk. File No. 2 for Sketch

# Carson County

Filed June 25<sup>th</sup> 1890  
Rutledge  
Comm.

(15)

Count 17350