

MF 9518

STATE OF TEXAS
COUNTY OF CHAMBERS

Field notes of survey of 91.45 acres of submerged land in Chambers County, Texas, belonging to the State of Texas, made in part and completed for Walle Merritt under authority, and by virtue of his written Petroleum and Gas Prospect Application, Mineral File No. 415, filed with the undersigned County Surveyor of Chambers County, Texas, on the 3rd day of December, A. D. 1924, at 5:55 o'clock, P. M., and recorded in Volume "I", Page 320, of the records of said County Surveyor on the same date, which said survey and said field notes thereof have been and now are adopted in their entirety to and for, and as having been made under authority and by virtue of, said Application.

Situated in Chambers County, Texas, about 9 1/2 miles, course about North 40° West from Anahuac, the County Seat, and being all that part of a Bayou known as Cut Off Bayou, from it's mouth where it empties into Old River, up stream in a generally northeasterly direction to the Liberty-Chambers County Line, and being more particularly described and bounded as follows, to-wit:

Beginning at a stake at the mean high tide line at the intersection of the North bank of the mouth of Cut Off Bayou with the East bank of Old River; thence with the meanders of the North bank of said Cut Off Bayou at the mean high tide line the following courses and distances:

- N 16° 34' E 541 Ft. 194.80 Vrs.
- N 28° 40' E 246 " 88.56 "
- N 57° 53' E 261.4 Ft. 94.10 "
- N 77° 36' E 210 " 75.60 "
- S 86° 19' E 410 " 147.60 "
- S 76° 37' E 338 " 121.68 "
- S 70° 0' E 132 " 47.52 "
- S 49° 32' E 125 " 45 " a stake at the mouth of Little Caney Creek.
- S 65° 5' E 65 " 23.40 " to the E side at the mouth of Little Caney Creek.
- S 64° 35' E 158 " 56.88 "
- S 57° 45' E 485 " 174.60 "
- S 72° 35' E 177 " 63.72 "
- S 89° 30' E 237 " 85.32 "
- N 71° 30' E 185 " 66.60 "
- N 59° 15' E 387 " 139.32 "

#2.

3

N 25°	10'	E	184	Ft.	66.24	Vrs.	
N 11°	5'	W	197	"	70.92	"	
N 47°	0'	W	248	"	89.28	"	
N 53°	5'	W	385	"	138.60	"	
N 56°	0'	W	579.3	"	208.55	"	
N 57°	47'	W	466	"	167.76	"	
N 49°	16'	W	281	"	101.16	"	
N 41°	17'	W	455	"	163.84	"	
N 31°	55'	W	300	"	108	"	
N 33°	27'	W	382	"	137.52	"	
N 11°	20'	W	300	"	108	"	
N 0°	42'	W	302.6	"	108.94	"	
N 12°	22'	E	192.4	"	69.26	"	a stake in road running west
N 18°	3'	E	200	"	72	"	
N 30°	30'	E	183	"	65.88	"	
N 34°	6'	E	312.5	"	76.50	"	
N 55°	20'	E	520	"	187.20	"	a fence running west
N 62°	40'	E	645	"	232.20	"	
N 56°	15'	E	51	"	18.36	"	
N 76°	15'	E	959.3	"	345.35	"	
S 85°	0'	E	100	"	36	"	
S 73°	0'	E	100	"	36.00	"	
N 80°	53'	E	299	"	107.64	"	
S 86°	30'	E	454	"	163.44	"	
S 75°	15'	E	381	"	137.16	"	
S 73°	33'	E	395.1	"	142.24	"	
S 75°	45'	E	302	"	108.72	"	
S 63°	15'	E	148	"	53.28	"	
S 41°	30'	E	195	"	70.20	"	
S 13°	0'	E	100	"	36	"	
S 7°	5'	E	196.1	"	70.60	"	
S 15°	49'	W	188	"	67.68	"	
S 46°	6'	W	438.4	"	157.82	"	
S 48°	55'	W	422	"	151.92	"	
S 15°	15'	W	890	"	316.80	"	
S 6°	30'	E	275	"	99	"	
S 26°	25'	E	150	"	54	"	

#3.

S 54° 30' E	240	Ft.	86.40	Vrs.	
S 78° 15' E	248	"	89.28	"	
N 63° 45' E	270	"	97.20	"	
N 41° 50' E	228	"	82.08	"	
N 43° 30' E	484	"	174.24	"	
N 38° 5' E	788	"	283.68	"	
N 52° 30' E	337	"	121.32	"	
N 48° 55' E	363.8	"	130.97	"	
N 61° 5' E	765	"	275.40	"	
S 88° 18' E	181	"	65.16	"	
S 55° 54' E	344.7	"	124.09	"	
N 52° 19' E	261.2	"	94.03	"	
S 85° 48' E	575.2	"	207.07	"	
N 74° 50' E	181	"	65.16	"	
N 68° 33' E	291	"	104.76	"	
N 59° 4' E	182	"	65.52	"	
N 54° 41' E	225	"	81.00	"	
N 50° 39' E	140	"	50.40	"	
N 80° 34' E	527.3	"	189.83	"	At 365 ft. 131.40 vrs. the S.W. corner of the Victor Blanchett Survey
S 77° 55' E	353.6	"	127.30	"	
S 80° 14' W	547.8	"	197.21	"	
S 89° 40' E	202.8	"	73.01	"	
S 67° 50' E	433	"	155.88	"	
S 54° 0' E	225	"	81.00	"	
S 50° 10' E	721	"	259.56	"	
S 55° 35' E	352	"	126.72	"	
S 72° 3' E	246.3	"	88.67	"	
S 89° 30' E	384.1	"	138.28	"	
N 82° 6' E	369.4	"	312.98	"	
N 76° 20' E	552	"	198.72	"	
N 73° 0' E	414	"	149.04	"	At 230 ft. 82.80 vrs. the SE Corner of the Victor Blanchett Survey
N 61° 0' E	190	"	68.40	"	
N 44° 25' E	388	"	139.68	"	

#4.

N 55°	10'	E	360	Ft.	129.60	Vrs.	At 340 ft. 122.4 vrs. the south line of the Chas. Dorsett Survey.
N 52°	24'	E	358	"	129.88	"	
N 40°	40'	E	322	"	115.92	"	
N 34°	40'	E	373	"	134.28	"	
N 19°	35'	E	564	"	203.04	"	
N 26°	25'	E	292	"	105.12	"	
N 21°	20'	E	218	"	78.48	"	A stake in the Chambers Liberty County line at its intersection with the W bank of Cut Off Bayou
N 89°	13'	E	71	"	25.56	"	A stake at the intersection of said County Line with the east bank of Cut Off Bayou, thence with the meanders of the east bank of Cut Off Bayou following the mean high tide line, the following courses and distances.
S 25°	10'	W	260	Ft.	93.60	Vrs.	
S 24°	25'	W	300	"	108.00	"	
S 19°	45'	W	526.1	"	189.40	"	
S 30°	40'	W	412	"	148.32	"	
S 54°	30'	W	257	"	92.52	"	
S 50°	25'	W	515	"	185.40	"	At 370 ft. 133.20 vrs. the S. line of the Chas. Dorsett Survey.
S 43°	57'	W	600.6	"	216.22	"	
S 60°	0'	W	230	"	82.80	"	
S 65°	50'	W	345	"	124.20	"	
S 78°	31'	W	679	"	244.44	"	At 522 ft. 187.92 vrs. the NE corner of the Monroe Dorsett Survey.
S 80°	35'	W	640	"	230.40	"	
S 87°	0'	W	332	"	119.52	"	
S 88°	10'	W	231.5	"	83.34	"	
N 77°	10'	W	263	"	94.68	"	
N 62°	40'	W	250	"	90.00	"	
N 49°	21'	W	856.3	"	308.27	"	
N 53°	16'	W	280	"	100.80	"	
N 67°	45'	W	353.3	"	127.19	"	
N 80°	26'	W	349.5	"	125.82	"	
S 70°	54'	W	301.9	"	108.63	"	
S 56°	46'	W	547.2	"	196.99	"	At 95 ft. 34.20 vrs. the NE corner of the John Dorsett Survey

#5.

S 66°	53'	W	377.1 Ft.	135.76 "	
S 85°	21'	W	755.7 "	272.05 "	
S 88°	40'	W	123 "	44.28 "	
West			388 "	139.68 "	
S 69°	45'	W	647 "	232.92 "	
S 49°	49'	W	827.9 "	298.04 "	
S 39°	50'	W	398 "	143.28 "	From which a station on Lost Lake bears S 48° 0' 30" 4035.7 ft, 1452.85 vrs.
S 39°	45'	W	577 "	207.72 "	
S 53°	0'	W	530 "	190.80 "	
N 88°	10'	W	350 "	126.00 "	
N 63°	47'	W	108 "	38.88 "	
N 53°	10'	W	288 "	103.68 "	A fence and ditch runs S 45° 45' W
N 27°	40'	W	238 "	85.68 "	
N 7°	15'	W	332 "	119.52 "	
N 14°	5'	E	557 "	200.52 "	
N 20°	10'	E	247 "	88.92 "	
N 39°	28'	E	801 "	288.36 "	
N 27°	20'	E	323 "	116.28 "	
N 10°	0'	W	250 "	90 "	
N 66°	20'	W	161 "	57.96 "	
N 79°	30'	W	622 "	223.92 "	
N 82°	45'	W	568 "	204.48 "	
N 1°	45'	W	81 "	29.16 "	
N 89°	10'	W	256 "	92.16 "	
S 88°	25'	W	280 "	100.80 "	
N 76°	25'	W	222 "	79.92 "	
S 75°	30'	W	748 "	269.28 "	
S 71°	30'	W	150 "	54.00 "	
S 61°	31'	W	978.5 "	352.26 "	
S 49°	25'	W	305 "	109.80 "	
S 33°	55'	W	260 "	93.60 "	
S 16°	45'	W	398 "	143.28 "	
S 5°	15'	W	280 "	100.80 "	
S 7°	40'	E	360 "	129.60 "	

3

#6.					
S 30°	25'	E	676	ft.	243.36 Vrs.
S 42°	25'	E	550	"	198.00 "
S 58°	10'	E	1217	"	438.12 "
S 48°	35'	E	365	"	131.40 "
S 44°	30'	E	210	"	75.60 "
S 21°	0'	E	200	"	72.00 "
S 0°	35'	W	195	"	70.20 "
S 33°	45'	W	200	"	72.00 "
S 55°	50'	W	175	"	63.00 "
S 60°	20'	W	220	"	79.20 "
S 74°	30'	W	222	"	79.92 "
S 86°	5'	W	277	"	99.72 "
N 70°	0'	W	266	"	95.76 "
N 59°	58'	W	423.7	"	152.53 "
N 69°	15'	W	267	"	96.12 " A state opposite the mouth of Little Caney Creek.
N 71°	25'	W	300	"	108.00 "
N 72°	30'	W	410	"	147.60 "
S 88°	0'	W	270	"	97.20 "
S 68°	0'	W	230	"	82.80 "
S 41°	10'	W	185	"	66.60 "
S 17°	30'	W	612	"	220.32 " A stake on the E bank of the mouth of Cut Off Bayou at its intersection with the E bank of Old River,; This last call being 168.1 ft., 60.52 vrs., South 17° 30' W from the NW corner of the J. Martin Survey.
N 69°	17'	W	94.6	"	34.06 " Crossing the mouth of Cut Off Bayou to the place of beginning;

Enclosing within said boundaries 91.45 acres of submerged land belonging to the State of Texas.

The above mentioned and described survey was begun in October, 1924, and completed February, 1925; the variation at which the running of said survey was made was 8 degrees East, and a true and correct diagram and plat of said survey is hereto attached and hereby made a part hereof.

Dated this 11th day of March, A. D. 1925.

M. C. Stark
County Surveyor of Chambers County, Texas

#7.

I, W. O. Work, County Surveyor of and for Chambers County, Texas, hereby certify that the above mentioned and described survey is a true and correct survey of the 91.45 acres of submerged land in Chambers County, Texas which it purports to cover; that said survey was made by me and under my direction; that said survey was made according to law; that said such survey was actually made in the field and with the aid of the duly qualified chain carriers above mentioned; that the foregoing are true and correct field notes of said survey and that the lines, boundaries and land marks, both natural and artificial, as shown and set forth in said field notes, are true and correct; and that said field notes have been, and are, duly filed with me for record on this the 11 th day of March, 1925, and have been, and now are duly recorded in Volume "I", Pages 382 to 388 of my official records.

Dated this 11th day of March, A. D. 1925.

W. O. Work
COUNTY SURVEYOR, CHAMBERS COUNTY, TEXAS.

3

m 9518 (3)

Appl 13436

Field Notes

Field 3/13/25

J. Robinson
Came

By Pam
Clk

Names of Chain cameras
omitted.

The Jno Dorsett, B-93 and
Char Dorsett 1-256 do
not respect the stream
otherwise OK

3/16/25

MJD

RECEIVED AS STATED

\$ 1.00

MAR 13 1925

Chambers Co. St. Fil # 40

County 19684

STATE OF TEXAS }
COUNTY OF CHAMBERS }

Corrected Field notes of survey of ⁸⁷~~85.94~~ acres of submerged land in Chambers County, Texas, belonging to the State of Texas, made in part and completed for Walle Merritt under authority, and by virtue of his written Petroleum and Gas Prospect Application, Mineral File No. 415, filed with the undersigned County Surveyor of Chambers County, Texas, on the 3rd day of December, A.D. 1924, at 5:55 o'clock P. M. and recorded in Volume "I", Page 320, of the records of said County Surveyor on the same date, which said survey and said field notes thereof have been and now are adopted in their entirety to and for, and as having been made under authority and by virtue of, said Application. Said correction made in order to eliminate that part of the original survey which lies within the boundaries of the Charles Dorsett Survey.

Situated in Chambers County, Texas, about 9-1/2 miles, course about North 40° West from Anahuac, the County Seat, and being all that part of a Bayou known as Cut Off Bayou, from it's mouth where it empties into Old River, up stream in a generally northeasterly direction to the Liberty-Chambers County Line, and being more particularly described and bounded as follows, to-wit:

Beginning at a stake at the mean high tide line at the intersection of the North bank of the mouth of Cut Off Bayou with the East bank of Old River; thence with the meanders of the North bank of said Cut Off Bayou at the mean high tide line the following courses and distances:

N 16° 34' E	541 Ft.	194.80	Vrs.	
N 28° 40' E	246 "	88.56	"	
N 57° 53' E	261.4 "	94.10	"	
N 77° 36' E	210 "	75.60	"	
S 86° 19' E	410 "	147.60	"	
S 76° 37' E	338 "	121.68	"	
S 70° 0' E	132 "	47.52	"	
S 49° 32' E	125 "	45	"	a stake at the mouth of Little Caney Creek.
S 65° 5' E	65 "	22.40	"	to the E side at the mouth of Little Caney Creek.
S 64° 35' E	153 "	56.88	"	
S 57° 45' E	435 "	174.60	"	

S 72°	35' E	177	Ft.	63.72	Yrs
S 89°	30' E	237	"	65.32	"
N 71°	30' E	135	"	66.00	"
N 59°	15' E	387	"	139.32	"
N 25°	10' E	184	"	66.24	"
N 11°	5' W	197	"	70.92	"
N 47°	0' W	248	"	69.28	"
N 53°	5' W	385	"	133.60	"
N 56°	0' W	579.3	"	208.55	"
N 57°	47' W	466	"	167.76	"
N 49°	16' W	281	"	101.16	"
N 41°	17' W	455	"	163.84	"
N 31°	55' W	300	"	108	"
N 33°	27' W	382	"	137.52	"
N 11°	20' W	300	"	108	"
N 0°	42' W	302.6	"	108.94	"
N 12°	22' E	192.4	"	69.26	" a stake in road running west
N 18°	3' E	200	"	72	"
N 30°	30' E	183	"	65.88	"
N 34°	6' E	312.5	"	76.50	"
N 55°	20' E	520	"	187.20	" a fence running west
N 62°	40' E	645	"	232.20	"
N 56°	15' E	51	"	18.36	"
N 76°	15' E	959.3	"	345.35	"
S 85°	0' E	100	"	36	"
S 73°	0' E	100	"	36.00	"
N 80°	33' E	299	"	107.64	"
S 85°	30' E	454	"	163.44	"
S 75°	15' E	381	"	137.16	"
S 75°	30' E	395.1	"	142.24	"
S 75°	45' E	302	"	108.72	"

GK
71

4

S 63°	15'	E	148	ft.	53.28	Vrs.	
S 41°	30'	E	195	"	70.20	"	
S 13°	0'	E	100	"	36	"	
S 7°	5'	E	196.1	"	70.60	"	
S 15°	49'	W	188	"	67.68	"	
S 46°	6'	W	438.4	"	157.82	"	
S 48°	55'	W	422	"	151.92	"	
S 15°	15'	W	880	"	316.80	"	
S 6°	30'	E	275	"	99	"	
S 26°	25'	E	150	"	54	"	
S 54°	30'	E	240	"	86.40	"	
S 78°	15'	E	248	"	89.28	"	
N 63°	45'	E	270	"	97.20	"	
N 41°	50'	E	228	"	82.08	"	
N 43°	30'	E	484	"	174.24	"	
N 38°	5'	E	788	"	283.68	"	
N 52°	30'	E	337	"	121.32	"	
N 48°	55'	E	363.8	"	130.97	"	
N 61°	5'	E	765	"	275.40	"	
S 88°	18'	E	181	"	65.16	"	
S 55°	54'	E	344.7	"	124.09	"	
N 52°	19'	E	261.2	"	94.03	"	
S 85°	48'	E	575.2	"	207.07	"	
N 74°	50'	E	181	"	65.16	"	
N 68°	33'	E	291	"	104.76	"	
N 59°	4'	E	182	"	65.52	"	
N 54°	41'	E	225	"	81.00	"	
N 50°	39'	E	140	"	50.40	"	
N 80°	34'	E	527.3	"	189.83	"	at 365 ft. 131.40 vrs. the S.W. corner of the Victor Blanchett Survey.
S 77°	55'	E	353.6	"	127.30	"	
S 80°	14'	W	547.8	"	197.21	"	
S 89°	40'	E	202.8	"	73.01	"	

4

S 67°	50'	E	433	ft.	155.88	Vrs.	
S 54°	0'	E	225	"	81.00	"	
S 50°	10'	E	721	"	259.56	"	
S 55°	35'	E	352	"	126.72	"	
S 72°	3'	E	246.3	"	88.67	"	
S 89°	30'	E	384.1	"	138.28	"	
N 82°	6'	E	869.4	"	312.98	"	
N 76°	20'	E	552	"	198.72	"	
N 73°	0'	E	414	"	149.04	"	at 230 ft. 82.80 vrs. the SE corner of the Victor Blanchett Survey.
N 61°	0'	E	190	"	68.40	"	
N 44°	25'	E	388	"	139.68	"	
N 55°	10'	E	340	"	122.4	"	A point in the south line of the Chas. Dorsett Survey. Thence East with the south line of the Charles Dorsett Survey and crossing said Cut Off Bayou to a point on the east bank thereof a distance of 95 ft. 34.2 vrs Said point being the northern N.W. corner of the John Dorsett Survey; Thence with the meanders of the east bank of Cut Off Bayou following the mean high tide line, the following courses and distances.
S 50°	25'	W	145	"	52.2	"	
S 43°	57'	W	600.6	"	216.22	"	
S 60°	0'	W	230	"	82.80	"	
S 65°	50'	W	345	"	124.20	"	
S 78°	31'	W	679	"	244.44	"	At 522 ft.187.92 vrs. the NE corner of the Monroe Dorsett Survey
S 80°	35'	W	640	"	230.40	"	
S 87°	0'	W	332	"	119.52	"	
S 88°	10'	W	231.5	"	83.34	"	
N 77°	10'	W	263	"	94.68	"	
N 62°	40'	W	250	"	90.00	"	
N 49°	21'	W	856.3	"	308.27	"	
N 53°	16'	W	280	"	100.80	"	
N 67°	45'	W	353.3	"	127.19	"	
N 80°	26'	W	349.5	"	125.82	"	

S 70°	34' W	501.9	ft.	103.66	vrs.	
S 56°	46' W	547.0	"	193.99	"	at 95 ft. 34.20 vrs. the NE corner of the John Dorsett Survey.
S 56°	53' W	377.1	"	135.76	"	
S 65°	21' W	733.7	"	272.05	"	
S 68°	40' W	123	"	44.28	"	
West		338	"	139.68	"	
S 69°	45' W	647.	"	232.92	"	
S 49°	49' W	827.9	"	293.04	"	
S 39°	50' W	393	"	143.23	"	From which a station on Lost Lake bears S 48° 0' 30" 4035.7 ft. 1452.35 vrs.
S 39°	45' W	577	"	207.72	"	
S 53°	0' W	530	"	190.80	"	
N 88°	10' W	350	"	126.00	"	
N 63°	47' W	106	"	33.33	"	
N 53°	10' W	268	"	103.68	"	a fence and ditch runs S 46° 45' W
N 27°	40' W	233	"	35.68	"	
N 7°	15' W	332	"	119.52	"	
N 14°	5' E	557	"	200.52	"	
N 20°	10' E	247	"	63.92	"	
N 39°	26' E	601	"	238.36	"	
N 27°	20' E	323	"	116.23	"	
N 10°	0' W	250	"	90	"	
N 66°	20' W	161	"	57.96	"	
N 79°	30' W	622	"	223.92	"	
N 82°	45' W	563	"	204.43	"	
N 1°	45' W	61	"	29.16	"	
N 89°	10' W	256	"	92.16	"	
S 68°	25' W	230	"	100.60	"	
N 76°	25' W	222	"	79.92	"	
S 73°	30' W	743	"	269.33	"	
S 71°	30' W	130	"	54.00	"	
S 61°	31' W	373.5	"	352.26	"	

S 49°	25'	W	305	ft.	109.80	vrs.	
S 37°	55'	W	260	"	93.60	"	
S 16°	45'	W	398	"	143.28	"	
S 5°	15'	W	200	"	100.80	"	
S 7°	40'	E	360	"	129.60	"	
S 30°	25'	E	676	"	243.36	"	
S 42°	25'	E	550	"	198.00	"	
S 53°	10'	E	1217	"	438.12	"	
S 48°	35'	E	365	"	131.40	"	
S 44°	30'	E	210	"	75.60	"	
S 21°	0'	E	200	"	72.00	"	
S 0°	35'	W	195	"	70.20	"	
S 33°	45'	W	200	"	72.00	"	
S 55°	50'	W	175	"	63.00	"	
S 60°	20'	W	220	"	79.20	"	
S 74°	30'	W	222	"	79.92	"	
S 86°	5'	W	277	"	99.72	"	
N 70°	0'	W	266	"	95.76	"	
N 59°	58'	W	423.7	"	152.53	"	
N 69°	15'	W	267	"	96.12	"	a stake opposite the mouth of Little Caney Creek.
N 71°	25'	W	300	"	108.00	"	
N 72°	30'	W	410	"	147.60	"	
S 88°	0'	W	270	"	97.20	"	
S 68°	0'	W	230	"	82.80	"	
S 41°	10'	W	185	"	66.60	"	
S 17°	30'	W	612	"	220.32	"	a stake on the E bank of the mouth of Cut Off Bayou at its intersection with the E bank of Old River; This last call being 163.1 ft., 60.52 vrs. South 17° 30' W from the NW corner of the J. Martin Survey.
N 69°	17'	W	34.0	"	34.06	"	Crossing the mouth of Cut Off Bayou to the place of beginning;

Enclosing within said boundaries ³⁹ 68.94 acres of submerged land belonging to the State of Texas.

The above mentioned and described survey was begun in October, 1924, and completed February, 1925; the variation at which the running of said survey was made was 8 degrees East, and a true and correct diagram and plat of said survey is hereto attached and hereby made a part hereof.

Dated this 20th day of April, A.D. 1925.

Frank Mayes)
Gordon Cooper) Chain Carriers

W. O. Work
County Surveyor of Chambers County, Texas.

I, W. C. Work, County Surveyor of and for Chambers County, Texas, hereby certify that the above mentioned and described survey is a true and correct survey of the 88.94 acres of submerged land in Chambers County, Texas, which it purports to cover; that said survey was made by me and under my direction; that said survey was made according to law; that said such survey was actually made in the field and with the aid of the duly qualified chain carriers above mentioned, that the foregoing are true and correct field notes of said survey and that the lines, boundaries and land marks, both natural and artificial, as shown and set forth in said field notes, are true and correct; and that said corrected field notes have been, and are, duly filed with me for record on this the 30th day of April, 1925, and have been, and now are duly recorded in Volume "I", Pages 416 to 423 of my official records.

Dated this 30th day of April, A.D. 1925.

W. C. Work
 County Surveyor, Chambers County, Texas.

File No.

40

Chambers County
Copy of FN from 9518, Custer off Bayou

Filed

June 22 19 83

GARRY MAURO, Com'r

By Douglas J. Howard

40,9518⁽⁴⁾
appl 13436

corrected
field notes

Filed 4/29/25
J. Robin
Com
By Pam
Clh

OK on map

5/1/25

[Signature]