

11

Field Notes of the various surveys referred to
by R. G. Carraway in his report and observations.

1. Survey 10, F. P. Knott, Vol. 2, page 308, Patents.

BEGINNING at N. W. Cor. of No. 9, a stake on S.
Bank of river, a cott. mkd. X brs. S. $49-1/2^{\circ}$ E;
Thence up the river with its meanders S. $83-1/2$ W.
956 vrs, a stake on bank, cott. mkd. X, S. $81-1/2$ E;
Thence South 3746 vrs. a stake; Thence East 950 vrs.
a stake; Thence North 3854 vrs. to the beginning.

2. Survey 11, F. P. Knott, Vol. 2, pp. 348, Patents.

BEGINNING at the N.W. Cor. No. 10, a stake on
S. Bank of river, a cott. mkd. X brs. S. $61-1/2$ E;
Thence up the river with its meanders, S. 77 W. at
950 vrs. the mouth of a creek, "good water", at 975
vrs. a stake, a dead chip. mkd. X, S. 5 E; Thence
South, corssing creek, 3690 vrs. a stake; Thence
East 950 vrs. a stake; Thence North 3909 vrs, to the
beginning.

3. Survey 12, F. P. Knott, Vol. 2, pp. 349, Patents.

BEGINNING at the N. W. Cor. No. 11, a stake on bank
a ded Chit. mkd. X bs. S. 5 E; Thence up the river with
its meanders, West 950 vrs. stake on bank, a dead Chit.
bs. S. $65-1/2$ E; Thence South 3800 vrs. a stake;
Thence East 950 vrs. a stake; Thence North 3800 vrs.
to the beginning.

4. Survey 13, F. P. Knott, Vol. 2, pp. 300, Patents.

BEGINNING at the N. W. Cor. of No. 12, a stake on
bank, a dead Chit. brs. S. $65-1/2$ E; Thence up the

River, with its meanders, N. 66 W. 1040 vrs. a stake on bank, a cott. brs. S. 11-1/2 W; Thence South 4011 vrs. a stake; Thence East 950 vrs. a stake; Thence North 3588 vrs. to the beginning.

5. Survey 14, F. P. Knott, Vol. 2, pp. 392, Patents.

BEGINNING at the N. W. Cor. of No. 13, a stake on bank, fr. wh. a Cottonwood brs. S. 11-1/2 W; Thence up the river with its meanders, N. 66 W. 1040vrs. a stake on bank, fr. wh. a cottonwood brs. S. 33 E. do. mkd. X brs. S. 81-1/2 W; Thence South 4011 vrs. a stake; Thence East 950 vrs. a stake; Thence North 3588 vrs. to the beginning;

6. Survey 15, F. P. Knott, Vol. 2, pp. 379, Patents.

BEGINNING at the N.W. Cor. of No. 14, a stake on the bank of river, a cott. S. 33 E. do. S. 81-1/2 W; Thence up the river with its meanders, N. 81-1/2 W, 960 vrs. to a post mkd. X on the bank of river, Cott. brs. S. 34-1/2 E/, and a Chit. N. 81-1/2 E; Thence South 3871 vrs. a stake; Thence East 950 vrs. a stake; Thence North 3730 vrs. to the beginning.

7. Survey 16, F. P. Knott, Vol. 2, pp. 393, Patents.

BEGINNING at the N.W. Cor. of No. 15, at a post mkd X, on the S. bank of river; Thence up the river with its meanders, N. 76 W. 979 vrs. a stake from which a China mkd. = S. 57 E. 6 vrs; Thence South 3918 vrs. a stake; Thence East 950 vrs. a stake; Thence North 3682 vrs. to the beginning.

8. Survey 17, F.P.Knott, Vol.2,pp.394, Patents.
 BEGINNING at the N.W. Cor. of No. 16, stake on South bank of River, China mkd. „ S. 51. E. 6 vrs; Thence up the river with its meanderings S. 76-1/2 W. 977 vrs. to a post mkd. 111, on South bank of River; Thence South 3686 vrs. a stake; Thence East 950 vrs. a stake; Thence North 3914 vrs. to the beginning.
9. Survey 18, F.P.Knott, Vol.2,pp.395, Patents.
 BEGINNING at the N.W. Cor. No. 17, a post mkd. 111, on the South bank of the river; Thence up the river with its meanders, S. 70 W. 1011 vrs. to a post mkd. XI, on the South bank of the river; Thence South 3629 vrs. a stake; Thence East 950 vrs. a stake; Thence North 3973 vrs. to the beginning.
10. Survey 19, F.P.Knott, Vol.2,pp.412, Patents.
 BEGINNING at the N.W. Cor. of No. 18 a post on bank of the river; Thence up the river with its meanders N. 488 vrs. a post mkd. VII; Thence S. 78-1/2 W. along a rocky bluff, passing a Salt Spring, 970 vrs. a stake, a rock mound brs. S. 36 W. 52-1/2 vrs., one rock mkd. VIII; Thence South 3704 vrs. a stake; Thence East 950 vrs, a stake; Thence North 3408 vrs. to the beginning.
11. Survey 20, F.P.Knott, Vol.2,pp.408, Patents.
 BEGINNING at the N.W. Cor. of No. 19, a stake on S. bank of River, a rock nidawe mkd. 2111 S. 36 W. 52-1/2 vrs; Thence up the river with its meanders

S. $78-1/2$ W. at 200 vrs. the mouth of a Creek, at 970 vrs. a stake, a cedar mkd. IX brs. S. $13-1/2$ E. $15-2/3$ vrs; Thence South, crossing Creek, at 3704 vrs. a stake; Thence East 950 vrs. a stake; Thence North 3896 vrs, to the beginning.

12. Survey 21, F.P.Knott, Vol.2, pp.197, Patents.

BEGINNING at the original N.W. Cor. of Sur. No. 20, F. P. Knott, a cedar post mkd. IX brs. S. $13^{\circ}10'$ E. $15-2/3$ vrs; Thence up the river, with its meanders S. $78^{\circ}30'$ W. 970 vrs. a post mkd. X, standing on the S. bank of the river; Thence S. 20 15 vs. a point in the N.B.L. of Sur. No. 567, Blk. H, W. & N. W. R. R. Co; Thence S. 88 E. 800 vrs. with the N.B.L. of said 567 to its N.E. Cor; Thence S. 2 W. 1661 vrs. with the E.B.L. of said 567; Thence E. 208 vrs. the S.E. Cor. of this Sur; Thence North 3896 vrs. to the place of beginning.

13. Survey 22, F.P.Knott, Vol.2, pp.192, Patents.

BEGINNING at the original N.W. Cor. of Sur. No. 21, F.P.Knott, a post mkd. X, standing on the S. bank of Prairie Dog River; Thence up the river with its meanders, S. $78^{\circ}30'$ W. at 220 vrs. the mouth of a creek, at 970 vrs. an iron pipe, standing on the S. bank of Prairie Dog River, a cottonwood tree 24" in dia. mkd. X, standing in the bed of Grassy Creek brs. S. $10^{\circ}30'$ E. $55-2/3$ vrs. a cotton wood tree 26" dia mkd. X standing in the bed of Grassy Creek brs. S. 4 W. $51-2/3$ vrs. (both of these trees bear the original mark X);

Thence S. 1790 vrs. a point in the N.B.L. of Sur. No. 568, Blk. H. W. & N. W. R. R. Co; Thence S. 88 E. 950 vrs. with the N. B. L. of sd. Sur. 568, the S.E. Cor. of this Sur. The N.E.Cor. of sd. 568 brs. S. 88 E. 66 vrs; Thence N. 2015 vrs. to the place of beginning.

14. Survey 23, F.P.Knott, Vol.2, pp.196, Patents.

BEGINNING at the original N.W.Cor. of Sur. No. 22, F. P. Knott, an iron pipe set on the S. bank of Prairie Dog River, a Cottonwood tree 24" in dia. mkd. X. standing in the bed of Grassy Creek brs. S. $10^{\circ}30'$ E. $55\text{-}\frac{2}{3}$ vrs. a cottonwood tree 26" in dia. mkd. X, standing in the bed of Grassy Creek brs. S. 4 W. $51\text{-}\frac{2}{3}$ vrs, these trees both bear the original mark X; Thence up the river with its meandens N. 34 W. at 532 vrs. a China tree mkd. Ξ 6" in dia. (this tree identified and still standing), at 750 vrs. the mouth of a creek, (plenty of water), at 1700 vrs. a post mkd. I, standing on the S. bank of the river; Thence S. 3165 vs. a point in the N. B. L. of Sur. No. 568, Blk. H.,W. & N. W. R. R. Co; Thence S. 88 E. 950 vrs. with the N. B. L. of said 568, the S.E. Cor. of this Sur; Thence N. 1790 vrs. to the place of beginning.

15. Survey 24, F.P.Knott, Vol.2, pp,191, Patents.

BEGINNING at the original N.W. Cor. of Sur. No. 23, F. P. Knott, a post mkd. I, standing on the S.

bank of Prairie Dog River; Thence up the river with its meanders, W. 950 vrs. a post 11, standing on S. bank of the river; Thence S/ 3132 vrs. a point in the N. B. L. of Sur. No. 603, Blk. H., W. & N. W. R. R. Co; Thence S. 88 E. 950 vrs. with the the N. B. L. of said 603, the S. E. Cor. of this Sur; Thence N. 3165 vrs. to the place of beginning.

16. Survey 25, F.P.Knott, Vol. 2, pp. 187, Patents.

BEGINNING at the original N.W. Cor. of Sur. No. 24, F. P. Knott, a post mkd. II, standing on the S. bank of Prairie Dog River; Thence up the river with its meanders W. 950 vrs. a post mkd. III, standing on the S. bank of the river; Thence S. 3099 vrs. a point in the N. B. L. of Sur. No. 603, Blk. H, W. & N. W. R. R. Co; Thence S. 88 E. 950 vrs. with the N. B. L. of said 603, the S. E. Cor. of this Sur; Thence N. 3132 vrs. to the place of beginning.

17. Survey 26, F.P.Knott, Vol. 2, pp. 190, Patents.

BEGINNING at the original N.W. Cor. of Sur. No. 25, F. P. Knott, a post mkd. III, standing on the S. bank of Prairie Dog River; Thence up the river with its meanders W. 950 vs. a post mkd. IV, standing on the S. bank of the river, a china tree mkd. X. brs, N. 54 E. 18-1/3 vrs; Thence S. 3060 vrs. a point in the N. B. L. of Sur. No. 604, Blk. H, W. & N. W. R. R. Co; Thence S. 88 E. 950 vrs. with the N. B. L. of said 604, the S.E. Cor. of this Sur; Thence No. 3099 vrs. to the plawe of beginning.

18. Survey 27, F.P.Knott, Vol. 2, pp. 213, Patents.

BEGINNING at the original cor. of Sur. No. 26, F. P. Knott, a post mkd. IV. standing on the S. bank of Prairie Dog River; Thence up the river with its meanders S. $66^{\circ}30'$ W. 1036 vrs. a post mkd. V, standing on the S. bank of the river; Thence S. 2621 vrs. a point in the N. B. L. of Sur. No. 604, Blk. H, W. & N. W. R. R. Co; Thence S. 88 E. 950 vrs. with the N. B. L. of said 604, the S. E. Cor. of this Sur; Thence N. 3066 vrs. to the place of beginning.

19. Survey 28, F.P.Knott, Vol. 2, pp. 208, Patents.

BEGINNING at the original N.W. Cor. of Sur. No. 27, F. P. Knott, a post mkd. V on the S. side of Prairie Dog River; Thence up the river with its meanders N. 88 W. 951 vrs. a post mkd. VI, standing on the S. bank of the River; Thence S. 2612 vrs. a point in the N. B. L. of Sur. No. 639 Blk. H, W. & N. W. R. R. Co; Thence S. 88 E. 950 vrs. with the N. B. L. of said 639, the S. E. Cor. of this Sur; Thence N. 2621 vrs. to the place of beginning.

20. Survey 29, F.P.Knott, Vol. 2, pp. 205, Patents.

BEGINNING at the original N.W. Cor. of Sur. No. 28, F. P. Knott, a post mkd. VI, standing on the S. bank of Prairie Dog River; Thence up the river with its meanders N. $89^{\circ}9'$ W. 950 vrs. a post mkd. VII, standing on the S. bank of the river; Thence S. 2593 vrs. a point in the N. B. L. of Sur. No. 639 Blk. H, W. & N. W. R. R. Co; Thence S. 88 E. 950 vrs. with the N. B. L. of sd. 639 the S. E. Cor. of this Sur;

Thence N. 2612 vrs. to the place of beginning.

21. Survey 30, F.P.Knott, Vol. 2, pp. 207, Patents.

BEGINNING at the original N.W. Cor. of Sur. No. 29, F. P. Knott, a post mkd. VII standing on the S. bank of Prairie Dog River; Thence up the river with its meanders N. 85 W. 954 vrs. a post mkd. VIII, standing on the S. bank of the river; Thence S. 2642 vrs. to a point in the N. B. L. of Sur. No. 640 Blk. H, W. & N. W. R. R. Co; Thence S. 88 E. 950 vrs, with the N. B. L. of said 640, the S. E. Cor. of this Sur; Thence N. 2593 vrs. to the place of beginning.

22. Survey 31, F.P.Knott, Vol. 2, pp. 206, Patents.

BEGINNING at the original N. W. Cor. of Sur. No. 30, F. P. Knott, a post mkd. VIII standing on the S. bank of Prairie Dog River; Thence up the river with its meanders N. 85 W. 954 vrs. a post mkd. IX standing on the S. bank of the river; Thence S. 2691 vs. a point in the N. B. L. of Sur. No. 640 blk. H, W. & N. W. R. R. Co; Thence S/ 88 E. 950 vrs. with the N. B. L. of said 640, the S. E. Cor. of this Sur; Thence N/ 2642 vrs. to the place of beginning.

23. Survey 32, F. P. Knott, Vol. 2, pp. 210, Patents.

BEGINNING at the original N.W. Cor. of Sur. No. 31, F. P. Knott, a post mkd. IX, standing on the S. bank of Prairie Dog River; Thence up the river with its meanders N. 77 W. 975 vrs. a post mkd. X standing

on the S. bank of the River; Thence S/ 2909 vrs.
 the S. W. Cor. of this Sur. and the original N.W. Cor.
 of Sur. No. 64 F. P. Knott; Thence E. 258 vrs. a
 point in the W. B. L. of Sur. No. 640, Blk. H, W. &
 N. W. R. R. Co; Thence N. 2 E. with the W. B. L. of
 said 640 to its N. W. Cor. 1022 vrs; Thence S. 88
 E. 656 vrs. with the N. B. L. of said 640, the most
 E. S. E. Cor. of this Sur; Thence N. 2691 vrs. to the
 place of beginning.

24. Survey 33, F.P.Knott, Vol. 2, pp. 498, Patents.

BEGINNING at the N. W. Corner No. 32, a post
 mkd. X, on South bank of River; Thence up the river
 with its meanders N. 77 W. 975 vrs, to a post in
 bank mkd. 1, S. 45 W. at the mouth of Robinson Creek,
 at 639 vrs. a larg. Cott. mkd = on both sides at 1344
 vrs a post on bank mkd. H, at 1694 vrs. a stake on
 the South bank river; Thence South 2550 vrs. a stake
 in the N. line of No. 101, B. S. & F; Thence East
 247 vrs, its N. E. Cor; Thence N/ at 1900 vrs. N.W.
 Cor. No. 163 for B. S. & F. at stake; Thence E. with
 its N. line 1900 vrs. its N. E. Cor, stake; Thence N.
 1628 vrs, the beginning.

25. Survey 34, F.P.Knott, Vol. 2, ppp. 499, Patents.

BEGINNING at the N. W. Cor. of No. 33, a stake on
 the S. bank of river; Thence up the river with its
 meanders S. 45 W. 994 vrs. a pile of rock in bank,
 at 2094 vrs. pass to the right of a little china mkd --,
 at 2338 vrs. stake on bank, a post mkd. 1111 brs. N.

45 E. 104 vrs; Thence S. 897 vrs. the N. W. Cor.
No. 161, B. S. & F; Thence East 1653 vrs. a stake
in W. line sd. No. 161; Thence North 2550 vrs, to
the beginning.

26. Survey 35, F.P.Knott, Vol.2, pp.204, Patents.

BEGINNING at the original N.W. Cor. of Sur.

No. 34, a sta. on the S/ bank of Prairie Dog River,
from which a post mkd. 1111 brs. N. 45 E. 104 vrs;
Thence up the river with its meanders S. 32 W. at
1000 vrs. a large rock mkd. X from which a large rock
mkd. X brs. S. $68^{\circ} 30'$ E. 9 vrs. at 1794 vrs. a sta.
under a bluff, from which a pile of rock on the
side of a bluff, one of said rocks mkd. M, brs. S.
 $85^{\circ} 30'$ E. 12 vrs., (identified); Thence S. 2355 vrs.
a point in the N. B. L. of Sur. No. 731 Blk. H, W. &
N. W. R. R. Co; Thence S/ 88 E. 950 vrs. with the
N. B. L. of sd. 731, the S.E. Cor. of this Sur. and
the S. W. Cor. of Sur. No. 1, W. J. Morris; Thence N.
3908 vrs. with the W. B. L. of sd. 1, to the place of
beginning.

27. Survey 36, F.P.Knott, Vol.2, pp.183, Patents.

BEGINNING at the original N. W. Cor. of Sur. No.

35, F. P. Knott, a sta. on the S. bank of Prairie Dog
River under a rocky bluff fr. wh. an iron pipe in a
stone md. one of the stones mkd. M, (the original
Cor. identified), brs. S. $85^{\circ} 30'$ E. 12 vrs, this Cor.
is just in the S. edge of the present channel of the
river; Thence up the river with its meanders S. 45 W.
at 1000 vrs. the mouth of Hutchings Creek, at 1344 vrs.

a sta. on the S. bank of the river from which a cottonwood tree mkd. N brs. N. 57 E. and a china grove 3 of the trees mkd. X brs. S. 25 E; Thence S. crossing Hutchings Creek 1372 vrs. a point in the N. B. L. of Sur. No. 732, Blk. H, W. & N. W. R. R. Co; Thence S. 88 E. 950 vrs. with the N. B. L. of sd. 732, the S. E. Cor. of this Sur; Thence N. 2355 vrs. to the place of beginning.

28. Survey 37, F.P.Knott, Vol.2, pp.182, Patents.

BEGINNING at the original N. W. Cor. of Sur.

No. 36, F. P. Knott, a sta. on the S' bank of Prairie Dog River fr. wh. a cottonwood tree mkd. N brs. N. 57 E. a china grove 3 of the trees mkd. X brs. S. 25 E; Thence up the river with its meanders S. 54 W. 1175 vrs. a sta. on the S. bank of the river fr. wh. a cottonwood tree mkd W. brs. E. about 120 vrs. a cedar stump brs. S. 62 E; Thence S. 649 vrs. a point in the N. B. L. of Sur. No. 732, blk. H, W. & N. W. R. R. Co; Thence S/ 88 E. 950 vrs. with the N. B. L. of sd. 732, the S. E. Cor. of this Sur; Thence N. 1372 vrs. to the place of beginning.

29. Survey 38, F.P.Knott, Vol.2, PP.186, Patents.

BEGINNING at the original N. W. Cor. of Sur.

No. 37, F.P. Knott, a sta. on the S. bank of Prairie Dog River fr. wh. a cottonwood tree mkd. W. brs. E. 120 vrs. a cedar stump brs. S. 62 E; Thence up the river with its meanders W. at 900 vrs. the mouth of Baylor Creek, at 950 vrs. a sta. on the S. bank of

the river; Thence S. 616 vrs. a point on the N. B. L. of Sur. No. 783, Blk. H, W. & N. W. R. R. Co; Thence S. 88E. 950 vrs. with the N. B. L. of sd. 783, the S. E. Cor. of this Sur; Thence N. 649 vrs. to the place of beginning.

30 Survey 39, F.P.Knott, Vol. 2, pp. 186, Patents.

BEGINNING at the original N.W. Cor. of Sur. No. 38, F. P. Knott, a sta. on the S. bank of Prairie Dog River; Thence up the river with its meanders W/ 950 vrs. a post mkd. I standing on the S. bank of the river; Thence S. 583 vrs. a point in the N. B. L. of Sur. No. 783, Blk. H, W. & N. W. R. R. Co; Thence S. 88 E. 950 vrs. with the N. B. L. of sd. 783, the S. E. Cor. of this Sur; Thence N. 616 vrs. to the place of beginning.

31. Survey 40, F.P.Knott, Vol. 2, pp. 184, Patents.

BEGINNING at the original N. W. Cor. of Sur. No. 39 F. P. Knott, a post mkd. I standing on the S. bank of Prairie Dog River; Thence up the river with its meanders W. 950 vrs. a post mkd. II, standing on the S. bank of the river; Thence S. 550 vrs. a point in the N. B. L. of Sur. No. 784, Blk. H, W. & N. W. R. R. Co, a gunbarrel set for the common N. Cor. of Surs. Nos. 783 and 784, Blk. H, W. & N. W. R. R. Co. hrs. S. 88 E. 226 vrs; Thence S. 88 E. 950 vrs. with the N. B. L. of sd. 784, the S.E. Cor. of this Sur; Thence N. 583 vrs. to the place of beginning.

32. Survey 41, F.P.Knott, Vol. 2, pp. 185, Patents.

BEGINNING at a sta. on the S. bank of Prarie Dog River, a point in the E. B. L. of Sur. No. 790 Blk. H, W. & N. W. R. R. Co. and 514.7 vrs. N. of its S. E. Cor; Thence with the meanders of the S. bank of river S. $65^{\circ}48'$ E., 2785.5 vrs. a sta. on the N. slope of a high bare sand hill 6.5 vrs. N. of the most Northerly N.W. Cor. of homestead Sur. No. 1 Blk. B. W. H. Crawford, for the N. E. Cor. of this Sur; Thence S. 406.5 vrs. with the W. B. L. of sd. 1, to its re-entrant angle, the original E. Cor. of Sur. No. 41; Thence W. 2558 vrs. with the original S. B. L. of this Sur. No. 41, to its point of intersection with the E. B. L. of Sur. No. 789, Blk. H, W. & N. W. R. R. Co. a set stone; Thence N. 2 E. 1637.7 vrs. to the place of beginning.

33. Survey 46, F.P.Knott, Vol. 2, pp. 351, Patents.

BEGINNING at S. E. Cor. of No. 45, a sta. on N. bank of river, a pile of stone brs. S. 70 E. 311 vrs; Thence down the river with its meanders S. 45 E. at 311 vrs. a pile of stone, a md. S. $85-1/2$ E. do N. $85-1/2$ E. at 1655 vrs. a pile of rock, one mkd. X; Thence North 3673 vrs. a stake; Thence West 1170 vrs. a stake; Thence South 2503 vrs. to the beginning.

34. Survey 47, F.P.Knott, Vol. 2, pp. 352, Patents.

BEGINNING at the S.E. Corner of No. 46, at a pile of rock on N. bank of the river; Thence down the river

with its meanders S. 70 E. 1011 vrs. to a stone
mkd X, on the N. bank; Thence N/ 3973 vrs. a stake;
Thence W. 950 vrs. a stake; Thence S' 3627 vrs.
to the beginning.

35. Survey 48, F.P.Knott, Vol.2, pp.318, Patents.

BEGINNING at the S.E. Cor. of the No. 47, a
stone marked X on the N. bank of the river; Thence
down the river with its meanders S/ 70 E. 1011 vrs.
to a post marked II on N. bank of river; Thence
North 3973 vrs. a stake; Thence West 950 vrs. a
stake; Thence South 3627 vrs. to the beginning.

36. Survey 49, F.P.Knott, Vol.2, pp.319, Patents.

BEGINNING at a post marked II, set on the North
bank of the Prairie Dog Town River, at the lower
S. E. Cor. of No. 48; Thence down the river with its
meanders S. 70. E. 1011 vrs; to a post marked III set
on the N. bank of the river; Thence N. 3973 vrs.
a stake; Thence W. 950 vrs. a stake; Thence S/
3627 vrs. to the beginning.

37. Survey 50, F.P.Knott, Vol.2, pp.320, Patents.

BEGINNING at the S. E. Cor. No. 49, a post
mkd. III, on the North bank of the river; Thence
down the river with its meanders N. 78 E. 972 vrs. to
a pile of rocks on bank; Thence 3699 vrs. a stake;
Thence West 950 vrs. a stake; Thence South 3901 vrs.
to the beginning.

38. Survey 51, F.P.Knott, Vol.2, pp.321, Patents.

BEGINNING at post mkd. I on the North bank of the

river 2060 vrs. North across the river from the N. W. Cor. No. 34, and N. E. Cor. No. 35, for F. P. Knott, on South side of river; Thence up the river with its meanders S. 31 W. 1845 vrs. a post on N. bank 232 vrs. North of the S. E. Cor. of No. 23, T. & P. R. R. Co; Thence N. crossing Cousins Creek 4590 vrs. a stake in valley; Thence East 950 vrs. a stake; Thence South 3010 vrs. to the beginning.

39. Survey 52, F.P.Knott, Vol. 2, pp. 322, Patents.

BEGINNING at the S. E. Cor. No. 51, at a post mkd. I, on the North bank of river; Thence down the river with its meanders N. 31 E. at 1270 vrs. the mouth of Cousins Creek, at 1845 vrs. a pile stone on bank; Thence North 3010 vrs. a stake; Thence West 950 vrs. a stake; Thence South 4590 vrs. crossing Cousins Creek to the beginning.

40. Survey 53, F.P.Knott, Vol. 2, pp. 323, Patents.

BEGINNING at the S.E. Cor. of No. 52, at a pile of stone on the North bank of the river; Thence down the river with its meanders N. 71 E. 1005 vrs; to a rock marked IX, on the North bank; Thence North 3637 vrs. a stake; Thence West 950 vrs a stake; Thence South 3963 vrs. to the place of beginning.

41. Survey 54, F.P.Knott, Vol. 2, pp. 324, Patents.

BEGINNING at the S. E. Cor. No. 53, at a rock mkd. X, on the North bank of the river; Thence down the river with its meanders N. 88 E. 951 vrs. to a post mkd. X, on the North bank; Thence North 3784 vrs.

a stake; Thence West 950 vrs. a stake; Thence South 3816 vrs. to the place of beginning.

42. Survey 55, F.P.Knott, Vol. 2, pp. 325, Patents.

BEGINNING at the S.E. Cor. of No. 54, a post marked X on the bank of river; Thence down the river with its meanders N. $70\frac{3}{4}$ E. 1006 vrs. to a post on the North bank; Thence North 3634 vrs. crossing Gardens Creek to a stake in Valley; Thence West 950 vrs. a stake; Thence South 3966 vrs. to the place of beginning.

43. Survey 56, F.P.Knott, Vol. 2, pp. 326, Patents.

BEGINNING at a post marked I on the N. bank of the river, set 1440 vrs. North cross the river from the N.E. Cor. No. 29, and N.W. No. 28 sd. Knott, on South side of the river, sd. post is 1408 vrs. S. of the S.E. Cor. of No. 19, T. P. R. R. Co; Thence down the river with its meanders S. $88\frac{1}{2}$ E. 951 vrs. to a post mkd. II on the bank; Thence North crossing Myricks Creek 3812 vrs; Thence West 950 vrs. a stake; Thence South 3788 vrs. to the beginning.

44. Survey 57, F.P.Knott, Vol. 2, pp. 327, Patents.

BEGINNING at the S.E. Cor. No. 56, at a post marked II on the W: bank of river; Thence N. 77 E. down the river with its meanders 975 vrs. to a post mkd. III on the bank; Thence N. crossing cr. 3690 vrs. a stake in valley; Thence West 950 vrs. a stake; Thence South crossing Myricks cr. 3909 vrs. to the beginning.

45. Survey 58, F.P.Knott, Vol. 2, pp. 328, Patents.

BEGINNING at the S. E. Corner of No. 57, at post mkd. III on the N. bank of the river; Thence N. 77 E. 975 vrs. with the meanders of the river to a post mkd. IV on N. bank; Thence North, crossing Myricks Creek 3690 vrs. a stake; Thence West 950 vrs. a stake in prairie; Thence South, crossing Creek 3909 vrs. to the beginning.

46. Survey 59, F.P.Knott, Vol. 2, pp. 329, Patents.

BEGINNING at S. E. Cor. No. 58, post mkd. IV, on N. bank of river; Thence down the river with its meanders N. 83-1/2 E. at 80 vrs. the mouth of Myricks Creek, at 718 vrs. a pile of stones under bluff, at 956 vrs. stk. on N. bank; Thence North 3746 vrs. a stake; Thence West 950 vrs. a stake; Thence South, crossing Myricks Creek 3854 vrs. to the beginning.

47. Survey 60, F.P.Knott, Vol. 2, pp. 355, Patents.

BEGINNING at the S. E. Cor. of No. 59, at a stake on the N. bank of the river; Thence down the river with its meanders S. 70 E. 1011 vrs. to a post mkd. X, on the bank; Thence North 3973 vrs. a stake; Thence West 950 vrs. a stake; Thence South 3627 vrs. to the place of beginning.

48. Survey 61, F.P.Knott, Vol. 2, pp. 330, Patents.

BEGINNING at the S.E. Cor. No. 60, at a post mkd. X. on the North bank of the river; Thence down the river, with its meanders, S. 58-1/4 E. 117 vrs. to a post mkd. XI, on the North bank of the river, at the S. W. Cor. Sur. No. 18, T. & P. R. R. Co; Thence

North 4094 vrs. a stake; Thence West 950 vrs. a stake; Thence South 3506 vrs. to the beginning.

SOUTHERN PACIFIC BLOCK ONE.

49. Survey 1, S.P.Ry. Vol. 13, pp. 28, Deed Records.
 BEGINNING at a stake on the bank of Prairie Dog Fork of Red River 712 vrs. S. of a mound of earth 3 in dia. x 2-1/2 high, 3 stones imbedded in sides mkd. 23° W-W-TXP Surveying Party & mesqt. stake 4" square mkd. INITIAL.P.100°WL 1859, said Initial Monument is on the 100th. Meridian; Thence N. following the 100th, Meridian 712 vrs. to the Initial Monument, a hackberry 15 ins. brs. N. 79-1/2 W. 729 vrs. a cluster of trees brs. S. 21 W. a pile of stone S. 37-1/4 W. 636 vrs. a tree in mt. on S. side of River S. 18 E. 1900 vrs. to 1st. mile post in 100th. Meridian Crossing Spillers Creek, 3627 vrs. to stake in 100 Meridian N. E. Cor. of Sur. crossing Spillers Creek; Thence W. 950 vrs. to a stake Cor; Thence S. 3973 vrs. to a stake on bank of river; Thence N/ 70 E. 1011 vrs. with meanders of river to the beginning.
50. Survey 2, SPRY, Vol. 1, pp. 180, Surveyor's F.N.
 BEGINNING at a stake, the S. W. corner of Survey No. 1; Thence N. 3730 vrs. to a stake; Thence W. 950 vrs. to a stake; Thence S. 3871 vrs. to a stake on bank of river; Thence N/ 81-1/2 E. 960 vrs. following the meanders of the river to the beginning.

51. Survey 3, SPRY, Vol. 13, pp. 29, Deed Records.

BEGINNING at a stake on bank of river, the S. W. Cor. of Sur. No. 2; Thence N. 3825 vrs. to a stake; Thence W. 950 vrs. to a stake; Thence S. 3775 vrs. to a stake on bank of river, a cottonwood 13 ins. brs. N. 87-1/2 E; Thence S. 87 E. 952 vrs. following the meanders of the river to the beginning.

52. Survey 4, SPRY, Vol. 1, pp. 182, Surveyor's F.N.

BEGINNING at a stake on the bank of the river, the S. W. corner of Survey No. 3, from which a cottonwood 13" in diameter bears N. 87-1/2 E; Thence N. 3742 vrs. to a stake; Thence W. 950 vrs. to a stake; Thence S. 3858 vrs. to a stake on the bank of the river; Thence N. 83 E. 957 vrs. to the point of beginning, following the meanderings of the river.

53. Survey 5, SPRY, Vol. 13, pp. 30, Deed Records.

BEGINNING at a stake on bank of the river, S. W. Cor. of Sur. No. 4; Thence N. 3746 vrs. to a stake; Thence West 950 vrs. to a stake; Thence S. 3854 vrs. to a stake a stone mound on bank of river, a cottonwood 10 ins. brs. N. 86 W. 8 vrs; Thence N. 83-1/2 E. 956 vrs. with the meanders of the river to the beginning.

54. Survey 6, SPRY, Vol. 1, pp. 184, Surveyor's F. N.

BEGINNING at a stone mound on the South bank of the river, the S. W. corner of Survey No. 5, from which a cottonwood 10" in diam. bears N. 86 W; Thence

N. 3746 vrs. to a stake; Thence W. 950 vrs. to a stake; Thence S. 3854 vrs. to a stake on bank of river; Thence N. 83-1/2 E. 956 vrs. following the meanders of the river to the point of beginning.

55. Survey 7, SPRY, Vol. 13, pp. 31, Deed Records.

BEGINNING at a stake on bank of river, the S.W. Cor. of Sur. No. 6; Thence N. 3746 vrs. to a stake; Thence W. 950 vrs. to a stake; Thence S. 3854 vrs. to a stake two hackberry's brs. N. 70 W. & N. 63 W; Thence N. 83-1/2 E. 956 vrs. with meanders of river to the beginning.

56. Survey 8, SPRY, Deed Records.

East Half, Vol. 13, page 531.

BEGINNING at a set stone, the N. E. Cor. of Sec. 8, for N. E. of this tract; Thence S. 3746 vrs. to set stone, the S. E. Cor. of Sec. No. 8, for S. E. Cor. of this tract; Thence S. 84 W. 481 vs. following the meanders of river to stk. in S. B. L. of Sec. No. 8, for S. W. Cor. this tract; Thence N. 3800-1/2 vrs. to stk. in N. B. L. of Sec. 8 for N. W. Cor. of this tract; Thence E. 478 vs. to the beginning.

West Half, Vol. 13, page 532.

BEGINNING at a set stone, the N. W. Cor. of Sec. No. 8, for N. W. Cor. this tract; Thence E. 472 vs. to stk. in N. B. L. of Sec. No. 8, for N. E. Cor. this tract; Thence S. 3800-1/2 vrs. to stk. on bank of Red River, for S. E. Cor. this tract; Thence S. 84 W. 473 vs. following meanders of river to stone, the S. W. Cor; Thence N. 3854 vs. to the beginning.

57. Survey 9, SPRY, Vol. 13, pp. 32, Deed Records.
 BEGINNING at a stake on bank of river, the S. W. Cor. of Sur. No. 8; Thence N. 3690 vrs. to a stake; Thence W. 950 vrs. to a stake; Thence S. 3909 vrs. to an earth mound $3 \times 2 - 1/2$, a hackberry brs. N. 65 E. 341 vrs; Thence N. 77 E. 975 vrs. with the meanders of the river to the beginning.
58. Survey 10, SPRY, Vol. 2, pp. 88, Patents.
 BEGINNING at an earth mound ($3' \times 2 - 1/2'$) in the bank of the river, the S. W. corner of Survey No. 9, from which a hackberry bears N. 65 E. 341 vrs. dist; Thence N. 3800 vrs. to a stake; Thence West 950 vrs. to a stake; Thence South 3800 vrs. to a stake on river; Thence East 950 vrs. following the meanders of river to the point of beginning.
59. Survey 11, SPRY, Vol. 13, pp. 33, Deed Records.
 BEGINNING at a stake on the river, the S. W. Cor. of Sur. No. 10; Thence N. 4011, vrs. to a stake; Thence W. 950 vrs. to a stake; Thence S. 3588 vrs. an Earth mound on bank of river; Thence S. 66 E. 1040 vrs. with the river to the beginning.
60. Survey 12, SPRY, Vol. 2, pp. 142, Patents.
 BEGINNING at an earth md. on the bank of the river, the S.W. Cor. of Sur. No. 11; Thence N. 4011 vrs. to a sta; Thence W. 950 vrs. to a sta; Thence S. 3588 vrs. to a sta. on river bank; Thence S. 66 E. 1040 vrs. following the meanders of the river to the point of beginning.

61. Survey 13, SPRY, Vol. 13, pp. 34, Deed Records.
 BEGINNING at a stake on bank of river 1900 vrs. West & 380 vrs. N. of the S. W. Cor. of Sur. No. 12; Thence N. 3686 vrs. to a stake; Thence West 950 vrs. to a stake; Thence South 3914 vrs. to a stake, a cottonwood on bank of river brs. N. 77 E. 94 vrs; Thence N. 76-1/2 E. 977 vrs. with the meanders of the river to beginning.
62. Survey 14, SPRY, Vol. 1, pp. 192, Surveyor's P.N.
 BEGINNING at a stake on the river bank, from which a cottonwood 94 vrs. distant bears N. 77 East, the S. W. Cor. of Survey No. 13; Thence N. 3628 vrs. a stake; Thence W. 950 vrs. to a stake; Thence S. 3973 vrs. to a stake on the river; Thence N. 70 E. 1011 vrs, following the meanders of the river to the point of beginning.
63. Survey 15, SPRY, Vol. 13, pp. 9, Deed Records.
 BEGINNING at a stake on river bank, the S. W. Cor. of Sur. No. 14; Thence N. 3641 vrs. to a stake; Thence W. 950 vrs. to a stake; Thence S. 3959 vrs. to a pile of stone, a chinaberry 8 ins. brs. N. 30 E. 143 vrs; Thence N. 71-1/2 E. 1002 vrs. with the meanders of the river to the beginning.
64. Survey 16, SPRY, Vol. 2, pp. 86, Patents.
 BEGINNING at a pile of stone on river bank, the S. W. Cor. of Survey No. 15, from which a chinaberry tree 8" in diam. 143 vrs. distant bears N. 30 E; Thence N. 3845 vrs. to a stake; Thence West 950 vrs. to a stake; Thence S. 3754 vrs. to a stake

on river; Thence 84-1/2 E. 955 vrs., following the meanders of river to the point of beginning.

65. Survey 17, SPRY, Vol. 13, pp. 10, Deed Records.

BEGINNING at a stake on river, the S. W. Cor. of Sur. No. 16; Thence N. 3845 vrs. to a stake; Thence West 950 vrs. to a stake; Thence South 3754 vrs. to a stake, a cottonwood 15 ins. on river; Thence South 84-1/2 East 955 vrs. with the meanders of the river, to the beginning.

66. Survey 18, SPRY, Patent Records.
North half, Vol. 2, page 141.

BEGINNING at a point in the E. B. L. of said 18 and 2013.5 vrs. N. of its S. E. Cor. a gas pipe planted in the center of a public road, its top even with the surface of the ground and from th. the center of a large rock on the top of a rocky ridge brs. N. 67°30' W. 52.5 vrs. a narrow opening between the tops of two hills on the S. side of the river brs. S. 1°40' W; Thence N. 76°35' W. 976 vrs. a gas pipe 1-1/2" x 30" driven in the mid. point of the W. B. L. of said 18; Thence N. 1787 vrs. with the W. B. L. of said 18, the N. W. Cor. of this survey; Thence E. 950 vrs. with the N. B. L. of said 18, to its N. E. Cor. a gas pipe and large mound on on a rocky ridge; Thence S. 2013.5 vrs. with the E. B. L. of said 18 to the place of beginning.

South Half, Vol. 2, page 411.

BEGINNING at a cottonwood tree 15 in dia mkd. X, on the N. bank of the river, the S. E. Cor. of Sur. No. 18; Thence N. with the E. B. L/ of said Sur. 18; 2013.5 vrs. to its middle point, the S. E. Cor. of this

subdivision, a gas pipe 1 inch in dia. driven in the middle of the road, the top even with the surface of the earth, and from which the center of a large rock on the top of a rocky ridge brs. N. $67^{\circ}3'$ W. 52.5 vrs. a narrow opening between the tops of two hills on the S. side of the river, brs. S. $1^{\circ}40'$ W; Thence N. $76^{\circ}35'$ W. 976 vrs. the middle point of the W. B. L. of said Sur. 18, the N. W. Cor. of this subdivision, a gas pipe 1-1/2 x 30 in driven 24 in into the earth; Thence S. with the W. B. L. of said Sur. 18, 1787 vrs. a point on the N. bank of the river, for the S. W. Cor. of this subdivision; Thence S. $64^{\circ}3'$ E. with the course of the river 1052 vrs. to the place of beginning.

67. Survey 19, SPRY, Vol.13, pp.57, Deed Records.

BEGINNING at a stake on bank of river, 300 vrs. W. of mouth of Myrick's creek, 3 miles W. of & 1625 vrs. N. of the S. W. Cor. of Sur. No. 18; Thence N. crossing Myrick's Creek, 3800 vrs. to a stake; Thence W. 950 vrs. to a stake on Salt Fork Myrick's Creek; Thence S. crossing Fresh Fork & Salt Fork Myrick's Creek, 3800 vrs. to earth mound; Thence E. 950 vrs. with meanders of river to point of beginning.

68. Survey 20, SPRY, Vol.2, pp.375, Patents.

BEGINNING at a mes. in a pile of stone, the original N. E. Cor. of said Sur. No. 20, and 165 vs. S. of the N. W. Cor. of Sur. No. 19, same blk; Thence S. with

W. B. L. of said Sur. No. 19, 4270 vs. to a point on the N. bank of the Prairie Dog Town Fork of Red River, said point is the S. W. Cor. of Sur. No. 19, and the S. E. Cor. of this Sur; Thence S. $87^{\circ}50'$ W. with the N. bank of the aforesaid river, 954 vs. a point which is the S. W. Cor. of this Sur. and the S. E. Cor. of Sur. No. 21, same Blk; Thence N. with the E. B. L. of said Sur. No. 21, and at 4000 vs. pass the N. E. Cor. of said Sur. No. 21, at 4307 vs. the N. W. Cor. of this Sur; Thence E. with the S. B. L. of Sur. No. 29, Blk. C, in the name of H. D. Gordon, 950 vs. to the place of beginning.

69. Survey 21, SPRY, Vol. 13, pp. 58, Deed Records.

BEGINNING at a stake the S. W. Cor. of Sur. No. 20; Thence N. 3664 vrs. to a stake, (crossing Salt Fork of Myrick's Creek); Thence W. crossing Salt Fork of Myrick's Creek, 950 vrs. to a stake; Thence S. 3936 vrs. to a stake, a hackberry 9 ins. on Gardner's Creek brs. N. 43 W.; Thence N. 74 E. 988 vrs. with the meanders of the river to the beginning.

70. Survey 22, SPRY, Vol. 2, pp. 63, Patents.

BEGINNING at a stake the S. W. Cor. of Sur. No. 21, from which a Hackberry 9" on Gardner's Creek brs. N. 43 W; Thence North 3664 vrs. to a stake; Thence West 950 vrs. to a stake; Thence South, crossing Gardner's Creek 3936 vrs. to a sta. on river; Thence N. 74 E. 988 vrs. following the meanders of the river to the place of beginning.

71. Survey 20, Block "C", G. F. Swift, Vol. 2
page 121, Patents.

BEGINNING at a point on the N. bank of Prairie Dog River, a Mes. sta. and St. Md. on S. slope of a small sand hill, said sand hill is on top of the high rocky bluff of the river, fr. said Md. & sta. the well defind original N. W. Cor. of Sur. No. 22, F. P. Knott brs. S. 1774 vrs. across the river; Thence N. $0^{\circ}6'$ W. at 274 vrs. the S. E. Cor. of Sur. No. 81, F. P. Knott at 304 vrs. an old St. Md. and Mes. post lying on the mound, post bearing old mark I X F, at 4368 vrs. the N. E. Cor. of said 81, an iron pipe & large stone md. of large flat stone on a high Mes. prairie and Mes. tree 3" dia. mkd. \bar{X} brs. N. $56^{\circ}20'$ W. 14.7 vrs. Do. 3" dia. mkd. \bar{X} brs. N. $87^{\circ}30'$ E. 18.9 vrs. Hby. tree 18" dia mkd. X, over the face of a blaze 2" deep, standing in a semicircular sink hole about 3 vrs. deep brs. S. $81^{\circ}14'$ W. 228 vrs; Thence E. 23 vrs. to a point in the W. B. L. of Homestead Sur. No. 25, J. T. Colebank, a stone md; Thence South the W. B. L. of said 25 to its S. W. Cor. 300 vrs; Thence E. with the S. B. L. of said 25 to a point in the W. B. L. of Sur. 18 Blk. No. 1, S. P. R. R. Co. 11.8 vrs; Thence S. with the W. B. L. of said 18 at 1787 vrs. the S. W. Cor. of the S. $1/2$ of said 18, at 3574 vrs. the S. W. Cor. of the S. $1/2$ of sd. 18, as a present located, at 4068 vrs. the S. E. Cor. of this Sur. a point on the N. bank of the river; Thence W. 41.4 vrs. to beginning.

15

Austin, Texas, Jan. 22, 1914.

Report of the Survey made by me, R. G. Carraway, Surveyor of Childress County, Texas, in the month of December, along the North and South banks of Red River in said Childress County.

- (1) Beginning at the Northeast corner of Survey No. 10, F. P. Knott, same is a point in the channel of Red River, 3854 varas North of a pipe set for the Southeast corner of said No. 10;
- (2) Thence South $83-1/2^{\circ}$ West 956 varas with the channel of said river, a point the Northeast corner of Survey No. 11, F. P. Knott, from which point the South bank of said river bears South 327 varas, the Southeast corner of Survey No. 83, F. P. Knott, a pipe in the N. B. L. of Block (H), W. & N. W. Ry. Co., bears South 5,698 varas;
- (3) Thence South 77° West 975 varas with the channel of said river, a point for the Northeast corner of No. 12, F. P. Knott, South bank of said river bears South 279 varas;
- (4) Thence West 950 varas with the channel of said river, a point for the Northeast corner of No. 13, F. P. Knott, the South bank of said river bears South 645 varas;
- (5) Thence North 66 degrees West, at 100 varas the East end of a low sandy island, which is subject to overflow, at 1040 varas through about the center of

said island, a point for the Northeast corner of No. 14, F. P. Knott, from which corner the South bank of said river bears South 852 varas, at 2080 varas a point the Northeast corner of No. 15, F. P. Knott, the South bank of said river bears South 500 varas;

- (6) Thence North $81-1/2^{\circ}$ West at _____ varas the South bank of said river, at 960 varas to Northeast corner of No. 16, F. P. Knott. The original calls for this corner are, a cedar post marked X.I. from which a cottonwood bears South $34-1/2^{\circ}$ East, a chinaberry bears North $81-1/2^{\circ}$ East. I found, as I think, the original cedar post 4 x 4 inches marked as call, and a cottonwood tree in the correct course 300 varas distance, also the sprouts of a chinaberry tree in the correct course and 150 varas distance. This post is at the West end of a low flat, which extends to the West Boundary Line of said Survey No. 10, and is about $1/4$ of a mile wide North and South. The land on the North end of said No. 10 is white sandy hills of the shifting variety;
- (7) Thence North 76° West 961 varas a point on top of a large sand hill of the shifting kind, from which point the top of a chinaberry tree was protruding from said sand hill, and was in the correct course and distance as called- I removed as much of this sand hill as possible with the means at hand, and found the tree at its forks to be 18 inches or more in diameter, but could not get down to where the mark would probably be;

- (8) Thence South $86\text{-}1/2^{\circ}$ West 976 varas, a pipe for the Northeast corner No. 18, F. P. Knott;
- (9) Thence South 70° West 1011 varas a stone set by me in the E. B. L. of Survey No. 19, F. P. Knott, which is 5862 varas North of a pipe set in the North Boundary Line of Block (H), W. & N. W. Ry. Co., for the Southwest corner of Survey No. 79, F. P. Knott, as corrected;
- (10) Thence North, with the E. B. L. of said No. 19, a set stone for its Northeast corner;
- (11) Thence South $78\text{-}1/2^{\circ}$ West at 970 varas a pipe set on the South bank of Red River, for the Northwest corner of said Survey No. 19- the nature of the land North of this line, which I claim as the North Boundary Line of Surveys Nos. 15, 16, 17, 18 & 19, F. P. Knott, is mostly sand hills covered with sagebrush and mesquite, and although a small percent of these sand hills are of the shifting variety, I do not think from its general appearance and character that the South bank of Red River has moved as much as 100 feet within the last 30 years;
- (12) Thence South $78\text{-}1/2^{\circ}$ West, with the South bank of Red River, and along a rocky bluff, at 970 varas, to Northeast corner of No. 21, F. P. Knott, a pipe, at 1940 varas with the said South bank of said river a pipe, the Northeast corner of No. 22, F. P. Knott, at 2910 varas a pipe set for the Northeast corner of Survey No. 23, F. P. Knott- the original cause for this (calls) are: A cottonwood marked X bears South $10\text{-}1/2^{\circ}$ East $55\text{-}2/3$ varas, another cottonwood marked X bears South

4° West, 51-2/3 varas; the first call found and identified by me- it being a large cottonwood about 2 feet in diameter, well marked and in the correct course and distance; the second call found by me, about one year ago, to be another large cottonwood about 18 inches or more in diameter, to be, well marked and in the correct course and distance, but at this time this tree was chopped just below the mark, but the stump is still there;

- (13) Thence North 34° West, at 532 varas the remains of a chinaberry tree, which the original field notes calls to be on the North Boundary Line of said Survey No. 23, 532 varas from its Northeast corner, at 760 varas a creek with a good deal of water, at 1700 varas a pipe, the Northeast corner of Survey No. 24, F. P. Knott, the land North of this line and South of the South bank of Red River is partly salt flat and sandy hills;
- (14) Thence West, at 950 varas a pipe, the Northeast corner of No. 25, F. P. Knott, at 1900 varas a pipe, the Northeast corner of No. 26, F. P. Knott, at 2850 varas the Northeast corner of No. 27, F. P. Knott;
- (15) Thence South 66-1/2° West, 1036 varas a pipe, the Northeast corner of No. 28, F. P. Knott;
- (16) Thence South 88-1/2° West 951 varas to a pipe, the Northeast corner of No. 29, F. P. Knott;
- (17) Thence South 89° 9' West 950 varas to a pipe set on the South bank of Red River for the Northeast corner of Survey No. 30, F. P. Knott, which is 2593 varas North of the North Boundary Line of Block (H), W. & N. W. Ry. Co.

The land North of Surveys Nos. 24, 25, 26, 27, 28 & 29, F. P. Knott, and South of the South bank of said river is sandy hills covered with sage brush and mesquite, and they show very little evidence of having shifted;

- (18) Thence North 85° West, at 954 varas a pipe, the Northeast corner of Survey No. 31, at 1908 varas a pipe to the Northeast corner of Survey No. 32, F. P. Knott, from which corner the South bank of Red River bears North 90 varas, and South 85 degrees East 300 varas;
- (19) Thence North 77 degrees West, at 975 varas the Northeast corner of No. 33, F. P. Knott, at 1950 varas the most Northerly North corner of said No. 33;
- (20) Thence South 45° West, at 1694 varas to the Northeast corner of No. 34, F. P. Knott, at _____ varas the Northeast corner of Survey No. 35, F. P. Knott, a point in the channel of Red River,--the land lying North of the North Boundary Line of Nos. 32, 33 & 34, and South of the South bank of Red River, is white sandy hills, a portion of them is subject to change;
- (21) Thence South 32° West 1704 varas a pipe, the Northeast corner of No. 36, F. P. Knott, set on the South bank of Red River;
- (22) Thence South 45° West 1334 varas a pipe, the Northeast corner of No. 37, F. P. Knott, on the South bank of Red River;
- (23) Thence South 54° West 1175 varas a pipe, the Northeast corner of No. 38, F. P. Knott, on the South bank of Red River;

(24) Thence West 950 varas, a pipe on the bank of Red River, the Northeast corner of No. 39, F. P. Knott, as corrected, and is 616 varas North of the North Boundary Line of Block (H), W. & N. W. Ry. Co., at 1900 varas a pipe, the Northeast corner of No. 40, F. P. Knott, at 2850 varas a pipe set in the East Boundary Line of Survey No. 1, in the name of H. W. Crawford, for the Northwest corner of said No. 40- this pipe is 259 varas West and 550 varas South of the Northeast corner of Survey No. 784, Block (H), W. & N. W. Ry., which is the well identified "Gun-barrel corner";

(25) Thence North 164 varas with the East Boundary Line of said Survey No. 1, to its Northeast corner;

(26) Thence North $68^{\circ}15'$ West 1081 varas to a set stone in the East Boundary Line of Survey No. 41, F. P. Knott;

(27) Thence North $6-1/2$ varas with the East Boundary Line of said No. 41, to its Northeast corner, a point on the South bank of Red River- the land lying North of Surveys Nos. 39, 40 and No. 1 is a tight prairie land, and is not subject to being moved by the winds;

(28) Beginning at the above mentioned Northwest corner of Survey No. 40, F. P. Knott;

(29) Thence North, crossing Red River, at 2875 varas a pipe set in a stone mound,--the original field notes call for one stone in this mound marked X.I. which I found to be very plainly marked;

- (30) Thence North 70° West at 1011 varas a pipe in a stone mound- the original field notes calls for one stone in this mound to be marked X, which I found;
- (31) Thence North 45° West, at 1669 varas a pipe set for the Southwest corner of No. 46, F. P. Knott, from which corner the original field notes calls for a stone mound to bear South 45° East 311 varas, and from which mound natural mound to bear South _____ East, another natural mound to bear Northeast, all of which I found in the exact posit@ons as called for in the original field notes;
- (32) Thence South 158 varas a point on the North bank of Red River;
- (33) Beginning at the above mentioned stone mound and one stone marked X.I. the Southwest corner of Survey No. 48, F. P. Knott;
- (34) Thence South 70° East at 1011 a pipe and set stone marked as called for in the original field notes, at 2022 varas, a point the Southeast corner of No. 49, F. P. Knott;
- (35) Thence North 78° East at 972 varas a pipe set for the Southeast corner of No. 50, F. P. Knott;
- (36) Thence North 150 varas, with the East Boundary Line of said No. 50, a point;
- (37) Thence East 24 varas, a point, the Southwest corner of No. 24, Block No. 1, S. P. Ry. Co;
- (38) Thence North 88° East, a point on the North bank of Red River, for the Southeast corner of said No. 24-
+ the land lying south of the South Boundary Line of Surveys

Nos. 46, 47, 48, 49 and No. 50, F. P. Knott, and No. 24, Block 1, S. P. Ry. Co., and North of the North bank of Red River, is a sandy clay loam, and is covered with mesquite- the river bank along these surveys is a high solid rock bluff, averaging at least 20 feet high;

- (39) Thence North 40 degrees East, 1478 varas, with the North bank of Red River, a point, the Southeast corner of Survey No. 23, said Block No. 1;
- (40) Thence East 24 varas a point the Southwest corner of No. 51, F. P. Knott;
- (41) Thence North 31° West, at 1845 varas, the Southwest corner of No. 52, F. P. Knott, at 3690 varas, a pipe in a stone mound, the Southwest corner of No. 53 F. P. Knott, the North bank of Red River, and the North bank of a creek bears South 50 varas;
- (42) Thence North 71° East, at 1005 varas a set stone marked I,X.- this stone is marked according to original call;
- (43) Thence North 88° East 950 varas a pipe in a stone mound, the Southwest corner of No. 55, F. P. Knott;
- (44) Thence North 70-3/4° East, at 1006 varas a pipe set in the West Boundary Line of Survey No. 22, Block No. 1/ S. P. Ry. Co;
- (45) Thence South 534-1/10 varas a stone set on the North bank of Red River, for the Southwest corner of said No. 22- the land lying South of the South Boundary Line of Surveys Nos. 53, 54 & 55 is of the same character as described on Surveys Nos. 47, 48, 49 & 50;

- (46) Thence North 74° East 988 varas, the Southwest corner of No. 21, said Block No. 1, at 1976 varas the Southwest corner of No. 20, said Block No. 1;
- (47) Thence North $70-1/2^{\circ}$ East 1008 varas the Southwest corner of No. 19, said Block No. 1;
- (48) Thence East 950 varas to a stone set in the West Boundary Line of No. 56, F. P. Knott;
- (49) Thence South, at 600 varas the North bank of Red River, at 804 varas the Southwest corner of said No. 56, a point on a sandy island;
- (50) Thence South $88-1/2^{\circ}$ East 951 varas a point the Southwest corner of No. 57, the said F. P. Knott, and on said island; thence North 77° East at 975 varas the Southwest corner of No. 58, F. P. Knott, at 1950 varas the Southwest corner of No. 59, F. P. Knott, a point on the East end of said island;
- (51) Thence North $83-1/2^{\circ}$ East 956 varas crossing a creek to a point on a high rocky bluff, the North bank of Red River, and the Southwest corner of No. 60, F.P. Knott, the South bank of said river bears South 50 varas;
- (52) Thence South 70° East, 1011 varas, a pipe, the Southwest corner of No. 61, F. P. Knott;
- (53) Thence South $58-1/4^{\circ}$ East at 1117 varas a stone mound in the West Boundary Line of Survey No. 20, Block (C) in the name of G. F. Smith, for the Southeast corner of said Number 61;
- (54) Thence South at 274 varas a stone mound the Southwest corner of said No. 20, which is on the North bank

of Red River, at 2048 varas crossing the Red River, the previously stated well marked North corner of Surveys Nos. 22 & 23, F. P. Knott;

- (55) Beginning at the Initial Monument, in the East Boundary Line of Survey No. 1, Block No. 1, S. P. Ry. Co, which is a large set stone marked I. M. on its West side and 100 L.W. on its East side- said stone is in a large stone mound;
- (56) Thence South with the 100 Meridian 712 varas a set stone on the North bank of Red River for the Southeast corner of said Survey No. 1;
- (57) Thence South 70° East at 150 varas the North bank of Red River, at 1011 varas a point in the channel of said river;
- (58) Thence South $81-1/2^{\circ}$ West 960 varas, with the channel of said river, a point;
- (59) Thence North 78° West 952 varas with the channel of said river, a point;
- (60) Thence South 83° West 957 varas with the channel of said river, a point;
- (61) Thence South $83-1/2^{\circ}$ West 952 varas with the channel of said river;
- (62) Thence South $83-1/2^{\circ}$ West at 380 varas the North bank of Red River, at 952 varas, the Southwest corner of Survey No. 6, said Block No. 1, from which the North bank of Red River bears South 300 varas;
- (63) Thence South $83-1/2^{\circ}$ West at 952 varas the Southwest corner of No. 7, said Block No. 1, from which the

North bank of Red River bears South 700 varas, at 1904 varas, the Southwest corner of No. 8, said Block No. 1, from which the North bank of Red River bears South 600 varas;

(64) Thence South 77° West 975 varas a point on the North bank of Red River, the Southwest corner of No. 9, said Block No. 1- the land lying South of Survey No. 6, and North of the North bank of Red River is a low soft flat, and the land lying South of Surveys Nos. 7, 8 & 9, and North of the North bank of Red River is a red sandy clay, and is very rough and rocky, and the river bank is a high rocky bluff;

(65) Thence West 950 varas with the North bank of Red River, which is a rocky bluff to the Southwest corner of No. 10, said Block No. 1;

(66) Thence North 66° West at 1040 varas the Southwest corner of No. 11, said Block No. 1, at 2080 varas a set stone, the Southwest corner of No. 12, said Block No. 1, from which the rocky bluff of Red River bears South 650 varas- this land is the same character as described on No. 7, 8 & 9;

(67) Thence West 1900 varas, crossing homestead surveys, a point;

(68) Thence North 380 varas, the Southeast corner of No. 13, said Block No. 1, from which the South bank of Red River, which is a high rocky bluff, bears South 400 varas;

- (69) Thence South $76-1/2^{\circ}$ West 977 varas to the Southeast corner of No. 14, said Block No. 1, which is a point on the South bank of Red River, and is on the top of a rocky bluff.
- (70) Thence South 70° West 1011 varas with the North bank of Red River a point the Southeast corner of No. 15 said Block No. 1;
- (71) Thence South $71-1/2^{\circ}$ West 1002 varas with the North bank of Red River the Southeast corner of No. 16, said block No. 1;
- (72) Thence North $84-1/2^{\circ}$ West at 955 varas, the Southeast corner of No. 17, said Block No. 1, from which the North bank of Red River bears South 200 varas, at 1910 varas Southeast corner of No. 18, said Block No. 1, from which the North bank of Red River bears South 200 varas;
- (73) Thence North $64-1/2^{\circ}$ West 1052 varas a point on the East Boundary Line of Survey No. 20, Block (C) for the Southwest corner of said number 18, from which the Southeast corner of said number 20, a stone mound on the North bank of Red River, bears South 494 varas, from which stone mound the previously mentioned stone mound set for the Southwest corner of said No. 20 bears West 41 varas;
- I, R. G. Carraway, Surveyor of Childress County, Texas, do hereby certify that the above and foregoing is a true and correct statement of the facts as found by me on the ground.

Surveyor, Childress County, Texas.

"C"

Copy of field notes taken from the records of
the Surveyor's office, Childress County, Texas.

-----:-----

1. From Application No. 20, Ida M. Lawson, Volume 3, page Fifteen, Surveyor's Records.

Beginning at the N. E. Corner of Survey No. 18, F. P. Knott; Thence North to the South bank of Red River; Thence Westerly with the said South bank of Red River to a point immediately North of the N. W. corner of Survey No. 20, F. P. Knott; Thence South to the N. W. Corner of said Survey No. 20; Thence Easterly with the N. B. L. of Surveys Nos. 20, 19 and 18 to the place of beginning.

2. Survey made for J. B. Mitchell and A. D. Lawson, Volume A-1, page 444, Surveyor's Records.

Beginning at a set stone the S. W. Cor. of Survey No. 10, Blk. "S", in the name of Lee Loter; Thence East 950 varas with the S. B. L. of said No. 10, a set stone; Thence South 423 varas with the W. B. L. of said No. 10, a set stone; Thence East 950 varas with the S. B. L. of said No. 10 and No. 12, same Blk. a set stone; Thence South 296 varas with the W. B. L. of said No. 12 and No. 10, Blk. No. 1, S. P. Ry. Co. a set stone the N. E. Cor. of Survey No. 11 said Blk. No. 1, as corrected; Thence West 950 varas with the N. B. L. of said No. 11 a set stone, its N. W. Cor; Thence North, 45 varas a set stone the N. E. Cor. of Survey No. 12 said

Blk. No. 1, as corrected; Thence West 950 varas with the N. B. L. of said No. 12, a set stone its N. W. Cor; Thence North 674 varas with the W. B. L. of Survey No. 7, W. T. Sparks, and No. 11, C. C. Miller, to the place of beginning.

3. Survey made for S. K. Powers and A. D. Lawson, Volume A-1, page 437, Surveyor's Records.

Beginning at a point in the N. B. L. of Survey No. 15, F. P. Knott, 400 vrs. S. $81^{\circ}30'$ E. from its N. W. Cor; Thence N. $81^{\circ}30'$ W. 400 varas with the N. B. L. of said Survey No. 15, to a cedar post mkd. XI; Thence N. 76° W. 967 varas with the N. B. L. of Survey No. 16, F. P. Knott to a point on top of a sand hill, from which a Chinaberry tree 18" in Dia. brs. S. 51° E. 6 varas; Thence S. $76^{\circ}30'$ W. 977 varas with the N. B. L. of said Survey No. 17, a pipe the N. E. Cor. of Survey No. 18, F. P. Knott; Thence S. 70° W. 1011 varas with the N. B. L. of said Survey No. 18 to a stone set in the E. B. L. of Survey No. 19, F. P. Knott; Thence North 488 varas with the E. B. L. of said Survey No. 19, to a pipe the N. E. Cor. of said 19; Thence S. $76^{\circ}30'$ W. 977 varas with the N. B. L. of said No. 19 to a pipe set on the South bank of Red River; Thence N. $59^{\circ}52'$ E. 1098.4 varas, with the meanders of said River, a point; Thence N. $81^{\circ}19'$ E. 961 vrs. with the meanders of said River a point; Thence ~~XXXXXX~~ East -----950 vrs. with the meanders of said River a point; Thence S. $77^{\circ}39'$ E. 972.5 vrs. with the meanders of said River a point; Thence

S. $37^{\circ}41'$ E. 654.3 vrs. with the meanders of said River to the place of beginning.

4. Survey made for J. M. Lister, Volume A-1, page _____ Surveyor's Records.

Beginning at a pipe marked 52-53 in a stone mound the S. W. Cor. of Survey No. 53, F. P. Knott; Thence N. 71 Deg. E. 1005 varas with the S. B. L. of said Survey No. 53 to a set stone marked IX and pipe marked 53-54, for the S. E. Cor. of said Survey No. 53; Thence N. 70 Deg. $45'$ E. 1006 varas a pipe marked 55-22 set in the W. B. L. of Survey No. 22 Blk. No. 1 S. P. Ry. Co. from which pipe a hackberry marked X brs. S. 22 Deg. $18'$ W. 82.4 varas, a Do. marked X brs. S. 55 Deg. $15'$ E. 76.5 varas; Thence South 513.1 varas with the W. B. L. of said Survey No. 22 to its S. W. Cor. a point on the North bank of Red River; Thence S. 81 Deg. $23'$ W. 960.8 varas with the meanders of the North bank of said River a point; Thence N. 65 Deg. $24'$ W. 1044.8 varas with the meanders of the North bank of said River a point; Thence S. 80 Deg. $47'$ W. 962.4 varas with the meanders of the North bank of said River a point; Thence North 50 varas to the place of beginning.

5. Survey made for E. Lawson, J. W. Cannon and R. E. Thompson, Vol. A-1, page 436, Surveyor's Records.

Beginning at a pipe, the original N. E. Cor. of Survey No. 23, F. P. Knott; Thence S. $87-1/2^{\circ}$ W. 970 varas with the N. B. L. of Survey No. 22 to the N. E. Cor. of Survey No. 23, F. P. Knott, from which a

Cott. mkd. X brs. S. 10-1/2 E. 552.3 varas, the stump
 of another Cott. brs. S. 4 W. 51-2/3 varas; Thence
 N. 34 W. with the N. B. L. of Survey No. 23, at 532
 varas the stump of a Chinaberry, at 760 varas a creek,
 plenty of water, at 1700 varas the N. E. Cor. of Sur-
 vey No. 24, F. P. Knott; Thence West, with the N.
 B. L. of Surveys Nos. 24, 25 and 26, F. P. Knott; at
 950 varas the N. E. Cor. of Survey No. 25, at 1900
 varas the N. E. Cor. of Survey No. 26, at 2850 varas
 the N. E. Cor. of said Survey No. 27; Thence S.
 66-1/2 W. 1036 varas with the N. B. L. of said Survey
 No. 27, a stake the N. E. Cor. of Survey No. 28, F. P.
 Knott; Thence S. 88-1/2 W. 951 varas with the N. B. L.
 of said Survey No. 28 a pipe the N. E. Cor. of Survey
 No. 29, F. P. Knott; Thence S. 89°09' W. 950 varas
 with the N. B. L. of Survey No. 29 a pipe the N. E.
 Cor. of Survey No. 30, F. P. Knott; Thence N. 84°05'
 E. 950 varas with the meanders of the S. bank of Red
 River, a point; Thence N. 80°33' E. 963 varas with the
 meanders of the S. bank of Red River, a stake; Thence
 N. 77°49' E. 971.9 varas with the meanders of the South
 bank of Red River, a point; Thence N. 80°41' E. 962.8
 varas with the meanders of the South bank of Red River,
 a point; Thence N. 82°55' E. 957.3 varas with the meanders
 of the South bank of Red River, a point; Thence S.
 76°10' E. 978.4 varas with the meanders of the South
 bank of Red River, a point; Thence S. 46° E. 1367.6
 varas with the meanders of the South bank of Red River,
 a point, 581 varas North of the N. E. Cor. of said Sur-
 vey No. 23; Thence S. 67°48' E. 1026 varas with the
 meanders of the South bank of Red River, to the place
 of beginning.

6. Survey made for A. D. Lawson, Volume A-1, page 443, Surveyor's Records.

Beginning at a set stone the S. W. Cor. of Survey No. 4, Blk. "S" in the name of C. Cristolph, in the W. B. L. of Survey No. 6, Blk. No. 1, S. P. Ry. Co; Thence South 500 varas with the W. B.L. of said No. 6, a set stone the N. E. Cor. of Survey No. 7, said Blk. No. 1, as corrected; Thence West 950 varas with the N. B. L. of said No. 7 a set stone its N. W. Cor; Thence South 258 varas with the W. B. L. of said No. 7 a set stone the N. E. Cor. of said Survey No. 8, Blk. No. 1, as corrected; Thence West 950 varas with the N. B. L. of said No. 8, a set stone its N. W. Cor; Thence North 186 varas with the E. B. L. of Survey No. 9, said Blk. No. 1, a set stone its N. E. Cor, as corrected; Thence West 950 varas with the N. B. L. of said No. 9 a set stone its N. W. Cor; Thence North 300 varas to one of the South corners of Survey No. 35 said Blk. "S"; Thence East 950 varas with the S. B. L. of said No. 35 and No. 5 said Blk "S", a set stone; Thence North 164 varas with the E. B. L. of said No. 5 a set stone; Thence East 950 varas with the S. B. L. of said No. 5 and No. 4, a set stone; Thence North 108 varas with the S. B. L. of said No. 4, a set stone; Thence East 950 varas with the S. B. L. of said No. 4, to the place of beginning.

7. Survey made for W. S. Eatmon, Volume A-1, page 441, Surveyor's Records.

Beginning at a stone mound in the E. B. L. and 232.1 varas South of the N. E. Cor. of Survey No. 55 F. P. Knott; Thence East 950 varas with the S. B. L. of Survey No. 29, Block "C", in the name of T. O. Hays, a set stone in the W. B. L. of Survey No. 21, Blk. No. 1, S. P. Ry. Co; Thence South 61 varas with the W. B. L. of said Survey No. 21, a set stone the N. E. Cor. of Survey No. 22, said Blk. No. 1, as corrected; Thence West 960 varas, a set stone in the E. B. L. of said No. 55; Thence North 61 varas with the W. B. L. of said No. 55 to the place of beginning.

8. Survey made for W. S. Eatmon, Volume A-1, page 440, Surveyor's Records.

Beginning at a point in the W. B. L. and 307 varas South of the N. E. Cor. of Survey No. 20, Blk. No. 1, S. P. Ry. Co; Thence West 950 varas with the S. B. L. of Survey No. 29, Blk "C", in the name of T. O. Hays, a set stone; Thence South 110 varas a set stone for the N. W. Cor. of Survey No. 21, said Blk. No. 1, as corrected; Thence East 950 varas with the N. B. L. of said Survey No. 21, a set stone in the W. B. L. of said Survey No. 20; Thence North 110 varas with the W. B. L. of said Survey No. 20, to the place of beginning.

9. Survey made for W. S. Eatmon, Volume A-1, page, 439, Surveyor's Records.

Beginning at a stone the N. E. Cor. of Survey No. 19, Blk. No. 1, S. P. Ry. Co., as corrected; Thence North 500 varas with the W. B. L. of Survey No. 29, Blk. "C", in the name of T. O. Hays, a set stone; Thence West 950 varas, with the S. B. L. of Surveys Nos. 28 and 29, Blk. "C", a set stone; Thence South 500 varas with the E. B. L. of said Survey No. 29, a set stone in the E. B. L. of Survey No. 20, Blk. No. 1, S. P. Ry. Co. for the N. W. Cor. of said Survey No. 20, and the S. W. Cor. of this Survey; Thence East, 950 varas with the N. B. L. of said Survey No. 19, as corrected, to the place of beginning.

10. Survey made for A. D. Lawson and W. L. Medlock, Volume A-1, page 442, Surveyor's Records.

Beginning at the original S. E. Cor. of Survey No. 7, Blk. "K", in the name of G. F. Swift; Thence North 158 varas, with the E. B. L. of said Survey No. 7, to the S. W. Cor. of Survey No. 45, F. P. Knott; Thence S. 45 E. with the S. B. L. of Surveys Nos. 45 & 46, F. P. Knott, at 1055 varas a pipe mkd. 45-46, at 1366 varas a stone mound from which a natural mound brs. S. 85-1/2 E. a Do. brs. N. 85-1/2 E. at 2720 varas the S. E. Cor. of said No. 46 a pipe set in a stone mound, one stone mkd X; Thence S. 70 E. with the S. B. L. of Surveys Nos. 47, 48, & 49, F. P. Knott, at 1011 varas a

pipe and set stone, stone mkd. XI, from which a Cott.
 mkd. X brs. S. 80 E. 174.5 varas, a Mesq. 4", mkd.
 X brs. S. 70 E. 8 varas, at 2022 varas a pipe, the
 S. E. Cor. of Survey No. 48, at 3033 varas a pipe the
 S. E. Cor. of said Survey No. 49; Thence N. 78 E.
 972 varas with the S. B. L. of Survey No. 50, F. P.
 Knott, to a pipe and St. Md. the S. E. Cor. of said
 No. 50; Thence North 3699 varas with the E. B. L.
 of said No. 50 to its N. E. Cor. a point in the S.
 B. L. of Survey No. 6 Blk. "K", in the name of R. Stone,
 from which a stone mound brs. W. 25.5 varas; Thence
 East 24 varas with the S. B. L. of said No. 6 to one
 of its South corners; Thence North 267 varas with the
 E. B. L. of said No. 6 to a South Cor. of the same;
 Thence East 950 varas with the S. B. L. of said No.
 6 to its most Easterly S. E. Cor. a point in the W. B.
 L. of Survey No. 23 Blk. No. 1, S. P. Ry. Co; Thence
 South 289 varas with the W. B. L. of said No. 23 to
 the N. E. Cor. of Survey No. 24, said Blk. No. 1, as
 corrected; Thence West 950 varas with the N. B. L. of
 said No. 24 to its N. W. Corner; Thence South 4106
 varas with the W. B. L. of said 24 to its corrected
 S. W. Cor. a point on the North bank of Red River;
 Thence West 24 varas with the meanders of said River, a
 point; Thence S. $84^{\circ}57'$ W. 953.7 varas with the meanders
 of said River, a point; Thence N. $79^{\circ}30'$ W. 966 varas
 with the meanders of said River, a point; Thence N.
 $89^{\circ}02'$ W. 950 varas with the meanders of said River, a

point; Thence N. $47^{\circ}41'$ W. 1284.7 varas with the meanders of said River, a point; Thence N. $38^{\circ}01'$ W. 1693.2 varas with the meanders of said River, a point; Thence N. $45^{\circ}52'$ W. 1017 varas, with the meanders of said River, to the place of beginning.

11. Survey made for J. M. Lister, Vol. A-1, page -----, Surveyor's Records.

Beginning at the S. W. Cor. of Survey No. 20, Block "C", a stone mound on the North Bank of Red River, from which the well identified North corner of Surveys Nos. 22 and 23, F. P. Knott, brs. South 1774 varas across the river; Thence N. $59^{\circ}24'$ W. 1103.7 varas with the meanders of the said river, a point; Thence N. $57^{\circ}53'$ W. 1122.1 varas with the meanders of said river, a point; Thence North 50 varas to the S. W. Cor. of Survey No. 60, F. P. Knott, a pipe; Thence S. 70 E. 1011 varas, with the S. B. L. of said Survey No. 60, a pipe for the S. W. Cor. of Survey No. 61, F. P. Knott; Thence S. $58^{\circ}15'$ E. 1117 varas with the S. B. L. of said Survey No. 61, to its S. E. Cor. a stone mound in the W. B. L. of said Survey No. 20; Thence South 274 varas with the W. B. L. of said Survey No. 20, to the place of beginning.

12. Survey made for E. Lawson, Volume A-1, Page-----, Surveyor's Records.

Beginning at the original N. E. Cor. of Survey No. 39, F. P. Knott; Thence N. $82^{\circ}13'$ W. 1917.7 varas with the meanders of the South bank of Red River to a point 260 varas North of the original N. W. Cor. of

10.

Survey No. 40, F. P. Knott; Thence N. $73^{\circ}27'$ W.
1081 varas, with the meanders of the South bank of
said River to the N. E. Cor. of Survey No. 41, F. P.
Knott, as corrected; Thence South 6.5 varas with the
E. B. L. of said Survey No. 41, to the N. W. Cor. of
Survey No. 1, Block B; Thence S. $68^{\circ}15'$ E. 1081 varas
with the N. B. L. of said Survey No. 1, to its N. E.
Cor;
Cor; Thence South 164 varas with the E. B. L. of said
Survey No. 1, to the N. W. Cor. of said Survey No.
40, a pipe marked 40-1; Thence East 1900 varas, with
the N. B. L. of Surveys Nos. 40 and 39 said F. P.
Knott, to the place of beginning.

C10

Counter 18363