Bonie Texas. June 14 th 1939.

· .....

1172

Honorable Bascom Giles Commissioner General Land Office Austin, Texas.

Dear Sir:

2

Lr

Enclosed you will find corrected Field Notes for the Soloman Blundell Survey in Clay County, Texas.

I began my survey at the Northeast corner of the Levi N. Sparks Survey No. 56, two stones under wire fence, a p.o. about 24 inches in diameter brs. South 32 East 4 varas, found burned stump of another P.O. South 50 West 8 varas in the E.L. of abandoned road;

THENCE South at 561 varas the S.B. of East fork and at 681 varas stone marked X on the N.L. of a Slough, the S.W. corner of Levi N. Sparks Survey No. 55, and the N.W. corner of Survey in the name of M.B. Skerrett;

of Survey in the name of M.B. Skerrett; THENCE East over mesquite flat at 893 varas passed N.E. corner of said Skerrett Survey and N.W. corner of J.C. Brown Survey (no marks) at 950 varas found stone about 6 inches square set in ground for the S.E. corner of Levi N. Sparks Survey No. 55 and the S.W. corner of the J.R. Perkins Survey No. 52 a forked Hackberry about 24 inches in diameter on bank of Small branch brs North 25 1/2 West, 62 varas, and an elm about 26 inches in diameter brs. South 79 deg. 45 West, 37 varas, at 2678 varas set a stone for the N.E. corner of J.C. Brown and the N.W. corner of the L. Sanzenbacher Survey, and at 2906 varas found stone marked P.X. under wire fence in mesquite valley between two timbered ridges, the S.E. corner of J.R. Perkins and the N.E. corner of the L. Sanzenbacher Surveys; THENCE North at 269 varas cross Rock ledge on South

THENCE North at 269 varas cross Rock ledge on South slope of rise at 610 varas set stone for the S.W. corner of W. Williams Survey No. 50, a P.O. about 14 inches in diameter brs. North 20 West, 6 varas. (NOTE: this corner is in prairie glade.)

BEGINNING again at the S.W. corner of W. Williams Survey THENCE East 1400 varas to stake under wire fence the S.E. corner of the W. Williams in the W.B.L. of Wm Cole Survey a P.O. brs. N. 81 W, 2 1/2 varas, remarked by me.<u>NOTE</u> (could not locate other witness tree called for)

THENCE North at 293 varas top of hill, at 493 varas pass fence corner, at 521 varas pass stone set in ground at 669 varas cross small branch, at 895 varas cross large branch, and at 1290 varas set pile of stone in mesquite prairie for the N.E. corner of the W. Williams Survey;

BEGINNING again at the S.E. corner of W. Williams Survey THENCE South 300 varas to S.W. corner of Wm. Cole Survey a stake under wire fence;

THENCE East crossing Rocky Ridge at 450 varas a P.O. about 26 inches diameter and pile of large stones for corner on East side of Rocky Bluff, whence another P.O. about 24 inches in diameter brs South 4 varas, the N.W. corner of E.P. Chisum Survey, No. 54; at 1400 varas, set stake under wire fence for the Southeast corner of Wm Cole in the W.B.L of J.F. Sweazea survey;

RECEIVED

JUN 1 6 1939

Counter 18469

THENCE South at 110 varas fence corner the recognized N.W. Corner of Section No. 9, T & N O RR Co. Survey, and the S.W. corner of the J.F. Sweazea Survey; THENCE East 1241 varas to fence corner, the recognized N.E. corner of said Section No. 9;

BEGINNING again at the S.E. corner of the J.R. Perkins Survey and the N.E. corner of the L. Sanzenbacher Survey; THENCE South over rocky timbered ridge 506 varas set stone for S.E. corner of L. Sanzenbacher Survey in the N B L of Section No. 2, T & N O RR Co. Survey, also known as the Gowan Survey said stone is in the S.L. of public road; THENCE East crossing public road at 900 varas set stone 10 varas North of public road for the N E corner of said Section No. 2:

said Section No. 2;

BEGINNING again at the S W corner of Levi N. Sparks Survey No. 55;

THENCE South at 328 varas cross public road, at 506 varas pass S W corner of M.B. Skerrett and N W corner of Section No. 1, T & N O RR Co. Surveys, at 2210 varas found two stones set in ground, for the S E corner of Levi N. Sparks Survey No. 56, this corner calls for a P.O. brs. South 61 West 128 varas, another South 48 West 130 varas I found P.O. Chipps and signs of the old stumps of same, marked a P.O. # about 30 inches in diameter brs. South 29 West, 135 varas, at 2411 varas a fence corner, set stone for N W corner of the W. Hill survey, a P.O. about 30 inches in diameter brs. N. 71 W, 104 varas. This corner calls for two witness trees, P.O. N 71 W, 105 varas, another N 63 W, 105 varas, found one of the trees; THENCE East at 1900 varas set stone marked # for the S E corner of Section No. 1, T & N O RR Co. Survey (this corner is in mesquite prairie,) at 2870 varas, reset stone marked X which I found lying on ground about 25 varas west of corner on Stone mound. (this corner calls for cluster of Willows, bearing N51 E, 70 varas, there is no sign of any willows, however the place called for seems to have been a small wet weather lake and is now grown over varas pass S W corner of M.B. Skerrett and N W corner of

have been a small wet weather lake and is now grown over with mesquites.)

I BEGAN again 20 varas West of the N E corner of the W. Hill Survey, being the mid point of Section No. 2, T

& N O RR Co. Survey; THENCE North at 950 varas located center of Section No. 2, at 1900 varas, stake in the N L of Section No. 2 in the S L of public road;

THENCE East 950 varas to N E corner of said Section No. 2.

I then proceeded to make survey of correction of Soloman Blundell Survey. Submitting corrected field notes for filing and

approval,

R

2'

284 Olast

A.v.

M. F. Leonard

M.F. Leonard State Licensed Surveyor Bowie, Texas.

Counter 18470

JUN 1 6 1939

REFERRED TO MAP

Sketch File No. 38A Clay County 1.8.5 Filed June 16 193 9-Bascow Lilon r 1847 Cay File Clerk 1-5 Counter Descriptive: Statement N 5.2