

The State of Texas }
County of Crockett } Field Notes of a
Connecting Line from the N.E. corner of
Survey No. 27, Bl. B.B., E.L. & R.R. Ry Co,
Certificate No. 369, Crockett County, Texas,
to the S.E. corner of Survey No. 8, Bl.
A, B.S. & F., Certificate No. 1618.

Beginning at a stone mound com-
posed of three (3) large rocks (Windmill
bears $N 61\frac{1}{2} W$ about $\frac{1}{4}$ mile; Chalk bluff
 $S 60\frac{1}{2} W$; Mesquit 2" mks. \bar{x} $S 29^{\circ} E 30$) the
same being identified as the N.E. corner
of Survey No. 27, Bl. B.B., E.L. & R.R.
Ry Co, Certificate No 369.

Thence $N 45^{\circ} W$ 2688 varas to a
flat rock marked \bar{x} on top under which
was found a quart can filled with stones,
(Windmill br. $N 28 W$; Mesquit 4" \bar{x} $S 75^{\circ} W 52$)
which was identified as being unmistak-
ably the S.W. corner of Survey No 44, Bl.
B.B., T.C. Ry Co, Certificate No 96.

Thence $N 45^{\circ} W$ 2688 varas put a
large stone mound for the N.E. corner
of Survey No 42.

Thence $N 45^{\circ} W$ 2688 varas put
a large stone mound for the S.W.
corner of Survey No 62, Bl. B.B.

Thence $N 45^{\circ} W$ 4970 varas.

Thence $N 486$ varas to a
large stone mound, from which a
20-ft Samson Windmill bears $S 10^{\circ} E$
about 200 varas, the same being iden-
tified as the stone mound made by
Frank F. Friend, County Surveyor, for
the S.E. corner of Survey No 8, Bl.

A, B. S. & F., Certificate No. 1618.

Surveyed June 13th, 1904 with
magnetic variation $9^{\circ} 40'$ East.

Frederic Bascoe } Chain carriers.
Wane Parker }

I, Chas. E. Davidson, Deputy Surveyor of Crckett County, do hereby certify the foregoing described Connecting Line was actually made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that all the courses and distances of same are truly and correctly described and set forth in the accompanying Plat and foregoing Field-notes.

Chas. E. Davidson
Dep. Surveyor Crckett County.

I, Frank F. Friend, County Surveyor Crckett County, do hereby certify that I have examined the foregoing Field-notes and find them correct; that they are recorded in my office, in Book "FF" between pp. 118 and 119.

Given under my hand at Ozona,
Texas, this 10th day of October, A.D. 1904.

Frank F. Friend,
County Surveyor Crckett County.

A. (2)

Field Notes
of a
Connecting Line
in
Crockett County.

From the N.E. Corner of Sec. #27,
Twp. #369, E.L. & R. R. Ry. Co. Blk.
BB, to the S.E. Cor. of Sec. #8, Twp.
#1618, B.S. & F. Blk. No. A.

Filed in General Land Office
October 17, 1904.

J. Robinson
Chief Clerk and Acting Commissioner.

Bl. BB to Bl. A.

State of Texas }
County of Crockett }

Field-Notes of a
Connecting Line beginning at the
S. E. corner of survey No. 4, Block
M.N., originally surveyed for the State
of Texas Free School Fund, by virtue of
Certificate No. 4748 issued to the S. C.
and S. F. R. R. Co, and terminating at a
point in the middle of the parade ground
at Ft. Lancaster, passing and connecting
with the common corner of surveys
Nos. 30, 31, 32, and 33, Block 2, Certifi-
cates Nos. 4700, 4701, 4702, and 4703 re-
spectively, I. and S. N. R. R. Co.

Said Line is in Crockett
County, Texas, beginning at a rock
monument 4 feet high, which, according
to original Field Notes, I identified to
be the S. E. corner of survey No. 4,
Block M.N., Certificate No. 4748, issued
to the S. C. and S. F. R. R. Co.

Thence W - At 1380ms. cross
Johnson's Run. - At 1900ms three large
stones, which point corresponds to the
original Field Notes for the S. W. corner
of survey No 4, more fully described
as follows: "Three large stones from
which a large rock monument six
feet high on end of isolated hill
bears N 48° 45' W, and a Live Oak 15
inches in diameter bears N 48° W 5-31ms."
- At 7600ms put a rock mound for
the N. E. corner of survey No. 18, Block

D.R. Certificate No 719, T. T. Ry Co.

Thence $S 45^{\circ} W$ 8061ms. Put a rock monument 3 feet high from which a Live Oak 15 inches in diameter bears $N 2^{\circ} 15' W$ 126ms, for the S.E. corner of survey No 25, Block S.T. Certificate No. 1295 issued to the H.E. and W. T. Ry Co.

Thence W — At 17098ms cross Howard Creek. — At 17298ms intersect the E line of survey No. 28, Block 2, certificate No. 4698, I and S. N. Ry Co, 1160ms S of its N.E. corner.

Thence S 740ms an Iron Pipe driven in ground. for the S.E. corner of said survey No. 28.

Thence W — At 1900ms an Iron Pipe. — At 3800ms an Iron Pipe. — At 5700ms a large rock mound on top of prominent peak. — At 6619ms an Iron Pipe a corner of survey No 29½, Block 2, Certificate No 899, issued to Van der Decken.

Thence S 267ms a rock mound in bed of "draw" the S.E. corner of survey No. 30, Block 2, certificate No 4700, I. and S. N. R. R. Co.,

Thence W 1900ms, a large rock on foot of mesa, which corresponds in full with the original Field Notes of the common corner of surveys Nos. 30, 31, 32 and 33, Block 2, Certificates Nos. 4700, 4701, 4702 and 4703 respectively, I and S. N. R R Co, which

I found and identified to be as follows: "A large rock on foot of the mesa, marked I. R. with a pile of small stones on its top, from which a rock with a pile of small stones on its top bears $N 53^{\circ} E$ 38ms. Another rock bears $N 50^{\circ} W$ 21ms."

Thence W — at 1900ms. an Iron pipe. — At 3800 an Iron pipe. — At ~~5400~~ 5700ms. an Iron Pipe, the S.W. corner of survey No 50, Block 2, I. and G. N. R. R. Co.

Thence N 3800ms put a stone mound with centre stone marked "F. F. F." from which a cedar marked "F" 4 inches in diameter bears $S 40^{\circ} E$ 20ms.

Thence $N 45^{\circ} W$ 3087ms to a small stone mound on top of divide between Howard Creek and Pecos River.

Thence N 3800ms. on high divide to a small stone mound.

Thence W 600ms, a stone mound near the brink of a deep precipitous cañon running South-westerly.

Thence N 600ms. a small stone mound.

Thence $N 45^{\circ} W$ 800ms a small stone mound.

Thence W 1183ms, passing just N of the head of a deep cañon to a stone mound on top of a high ridge.

Thence $S 45^{\circ} W$ - At 1180ms put a stone monument 3 feet high with cap-rock marked "FFF - ON CON. LINE" on extreme peak of a prominent mountain projecting into valley. - At 5500ms put a large stone mound in valley with cap-rock marked "FFF - ON CON. LINE."

Thence W 1140ms a small stone mound.

Thence $N 45^{\circ} W$ 2700ms a small stone mound on foot of hill.

Thence $N 60^{\circ} 45' W$ 322ms to a point in the middle of the parade ground at Ft. Lancaster, said point I examined and identified to be the same to which is tied by beginning call the N.W. corner of survey No. 1, Block 29, University Lands, more fully described as follows: "A point in the middle of the parade grounds at Ft. Lancaster, where the S.W. corner of Fort bears $S 3 E$ 133ms, and the N.E. corner of the Fort bears $N 3 W$ 133ms, a tomb stone with the following inscription -

J.H. Norris
A.W.P. Lane - Ranger from Marshall Texas died Nov. 19th 1861, aged 24 yrs. - bears $N 38^{\circ} E$ 255ms"

Surveyed August 24-29, 1903 magnetic variation $9^{\circ} 38'$ East, being the variation required at present time to strike original corners in the blocks traversed and ad-

Joining Blocks.

Archev Shirley } Chain Carriers.
Jose Longoria }

I, Frank F. Friend, County Surveyor of Crockett County, Texas, do hereby certify that the foregoing described Connecting Line was actually made by me on the ground, according to law, on the date and with the Chain Carriers aforesaid, duly qualified, and that all the courses and distances of same are truly and correctly described and set forth in the accompanying Plat and foregoing Field Notes.

Frank F. Friend,
County Surveyor, Crockett County.

Filed for record the 28th day of September, A. D. 1903, at 10 o'clock, A. M.

Recorded this, the 28th day of September, A. D. 1903, at 2:30 o'clock, P. M., in the Office of the county Surveyor, at Ozona, Texas, being appended between pages 88 and 89, of Book "F. F.," Surveyor's Record, on file in this office.

Frank F. Friend
Surveyor.

Filed in General Land Office
Oct. 3, 1903.

J. T. Robinson
Chief Clerk and acting Commissioner

84

998

File D.
Crockett Co. SK. Files.

Field Notes of a connecting line from S. E. cor. of sur. No 4, cert. 4/748, C. C. & S. F. Ry. Co. BIK. M. N. near Ozona, to Parade Grounds at Ft. Lancaster. -

Filed in General Land Office Oct. 3, 1903.

see SK. filed of even date herewith.

County 1903

55

55

The State of Texas }
County of Crockett } Field-notes of a
Connecting Line from Grierson Spring
situate on Survey No. 1, Georgetown Ry
Co, Reagan County, 380 varas S of the
middle of the N-line of said survey 1,
to the S.E. corner of Survey No 8, in
Block A, B. S. & F., Certificate No. 1618,
Crockett County, Texas.

Beginning at said Spring and
starting point 380 varas S of the
middle of the N-line of said Survey
No 1,

Thence E 6650 varas.

Thence S 12920 varas to a
large stone mound from which a
20-ft Sanson Windmill bears S10°E
about 200 varas which I built for
the S.E. corner of Survey No 8, Bl A,
B. S. & F., Certificate No. 1618.

Surveyed Feb 25, 1904, with
magnetic variation 9° 40' East.

Claude Parker }
O. R. Parker } Chain carriers.

I, Frank F. Friend, County
Surveyor of Crockett County do here-
by certify that the foregoing de-
scribed Connecting Line was actually
made by me on the ground, accor-
ding to law, on the date and with
the chain carriers, aforesaid, duly qual-
ified, and that all the courses and

distances of same are truly and correctly described and set forth in the accompanying Plat and foregoing Field notes.

Frank F. Friend
County Surveyor Crockett County.

Filed for record the 10th day of October, 1904, at 9 o'clock, A.M.

Recorded 10th day of October, 1904 at 3 o'clock P.M. in my office, being appended between pp 120 & 121 Book "F. F." here on file.

Frank F. Friend
County Surveyor Crockett County.

A. (1)

Field notes.

of a

Connecting Line

in

Crockett & Reagan Counties

From Grierson Springs, ^{in Reagan Co.} to the
S.E. Cor. of Sec #8, East #1618, B.S.
& F. Blk. A, in Crockett Co.

Filed in Genl Land Office.

Oct. 17, 1904.

J. P. Robinson
Chief Clerk & Acting Commr.

Grierson Spring to Bl. A

