

Fieldnotes of a connecting line run from the
S.E. corner of Survey No 24 and S.W. corner of survey No 23
Block 8. Gulf West Texas & Pacific Railroad Company
Cert. No. 4192 in Crockett County on Epps or Viejo Creek a
tributary of North Llano river to S.E. corner of Ferdinand
Fortsch 320 acres survey at Willow spring on Devil's river
in Crockett County.

Variation
9° 45' E

Beginning at the S.W. corner of said survey No 23
Blk 8. a rock mound about 400rs West of Epps Cr, rebuilt
same and mkd. caprock or slab (S.W. cor. No 23) with black
paint, both Live Oak bearings still standing and identified
by Jacob Kuechler the original locator, L.O. 5" in dia. brs.
 $S 51^{\circ} W 12$ rs, another 7" in dia. brs $N 64^{\circ} W 31$ rs.

Thence $N 70\frac{1}{2}^{\circ} W$ crossing draws of North Llano several
times, rocky, good grass, Live Oak & cedar, no water, at
16400 rs cross draw of North Llano, at 16600 rs good roll
ing country, at 18200 rs to 20500 rs cross draws of San
Saba river several times, at 22510 rs a point. —

Thence West at 1800 rs cross road course South, at 2000 rs
another road course South from Taylors well to Mc. Kavett,
large open prairie South and S.W., at 5600 rs large
dry pond about 100 rs North, at 6600 rs cross dry pond, at
8000 to 10400 rs cross draws of San Saba three times, at
10600 rs low rocky ridge, cedar & L.O. at 13710 rs cross
road course S.E. at 15445 rs cross road course S.E.
from Mc. Neill well to Taylors well, at 16590 rs cross road
to Mc. Neills wells in all 16780 rs a point. —

Thence North 90 rs built a small rock mound for S.W.
corner of survey No 43 and S.E. corner of survey No 44 ^{Block 9. T.W.N.Y. Ry. Co. Cert. No. 9321} Mc. Neill
well survey, from which a rock & cedar post set in ground
mkd (S.W. cor. No 43) for S.E. corner of aforesaid survey

No. 414 as established by N. H. Bunnell distant North
280 vrs and East 190 vrs, another rock mound 2 $\frac{1}{2}$
feet high bears West 767 $\frac{1}{2}$ vrs and North 3 vrs, marked
(S.E. cor. No. 33 T.T.B.) from which 2 L.O. 6 $\frac{1}{2}$ hrs. S 38 $\frac{1}{2}$ W 8 & 8 $\frac{1}{2}$ vrs
another 6 $\frac{1}{2}$ hrs N 48 $\frac{1}{2}$ W 26 vrs, mkd. \cong for J. F. Brackenridge,
Another rock mound 3 feet high bears West 1219 vrs and North
446 vrs, a large slab in center mkd, (S.W. cor. No. 43) built
by Frank Vickery for McNeill. Good agricultural
land for small grain extends many miles North, South,
S.E. & N.W. no water, good grass, scattering live oak and
mesquite, good water can be had by drilling wells
at 360 to 400 feet.)

Thence East 190 vrs a point

Then North 280 vrs to aforesaid rock & cedar post set by
Bonnell for S.W. cor. N^o 43 & S. E. cor. N^o 44.

Thence West at 95 1/2 vrs a rock md. 2 1/2 feet high bears
South 277 vrs. mkd. (S.E. cor. N^o 33 S.T.B.) continued West
at 1409 vrs a rock md. 3 feet high bears North 166 vrs and
mkd. (S.W. cor. N^o 43.) continued West at 10800 vrs
enter valley course W. of S. at 11200 vrs cross deep dry Creek,
at 11275 vrs out of valley, at 13000 vrs enter valley, at
13300 vrs cross large dry river bed known as Coule^o
draw of Devils river which forms Elbow or Kuechler lake,
at 13860 vrs & 13980 vrs cross road from Fort Coule^o to Del Rio,
course from N. S. with valley, at 14000 vrs out of valley,
at 14422 vrs a point on ridge overlooking ~° ~°
valley South & S. W.

Thence S 72° W at 400 vs enter valley course S.E., at 2400 vs
valley come in from N.W. & S.W., at 4000 vs out of
valley, rocky ridge (valley $\frac{1}{2}$ mile wide) 4280 vs into small
valley 5500 vs a point —

Thence S $9^{\circ}W$ 2048 vs to a large L.O. tree on ridge a point,
from which Ed. Wall spring or well brs. East 2080 vs and
S $5\frac{1}{2}^{\circ}E$ 280 vs.

Thence S $45^{\circ}W$ 1100 vs into valley, at 2600 vs low rocky ridge,
at 3760 vs cross Creek course S. little W, at 6040 vs valley of
~~same Cr. (Cassini)~~ and extend North across ridge,
good grass white and black gamma, curly mesquite, at
24000 vs enter canon of big Devils river, down said
Creek at 25180 vs passed a rock mound 2 $\frac{1}{2}$ feet high about
60 to 80 vs S.E. of line the S.E. corner of Ed. J. Blackey
survey upon which Willow spring is situated, at 25320 vs.
cross Creek, at 26864 vs to a small rock mound in center
of valley built by Wm Cassin from which a L.O. 8" m.kd. ± brs.
S $5\frac{3}{4}^{\circ}E$ 177 $\frac{3}{5}$ vs on hill side, another 15" m.kd X near brade
brs S $57^{\circ}W$ 296 vs. —

Thence S $89\frac{3}{4}^{\circ}W$ at 200 vs cross Creek, crossing same Cr.
at 320. 500. 1960 and 2000 vs, at 2200 vs over North end of
^{high ridge or} mountain, large valley North West, at 2840 vs into valley of
main Devils river, at 3400 vs. a point 20 vs from bank of
river, about 100 vs above large dry water hole in bed of river.

Thence N $54\frac{3}{4}^{\circ}E$ 4000 vs a point in valley. —

Thence N $26^{\circ}E$ 3388 vs up valley to a point in channel
of Devils river near foot of mountain, large valley West.

Thence S $61\frac{3}{4}^{\circ}E$ 29 vs to foot of Willow tree at Willow Spring
now dry, situated on the Ed. J. Blackey survey —

Thence H $65^{\circ}W$ 200 vs. down the river to a point —

Thence S $1\frac{1}{4}^{\circ}E$ 512 vs to the S.E. corner of Survey S-1 in the
name of Ferd Fretsch an old dead Mesquite stump 5" in
dia. m.kd. ^{lying down} O, a small pebble mound 1 $\frac{1}{2}$ vs distant, from
which a L.O. 8" india. m.kd. $\frac{1}{2}$ brs N $65^{\circ}E$ 184 vs.
another L.O. about 7" in dia. m.kd. $\frac{1}{2}$ brs N $50^{\circ}E$ 183 vs.

S. W. C. 1 d. - 32

identified by Jacob Kuechler the original locator as
the S. E. corner of Ferel. Fretsch 320 acres survey.

Thus making it evident from the above connection
that the S. E. corner of Ferel Fretsch survey above
mentioned is West 785 14 rods and South 12 18 1/2 rods
of the S. W. corner of survey No 23 c Block A.

J. W. T & P Ry. Co.

J. W. H. Bonnell Deputy Surveyor Bexar Dist.
do hereby certify that the foregoing course and
distances are true and correct and the work actually
done upon the ground and in the field,

Surveyed in the month of October 1885.

Chain carriers and flagman S. H. Locke, R. Holland,
E. von Rosenberg, E. McMillan and Wash Fowovel

Neil H. Bonnell

Jacob Kuechler & John M. Bean Def. Sec. Bex Dis
were along with the party.

J. W. M. Locke
alias Sur. Bex alias

Do hereby certify that the
foregoing connection is correct and of
to doce in my office and record in
Book 9 Vol. 1 Pages 110-111-112

J. W. M. Locke
R. D. B. & O.

Filed Aug 20/86.
D. J. Rosenberg
Chief Clerk

Filed Aug 20/86
D. J. Rosenberg
Chief Clerk

identified by Jacob Kuehler the original locator as
the S.E. corner of Ferd. Fretsch 320 acres survey.

Thus making it evident from the above connection
that the S.E. corner of Ferd Fretsch survey above
mentioned is West 785 14 rods and South 12 18 2 rods
of the S.W. corner of survey No 23 c Block A.

J. W. T & P. Ry. Co.

J. W. H. Bonnell Deputy Surveyor Box & Dist.
do hereby certify that the foregoing course and
distances are true and correct and the work actually
done upon the ground and in the field,

Surveyed in the month of October 1885.

Chain carriers and flagman S. H. Locke, R. Holland,
E. von Rosenberg, E. McMillan and Wash Fowwel

Nell H. Bonnell

Jacob Kuehler & John McBean
were along with the party. Def. Sec. Box 60

J. W. M. Locke
was here Box 60

Do hereby certify that the
foregoing connection is correct and of
to locate in my office and to record in
Book 9 Vol. 1 Pages 110-111-112

J. W. M. Locke
P. S. 1310

Filed Jan 20/86.
D. M. Roseman
Clerk Clerk

Filed May 20/86
D. M. Roseman
Clerk Clerk

Thence West 600 vrs point
Thence North 1900 vrs Stone Mound
Thence West 440 vrs point
Thence North 5-64 vrs point
Thence West 48 vrs to Stone Mound
on slope of hill - this stone mound
being established by me as the
S W corner of sub no 22 - for
A C Ogden running out course
and distances from the S W cor.
of the A S Dary sur. on beach
waters of San Fran.

Surveyed June 1844

~~the~~ Ira M. { Sam M. W.
H. Lantore }

I Will H. Bowditch Dept Sur Br also
do hereby certify that the foregoing
connection with the course distances
and Natural & Artificial objects is
true and correct - as found by me
by careful survey - upon the ground
and in the field -

Will H. B. - " "

Dept Sur Br who

J. W. M. Locke who Sur Br who
do hereby certify that I have examined
the foregoing connection - And

source it correctness is of Record
in my office. in Book 8 Page 109
No. 1 W. M. Locke
his son Ben whis

Book 8. Page
W. M. Locke

W is Sur Bee W is

Pk


۹۶

Connec^ting from
S.E. corner of lot No 23
Block A. & 4. T. PRR Co
Kinder Co 10 Survey
in San Sabor.

Prisbt
Connec^ting line
Decr 15/85
Robinson

DEXTER & NASON.

General Land Agents.



Will make collections, pay Taxes, purchase and sell lands and Land Certificates, adjust Titles, and do a General Agency business. Horses, Cattle and Sheep sold and exchanged.

Menardville, Texas, Decr 7th. 1885.

Will. H. Bonnell Esq,
San Antonio, Texas.

Dear Sir:

Replying to your favor of the 30th Nov.,
have to say the following is the Connection I made
August 22^d last, between, School Sec no 20 C.M.
& P.R.R.C. and S.W. Cor Sec no 28 same block/
Beginning at a st. md. (about $\frac{1}{2}$ mile West from Pe-
can Springs, estimated) the S.W. cor of School Sec
no 20 C.M. & P.R.R.C. from which a Live Oak
6 ins dia b.s. S 12° E. 30 yrs.; Live Oak 7 ins dia
b.s. S 27° E. 27 yrs. b.sqr mld. X.

Then West 1000 yrs to a st. md. found no bearing tree
Then West 1900 yrs. to a st. md. found no bearing tree.
Then West 1900 yrs to a st. md. found no bearing tree.
Then West at 424 yrs a dry branch or hollow; at 464 $\frac{1}{2}$
yrs a stand (in dim road or cow trail) the S.W. corner of
Sec. no 28 C.M. & P.R.R.C. sec. A. from which corner a
Live Oak 8 ins dia b.s. S 51° W 12 yrs; Live Oak
7 ins dia b.s. N 64° West 31 yrs. I will also further
state that my connection from the S.W. corner of
said Sec no 28 to the N.E. corner of Sec no 5

GARRETT 10244

block & was practically the same as yours, on the
man who made the mark, if at any time I
can serve you, Command me.

Very truly

J. G. H. Hunter
Co. S. m. co.

Sketch 35. B.

Crockett Co.

See Sketch rolled up No. 35

Connecting lines

From S.E. cor. Sur. N^o 24 & S.W.
cor. sur. N^o 23 Blk. A. L. W. T &
P. Ry. Co. on Epps or Viejo Creek
on Knuble & Crockett Co. line to S. E.
cor. of F. Fortsch 320 acre at Willow
Sp. on big Devil's river

From S.E. cor. 24 & S.W. cor. N^o 23
Blk. A. to S.W. cor. of sur. N^o 22
J. H. Gibson near Crockett &
Knuble Co. line.

Also from S.W. cor. of Sur. N^o 25
L. W. T & P. R. Co. to S. W. cor.
of Sur. N^o 23 same block.

Filed Dec. 15/85

D. A. Rabineau

Chief Clerk