

State of Texas  
Dist of Betas

Field Notes of a connecting Line  
run from the S<sup>W</sup> cor of a survey  
No 538 in name of P. Remman. &  
sur upon which Fort Terrell  
is situated & the S<sup>W</sup> cor of survey  
No 160 survey upon which Beaver  
Lake is situated.

Beginning at the S<sup>W</sup> cor sur  
No 538 a stone mound on bank  
of hollow from which a cedar  
10 in dia brs S 88 1/2 E 43 vs.

Live Oak 16 in dia brs S 71 1/2 E 71 vs.

1 Thence South 10° West 970 vs to  
point of Terrell bluff.

2 Thence West 1344 vs to stake.

3 Thence South 248 vs to stake in  
Live Oak wood.

4 Thence South 201 vs to stake.

5 Thence West 1488 vs to stone mound  
2 ft high on Plateau.

6 Thence West @ 1900 vs to stone mound  
in open hollow.

7 Thence West 1900 vs to stone mound  
on rocky point.

8 Thence West 1900 vs to stone mound

Crickett co St File # 45



in open hollow.

9 Thence West crossing rocky points  
& hollows. 1900 vs to stone mound  
in bottom.

10 Thence West @ ~~1300~~<sup>1380</sup> vs to clump of  
seven L.O. trees in line with  
the center tree marked x. 1900 vs  
to stone mound in hollow.

11 Thence West @ 420 vs to stake on  
side hill @ ~~950~~<sup>1900</sup> vs stone mound  
on flat.

12 Thence West crossing through  
heavy cedars @ 1400 vs to brow hill  
1900 vs stone mound 3ft high.

13 Thence West 1900 vs to stone mound  
3 ft high in W. edge of cedar  
break.

14 Thence West 1900 vs to stone mound  
on point.

15 Thence West 1900 vs to stone mound  
in hollow marked No 12.

16 Thence West 1900 vs stone mound  
on side of hill.

17 Thence West 1900 vs to stone mound  
on high point.

18 Thence West 1900 vs to stone mound  
in long hollow covered with  
cedars.



19 Thence West 1900 vs to stone and  
3 ft high on main divide.  
20 Thence West 800 vs to stone and.  
21 Thence North 1900 vs to stone and.  
22 Thence West 1100 vs to stone and  
about 200 yds to the S E of  
Lost Lake.

23 Thence West 1900 vs to stone and  
in prairie.

24 Thence South 941 vs to stake.

25 Thence West 177 vs to stone and  
in valley running to Devils Riv.  
This this being intended as the  
N.W. cor of sur No 98 & S.W. cor  
sur No 97. the S.E. cor sur No 76  
& N.E. cor sur No 115. Block 14  
Y.V. N.S. R.R. Co. "Bonds Well"  
brs S 86 1/2 E 210 vs.

\*  
Note

For connection from the S.W. cor  
of sur No 98 to the S.W. cor sur  
No 12 S.P.R.R. Co. see Field Note  
of connecting line see file in  
Land Office.

26 Thence West crossing Bonds  
hollow 1900 vs to stone mound  
on bench.

27 Thence West crossing broad plain



- 1907 as to stone mound.
- 28 Thence West 1900 as to stone mound.
- 29 Thence West 1900 as to stone mound.
- 30 Thence West 1900 as to stone mound.
- 31 Thence West 1900 as to stone mound.
- 32 Thence West 1900 as to stone mound.
- 33 Thence West 1900 as to stone mound.
- 34 Thence West 1900 as to stone mound.
- 35 Thence West 1900 as to stone mound.
- 36 Thence West 1900 as to stone mound  
in valley of Main East Prong of  
Devils River.
- 37 Thence West 3000 as to stone mound.
- 38 Thence South 45 West crossing &  
recrossing Dove Creek Road  
2688 as to stone mound.
- 39 Thence South 45 W. 2688 as to stone mound.
- 40 Thence South 45 W. 2688 as to stone mound.
- 41 Thence South 45 W. 2400 as to stone mound  
on south side of valley.
- 42 Thence West 2280 as to stake.
- 43 Thence South 45 W. 2880 as to stake.
- 44 Thence West 270 as to stone mound  
about 500 as W. of Dove Creek Road  
& about 60 miles North of Dry  
channel of Devils Riv.  
This being a point in the N.  
line of Sur to 185 Blk to C



Sec. E. & W. Y. R. R. Co. 950 vs West of  
its N.E. cor.

45 Thence South 65 W 17300 vs stone mound.

46 Thence South 46 W <sup>1830</sup> ~~1830~~ vs stone mound.

47 Thence South 21 1/2 W <sup>1500</sup> ~~1500~~ vs stone mound.

Large L.O. tree in the forks of Devils Riv

48 Thence South 14 W <sup>3960</sup> ~~3960~~ vs stone mound.

49 Thence South 32 40 vs. to stake.

50 Thence South 60 W 600 vs to stake.

51 Thence South 39 W <sup>2100</sup> ~~2100~~ vs. to stake

52 Thence South 12 1/2 E <sup>3900</sup> ~~3900~~ vs to stake.

53 Thence South 39 W 9240 vs stone mound.

54 Thence South 73 W <sup>2520</sup> ~~2520~~ vs to stake.

55 Thence West 39 90 vs to stone mound.

56 Thence South 67 1/2 W 1800 vs to stone  
mound on side of mountain.

from which a cedar 10 in dia br

S 30 W 100 varus. another cedar

10 in dia br N 39 1/2 E 150 varus

This being the S.W. cor of our No 160  
upon which Beaver Lake is  
situated.

Surveyed in the month of  
March 1882.

Chas Boone }  
Bob Boone } Chain Men.



149.405  
98.300  
1488

of Will. H. Boumell.

Dept. Sur. Bet. Dist.

Do hereby certify that the foregoing Field Notes are true & correct & that the courses & distances with the marks natural & artificial are truly described from a careful survey in the field.

Will. H. Boumell

Dept. Sur. Bet. Dist.

Whisk 149.405  
" 98.300

of W. M. Locke

Dist. Sur. Bet. Dist.

Do hereby certify that I have examined the foregoing Field Notes & found them correct & they are recorded in my office in Book No. 10 Pages 503 504 & 505

Smith 118.839  
" 39.447

W. M. Locke

Dist. Sur. Bet. Dist.

Correction

All interlineated correction made on records of the above Correction this 9<sup>th</sup> day of Sept 1882 W. M. Locke

SSB D

Pr L. L. Day



Crockett Co

## Field Notes

Connecting Line

from

Ft Tennell

to

Beaver Lake

Filed Sept 13/82

Rhoads WiskeyChf Clk

N. G.

There are evidently errors in  
this connecting line - the  
courses and distances given  
from 185° 185. Block C, B 84  
W. F. R. R. Co. to the survey on  
which Beaver Lake is situated  
overruns the real distance  
by about twenty miles.

Correction required.

To August 22/82  
P. W. F. R. R. Co.

May 6/82

Wiskey