

## CONNECTING LINE NO. 3.

THE STATE OF TEXAS, 0

COUNTY OF CROCKETT 0

I, Frank F Friend, County Surveyor of

Crockett County, Texas, do hereby certify that in company with Edgar C Saunders, County Surveyor of Sutton County, with Chain Carriers duly qualified, I began at the N.W. Cor. of League No. 1, Archer County, School Land and same being original S W Corn. of League No. 2 S E 3 and N E Cor. 4, said School land. identified by the following marks and witness trees, a stone mound about 3 feet high with a quart can filled with small stones under it, ~~whence~~ a cedar stump 8" in dia. brs. N 83 $\frac{1}{2}$  E 188 vrs. a cedar tree on W bank of Canyon near head marked "X" brs. N 88 E 234 vrs.,

Thence South with W line said League No. 1 at 5109 vrs a stone mound at N W cor. of woven wire fence, the S W Cor of League No 1, and S E Cor 4, Archer County School Land in N line Survey No. 10 Block GG.

Thence N 89° 40' E with N Line said Survey 10 at 1224 vrs. a large stone mound at N E Cor woven wire fence mound 3 feet high on N side of mountain N E cor 10 and N W cor 11 T & N O Ry Co., Block GG in S line League No. 1, Archer County School Land.

Thence South 3890 vrs to an old stone mound on point of bluff original N W cor of Survey 6, N E 7 S E 9 and S W 12. Block GG.

Thence S. 89° 20' E at 1935 vrs. an old stone mound in drain mound in mesquite valley composed of large rock partly buried in ground evidently the original S W cor. Survey No. 2 N.W. 3 and N E 6, and Block GG.

Thence N 89° 26' East at 1935 vrs an old stone mound at the S W cor of Survey No. 7. Bl. 1 and NW Cor. 2 and NE cor. 3, Block GG.

Thence South 0° 27' W at 1937 vrs. to an old stone mound composed of large stone, central stone marked X old mark, original N W cor of Sur. No. 1, B S & F., S W 2, S E 3 and N E 4, Block GG.

Thence E 1927 vrs. to an old stone mound composed of 4 large stones in Grease Wood flat the original NE cor. of Sur. No. 1, B S & F., Blk, GG and N.W cor Sur. 2, Blk 1.

Thence E 1907 vrs to the NW cor of Sur No.1 and the NE Cor 2, Blk 1.

Thence S with W line Sur No 1 Blk 1, 1940 vrs to an old stone mound in the edge of small thicket evidently very old, the original SW cor Sur 1, Blk 1, and NW cor. 6, University Blk 29.

Thence W at 1907 vrs. Could find no md. at 3834 vrs. found an old stone mound on E side deep canyon the orig. SW cor. Sur. No. 1, B S & F NE cor. 13 and SE cor 4, Blk GG.

Surveyed Dec. 2 to 4th, 1920,

Dick Turner  
Chain carriers  
S Barnard

Recorded this the 4th day of May 1921, in my office in Vol 1, Surveyor's Record, page 288,

*Frank F. Friend*  
County Surveyor Crockett Co., Texas.

## CONNECTING LINE NO 1.

THE STATE OF TEXAS 0  
 COUNTY OF CROCKETT 0

I, Frank F Friend, County Surveyor of Crockett County, Texas, do hereby certify that in company with Edgar C Saunders County Surveyor of Sutton County, with Chain carriers duly qualified, on the 30th day of November, 1920 I began at an old stone mound on S. bank of the Pecos River at foot of ledge of rock the original N.W. cor of Survey No. 31, S E 32, I & G N Ry Co. Blk No. 1, same being SW cor 44, I & G N Ry Co., identified as follows: An old st md whence a cedar stump about 24" dia brs. S 14 1/2 E 80.0 vrs. Original calls for this cor. are a stone mound at foot of Bank whence a cedar 8" brs. S 68 W 16 1/2 vrs. a cedar 24" brs. S 14 1/2 E 8 1/2.

Thence N at 27 vrs. Edge of S end of long pond in Pecos River at 70 vrs. N bank of river in all 770 vrs a point.

Thence E. at 4985 vrs. a point.

Thence S 1095 vrs. N bank of Pecos River.

Thence N 4597 vrs. a stone md. the N.W. Cor. 39, I&GN. Ry

Thence E at 887 vrs. a stone md. made for NE cor Sur. 39, I & G N Ry Co said md being by actual measurement 1790 vrs N of the NW cor Survey No 1 R Dickerson on which old Fort Lancaster is situated. Showing an excess of 47 vrs. in the I & G N Ry Co Survey E & W. And I furthermore certify that on December 11th, 1920, beginning at a point in W line Sur. 42, I & G N Ry Co said point being by actual measurement 770 vrs. N and 1994 vrs. E of Old St. Md. on S bank of Pecos River N.W. cor. No. 31 and NE cor. 32, I & G N Ry Co.

I ran Thence S 1173 vrs. to N. Bank of the Pecos River.

Thence N from river 4112 vrs. made a stone mound, marked capstone, marked N W 42 in all 4222 vrs. made a stone md. on top of Divide for NE cor. Sur. 43, I & G N. Ry Co.,

Thence W 206 vrs. to a st. on point set for the SW cor Survey 45, H E & W T Ry Co. whence a stone md. mkd S.W. 45 brs. W. 27 vrs.

Thence N. at 1332 vrs. a large st. md. capstone marked NW 45 at the NW cor. Survey 45 and SW cor Survey 44, H E & W T Ry Co as established by a survey sur. made from original N.W. cor. League No. 1, Archer County School land fully identified by old mound and witness tree.

S Bernard

Chain Carriers

Dick Turner.

Surveyed Nov. 30th, to December 2nd, 1920.

Recorded this the 4th day of May 1921 in my office in Vol 1, Surveyor's Record, page 289.

Frank F. Friend  
 County Surveyor Crockett Co. Texas

THE STATE OF TEXAS    )  
                                  ss  
COUNTY OF CROCKETT    )

I, Frank F Friend County Surveyor of Crockett County, Texas, do hereby certify that in company with Edgar C Saunders, County Surveyor of Sutton County, with chain carriers duly qualified, I ran a connecting line from the old Flag Staff at Fort Lancaster to the original SE cor. of Sur. No. 3 in the name of E Ruiz of which the following are the field notes:-

Beginning at the bottom of the Flag Staff near center of ruins of Ft Lancaster which I identified as follows: a square base ten by ten feet extending ten inches above the surface. In the center of this square two feet beneath the surface of the ground where two large oak logs about sixteen inches wide and twelve inches thick and six feet long, placed one across the other. Morticed into the center of the logs was charred end of a round piece of timber which apparently had been a outten inches in dia. evidently the bottom of the Flag Staff. From this point I took the following bearings:- A large double chimney bearing N  $72\frac{1}{2}$  W 108 vrs. Of four double chimneys in line, the most southern bears S 6 W 143 vrs. next chimney going N. brs. S  $10\frac{1}{2}$  W; next S  $12\frac{1}{2}$  W. ; extreme Northern Chimney brs. S  $18\frac{1}{2}$  W. a double chimney brs N  $1\frac{1}{2}$  W 215 vrs; another in center of ruins of three rock buildings on row brs. N 6 E; another brs S  $73\frac{1}{2}$  E; another brs. S 36 E 141 vrs.;

I then ran N 10 W at 967 vrs a pt. in N line of R Dickerson Sur. No. 1.

Thence S 80 W at 97 vrs. a large st md 23 vrs. N 80 E of the old San Antonio and El Paso Road, which according to original calls must be the S E Cor. of the R Dickerson Survey No.2.

Thence N  $20^{\circ} 46'$  E at 2490 vrs. a large and very odd rock md. the NE. cor. of a Dickerson Sur. No. 2.

Thence N 68 W. at 108 vrs. a large rock md. the original SE cor. of the E Ruiz Sur. No. 3, whence a cedar in clump of cedars 6" in diameter marked "X" brs. S 50 E 12 vrs. and a mesquite stump about 6" in diameter drs. N 2 E 26 vrs.;

Thence N 68W at 235 vrs. E bank of Live Oak Creek at 1075 vrs. could not find bearing to identify SW cor of E Ruiz Sur. No. 3 at 1175 vrs. found nothing satisfactory to identify N.W cor. of R Dickerson No.2 at 1206 vrs. passed a small md. of small rocks from which the extreme point of a bluff brs. N 68 W 100 vrs. at 1807 vrs. a point in the E line of Malcolm Johnson Sur. No. 19;

Thence S 22 W 746 vrs to a stone md I had previously made in E. line of Malcolm Johnson Sur No. 19 by a connecting line from the identified NE cor of Joseph Thomson Sur. No. 14; shown on sketch in red ink.

I further certify that with the aforesaid chain carriers I began at the large stone md. described in the foregoing field notes as the SE cor of the R Dickerson Sur. No. 2 in N line of R. Dickerson No. 1.;

Thence S 80 W at 23 vrs the old San Antonio and El Paso Road at 1020 vrs. E bank of L.O.Creek. Made a diligent search here for Live Oaks called for in original fieldnotes, but found no trees nor stump that would fit original calls. Continued course S 80 W in all 2041 vrs to a corner made for NW cor. of R Dickerson Sur. No. 1, Chain Carriers-Dick Turner and Guy Gibson.

Surveyed December 6 and 7, 1920

Recorded this the 4th day of May, 1921, in my office in Vol 1, Surveyor's Record, page 290.

*Frank F. Friend*  
County Surveyor, Crockett Co., Texas.

STATE OF TEXAS )  
COUNTY OF CROCKETT )

I, Frank F Friend, County Surveyor of Crockett County, Texas, do hereby certify that in Company with Edgar C Saunders, County Surveyor of Sullivan County, with Chain carriers duly qualified began at the Flag Staff as described in No. 3.

Thence S 10 E 968 vrs. a pt. in S line of R Dickerson Sur. No. 1;

Thence S 80° W passing over old md. for NE cor. of Jose Zunegas Survey No. 8  
at 1433 vrs. a circle 1. in diameter and 10" deep, bearing S 20 E 5 vrs. at 1433 vrs. E bank of Live Oak Creek, at 1916 vrs. passed very oldstone mound in valley which I took to be the original lower N.E. cor. of Jose Zunegas Survey No. 10. I then ran S 10 E 552 vrs. to the N.bank of Pecos River for purpose of checking E line of Sur. No. 10; said line is short 138 vrs. of original call.

Thence back to aforesaid old mound in valley.

Thence S 80 W with above described Dickerson South line 222 vrs. or a total of 2138 vrs. a point in field for S E cor. of R Dickerson Sur. No. 1.

Thence N. 10 W at 1256 vrs. pass a very old stone mound evidently made for the NE cor of Jose Zuengas Survey No. 10 at 1935 vrs. N.W. corner of R Dickerson Survey No. 1;

Thence N. 1790 vrs. made stone mound for N.E. cor. of Survey No. 39, I & G N Ry Co., land.

Thence N 22 E at 508 vrs. made a stone mound in S line of Malcolm Johnson Survey No. 19, same being a corner of Survey No. 11, and the N E cor of Survey No. 47, Blk. CG.

Thence S 8 E 57 vrs. to S E. Cor of M Johnson Survey No 19

Jewel Brown  
Chain Carriers.  
Ollie Brown

Surveyed December 17th, 1920.

Recorded this the 4th, day of May, 1921,  
in my office in Vol 1, Surveyor's Record, Page 291.

Frank F. Friend  
County Surveyor, Crockett Co.,  
Texas.

- 51A

Crockett County  
Sketch Files  
Letter  
F. F. Friend

BB

Counter 19816

Counter 19812

County Surveyor, Crockett Co.  
I. E. X. H. H.  
2

As my office in Vol. 1, Surveyors Record, page 607.

Recorded this the 23rd day of Nov, 1881.

Cliff Brown  
County Clerk

Surveyed December 17th, 1880.

and Surveyed No. 22

Survey No. 11, and the  
in a line of K. Johnson  
Thence S 10 W 1/4 Sec 30C  
some point a corner of

Sec. 30. of Survey No. 26, 1 & 2 N 1/4 Sec. 30C, land.  
Thence N. 1/4 Sec. 30C, land. Stone mound for S. 1/4

Thence N. 1/4 Sec. 30C, land. Stone mound for S. 1/4  
Thence N. 1/4 Sec. 30C, land. Stone mound for S. 1/4

Thence N. 1/4 Sec. 30C, land. Stone mound for S. 1/4  
Thence N. 1/4 Sec. 30C, land. Stone mound for S. 1/4

Thence N. 1/4 Sec. 30C, land. Stone mound for S. 1/4  
Thence N. 1/4 Sec. 30C, land. Stone mound for S. 1/4

Thence N. 1/4 Sec. 30C, land. Stone mound for S. 1/4  
Thence N. 1/4 Sec. 30C, land. Stone mound for S. 1/4

Thence N. 1/4 Sec. 30C, land. Stone mound for S. 1/4  
Thence N. 1/4 Sec. 30C, land. Stone mound for S. 1/4

Thence N. 1/4 Sec. 30C, land. Stone mound for S. 1/4  
Thence N. 1/4 Sec. 30C, land. Stone mound for S. 1/4

Thence N. 1/4 Sec. 30C, land. Stone mound for S. 1/4  
Thence N. 1/4 Sec. 30C, land. Stone mound for S. 1/4

Thence N. 1/4 Sec. 30C, land. Stone mound for S. 1/4  
Thence N. 1/4 Sec. 30C, land. Stone mound for S. 1/4

Thence N. 1/4 Sec. 30C, land. Stone mound for S. 1/4  
Thence N. 1/4 Sec. 30C, land. Stone mound for S. 1/4

Thence N. 1/4 Sec. 30C, land. Stone mound for S. 1/4  
Thence N. 1/4 Sec. 30C, land. Stone mound for S. 1/4