



70272
Coch

The DRISKILL
AUSTIN, TEXAS,

W.L. STARK,
MANAGER.

October 27th, 1925

Hon. J. T. Robison,
Commissioner General Land Office,
Austin, Texas.

Dear Sir:

On about September 21st, 1925, I filed in your office a plat showing portions of Block BB, E. L. & R. R. Ry. Co., Blocks 1 and 2, GC&SF Ry CO., Block HH, and Blocks 5, 6, 7, 12, 13 and 14 University lands; also field notes of the P. L. Childress vacancy survey #1, block PP 2, corrected field notes of the Maria Hernandez survey #70, and a few days later corrected field notes of the Ben C. Rains survey #12.

Since filing this plat and field notes I discovered in rechecking my field work that I had made an error in the plat, and consequently in the notes. I immediately wired you asking you to suspend any further action on these field notes until I could make a new plat and field notes to conform to these corrections.

I herewith hand you corrected plat and corrected field notes of the P. L. Childress vacancy survey #1, Block PP 2, the T. J. McLaughlin survey #54, the M. M. Strickland survey #8, the James Lout survey #6, the Benjamin C. Rains survey #12 and the Maria Hernandez survey #70. I also enclose the original field notes of the P. L. Childress survey #100, made by virtue of his application and affidavit to purchase unsurveyed school land.

The principal error in the first plat is the fact that I overlooked part of my field work and represented the north line of survey No. 32, block 1, running directly east from the northeast corner of the Richard Pillow league to be 1918.2 varas, which, according to my report of the actual survey on the ground filed September 21st, 1925 (q.v.) should be 1950.3 varas. This affected materially the width of the Maria Hernandez survey #70.

A slight error in representing the different variations of the large blocks, which on the new plat is worked out by actual



EUROPEAN PLAN

The
DRISKILL
AUSTIN, TEXAS,

W.L. STARK,
MANAGER.

J. T. R. # 2

measurements on the ground instead of by direct reading of the vernier of the instrument is more nearly correct, and consequently necessitated some minor corrections in all these notes. The different variations indicated on the new sketch are more for the purpose of representing the differences in variations than for the actual variations. Recently I have found it to be a fact that at the Quart Can corner, at the S. E. corner of survey No. 43, block BB, True North from the north point established from the recently corrected wind mill bearings of this corner, is West or to the left, $0^{\circ} 26'$.

The dotted lines in blue connecting Quart Can, N. E. and M. W. Pillow League, Forbes at S. W. Block 7 U. V., and stone mound 15 varas south of road on East line of Block 13 U. V. corners represent the result rather than of an ~~the~~ actual survey on the ground.

Yours very truly,

Frank F. Friend

County Surveyor,
Crockett County, Texas.

L. O. FORM 25

498
465
33

MORGAN Ptg. CO., AUSTIN Form 497a-M279-721-1m

Station	Bearing	Distance	LATITUDE		DEPARTURE		D. M. D.	DOUBLE AREAS		REMARKS
			North	South	East	West		North	South	
1	W	5261								
2	S	465		465						
3	S 89°34'E	5261				5261				
4	N	498	498	45						
5				51.0						
6										
7										
8										
9										
10										
11										
12										
13										
14										
15										
16										
17										
18										
19										
20										
21										
22										
23										
24										
25										
26										
27										

Counter 19939

Crockett Co. Sk. File 92

5

S E E P L A T

Corrected

THE STATE OF TEXAS.

County of Crockett

Survey No. 6

Block No. BB2

Field Notes of a survey of 449.1 acres
of land, made for Public Free School Fund

Scale 1000 varas per inch

Variation 10° 48' East

by virtue of Certificate No. 1291 issued

to Jas. Leut

Situated in Crockett County, on
the waters of Live Oak Creek a tributary of Pecos River,
about 39 miles N. 57° W. from Ozona, Texas, and known
as Survey No. 6 in Block No. BB2

Beginning at a stck. and md. in S. line of Sur. No. 12, in name of W.H. Johnson,
533 vrs E. of its S.W. Corner for the N.E. Corner of this;

Thence W. with S. line of Surveys Nos. 12, 10, and 9, ^{Ref. B.P.} Block HH, at 533 vrs.
pass stck and md. the S.W. Corner of Survey No. 12, at 2915, pass stake and
mound the S.W. Corner of Survey No. 10 --- ~~at 5261 a stck and md. in the S.W.~~
~~Corner of Survey No. 10, --- at 5261 a stck and md. in the S. line of Survey~~
~~No. 9, 36 vrs. E. of its S.W. Corner, the N.E. Corner of the Mrs. M.M. Strickland~~
~~Survey No. 8, and the N.W. Corner of this;~~

Thence S. 465. 3 vrs to stck in the N. line of Survey No. 10, Block HH, 732
vrs. E. of its N.W. Corner, the S.E. Corner of the said M.M. Strickland Survey and
S.W. Corner of this;

Thence S. 89° 34' E. following the N. lines of Surveys 10 and 1, Block HH
and 18 and 17 Block 3, Washington County R.R.C. at 1180 vrs pass stck ^{md} for
the N.E. Corner of Sur. No. 10, at 3092 vrs. pass stck for N.E. Corner of Survey 1,
at 5015 vrs pass a stone mound for the N.E. Corner of Survey No. 18, Block No.
3, at 5261 a stake in the N. line of Survey No. 17, Block 3, for the S.E.
Corner of this;

Hence N. 498.5 vrs

to the place of beginning.

Bearings marked

Surveyed Survey Sept. 10th 1925

Herman Hubby

Jas. Swann

Chain Carriers

I, Frank F. Friend, County Surveyor, Crockett County, do
Hereby Certify, That the foregoing survey was made by me according to law, and that the limits, boundaries and
corners, with marks, natural and artificial, are truly described in the foregoing plat and field notes.

Surveyor, Crockett County, Texas.

Surveyor, Crockett County, do

Hereby Certify, That I have examined the foregoing plat and field notes, and find them correct, and that they are

recorded in my office in Book

No. 2

Page 181

5³ Counter 19910

Crockett Co. Sk File 92

Frank F. Friend

Station	Bearing	Distance	LATITUDE		DEPARTURE		D. M. D.	DOUBLE AREAS		REMARKS
			North	South	East	West		North	South	
1	N 89 34 E	461	4		461					
2	S 0-26 E	770		770	7					
3	N 89-34 E	387 8	33		387					
4	S	677 4		677						
5	W	544 4					544 4			
6	S	569		569						
7	W	1342				1342				
8	N	2049 3	2049							
9	N 89-7 E	3249 2	57		3249					
10	S 0-26 E	895 6		895	8					
11	N 89-34 E	2688	24		2688					
12	N 0-26 E	788	788		7					
13			2925	2911	6781	6786				
14			2911			6781				
15			14			5				
16										
17										
18										
19										
20										
21										
22										
23										
24										
25										
26										
27										

Counter 19991

Crockett Co. SK File 92

54

THE STATE OF TEXAS, } Survey No. 1
County of Crockett } Block No. PP2

S E E P L A T

Corrected

Field Notes of a survey of 1472.5 acres
of land, made for P.L. Childress

by virtue of Certificate No. issued
his application and affidavit
to

Scale..... 1000 varas per inch
Variation..... $10^{\circ} 22'$ East
..... Situated in..... Crockett County, on
the waters of..... Live Oak Creek a tributary of..... Pecos River,
about..... 48 miles N. 65° W. from..... Ozona, Texas and known
as Survey No..... 1 in Block No..... PR2

Beginning at a stck. & md. at S.W.Cor. of Sur.9, Blk.13, Univ. land; Thence N.89° 34' E. with S.line of said Sur.No.9, 461 vrs to stck. and md. the N.W.cor. of T.M.Mc.Laughlin Sur.54, end N.E.Cor. this; Thence S.O° 26' E. with W. line of said Mc.Laughlin Sur. 770 vrs. to stck. and md. the S.W.Cor. of Mc.Laughlin Survey and an inner cor. of this; Thence N.89° 34' E. 387.8 vrs. following S.line of said Mc.Laughlin Survey to stck. in W.line of Sur. No.52, Blk.HH, a cor. of the McLaughlin and a N.E.Cor. of this; Thence S. with W.line of said Sur.52, 677.4 vrs. to a stck. and md. in N.line of Sur. No.38, Blk.HH, the S.W.Cor. of Survey 52, and S.E. Cor. of this; Thence W. with N.boundary lines of Surveys 38,39, and 40, Blk HH, at 1644 vrs pass stck and md. the N.W.Corner Survey No.38, at 3544 vrs. pass stck. and md. the N.W.Corner of Survey 39, at 5444 a stone md. the N.W.Cor. of Sur. No.40 and an inner cor. of this; Thence S. with w.line of said Sur.40, 569 vrs. to point the N. line of Sur.84, L.&G.N.Ry.Co. Blk.1, 558 vrs W. of its N.E.cor; Thence W. with N.line of said Sur.84, 1342 vrs to a stck. and md. in the E.line of Survey 85, same grantee and Blk. the N.W.cor. of Sur.84, and S.W.Cor.of this; Thence N.following E.line of said Sur.85, 2049.3 vrs. to point in S.line of Sur.1, Blk.PP, G.C.&F.Ry.Ce. for N.E. Cor.of this; Thence N.89° 7' E. following the S.lines of Sur. 1, 2, and 3, Block PP, at 296.2 vrs. pass stck and md. the S.E.cor. of Sur.1. at 2196.2 vrs. pass stck. and md. the S.E.Cor.Sur.2, at 3249.2 vrs a stck in S.line of Sur.3, Blk.PP and W.line of Sur.6, C.Hedick for Cor. of this; Thence S.O° 26' E. with W.line of said Sur.6, C.Hedick 895.6 vrs. to stck. and md. the S.W.Cor. of the Hedick Sur. and an inner Cor. of this; Thence N.89° 34' E. with S.Line of Hedick Sur. 2688 vrs. to stck and md. the S.E. Cor of the Hedick Survey and an inner cor. of this; Thence N.O° 26' E. following E.line of Hedick Survey 788 vrs. to the place of beginning.

Bearings marked..... Surveyed..... September 10th 1925

Herman Hubby

Jas. Swann

Chain Carriers.

I, Frank F. Friend, County Surveyor, Crockett County, do
Hereby Certify, That the foregoing survey was made by me according to law, and that the limits, boundaries and
corners, with marks, natural and artificial, are truly described in the foregoing plat and field notes.

Surveyor, Crockett County, Texas.

Surveyor, Crockett County, do
Hereby Certify, That I have examined the foregoing plat and field notes, and find them correct, and that they are
recorded in my office in Rock No. 2 Page 180

Frank F. Friend
County Surveyor, Crockett County, Texas

Station	Bearing	Distance	LATITUDE		DEPARTURE		D. M. D.	DOUBLE AREAS		REMARKS
			North	South	East	West		North	South	
1	W	8064								
2	S	3412		341						
3	589-34 E	8064		70	8064					
4	N	465 ³	465							
5			465	411						
6			411							
7			54							
8										
9										
10										
11										
12										
13										
14										
15										
16										
17										
18										
19										
20										
21										
22										
23										
24										
25										
26										
27										

Crockett Co. SK File 92

54

Counter 19943

THE STATE OF TEXAS,

Survey No. 54

County of Crockett

Block No. BB2

Corrected Field Notes of a survey of 260.2 acres

of land, made for State Freeschool Fund

See Plat

by virtue of Certificate No. issued

to T. J. McLaughlin

Scale 1000 varas per inch

Variation 10° 48' East

Situated in Crockett County, on
the waters of Live Oak Creek a tributary of Pecos River,
about 47 miles about N. 63° W from Ozona and known
as Survey No. 54 in Block No. BB2

Beginning at a point S. line of Survey 7, Block 13, S.U. V. Lands 1307 vrs.
W. of S.E. Corner of same;

Thence west with S. line of said Block 13, 3932 vrs stake and md.
in S. line of Survey 9 of said Block 13, 461 vrs E. of S.W. Corner same;

Thence South 770 vrs to stake and mound at inner corner of survey 1
Block PP2;

Thence East 387.8 vrs to stk. and md. in W. line Survey 52, Block HH;

Thence North 26° E. 453.6 vrs to rock md. at N.W. Corner said Survey
No. 52, rock marked "NW 52; large windmill brs. N. 55° E. ;

Thence South 89° 34' E. passing at 3131 vrs N. E. corner of said Survey
No. 52, a rock md. on S. side of valley mrd "NE52"), 3540.5 vrs to stake in N.
line of Survey 51, Block HH;

Thence North 342.9 vrs.

to the place of beginning.

Bearings marked

Surveyed September 10th 1925

Herman Hubby

Jas. Swann

Chain Carriers.

I, Frank F. Friend

County

Surveyor, Crockett County, do

Hereby Certify, That the foregoing survey was made by me according to law, and that the limits, boundaries and corners, with marks, natural and artificial, are truly described in the foregoing plat and field notes,

Frank F. Friend Surveyor, Crockett County, Texas

Surveyor, Crockett County, do

X Hereby Certify, That I have examined the foregoing plat and field notes, and find them correct, and that they are

recorded in my office in Book 2 No. Page 177

Frank F. Friend
County Surveyor, Crockett County, Tex

Crockett Co. Sk. F.R. 92

Counter 1994

(I)
Crockett Co. Rolled Sk. "27-B" - (I)
Report & Field Notes N. part of Co.
By Frank F. Friend
1925

Front Slope
Curve on West 11-15.

11-10-25

M. S.

File No. Sketch File 92
Crockett County
Corrected Field Notes & Report
Filed 19 1925
GARRY MAURO, Com'r
(Dwight Howard)

(II) Crockett Co. Rolled sk. "27-B"
Report & Field Notes N. part of Co.
By Frank F. Friend.

1925

Counter 19945

5