

13-14

Sketch and Explanation
Description of corners by
T. W. Twichell of Surs. em-
bracing the A. W. Hudson Ranch
Crosby County
Oct. 26 to Dec. 10, 1904.
Filed March 10, 1905.



BASCOM GILES
COMMISSIONER
GENERAL LAND OFFICE
AUSTIN 14, TEXAS

Counter 20058

~~FF-18~~ 13-14

File ~~13-14~~
Sketch & Explanation
Description of Corners by
W.D. Mitchell of Surs. em-
bracing the A.W. Hudson
Ranch. Crosby County
Oct 26 to Dec 10, 1904.

Filed March 10, 1905,

GENERAL LAND OFFICE
AUSTIN, TEXAS

COMMISSIONER

WM. H. DONALD

Counter 20059

TWICHELL,
SURVEYOR.

Texas, Land Boundaries a Specialty.

989

Amarillo, Texas.

Descriptions of corners of lands surveyed for A.W. Hudson.

I, W.D. Twichell, State Surveyor, do hereby certify that the descriptions attached hereto from " A " to " U " are true and correct descriptions of corners made by me upon the ground; and of corners made by George Spiller. found and identified by me Oct. 26" to Dec. 10" 1904.

W.D. Twichell State Surveyor.

10.15.1904

Description of corners for lands surveyed for A.W. Hudson.

- A = Stone 14"x12"x3" marked S E 1 S C L, whence a wind mill bears N. 72° 47' W.
- AV = Stone 15"x11"x10" and a stake and four pits in the S.W. edge of a small lake basin, whence "South" mill bears N. 75° 43' E.
- AX = Stone 6"x4"x2" and four small pits.
- AY = Stone 14"x13"x4" marked X and four small pits and a wagon tire iron.
- AV = A large pile of large stone, one marked X in canon.
- AZ = A pile of stone 5 vrs. west of cap rock of canon.
- B = Stone 14"x7"x4"
- BA = A small pile of small stone.
- L = Stone marked N E 1 S C L and a wagon tire iron.
- LA = Stone 13"x7"x2" marked 30-31-5-6, whence a lake basin bears S.E. about 250 vrs.
- LB = Stone 24"x12"x2" marked 31-32 whence a lake basin bears east 250 vrs.
- LC = Stone 20"x12"x2" marked 32-2-3-4, whence an iron pipe at the N.W. corner of Hudson's pasture bears N. 4° 5' W. 255 vrs. = (N. 254.2 & W. 19.1 vrs.), "Little Engine" wind mill bears S. 44° 19' 10" E. & "New" wind mill bears S. 69° 16' 20" E. & "Big" Engine wind mill bears S. 66° 21' 30" E. and "Two Buckle" wind mill bears S. 27° 35' 35" E. & "South" wind mill bears S. 14° 48' 30" E. and Court House at Emma bears N. 75° 49' 30" W.
- LD = Stone 13"x9"x2" marked 23-32-1-2
- LE = Stone 18"x14"x5" marked 1-2-22-23
- LF = Stone 18"x12"x2" marked 1-2-13-22 whence the west edge of a lake bears east 50 vrs.
- LG = Stone 18"x10"x2" marked 13-12-5-1
- LH = Stone 22"x8"x3" marked 5-1-12-1 on the east edge of a fire guard plowed 5 vrs. wide, whence a fence bears north 100.4 vrs.
- LI = Stone 18"x15"x3" marked 2-1-4-1 whence a fence bears N. 77.3 vrs.
- LJ = Stone marked X and a pile of stone on top of cap rock, whence an X on natural cap rock and a pile of stone below cap rock bears north 19 vrs. (whence a 4" hackberry tree marked X ~~marked X~~ bears N. 8 71° W. 3.5 vrs. and a rock monument made by Geo. Spiller in 1900 bears N. 32° E. 23.5 vrs.)

- LK = Stone 8"x8"x6" marked X whence a fence bears south 11.5 vrs. and a pile of stone bears ~~****~~ N. 48° W. 53 vrs. and an iron in pile of stone (Geo. Spiller's) bears N. $37\frac{1}{4}^{\circ}$ E. 22 vrs.
- LM = Stone 26"x18"x2" marked 2-1 ^{whence} and an old pile of stone bears S. 50° E. 9 vrs.
- LN = An old rock monument under fence., original N.W. corner of 143.
- LO = A large rock monument, one stone 8"x6"x5" marked very old 141, and another stone 30"x20"x4" marked very old N W 141, the N.W. corner of survey # 141 block 2 as identified by Geo. Spiller in 1900, whence a mitat in natural cap rock ~~bears~~, bears true N. $3^{\circ} 29' 20''$ E. and N. $2^{\circ} 00' 44''$ E. from line 110.2 vrs., and Spiller's Mc Kinzie's peak bears true N. $75^{\circ} 32' 10''$ E. and N. $74^{\circ} 3' 34''$ E. from line and a cotton-wood tree at the head of a draw bears true N. $43^{\circ} 1' 24''$ W. and N. $44\frac{1}{2}^{\circ}$ from line 153 vrs.
- LP = Stone 15"x13"x3" marked N W 142 whence a pile of rock bears S. 47° W. 33.5 vrs.
- LQ = Stone 14"x12"x3" whence a 4" chitonia (chiton) tree marked \bar{x} bears N. $30\frac{3}{4}^{\circ}$ W. 55.4 vrs.
- LR = Stone 20"x12"x2" marked 3-4-5-6
- LS = Stone 20"x11"x9" marked 2-1-5-4 whence a large pile of stone bears N. $48^{\circ} 56'$ W. 146 vrs. and an old road bears S. 15 vrs.
- LT = Stone 15"x12"x4" whence " New " mill bears S. $57^{\circ} 12'$ W. and " Big Engine " wind mill bears S. $61^{\circ} 3' 20''$ W.
- LU = Stone 16"x11"x14" marked 11-12-13-14 whence Stock Pens bear S. $4^{\circ} 49' 30''$ to $3^{\circ} 12' 50''$ E.
- LV = Stone 24"x9"x3" marked 13-14-22-23 whence " New " mill bears S. $63^{\circ} 52' 20''$ E. and " Big Engine " wind mill bears S. $51^{\circ} 8' 50''$ E. and " Little Engine " wind mill bears S. $72^{\circ} 7' 40''$ W.
- LW = Stone 16"x12"x3" marked 21-22
- LX = Stone 20"x3"x2" marked 32-31-23-24
- LY = Stone 13"x9"x2" marked 30-31-24-25.
- LZ = Stone 13"x10"x3" marked 20-21-24-25 in a lake basin, whence " Little Engine " wind mill bears N. $46^{\circ} 57' 20''$ W. and " Big Engine " wind mill bears N. $79^{\circ} 15'$ E.

3 A W.H.

- M = Stone 15"x14"x3" marked 20-21-14-15 in a lake basin, whence " Little Engine " wind mill bears N. $71^{\circ} 53' 30''$ W. and " Big Engine " wind mill bears N. $66^{\circ} 59' 20''$ E. and " New " wind mill bears N. $69^{\circ} 41' 50''$ E.
- MA = Stone 13"x12"x3" marked 10-11-14-15 whence " Big Engine " wind mill bears N. $29^{\circ} 11' 20''$ W. and " New " wind mill bears N. $16^{\circ} 33' 30''$ E.
- MB = Stone 12"x12"x3" marked 2-3-10-11.
- MC = Stone 20"x12"x3" marked 6-5-9-10 whence a cedar on a point of bluff bears S. $73^{\circ} 41' 20''$ W.
- MD = Stone 22"x10"x3" marked 7-8 and a pile of stone whence a stone 14" 7"x5" marked X bears S. 48.6 vrs. and another stone 20"x12"x4" marked 137-142 and a pile of rock bears S. 113.3 vrs.
- ME = Stone 16"x10"x2" marked 9-11 whence a stone 16"x8"x4" marked X bears S. 97.2 vrs. and a stone 20"x8"x4" marked 137-136 and a pile of stone bears S. 193.4 vrs.
- MF = Stone 24"x12"x2" whence " Little Engine " butte bears S. $59^{\circ} 13' 20''$ to $59^{\circ} 44' 40''$ W.
- MG = Stone 1"x12"x7" marked 11-14 whence a stone 16"x10"x2" marked X bears south 145.3 vrs. and a draw bears south 7 vrs. and a stone 22"x14"x4" marked 129-136 bears south 253.5 vrs.
- MH = Stone 18"x3"x2" marked 4-3-9-10 whence " White " tank bears S. $73 \frac{1}{4}$ to 86° W. 100 to 150 vrs.
- MI = Stone 14"x8"x5" marked S E 14 and a pile of stone whence cap rock bears N. 17 vrs. and a stone 18"x14"x3" marked N E C and a cap rock marked X and a pile of stone bear east 13.5 vrs. whence the S.W. Corner of survey # 129 block 2, a stone 16"x12"x2" marked 129-128 and a pile of stone bears S. $00^{\circ} 57' 10''$ W. 347.5 vrs. and a stone 18"x12"x3" marked X from this corner bears S. 194.4 vrs.
- MJ = Stone 16"x12"x2" marked 13-14 and two stones in fork of road, and a stone 20"x10"x4" marked N W B bears east 148 vrs., from this stone, a stone set in ground and three stones on the north side of a draw, the original N.W. corner of the Browning preemption bears N. $1^{\circ} 47' E$. 28 vrs. From the S.W. corner of survey #14 an X on the natural rock bears south 954 vrs. and a stone in ground the original S.E. corner of the Browning preemption bears S. 925 vrs. and east 120 vrs.
- MK = Stone 18"x10"x2" marked 12-3 whence a big butte bears N. $34^{\circ} 5' 40''$ to $46^{\circ} 53' W$. and a butte bears S. $73^{\circ} 29' 40''$ to $74^{\circ} 53' W$. and the south end of plains bears S. $66^{\circ} 49' 20'' W$. and another point of

4 A W H

MK = plains bears S. $70^{\circ} 47'$ W. and an 8" hack-berry tree marked \bar{X}

~~###~~ bears N. $13^{\circ} 11'$ W. 44.4 vrs.

ML = Stone 24"x12"x2"

MM = Stone 30"x24"x16" marked X and a rock monoment on north slope of lg. butte.

MN = A large pile of stone

MO = Stone 14"x10"x8" marked X.

MP = Stone 16"x8"x6" marked X

MQ = Stone 18"x12"x8" marked X whence " Two Buckle " mill bears N. $26^{\circ} 51' 20''$ E.

MR = Stone 16"x16"x8" whence " South " mill bears S. $16^{\circ} 44' 40''$ E. and " Little Engine " wind mill bears N. $10^{\circ} 22' 10''$ E. and the " Two Buckle " wind mill bears N. $85^{\circ} 13' 30''$ E.

MS = Stone 20"x8"x2" marked E L 1 S C L 29 28.

MT = Stone 16"x14"x5" marked X N E B N W C whence a fence bears south 1.5v vrs. and original stake and stone buried by side of road bears N. 1.5

MU = Stone 20"x7"x2" marked 6-7 and a pile of stone. whence a pile of stn. the original corner of the F.P. Shultz survey # 2 bears S. 260 vrs. and east 159.5 vrs. (MV S. 1914vrs.)

MV = Stone 10"x7"x3" marked T whence a pile of stone bears N. $27^{\circ} 12'$ E. 191 vrs. NP bears S. 272 and E. 52 vrs.

MW = Stone 18"x13"x3" marked S E 5 , NQ bears S. 163.8 vrs. and east 55.8

MX = Stone 22"x14"x2" marked 5-6-set on the north side of a natural rock 5'x4'x3' ft. marked X and a pile of stone on point of bluff bears S. 4.5 vrs. and east 24.5 vrs.

MY = Stone 14"x14"x14" on original mound.

MZ = An old pile of large stone the original S.E. corner of the Tipton survey whence cap rock bears south 40 vrs. (Tipton stated to W.D. Twichell that he placed large stone on the original corners when they were unmistakable.)

N = Stone 14"x12"x12" on original mound, whence a 5" mesquite marked \bar{X} ~~###~~ bears N. 35° W. 6 vrs. and a tank bears S. $48 \frac{1}{2}^{\circ}$ W. (true magnetic)

NA = Stone 24"x12"x2" on original earth mound.

NB = Three large stones marked X, whence the center of a dam bears S. $23^{\circ} 59'$ W.

- NC = Stone 14"x8"x7" marked X whence " South " mill bears N. $53^{\circ} 55' 20''$ W
and " Two Buckle " wind mill bears N. $1^{\circ} 13' 30''$ E.
- ND = Stone 16"x10"x7" marked X whence " South " mill bears N. $52^{\circ} 2' 10''$ E
and west gate post bears N. $77^{\circ} 57'$ E. and " Two Buckle " wind mill
bears N. $26^{\circ} 39'$ E. and " Little Engine " wind mill bears N. $5^{\circ} 52'$
 $20''$ E.
- NE = Stone 18"x10"x10" marked X.
- NF = Stone 12"x9"x4" and a wagon tire iron.
- NG = Original pile of stone in draw on the north side of 15 cotton-wood
trees, set stone 30"x14"x3" marked S E 3 F P S
- NH = Stone set in ground marked 23-24-27-28 and two pits
- NI = Stone 16"x12"x3" marked 23-28 and three stones marked X, whence
Shepherd's rock monument bears S. $19^{\circ} 20' 30''$ E. 109.5 vrs.
- NJ = Stone 20"x12"x4" marked S W A W H
- NK = Stone 18"x3"x4" marked S E 28

PR

- NL = Stone 16"x14"x4" whence a large pile of large rock bears N. 30° 36' W. 103.5 vrs. and cap rock bears south 60 vrs. and Polaris bears N. 1° 26' 15" E. at 3-55 P M 90" meridian.
- NM = Stone 20"x12"x2" marked 42-57 whence hay rick ridge bears N. 56° 23' 40" to 57° 10' W. and a dim road bears east 89.5 vrs. and the east end of a hay rick ridge bears N. 64° 37' 30" W. and a round hill bears S. 38° 27' W. about 450 vrs.
- NN. = Original pile of stone, set stone 20"x14"x2" marked N E 3 on the side of bluff, the original N.E. corner of the F.P. Shultz survey # 3.
- NO = Stone 14"x12"x7" in drain and 6 large stone.
- NP = Old pile of stone the original S.E. corner of survey # 2 F.P. Shultz set stone 17"x14"x4" marked S E 2 in old pile of stone.
- NQ = Old pile of small stone the original S.W. corner # 2 F P Shultz.
- NR = Stone 19"x14"x3" marked N Γ
- NS = Stone 13"x10"x2" marked X.
- NT = Stone 16"x12"x2" marked #111-#112-#115-#116
- NU = Stone 20"x16"x3" marked N W ~~#115~~ #115.
- NV = Stone 35"x12"x3" marked #115-#112-#113- and a pile of stone.
- NW = Stone in ground marked #113-#114.
- NX = Stone 16"x12"x2" marked N W 114-3 whence a spire bears N.A.L 16° 30' 40" N.W. and north butte bears A.R. 86° 42' to 99° 42' 10" E. and south butte bears A.L.B.S. (west edge) 42° 28' S.E. and a point plains bears A.R.B.S. 99° 33' S.W., point of plains bears A.L.F.S. 20° 5' N.W.
- NY = Stone 18"x8"x5" marked 106-107-114 whence a natural pile of stone brs. S. 26° 38' 30" W. = A.R. from line, 132 vrs. and south twin butte bears A.R. 14° 49' 30" to 37° 13' N.E. and spire on butte A.L. 3° 59' N.W. and point of plains A.L. 41° 7' 20" N.W. and " Flat Top " mt. bears A.L. 14° 4' 50" to 14° 25' 40" S.E. and "Mc Kenzie" mt. AL. 21° 39' 00" to 22° 44' 0" S.E. and " Copper" mt. bears A.L. 33° 37' 0" S.E.
- NZ = Stn. 20"x12"x3" mk'd NW106 whence a 5" mesq. Σ brs. N 31 3/4° E. 7 vrs.
- OA. = Stone 18"x14"x3" maked 111-116.
- OB = ~~34~~ George Spillers stake and pile of stone, marked a stone 18"x14"x3" 117-118 the S.W. corner of survey # 118 block # 2.
- OC = Stone 18"x14"x4" marked 110-111
- OD = Bury a stone 22"x16"x6" marked X in bed of Davidson ck., whence a cotton wood tree marked $\bar{\Sigma}$ bears S. 53° E. 55 vrs. same being the N.W. corner of survey # 118 blk 2, ^{made by Geo. Spiller} set a witness corner, a stone 18"x12"x3" mk'd W C bearing from corner N. 00° 57' 10" W. 31 vrs. on line.
- OE = Set stone 18"x12"x2" marked B by original stone in ground. *Counter 20066*

7-to

- OF = Stone in ground the original S.E.F.G. Browning-old mark S E B whence roads near fork bear west 44& 52 vrs. mark old stone S W C, a draw brs. E. 50 vrs.
- OG= Stn. 16"x12"x2" marked 129-128-and a pile of stone in canon. whence a 3" mesq. bears S. 80° E. 7.4 vrs. and a draw bears north 9 vrs.
- OH = Stone 22"x14"x4" marked 129-136
- OI = Stone 20"x8"x4" marked 137 - 136 and a pile of stone
- OJ = Stone 20"x12"x4" " 137 142 and a pile of stone
- OK= Stone 24"x14"x3" marked S E C N E 1 whence a large stn. 14"x14"x4" the original S.E. corner of the D.R. Carmack brs. south 88° 20' 20" E. 90 vrs.
- OL = Spiller's stake and pile of stone on a gravelly knoll
- OM = Spiller's pile of stn. and a large stn. 21"x20"x2" mkd. "N E 139" mark stone 16"x10"x3" 139-140-7-9 whence the center of 3 hack-berry trees on rocky knoll bear N. 10° 53' 50" E.; east hack-berry marked \bar{X} bears N. 11° 9' E. 283.7 vrs. and X on natural rock at west foot of rocky knoll brs. N. 1° E.-(bearings from true course.)
- ON = Spiller's stake and pile of stn.
- OO = Old pile of stn. the original N.E. corner of Sultz survey # 2, set stn. 18"x12"x2" marked N E 2
- OP = Spiller's stake and four pits, set stone, ^{20"x14"x2"} marked 131-132-133-134 whence a pile of stone on rifle pits, Ft. Shafter, bears S. 85° 10' W. (true) about 700 vrs.
- OQ = Geo. Spiller's mound and four pits, set stn. 14"x13"x4" marked 132-133-2
- OR = Spiller's pile of stn. under fence.
- OS = Spiller's stake and pile of stone whence a 3" mesq. marked \bar{X} bears S. 82 1/2° W.
- OT = Spiller's pile of stone at corner of fence, mark stone 22"x20"x2" 1-124 M-9.
- OU = Spiller's stake, pile of stone and four pits mark stn. 22"x12"x2" 9-124 123-10 whence cotton-wood at mouth of Pole hollow bears S. 19° 26' W.
- OV = Set stn. 22"x12"x2" marked 10-122-112 under fence
- OW = Spiller's stake and pile of stone, set stn. 14"x12"x3" mk'd 112-111
- OX = Spiller's stake and pile of stone, set old stone 14"x12"x2" mk'd, old, W W 111
- OY = Stone 22"x12"x4" mk'd 109-110-114-113 whence Spiller's witness stn. 1" 13"x2" and pile of stn. brs. west 89 vrs. mark it W C 89
- OZ= Spiller's stake mound and four pits set stn. 24"x10"x2" marked 108-109 114-115
- P = Spiller's stake and pile of stone and four pits, set stn. 22"x10"x2" marked 107-108-116-116
- PA = Spiller's stake, four pits and pile of stone, mark stn. 16"x12"x3" 106-107 107-116-117

PB = George Spillers stake and pile of stone mark stone 18"x6"x2" 106-117, the S.W. corner of survey # 117 block 2, whence Shepherd's stone 26"x24"x4" marked N W 106 H & G N B 2 and a pile of stone bears true north N. 14° 47' W. 137 yrs.

PC = Stone 24"x18"x4" marked 110-101, bearings taken from true line to west, whence South twin ^{butte} bears N. 67° 5' 10" to 65° 33' 50" W. and north twin butte bears N. 62° 53' 50" to 61° 20' 10" W. and Hudsons ranch house bears N. 14° 22' 00" to 14° 9' 20" W. and a butte at the east point of plains bears N. 1° 33' 10" to 1° 43' 50" W.

PD = Stone 26"x8"x2" marked 101-102-110-109-8 on a ridge.

PE = Stone 22"x10"x4" marked 103-109-102-103

PF = Stone 20"x16"x5" marked 103-104-107-108 whence an X on cap rock bears S. 89° 2' 50" W. 55 yrs.

PG = Stone 19"x12"x4" marked 104-105-106-107 whence a three inch mesquite marked X bears N. 27 1/2° W. 5.3 yrs. true (corner is on the south side of a gulch)

PH = Stone 18"x12"x2" marked 105-106-8 whence line of old fence bears west 34 yrs. and chimneys on Will E house bear A.R. 13° 2' 10" to 13° 2'

40" N.E.

PW = Stone 20"x10"x4" marked N W 8 whence the original N.W. corner of the Browning homestead bears N. 1° 46' 30" E. 23 yrs. and a draw bears N. 10 yrs.

PX = Stone 16"x12"x3" marked 12-22 on west side of gulch near foot of break of plains.

PY = Stone 14"x10"x1" marked 33-34-27-28-8 (spur corner)

PZ = Stone 22"x12"x4" marked 109 S E 1-118-119 in draw whence a stone 18"x10"x7" and three stones the original S.E. corner of survey # 1 bury

A.P. Shultz bears true S. 5 1/2° E. 112 yrs. ~~at~~ stone 14"x10"x3" on line S. 89° 2' 50" W. whence Salt well bears true S. 23° 3' 40" E.

U = Stone 18"x14"x3" marked N E C set in sand stone cap rock, mark cap rock X and make a pile of stone whence a stone 14"x8"x5" the S.E. corner of survey # 14 bears west 18.5 yrs. and an X on cap rock bears S. 61° 54' 10" E. 47 yrs.

Sketch No. 13.

Crosby County
Sketch file

Description of corners
by State Surveyor W. D.
Twichell of surveys
in Crosby Co.

Blocks T. 2 & 3 W.
Co. R. R. Co. and Block
No. 8, H & G. N. Ry Co.,
known as A. W. Hudson
Ranch. —

Filed March 10/05.

John Ferrell
Commissioner

See sketch "H. G. G. Co."
for surveys south of this &
extending into G. G. Co.

10-to

counter 42062

4.50

10-70

A.W. HUDSON'S RANCH, in CROSBY COUNTY, TEXAS.



I, V.B. Twichell, State Surveyor of Crosby County, Texas, certify that this map is correct and that it truly represents the positions of the tracts of land as determined by an actual resurvey, made by me on the ground, Oct. 26 to Oct. 10, 1904.

V.B. Twichell
State Surveyor.

Received of/for/
Approved and filed
John J. ...
Commissioner

See sketch no. 116 on p. 60

For balance of map product of this, see sketch "A" Crosby Co. State file