

CONNECTION LINES RUN

Beginning at a mound & pits on W. bank of Dry Park of Rito Blanco, the S. W. cor. of Captl. svy. No. 232. Thence W. 1900 vrs and N. 1079 vrs to a mound the S. E. cor, Sur. No. 19 of Blk. 49 for H. & T. C. R. Co. from which - (I have lost my memoranda of the beafings of this cor., but was present when the connection was run and know that the cor. was identified beyond question from the field notes of said Sur. No. 19 which I then had - two conspicuous bearings are given by which the cor. was readily identified).

Beginning at the N. W. cor. Sur. No. 35 Blk. 48 for H. & T. C. R. R. Co. a pile of rock from which a point of white rock on bluff on E. side of Creek brs. N. 15° W. about 250 vrs. and a ledge of gray rock on S. side of Creek brs. S. 2° 15' W. about 200 vrs. Thence N. 1900 vrs. to Md. and 4 pits, 400 vrs. W. of Rito Blanco Cr., the N. W. cor. of Sur. No. 1, Blk. 48, for H. & T. C. R. R. Co., also the S.W. cor. of Captl. Svy. No. 114.

Beginning at a Md. & 4 pits the S.E. cor. Captl. Svy. No. 266. Thence E. 5353 vrs and S. 10652 vrs. to a cottonwood stump mkd. G & M the S.E. cor. of svy. No. 57 of Blk. B-7, being 10 vrs. N. E. of Canadian River and 30 vrs. W. of foot of rocky bluff.

Beginning at N.E. cor. Svy. No. 41, Blk. B-7, a large red boulder at foot of bluff from which lone low-limbed Cotwd. 16 in. dia. brs. N. 6° W. _____ and a lime stone monmt, at foot of hill on S. side of river brs. S. 54 W. 600 vrs. Thence N. 6472 vrs. and E. 87 vrs. two S _____ 16x12x3 in. each. mkd. X, the S.E. cor. of Captl. Svy. No. 254.

IDENTIFIED CORNERS

S. W. Cor. Sur. No. 1, Blk. 44, H. & T.C. R. R. Co.
an earth md. with 4 Limestone Rocks, 1 mkd. "X S.W. NO. 1", 40
vrs. E. of E. fork of Cheyenne Cr., also the beginning Cor. of
Capt'l. Svy. No. 228.

S. E. Cor. Sur. No. 61, Blk. B-5, a md. from which a
Cottonwood 18 in. in diam., in bed of Cr., brs. N. 12° 30' W.
396 vrs. also the beginning cor. Captl. svy. No. 225.

N. W. Cor. Sur. No. 15, Blk. S, a mound from which a
rock monument on high point brs. N. 56° E. 560 vrs., also the
S. E. cor. of Capitol Svy. No. 316.

S. E. Cor. Sur. No. 5, Blk. B-6, from which a large
boulder brs. S. 65° 45' W. 30 vrs., also the extreme N. N. E.
cor. of Captl. Svy. No. 300.

S. E. Cor. of Sur. No. 43, of Blk. B-5, a large pile of
stones in edge of Cr. Valley, a point in one of the W. lines of
Captl. Svy. 303 & the cor. to which closing line was run from
N. E. cor. of Captl. svy. No. 304.

CONNECTION LINES

Beginning at the N. E. cor. Captl. Svy. No. 304 a mound
& 4 pits in River valley. Thence N. 62° 30' W. 3330 vrs. to large
pile of stones, the S. E. cor. Svy. No. 43, Blk. B-5.

Beginning at a pile of stones, the S.E. cor. svy. No.
13, Blk. LC from which cott.wood 12 in. diam. brs. W. 744 vrs.
Thence S. 52° 30' W. 2954 vrs. to mound and 4 pits the S.E. cor.
of Captl. svy. No. 283. (a connection line was also run in to
same cor. of svy. 13, Blk. L.C. from the N.W. cor. of Captl. svy.
No. 312.

CONNECTION LINE

Beginning at N. E. cor. Svy. No. 37 of Blk. B-5 a rock monument in small valley from which centre of top of rocky knoll brs. N. 70° W. 70 vrs., fork of creek about 650 vrs. W. and S. bank of E. prong of Cheyenne Cr. is 590 vrs. N. of cor. Thence N. 49° 45" W. crossing two prongs of Cheyenne Creek, 2082 vrs. to rock mound and a S. E. cor. of Captl. Svy. No. 218, also the S. W. cor. of svy. No. 42 of Blk. B-5.

Beginning at the S. E. cor. svy. No. 45 Blk. L.C.2a rock mkd. X from which a rock monument brs. N. 9° W. 175 vrs. Thence E. at 980 vrs. cross Romero Canon at 2688 vrs. a point, and thence N. 376 vrs. to mound and 4 pits & 2 small rocks on top, the S. W. cor. of Captl. Svy. No. 210.

A connection line was also run from S. E. cor. Captl. Svy. No. 199 to N. W. cor. svy. No. 39, Blk. L. C. 2, which was identified on the ground and my work which closes on the Romero Canon work (Blk. L.C.2) is based on and computed from that connection.

IDENTIFIED CORNER

The N. W. cor. of svy. No. 103, a stone monument 6 ft. high, cap. rock mkd. X on W. bank of Cr. from which large hill with 3 points on N. side brs. S.W. about $\frac{1}{2}$ mile. This is also a S.W. cor. of Capitol svy. No. 335.

CERTIFICATE OF CORRECTION

I, J. T. Munson, Contract Surveyor for the survey of the Capitol lands for the State of Texas, do hereby authorize the Commissioner of the Gen'l. Land Office to make the following corrections of the original field notes returned by me to the office of said Commissioner, to wit:-

Survey No. 143.

Insert after 3rd course "a mound & four pits."

Survey No. 144.

Insert after "Beginning at", "a mound & four pits."

Survey No. 170.

Insert after 2nd course, "a mound & four pits."

Survey No. 259. Change as follows:

1st course from 3087 to 3106 vrs.

2nd " " 5121 " 5021 "

3rd " " 1712 " 1601 "

6th " " 300 " 200 "

7th " " 300 " 200 "

Survey No. 241. Change:

1st course from 4222 to 4192 vrs.

2nd " " 5684 " 5683 "

3rd " " 4222 " 4192 "

4th " " 5684 " 5683 "

Survey No. 252, Change:

1st course from 4222 to 4192 vrs.

2nd " " 562 " 691 "

8th " " 2416 " 2474 "

9th " " 1122 " 1092 "

10th " " 1415 " 1343 "

12th " " 4239 " 4240 "

Survey No. 260. Change:

1st course from 5498 to 5551 vrs.

2nd " " 1122 " 1092 "

3rd " " 516 " 574 "

6th course from 2213 to 2143 vrs.
 11th " " 1426 " 1537 "
 12th " " 5121 " 5021 "
 Area " 4428 " 4436 acres.

Survey No. 240. Change:

12th course from 180 to 121 vrs.
 13th " " 4590 " 4720 "
 14th " " 1362 " 1303 "
 15th " " 3222 " 3092 "

Survey No. 216. Change:

5th course from 2528 to 2658 vrs.
 6th " " 2694 " 2724 "
 8 " " 2860 " 2889 "
 9 " " 4590 " 4720 "
 10 " " 1164 " 1223 "
 Area " 5439 " 3618-86/100 acres.

Survey No. 206. Change:

3rd course from 3394 to 3424 vrs.
 4th " " 5404 " 5374 "
 5 " " 5294 " 5324 "
 6 " " 3504 " 3474 "

Survey No. 207. Change:

1st course from 4818 to 4978 vrs.
 2nd " " 5168 " 5022 "
 3rd " " 4818 " 4978 "
 4th " " 5168 " 5022 "

Survey No. 263. Change:

2nd course from 2268 to 2868 vrs.
 6th " " 344 " 844 "

Survey No. 274. Insert after 7th call "a mound from which a three
 frkd. Cott. Wood 24 in in diam. brs. N. 67° 30' W. 960 vrs."

After 19th (last but one) call insert "a mound & four pits."

Survey No. 275. Insert:

After Beginning at, "a mound & four pits,"

After 6th call, "a mound from which a rock monument on

E. bluff of Creek brs. N. 29° 45' W. 860 vrs."

B²

Survey No. 295. Change as follows:

Beg. at N. E. No. 294. Thence W. 1653 vrs. Thence N. 2028 vrs. Thence E. 1429 vrs. to S. E. cor. of Sur. No. 21 of Blk. L. C. Thence N. 2688 vrs. to N. E. cor. of No. 22. Thence W. 1344 vrs. to its N. W. cor. Thence S. 2688 vrs. to S.W. cor. of Sur. No. 21. Thence W. 85 vrs. Thence N. 3809 vrs. Balance same as original field notes.

Survey No. 298. Change:

7th course 2674 vrs. to 1900 vrs. to S. E. cor. Sur. No. 22.

Insert 8th (new) Thence S. 70 vrs. to S. W. cor. Sur. No. 35. " 9th " Thence E. 774 vrs. Balance same as original field notes.

Survey No. 313. Change last course from 5000 vrs. to 4902 vrs.

Survey No. 318. Insert after 3rd course, "to mound & four pits."

Survey No. 327. " " 2nd, 3rd, & 4th courses "a mound the"

Survey No. 334. " " 3rd course, "a mound & four pits."

Survey No. 345. " " 3rd " "a mound the."

Survey No. 374. " " 2nd " "to a mound the S. E. cor. Sur. 11 of Blk. K-11."

Survey No. 374. Insert after 5th " "to md. from which a md.

& four pits, the N. E. cor. of Sur. No. 375 brs. E. 360 vrs.

Surveys Nos. 438 & 439. Calls on road all right in record here.

Change to correct on original notes.

No. 438, 2nd call, S. at 3800 road.

" No. 439 Erase from description of Beginning, "from which a rocky md. brs. E. 222."

Survey No. 442. Insert after "to" in 1st call, "a mound & four pits."

Survey No. 446. " " " " 3rd " "a mound."

Survey No. 456, " after 2nd & 3rd courses "a mound & four pits."

Survey No. 470. " " 2nd course, " " " " "

Survey No. 484. " " 1st " " " " " "

Survey No. 485. " " Beginning at "a mound & four pits.

Survey No. 500. " " 3rd course to "a mound & four pits."

Survey No. 548. Insert after 3rd course to "a mound & four pits."

Survey No. 549. " " " " " " " " " "

Survey No. 563. Insert after 3rd course "a mound & four pits."

Survey No. 651. " " 3rd " " " " " "

Survey No. 652. Correct as follows, Beg. at a mound & four pits
the N. E. cor. of sur. No. 651. Thence E. 3500 vrs. Thence South
4100 vrs. Thence East 3500 vrs. Thence S. 3075 vrs. Thence W.
2000 vrs. to E. line of League 657. Thence N. 2175 vrs. to md. &
four pits. the N. E. cor. of 657. Thence W. 5000 vrs. to S. E. cor.
of 651. Thence N. 5000 vrs. to beginning.

Survey No. 686. After 1st course insert "to mound & four pits."

Survey No. 687. " 1st " " to mound & four pits.

Witness my hand at Denison, Tex., this 3rd day of
Dec. 1880.

J. T. Munson.

Filed Nov. 20th, 1880.

No. 2.

A. B. Langermann.

CERTIFICATE OF CORRECTION.

I hereby authorize the Commissioner of the General Land Office of Texas to make the following corrections on the record of original Field Notes of the Capitol Land surveys returned by me to the Comr. of the Genl. Ld. Office under my contract with the State, towit:-

- In notes of survey No. 187, change 1st call to read -
North 1085 vrs. instead of 1685 vrs. Change 11th call to read S.
1243 vrs. instead of 1843 vrs. Change No. acres to read 4428 instead
of ~~4428~~. / Svy. No. 260.
Change 2nd call to read S. 1192 vrs. instead of 1122.
" 6th " " " S. 2143 vrs. instead of 2210.
" the No. of acres to read _____ instead of 4428.
- Svy. No. 242. Change 1st call to read S. 4292 instead of 4222.
" 9th call to read N. 1192 instead of 1122.
" No. of acres to read 4481 instead of 4428.
- " No. 241. Change 1st call to read S. 4292 instead of 4222.
" 3rd " " " N. 4292 " " 4222.
" No. of acres " 4322 " " 4251.
- " No. 216. Change 6th call to read S. 2624 instead of 2694.
" 8th " " " S. 2930 " " 2860.
" No. acres " " 3410 " " 3439.
- " No. 206. Change 3rd call to read S. 3324 instead of 3394.
" 5th " " " N. 5224 " " 5294.
" No. acres " " _____ " " 4428.
- " No. 652. In 1st call after 5000 vrs. insert "to mound and 4 pits!"
- " " 656. Change Beginning to read; S. E. cor. Sur. No. 652
instead of N. W. cor, No. 655. In 1st call change "W"
to read E. and erase "S.W. cor. Sur. No. 653" in 3rd
call. Change "E" to read W and erase the S.W. cor.
sur. No. 655."
- " " 670. In 3rd call E erase "S?W. cor. Sur. No. 669."

C!

Counter 20346

Sur. No. 671. In beginning change "N. W. cor. No. 690" to S. E. cor. No. 688.

In 3rd call erase "S.W. cor. No. 690" and insert "to point".

" " 713. In beginning change "N.W. cor. No. 712" to read S.W. cor, No. 710.

In 3rd call erase "S.W. cor. Sur. No. 712".

" " 727. In Beg. change "N.W. cor. No. 726" to read S.E. cor. No. 724.

In 3rd call erase "S.W. cor. Sur. No. 726".

The above (on this page) are all the corrections which seem to be necessary from the abandonment of the leagues which the Draftsman has indicated should be abandoned.

Denison, Tex., Nov. 12/80.

J. T. Munson.

I, J. T. Munson, being duly sworn, do depose and say, that, as surveyor under my contract with the State of Texas to survey what are known as the Capitol lands, I did return to the Commissioner of the General Land Office field notes of a survey designated as survey No. 271 containing one league of land, which survey crosses and lies on both sides of the Canadian River in Oldham County, Texas; and further that I submitted a plat to the Inspector Col. N. L. Norton showing the projected plan for making that with other surveys before the lines were run; that he declined to decide the question as to the Canadian River being a navigable stream with the meaning of the law. I would state further that crossed the Canadian River at many points in Oldham County and followed its meanders for several miles about the time and after making the surveys in said county returned by one and I am positive that the average width of water of the Canadian River was less than thirty (30) feet, and in my judgment did not exceed twenty (20) feet at that time. I state further that I easily stepped at one step entirely

across the water in said River at one point in Oldham County and saw another point on said river in said county where I could have stepped across all the water at a single step, the water at said points being about thirty (30) and thirty-six (36) inches respectively in width. From the facts stated said survey No. 271 is, in my judgment, legal, as reported and conforms to every requirement of the law governing my acts as surveyor under my said contract with the State.

Witness my hand this 3rd day of Dec. 1880 at Denison, Texas.

J. T. Munson.

Sworn to and subscribed before me at my office in the city of Denison, Texas, Dec. 3rd, 1880.

A. B. Berson, Notary Public,
Grayson Co., Texas.

- File, 5 -

DALLAM CO SKETCH

CAPITOL LEAGUES

CONNECTING LINES

AND

CERTIFICATE CORRECTION.

See statement in
Boocan S. 41838

JT Munson, 12/3/80