



Dickens County Tex. Oct. 20, 1902.

page 33

Connecting line in Dickens County Tex. from S.W. corner of Survey No. 1. cert. 97. C. E. P. I. + W. Co. to N.E. corner of Survey No. 235 - cert. 523. A. B. + W. ————— va. 10.30

Begin at a stone mound on the west end of south bank of Little Croton as it overran but now on its east bank, the channel having changed, the original S.W. corner of No. 1. cert. 97. C. E. P. I. + W. Co. and the N.W. corner of an I. & G. N. R. R. Co. cert. 123, and in the east line of survey No. 1. cert. 126 - I. & G. N. R. R. Co. 914 ns. south of its N.E. corner, from which a large stone set in the ground brs. S. 44 ns. Do. North 50 ns. Do. East 30 ns. — East Abby PK. S.  $5\frac{3}{4}$  W. — N.W. Abby Abby PK. brs. N. 71 W. thence North at 914 ns. an iron pipe the S.E. corner of Survey No. 2. cert. 98 C. E. P. I. + W. Co. and N.E. corner of No. 1. cert. 126. I. & G. N. R. R. Co. Thence North at 1900 ns. pass an iron pipe the N.E. corner of the said #2 C. E. P. I. + W. Co. and the S.E. of No. 3. I. & G. N. R. R. Co. cert. 264. at 3800 ns. pass an iron pipe the N.E. corner of the said No. 3. and the S.E. corner of #9 T. W. N. C. at 5700 ns. an iron pipe the N.E. corner of the said No. 9. — Thence West at 1900 ns. ~~the~~ pass an iron pipe the N.W. corner of said No. 9. and the N.E. corner of No. 5 - T. W. N. C. Survey, at 3800 ns. an iron pipe the N.W. corner of the said No. 5. Thence North at 1900 ns. an iron pipe the S.E. of No. 1. A. B. + W. cert. 325. and S.W. corner #6. cert 91. A. C. H. + B. at 3800 ns. an iron pipe —

the S.E. corner of survey No. 2, cert. 64. A. C. H. & B. and  
 S.W. No. 3; cert. 91. A. C. H. & B. at 5326 m. a point  
 under the wire fence. Thence East at 261 m. pass  
 a stone set by Sam. Colback. for N.E. corner of sur.  
 No. 2, cert. No. 64. A. C. H. & B. - Thence (with va. 10.20)  
 N. 87 1/4 E. 235 1/2 m. to a point. Thence North 3200 m.  
 a point - Thence E. 950 m. a point - Thence North  
 11400 m. to a rock mark that had been placed  
 for N.W. corner of 236 A. B. & W. Thence  
 East 3800 m. the N.E. corner of 235 - A. B. & W.  
 at the mouth of Jackson's branch.

Oct. 20, 1902 -

Alvin Crawford } chain  
 Richard Kenney } men

} R.W. Kenney  
 } State Surveyor

I, O.K. Flowers, Co. Surveyor of Dickens Co. Tex. do hereby certify  
 that the above and foregoing field notes was filed for  
 record on the 20 day of Oct. 1902 and duly recorded in  
 the private Sur Record on page 33, in my office  
 in Dickens Co. Tex.

O.K. Flowers, Co. Surveyor  
 Dickens Co. Texas.

Connecting line from ~~from~~ S. W. Corner of 207. cert 525 A. B. & W. a rock mound on the south side of a large branch, the field <sup>notes</sup> call for ct. wd. 9" dia. N. 9° W. 10 1/2 ws. Do. 15" dia. N. 33° W. 29 ws. a post oak. 10" dia. brs. N. 71° E. 116 ws. I find the distance to P.O. 121 ws. the ct. wd. N. 33° W. 29 ws. has fallen down but is still on the ground and plainly marked - the other ct. wd. is gone. Beginning at this corner I thence (va. 10.30) West 2546 ws. South 1071 ws. to a stone set in the ground from which a Hby. in the bed of a branch brs. E. 43 ws. the N. E. corner # 3. cert. 334. A. B. & W. The field notes call for the line to be 43 ws. west of the corner but the tree is marked on the west side and for this reason Mr. Sam. Chalk put the corner on the west side of tree, and I make no change in the location. This unquestionably is the original corner, and makes survey 3. conflict with 229. B. S. & F. - Beginning at this corner, I thence west 698 ws. a point in west line of #220 B. S. & F. and in the east line survey # 2. cert. 132. I. R. C. N. R. R. Co. I thence North 1184 ws. an iron pipe marked S.W. 211. B. S. & F. from which a Hby. in a branch brs. N. 31 3/4° E. 72 1/2 ws. Do. in branch brs. N. 12° W. 139 ws. (I thence West at 1900 ws. pass an iron pipe marked S.W. 1. I. R. C. N. at 3800 ws. an iron pipe the N.W. corner of # 7. and S.W. of 3. J.W. N. G. surveys. I thence North 1900 ws. to an iron pipe marked N.W. 3. T. W. N. G. I thence North

at 213 ws. to an iron pipe the S. E. corner of #4. cert of 25 T. W. N. C. as I correct it and in the west line of No. 2. T. W. N. C. - Thence <sup>West</sup> with the South line of No. 4. 1129 ws. an iron pipe marked S. W. No. 4, T. W. N. C. and the S. E. corner of No. 2. B. S. & F. which is also the N. E. corner of No. 8. cert of 26. I find from the Land Office records that No. 7. same certificate was floated and placed as shown by map and this connecting line, but No. 8. was not, and I leave it in its original position. Thence West at 1900 ws. an iron pipe the S. E. corner of No. 1. cert. 1/357 - B. S. & F. at 2278 ws. pass the N. W. corner of No. 8. T. W. N. C. at 3800 ws. an iron <sup>pipe</sup> the S. E. of No. 5. cert. 1/360. and S. W. corner #1. B. S. & F. surveys, at 4714 ws. an iron pipe the N. W. corner of No. 6. and N. E. corner of a survey in name of J. W. Saucedo, at 5700 ws. an iron pipe the S. E. corner of No. 1. cert. 148. in name of J. H. Gibson, at 7600 ws. an iron pipe the S. W. corner of said Gibson and N. W. corner of the Saucedo survey. on the north side of Little Croton creek. 95 ws. North of its north bank. from which a cotton wood marked X on S. W. bank of said creek ~~br~~ N. 68 W. 104 ws. and a mesquite N. 71 W. 13 1/2 ws. East Abby peak. br. S. 82 1/4 W. This is also the N. E. corner of an I. & G. N. R. R. Co. sur. cert. 123, at 9500 ws. an old Rock mound on the west and south side of Little Croton, as it once ran, but now

on its east bank, the creek having changed its channel, this is the original S.W. corner of survey 1 cert. 97. C. E. P. I. & W. Co. and the N.W. corner of the I. & G. N. cert. 123. and in the east line of survey No. 1. cert. 126 - I. & G. N. R. R. Co. 914 ns. S. of its N.E. corner, from <sup>where</sup> a large stone set in the ground brs. South 44 ns. Do. North 50 ns. Do. E. 59 ns. - East Abby peak brs. S. 55 1/4 W. N.W. Abby peak brs. N. 71 W. - As there has been such a difference of opinion among surveyors as to the location of these surveys. I think a few words of explanation will not be out of place.

The field notes are signed by Geo. Spicer, but Jasper Hays did the work on the ground. When I made the final location of these surveys, I had Mr. Hays field book, and with it I finally found the S.W. corner of No. 1. cert. 97. C. E. P. I. & W. Co. which his field book shows to be a rock mark in a bend of the creek on its S. and W. bank. His book shows that he located this corner from a point on the head of Wichita, eight miles E. and one mile and 1400 ns. South. I reversed his run from S.W. of No. 1. C. E. P. I. & W. Co. with the above result, landing at the noted Abby corner at the N.E. <sup>3</sup> cert. 334. A. B. & W. - I found four of his original corners besides the Abby corner, and got 4 out of 3 of his creek calls, so I construct the Block from this base line - Oct. 20. 1902 -

Arvin Crawford <sup>chair</sup>  
Richard Kenney <sup>men</sup> { R. W. Kenney State Surveyor.

-6-

county 20866

$$\begin{array}{r} 1900 \\ 7600 \\ \hline \end{array}$$

Dickens County Tex

Connecting line from S.W. corner of  
Survey No. 1. cert. 97. C. E. P. I. & M. Co.

Begin at a stone mound the original S.W. corner  
of said survey. Thence North ~~2500~~<sup>2600</sup> ws. to an  
iron pipe the N.W. corner of survey No. 10. cert.  
0/31 J. W. N. G. and in the east line of No. 7.  
J. W. N. G. 986 ws. north of its S.E. corner.  
Thence East at 1900 ws. pass an iron pipe  
the N.E. corner of No. 10. at 3800 ws. an iron  
pipe the N.E. corner of No. 4, C. E. W. Co. cert.  
67, at 5700 ws. an iron pipe the N.E. cor-  
ner of a survey in the name of I. G. N.  
R. R. Co. cert. 527. Thence South 1900 ws.  
an iron pipe the S.E. corner of the said  
I. & G. N. R. R. Co. cert. 527. Thence South  
227 ws. a point, Thence S. 88 $\frac{1}{2}$  W. 1459 ws.  
a point, Thence North 28 ws. to a stone  
marked N. W. 41, and located for N. W.  
of 41. Shock and Arnold.

Oct. 20, 1902.

Alexander Crawford } chain } R. W. Kenney  
Richard Kenney } men } State Surveyor.  
wa. 10. 3' 0 E.

I O. H. Flowers Co Surveyor of Dickens County Texas do hereby  
certify that the above and foregoing field notes of a connect-  
ing line run in Dickens Co. Texas was filed for record on  
the 20 day of Oct. 1902, and duly recorded in the Private Survey  
Record on page 36 in my office in Dickens Co. Tex.

## Dickens County Tex.

Connecting line from S.W. corner  
of survey No. 1. cert. 97. C. E. P. I. R. M. Co.

Begin at a rock mound the original  
S.W. corner of No. 1. cert. 97. C. E. P. I. R. M. Co.  
also the N.W. corner of survey in name  
of I. R. G. N. R. R. Co. cert. 123. and <sup>in</sup> east  
line of survey No. 1. cert. 126. I. R. G. N. R. R. Co.  
914 ws. South of its N.E. corner, from which  
a large stone set in the ground brs. South  
44 ws. Do. North 50. <sup>NS</sup> Do. East 50 ws.

East Abby PK, brs. S.  $55\frac{1}{4}$  W. and N.W.  
Abby PK, brs. N.  $71$  W. Thence North at  
914 ws. an iron pipe the S.E. corner of  
survey No. 2. cert. 98. C. E. P. I. R. M. Co.  
and the N.E. corner of No. 1. cert. 126.  
I. R. G. N. at 2814 ws. an iron pipe  
the N.E. corner of No. 2. cert. 98. C. E. P. I.  
R. M. Co. Thence West at 1900 ws. pass the  
N.W. corner of No. 2. C. E. P. I. R. M. Co.  
the S.E. corner of 4. cert. 49. I. R. G. N. R. R. Co.  
and N.E. corner of No. 2. cert. 126. I. R.  
G. N. R. R. Co. at 2850 ws. <sup>pass</sup> an iron pipe the  
N.W. corner of said I. R. G. N. R. R. Co. Sur No. 2.  
cert. 126 at 3800 ws. an iron pipe the  
S.E. of No. 1. cert. 9/32. T. W. N. C. at 5700 ws.  
~~pass~~ an iron pipe the S.W. corner of said  
No. 1. Thence begin a new count West  
1632 ws. a point in S. line of No. 2. T. W. N. C.

14  
277 vrs. East of its S. W. Corner. Thence S. 4 1/4 W.  
1347 vrs. to a large sand stone the N. W. corner  
Survey No. 8 C. W. Counellee.

Oct. 20, 1902.

Alvin Crawford } chain } R. M. Kenney  
Richard Kenney } men } State Surveyor.  
Va. 10.30

I O. H. Flowers Co. Sur. Dickens Co. Tex. hereby  
certify that the above and foregoing field  
Notes of a connecting line run in Dickens Co.  
Tex. was filed for record on the 20 day of Oct. 1902  
and duly recorded in the Private Survey Record on  
page 39 in my office in Dickens Co. Tex.

O. H. Flowers Co. Sur.  
Dickens Co. Tex.

#1  
Dickens Co. "H" - ?

SK. H"  
Dickens County  
Field-notes of  
connecting lines and  
explanation accompany-  
ing skelds in Northern  
part of Dickens Co.  
by R. M. Kenney State  
Surveyor.

Filed Nov. 3<sup>rd</sup> 1902

Charles Rogan  
Commissioner

See Sketches B.C. 1.  
Dickens Co. Sketches  
D. von Rosenberg

#3000





J. M. MOORE.

GEO. T. STILLMAN.

2

## Metropolitan Hotel

MOORE & STILLMAN, Props.

European Plan Only.

Rates, 50c. to \$1.00.

Fort Worth, Texas,

190

also ties - The Herring - I. & G. N. R.R. Co.  
cross 1. + 2 - cent. 126 - to the RR. No. 1.  
H. & G. N. Survey, in fact his  
map is just as the one I com-  
piled - except he closes up the va-  
cancy I leave - But you can  
see the relative position - of the  
N. E. 235 - and S. W. 207 - draws  
the Herring - Stillman - and  
RR - I. H. & G. N. - way 4 miles  
East of their present position on  
the ground. Hays map places  
Abby's peak, just about where  
the present map in your office  
shows. Mr. Goodfellow - may  
have other books of Mr. Hays  
that will give the clue - I think  
that The Watauga Company will  
make an effort to get Mr. Hays to  
go on the ground. I will advise

I truly yours  
H. Herring.

counter 26872

I O.K. Flowers, County Surveyor of Dickins Co. Tex.  
herely certify that the above and foregoing field  
note of connecting line in Dickins Co. Tex. was  
filed for record on the 20 day of October 1902  
and duly recorded in the Private Survey  
Record, on pp 35, 36 & 37 in my office in  
Dickins Co. Tex. X

O.K. Flowers Co. Sur.  
Dickins Co. Tex.