

Connecting line in Dickens County, Texas.

Begin at an iron pipe the S.E. corner of #3 cert. 323 A.B. & M/.
which corner was located from the N.E. corner of #235, cert. #523,
A.B. & M. at the mouth of Jackson's branch. Thence West 1475 vrs.
a point. Thence South 46 vrs. to an iron pipe, the N.W. corner of
#9, cert. 324, A.B. & M. as located from the original S.W. corner
of #1, C.E.P.I. & M. Co., known as "The Abbie peak corner".
Richard Kenney, and Dred Cornett, Chainmen.

Surveyed, Feb. 4, 1903.

R. M. Kenney State Surveyor.

7/13/05

At N.E. corner of Blaine Co. School
Cayne, W. 4 -

Connecting line from N.E. #235 A.B.& M. at mouth of Jackson's branch on S. bank of Tongue river, in Motley County, to S.E. corner #19. R.H. Hanna Blk. I. in Dickens County. Begin at a stake, now in the bed of the river, the original N.E. corner of #235. A.B.& M. Thence E. 1900 vs. an iron pipe the N.E. corner of #1. C.U. Connellee. Thence S. 161 vs. an iron pipe the N.W. #17. Indianola R.R.Co. Thence E. 1909 vs. an iron pipe the N.E. corner #17. in W. line #275. B.S.& F. Thence S. with the E. line of Nos. 17. and 15. Indianola R.R.Co. ³¹⁹⁹ 3100 vs. to an iron pipe the S.W. corner of #276. B.S.& F. and N.W. corner of #16. Indianola R.R.Co. Thence E. 1900. vs. an iron pipe the N.E. corner of said #16. Thence S. 22 vs. a mesquite stake the N.W. corner of #20. R.H.Hanna, as corrected, Thence E. 2014 vs. an iron pipe a corner of #20. Thence N. 536 vs. a point. Thence E. 50 vs. to an iron pipe the S.W. #99. Blk. M. M.C.Co. Thence E. 3800 vs. a stone set in the ground, to which we add an iron pipe the original S.E. corner #100. Blk. M. Thence N. 134 vs. Thence E. 373 vs. an iron pipe the N.W. corner #9. Blk. S. J.H. Stephens. Thence S. 960 vs. an iron pipe the S.W. corner of the said #9. Thence with its S. line, E. 3800 vs. an iron pipe its S.E. corner. Thence S. 47 vs. a point. Thence W. 50 vs. an iron pipe the E11 corner of #1. R.H.Hanna. Thence N. 354 vs. an iron pipe the W.N.W. corner of #1. Thence E. 944 vs. an iron pipe the N.E. corner of said #1. in the W. line of #7. Blk. G. Thence with the W. line of Blk. G. S., at 657 vs. pass an iron pipe the N.W. corner of #6. Blk. G. at 6027 vs. a stake the original S.E. corner of #19. R.H.Hanna, in the W. line of #2. Blk. G. 330 vs. N. of its original S.W. corner. ~~Thence~~ There is an iron pipe at S.W. #2. and the large mesquite bearing, is still standing.

Surveyed Sept. 19, 1904.

*John Hodges }
Dred Cornett }
 }c
 }c*

*R. M. Kenney
State Surveyor*

Connecting line from S.W. corner of #21 R.H.Hanna, in Dickens County to the S.E. corner #14. Shock & Arnold.

Begin at an iron pipe the S.W. corner of #21 in the E. line survey in name of I. & G.N.R.R.Co. cert. 533 Thence S. at 217 vs. pass an iron pipe the S.E. corner of said survey. cert. 533 at 1617 vs. an iron pipe the N.W. corner of #255 H. & G.N.R.R.Co. Thence E. 1900 vs. an iron pipe the N.E. of said 255 Thence S. 1900 vs. pass an iron pipe the S.E. 255 at 3800 vs. an iron pipe the S.E. 256 Thence S. 2464 vs. a point. Thence E. 7082 vs. a point. Thence N. 77 vs. to the original S.W. corner of #13 Shock & Arnold from which a Post Oak brs. S. $72\frac{3}{4}$ E. 786 vs. we put an iron pipe marked S.W. #13 Shock & Arnold. Thence S. 4097 vs. a point. Thence W. 5896 vs. a point. Thence N. $5\frac{1}{2}$ E. 121 vs. a rock md. on W. slope of hill, the original N.W. 42 Shock and Arnold, Abbie's peaks brs. S. 50 W. and S. 56 W. Thence N. 238 vs. a point. Thence W. 700 vs. to the S.E. corner of survey in name I. & G.N.R.R.Co. cert. 527.

Surveyed Sept. 19. 1904,

John Hodges } c
Dred Cornett } c

R. W. Keeney
State Surveyor

Connecting line from N.E. #235 A.B. & M. at the mouth of Jackson's
branch on the S. bank of Tongue river in Motley County, to S.E.
corner of # 19, R.H.Hanna. Block # 1 in Dickens County.

Begin at a stake now in the bed of the river the original N.E. corner
of # 235 A.B. # M. Thence E. 1900 vrs. an iron pipe the N.E. corner
of # 18 C.U.Connellee. Thence South 161 vrs. an I.P.the N.W. corner
17 Indianola R.R. Co. Thence East 1909 vrs.an I.P.the N.E. corner
17 in the West line of 275 B.S.& F. Thence South with the S. line

of # 17 and 15 Indianola R.R.Co. ³¹⁰⁰ 3199 vrs.to an I.P. the S.W. corner
of 276 B.S. & F. and the N.W. corner of # 16 Indianola R.R. Co.

Thence East 1900 vrs.an I.P. the N.E. corner of said # 16.

Thence South 22 vrs. a mesquite pst the N.W. corner of # 20

R.H.Hanna as corrected. Thence East 2014 vrs.an I.P. a corner of

No. 20. Thence ^N 536 vrs. a point. Thence East 50 vrs to an I.P. the

S.W. corner of 99 Block M. M.C. Co. Thence East 3800 vrs. a stone

set in the ground, to which we add an I.P. the original S.E. corner

#100-Block M. Thence North 134 vrs. Thence East 313 vrs. an I.P.

the N.W. corner of #9 Block S. J.H.Stephens. Thence South 950 vrs.

an I.P. the S.W. corner of the said #9. Thence with its south line

East 3800 vrs.an I.P. its S.E. corner. Thence South 47 vrs.a point.

Thence West 50 vrs. an I.P. The ell corner of #1 R.H.Hanna. Thence

North 354 vrs. an I.P. the W.N.W. corner of #1. Thence East 944 vrs.

an I.P. the N.E. corner of said #1, in the west line of of #7 Block

G. Thence with the west line of Block G. South 657 vrs. pass an I.P.

the N.W. corner of #6 Block G. at 6027 vrs.a stake the ^{original} S.E. corner

of #19 R.H.Hanna in the West line of #2 Block G. 330 vrs. North

of its original S.W. corner. There is an I.P. at the S.W. #2 and

the large mesquite bearing is still standing.

Surveyed Sept. 19. 1904.

John Hodges }
Dred Corbett } c

R.M. Keeney
State Surveyor.

Deer Mountain

State Surveyor
J. M. Terrell

Witnessed & Subscribed
Sept. 18, 1904.

the large mesquite bearing is still standing.
 of its original S.W. corner. There is an I.P. at the S.W. to and
 of #19 R.H. Hanna in the West line of #2 Block C. 330 yds. North
 the N.W. corner of #6 Block C. at 602 1/2 yds. a stake the S.E. corner
 C. Thence with the west line of Block G. South 63 1/2 yds. Pass an I.P.
 an I.P. the N.E. corner of said #1, in the west line of of #7 Block
 North 35 1/2 yds. an I.P. the W.N.W. corner of #1. Thence East 9 1/2 yds.
 Thence West 30 yds. an I.P. The ell corner of #1 R.H. Hanna. Thence
 East 3800 yds. an I.P. its S.E. corner. Thence South 47 yds. a Point.
 an I.P. the S.W. corner of the said #9. Thence with its south line
 the N.W. corner of #8 Block S. J.H. Stephens. Thence South 930 yds.
 #100-Block M. Thence North 134 yds. Thence East 313 yds. an I.P.
 set in the ground, to which we add an I.P. the original S.E. corner
 S.W. corner of 99 Block M. M.C. Co. Thence East 3800 yds. a stone
 No. 30. Thence 636 yds. a Point. Thence East 50 yds to an I.P. the
 R.H. Hanna as corrected. Thence East 201 1/2 yds. an I.P. a corner of
 Thence South 23 yds. a mesquite bet the N.W. corner of # 20
 Thence East 1900 yds. an I.P. the N.E. corner of said # 16.
 of 2 1/2 S.S. & E. and the N.W. corner of # 16 Indiana S.R. Co.
 of # 17 and 19 Indiana R.H. Co. 3199 yds. to an I.P. the S.W. corner
 of # 17 and 19 Indiana R.H. Co. 3199 yds. to an I.P. the S.W. corner

"H3" #20.

Dickens County
Sketch Files

Field notes of
a meeting held
run by State Surveyor
R. M. Kenney in the
northern portion of
Dickens County,
Surveyed in 1903-04.

Filed July 13th 1905.

John J. Terrell
Comr.
By E. von Rosenberg
Deftman

of the river the original N.E. corner
of the river in Motley County, to S.E.
at the mouth of Jackson's