

Field Notes.

Of a Survey from the N-W-Cor- of Sur No 5-Blk C. & D-  
Dorcy County Jack List. North 7 miles and W 1 mile +  
N 2 miles thence East 8 miles, thence S 45° E 1 1/2  
miles - thence S 1 mile + W 6 miles thence S  
4 miles - thence E 4 miles thence S 2 miles thence W  
1 mile Corners principally of sections in Blk E-  
February 10th + 11th 13th + 14th 1880.

N. M. Sampson. L. H. Carhart, Wallis Hull chain men.  
Var 12° E.

Beginning at cotton tree in blunwood creek reference  
to the N-W-Cor 2-Blk C & D Dorcy Co - thence N 65 3/4  
W 880 is a stake and Buffalo head for the N-W cor of  
Sur No 5 and S-W cor Sur No 6 Blk C & D and the  
N-E Cor 11 + S-E 14 same Blk.

Thence North 1900 is a buffalo head in meadow flat for the  
N-W-Cor-6 N-E cor- 14 and the S-W-Cor-16 and the  
S-E cor- 17 same Blk by virtue of G. C. & S. F. cert 2/200.

Thence North 1900 is a buffalo head in mid in draw about  
500 is W of creek from which a cotton tree is N 51° E about  
6200 ft of bluff to S 45° E 500 is  
for the N-E cor- 17 + N-W cor- 18 G. C. & S. F. cert 2/200  
and the S-W-Cor-19 + S-E cor- 20 G. C. & S. F. cert 2/201.

Thence North at 950 is cross W branch of blunwood creek at 1900 is  
a sand stone mound N side of draw - 400 is from creek from which  
a tree is N 55° E 475 is for the N-W-Cor-19 + N-E cor- 20  
Counter 21230

by L & S F cert - No 201 and the S W cor 33 Blk E by  
L & P cert - No 22 and the S E cor - 23 by L C + S F R K  
cert - No 2/203.

Thence North 1900 is a sand stone on S slope of hill 3625  
N of same + 300 is from creek west + 72 is S of hill top  
for the N W cor 33 the N E cor - 23 + S W 24 by  
L C + S F R K cert 2/203 and the S E cor 24 Blk E by  
L & P cert No 20.

Thence North 1900 is a stake and sand stone 300 is W  
of head of breaks on S edge of mesq flat S W  
of large hill for the N W cor 24 the N E cor 29 +  
S W cor - 30 by virtue of L & P cert No 20 and the  
S E cor - 24 by virtue of L & P cert - No 19.

Thence North 1900 is a buffalo head in mid on hill top  
1/4 mile N of head of Glenwood for the N E cor -  
27 + S E cor 28 by L & P cert - No 19 + N W cor - 30.

Thence North 1440 is cross branch of Whitefish 1900 is a  
stone and at foot of knoll 3575 S of its N pt  
+ 100 is from top of same from which walnut tree  
+ is N 36 W - about 1/4 mile and a cotton tree is  
N 5 E 340 is in Rock Springs branch of Whitefish  
creek for the N E cor 28 L & P cert - 19. + the S E  
Cor - 12 + S W - cor 25 L & P cert - No 18.

Thence West crossing Canon head of Whitefish 1900 is a  
buffalo head on plains in mid for the S W cor - 12 +  
N E 11 by virtue of L & P cert - No 11 + the S E cor 14  
by L & P cert - No 12 -

Danby Co SK File 6

Thence West crossing creek at 1365-12, at 1900 is a buffalo head  
and stone in earth mid on mesquite flat for the N.W.  
cor 58 + N.E. 59, the S.W. 55 + S.E. 61 Blk E by virtue of  
L & P cert 125, 126, 127 + 124.

Thence West at 1050 cross Bath Trail at 1425 - a cross same  
head of Parks creek at 1900 is a stone + earth mid in  
valley of mesquite flat for the N.W. cor 59 + center of  
line of 60 + S.W. cor 61 Blk E by virtue of L & P cert  
126 + 127.

Thence West 950 is a stone mid on top of ridge at 1900 is  
a stone mid.

Thence West 1900 is a stone on mesq flat from which a tree  
in same hrs S 80-1/2 E 175 is + 14 trees in clump hrs S 47 W  
400 is + a rock pt hrs N 9 1/2 W for the S.E. cor 21 + N.E.  
cor 24 by virtue of cert 16 + 17

Thence West at 250 is cross main Whitefish creek at 164  
bluffs of creek + cap rock at 1900 is a cedar stake in  
earth mid + 4 feet 500 is from hill N.W. from  
which the head of gulch hrs N 22 E 310 is for the  
N.E. cor 23, N.W. cor 24 by L & P cert 17 + S.W. 21 +  
S.E. 22 by L & P cert 16.

Thence South 1900 is a stone mid on high hill a rock pt hrs  
S 65 E 100 is + highest pt hrs N 40 W 30 is for the S.E. cor  
23, S.W. 24 - N.W. 8 H & L N + N.E. 32 Blk E.

Thence South 650 is cross Rock Springs creek 720 a h bluff  
1900 is a stone in earth mid on prairie for the S.W. cor 8  
+ N.W. cor 7 H & L N & R cert 1 - 9/17/89 + the N.E. cor 31 +  
S.E. cor 32 by L & P cert 21 in Blk E from which a cotton tree  
counter 21232

21.4 75-20 100000

No S 25 E at 150 is, another S 8 1/2 E 420 is + the knoll N 73 1/2 W  
Thence South crossing ravine at 160 is at 1900 is a stone end on ridge  
of same 36 is from same + from gravel knoll S 15 W 100 is from  
Red bluff on N side of draw for SE cor-31, N-E 34, N-W 89  
+ S-W 7 by Hob N R R cor-18 9/1789.

Thence South at 828 cross ravine + another at 463 is at 1900 is  
stone end on hill top from which a tree has N-36 W + tree  
N-42 E 30 is for the S W cor-89 Dr Perot 141, S E 34 Dr P  
cor-22 + N-E cor-36 + N-W 35 Blk E Dr Perot 116.

Thence East cross branch of Petrified creek at 360 is at 720  
stone pt of Petrified wood at 1260 a branch and  
1440 a high red bluff at 1437 a name of Petrified  
creek at 7900 a stone end on knoll on E side  
of branch on mesquite flat 36 is from foot of bluff  
for the common cor- of 33, 87, 89 + 90 Blk E

Thence East at 1108 N bank of Whitefish at 1477 E bank of dry sand  
bed at 1900 is a stone end on S pt of hill on knoll 20  
is W of draw a natural pt has S 13 1/2 W + red clay knoll  
N-77 E 7 is for common cor to sec's 85, 86, 87 + 90 by cor-12  
139, 140 + 141

Thence East crossing ravine and Parks creek at 1900 is a stone end  
on E bank of Parks creek from which a clump of China +  
Oaks has E 190 is dist + a lone cott has S 20 3/4 E Parks peak  
S 20 1/4 E 2 miles double tree + S 26 1/2 W 54 is + another N 80 W  
36 is for the S E 85 + N E 86 Dr Perot 139 + N W cor-81 +  
S W 83 Blk E.

Thence East 1900 is a stone end in head of gulch on S hill of  
same a cott has N 44 E 144 is dist + a rock bluff S 71 E for the  
cor- of 83 + 84 Dr Perot 138 + N W 76 + N E 81. Blk E

I 4

Thence North 574 is cross canon head of Whitefish at 1080 is another canon at 1440 is. Cap rock of Lewis at 1513 is cross Rock Springs head of Whitefish at the forks of same 1900 is a stone and on hillside under cap rock from which a bluff pt. is S 30° E 100 is and N 31 W, another for the corner of sec's 12, 13, 14, & 15 - 2d & P Blk E.

Thence North passing large pile of buffalo heads at 1900 is a cottonwood stake in earth and 130 is from head of Hackberry canon of Whitefish which is N 22° E and a cedar N 10° E for the N-E cor- 15 + S E 16 by virtue of D & P cert No 13 and N-W-13 + S-W-173 Blk E and on the N line of Henry county.

Thence East crossing branch at 1020 is at 1960 is a stone and on top of high bluff of Hackberry branch of Whitefish at the N-E cor- 13 + N-W cor- 26, S E 173 + S W 69 D & P Blk E.

Thence East crossing Hackberry branch of Whitefish creek at 1836 is at 1900 is a buffalo head on earth and on W slope for the N-E cor- 26 S E cor- 69, N-W cor- 17 + S W cor- 18 by virtue of D & P cert No 14 Blk E.

Thence East crossing same at 1080 is and at 1730 is at 1900 is a stone and on W slope of small hill for the N-E cor- 17 + S E 18 by D & P cert 14 + N-W 20 + S W 67 Blk E.

Thence East 1800 is a and of earth + stone on top of high hill 1900 is an earth and and stones for the N-E cor- 20 + N-W cor- 19 by virtue of D & P cert- 15 + The S E cor- 67 Blk E.

of the 21st 35-03 1840

Thence East 1900 is a stone in earth mid 160 is W of ridge of hill for the S W cor-65- + N E 19 + N W 62, Spring ravine to N W.

Thence East 1900 is Buffalo head buried in earth mid in head of draw W of small hill for the cor of sec's 64, 62, 63 + 65 - Blk E by virtue of D + P R K cor 12 - 129 + 127 + 128.

Thence East 1900 is Buffalo head in earth mid in breaks of draw & edge of large basin for the Cor of sec's 63, 64, 52 + 54 Blk E by cor's 126, 122 + 123.

Thence East at 433 is cross State Trail at 1080 is, ravine of Skillet creek at 1900 is a stone in earth mid on flat near head of Skillet creek for the common Cor of Survey 51, 52, 53 + 54 Blk E. by cor's 122 + 123.

Thence S 45° E 2687 is a stone mid on W slope of hill near bottom from which a small cove has S 50 1/2 W 70 is + another N 45 W 300 is. This corner common to Survey N 2 46, 47, 54 + 55 - Blk E.

Thence South 1900 is a stone mid on top of high hill from which a round top hill Indian mt has S 41 1/2 E 1200 is + a bluff pt S 55 1/2 E the common cor to 45, 46, 56 + 57 Blk E by cor's 119, 121, 9/125.

Thence West 433 is cross ravine of Skillet creek at 1721 is sight to Indian mt S 69 1/4 E, 1900 is a stone mid on W slope of hill 36 is E of ravine from which a cove has S 65 W + a high pt S 66 W, pt of bald bluff N 3 W the N W cor 57 + N E 58 by virtue of D + P cor 125 and the S W cor 56 + S E 55 by cor's 124. Blk E

I<sup>6</sup>

thence South 1900 is a stone end on N slope of draw fr NE or E2 + SE  
S/ by Lt Pert 137 + SW 76 + NW 80 Blk E

thence South crossing Whitefish cr at 1700 is 1900 is a sand end from  
which a cuth & under red bluff no N 55 1/2 W + West 116 W and Parks  
Peak S 65 W abt 450 W fr SW or S + SE 82 blk S 2.

thence West crossing Whitefish cr 1900 is a stone end on East side  
from which a cuth line no N 62 3/4 E 50 W + another no N 87 1/2 W  
100 W + Parks Peak no S 76 1/4 E 3/4 of a mile fr SW or S 2 + SE 88 Blk E.

I James H Parks Depy Sur - Jack Land Dist do  
hereby certify that the foregoing surveys, the field notes  
of which are described and the foregoing Pages 1 to 7 of  
this Certificate were actually made in the field and that  
the lines and corners with the marks natural & artificial  
are truly described in the foregoing field notes.

Dated at Cleburne Texas this 27th day of Oct 1881.

Recorded in Book H as per Page No 177, 178, 179, 180, 181, 182

James H. Parks  
Depy Sur Jack Land Dist

Filed Nov 4<sup>th</sup> 1881 Recorded in Book No  
No 3 Pages 177, 178, 179, 180, 181 & 182

W C Roberts Surveyor  
Jack Land Dist  
By M Hughes Special Deputy

6.

Donley Co  
Parks Con. Line from NW Cor  
#5, BIK C 8, to SW Cor. #82 BIK  
E. Dated 10-27-82 - 11-22-82

McCroskey  
when does this  
belong.

Mallin

This plat is of  
no use - the correction  
should be applied by the  
Surveyor to each separate  
part of the plat.

Filed Nov 22/82  
by  
Maddox Bros

County 21337