

Connecting Line

Beginning at the East corner of
 the N. L. W. McCreary #43, a rock
 mound from which a Cedar 6" br
 S 76 E 50 m, do 9" br S 63 E 53 m
 Thence S 45 W 2320 varas enter Cronaca
 creek at 2888 varas. Point

Thence N 45 W 535 m Point

Thence S 45 W at 20 m rock mound
 from which a Cedar 12" br S 13 E 3 m
 do 10" br East 2 m (original ^E corner #42 1/2)

Thence S 45 W at 1900 m Point

Thence N 45 W at 760 m Point

Thence S 45 W at 1900 m Point

Thence N 45 W at ²²⁴⁴ 2244 m Point

Thence S 45 W at 165 m rock mound
 from which a L.O. 10" br S 30 W 31 1/5 m
 do 16" br S 38 E 33 1/5 m (both mkt fold mts)

Thence N 45 W 379 varas Point

Thence N 45 E at 15 3/5 m rock mnt
 from which a Mc 7" mkt 7" br N 45 W
 7 m L.O. 20" mkt 8" br S 3 E 84 m
 (original E corner #39)

Thence N 45 W at 430 m South bank Creek
 course West to E at 800 m North bank
 at 1300 m South Lane course East
 at 1680 m branch at 2280 m cross
 same branch course N.W at 2379 m
 Point. Thence S 45 W at 1344 m Point (over) &

2015 11 103

no bearings found timber burned off.
Thence N45°W at 620 m point
Thence S45°W at 200 m center wide
creek course N.W. to S.E. at 1120 m
Llaw River at 2420 m point
Thence S45°E at 240 m rock mound
from which a L.O. 12" br N47°E 108 m
(original S. error # 36)

Thence N45°W at 710 m point
Thence N45°E at 11 m rock mound
from which a L.O. 6" br N44°E 47 m
L.O. stump 6" br N65°W 33 m
(original E. error # 35)

Thence N45°W at 640 m center of Llaw
River course W to E at 1423 m point
Thence N45°E at 10 m rock mound from
which a cedar 12" br S89°E 31 m L.O. 6"
br S44°E 47 m (original N. error # 35)

Thence S45°W at 400 m point
Thence West at 800 m Llaw River at
2060 m, point from which Green Lake
br N. about 500 m at 3058 m point
Thence N at 6 1/2 m old rock mound
The West error # 34, from which L.O.
stump br N5°W 2 m (do entirely burned)

Thence S45°W at 250 m Llaw River
at 593 m old rock mound from which
a L.O. 8" x br N50°E 8 m, L.O. stump
br N45°W 19 m. (original S. error # 33)

(over) 21

Thence N45W at 1200 m creek course
S. W to N. E at 1560 m creek course W
to E at 1996 m point

Thence S45W at 58 m rock mound from
which a L. O. $10'' \bar{x}$ br N29W 13 m, do
 $10'' \bar{x}$ br N49W 17 (original N. corner #33)

Thence S45W at 650 m point from
which a L. O. $6'' \bar{x}$ br S60E 18 m do
 $6''$ br N72E 44 m (original S. corner #32)

Thence N45W 1984 m point.

Thence N45E at 15 m old rock mound
from which a "mes" $4'' \bar{x}$ br S5W 9 m
do $3'' \bar{x}$ br S71W 15 m (rks nearly gone
original W. corner #32)

Thence S45W at 452 m rock mound
from which a L. O. \bar{x} $8''$ br N84W 33 m
do $15'' \bar{x}$ br S28W m. (original S. cor. #31)

Thence N45W at 1020 m point

Thence N45E at 675 m old rock mound
from which a L. O. \bar{x} $16''$ br N77W 26 m
do $12'' \bar{x}$ br N73W 25 m (original E
corner #30).

Beginning at the North corner #35
in the name of Wm Ward, a rock
mound from which a cedar $12'' \bar{x}$ br
S89E 31 m a L. O. \bar{x} $6''$ br S74E 47 m.

Thence N62½W at 1028 m point

Thence N70½E 149 m old rock mound
from which a L. O. $12'' \neq$ br S20½W 8 m

a L.O. 16" \approx $\text{br S } 5^{\circ} \text{ E } 8 \text{ m}$ do 12" \neq $\text{br S } 70^{\circ} \frac{1}{2} \text{ E } 7 \text{ m}$. (The original N.E. corner of No 1 & L. ^{and} RR Co and S.E. cor #28 A B & M. (known as the Clark Block))

Thence West at 1240 m creek course ¹¹ $\text{W } 10^{\circ} \text{ S}$ enters Llanos just South of Green Lake at 1943 m point

Thence North 7 m old rock mound from which a cedar 10" \neq $\text{br S } 3^{\circ} \frac{1}{2} \text{ E } 20^{\circ} \frac{1}{2} \text{ m}$ a L.O. 8" \neq $\text{br S } 65^{\circ} \frac{1}{2} \text{ W } 6 \text{ m}$ (cedar buried and lying on ground common corner #1-2 25 and 28)

Thence West at 1140 m Llanos River course, NW to S.E. at 1935 m pt.

Thence North at 8 $\frac{1}{2}$ m old rock mound from which a Mes 4" \neq $\text{br N } 55^{\circ} \text{ E } \text{ m}$ a L.O. 16" \neq $\text{br N } 38^{\circ} \text{ W } 115 \text{ m}$ (common corner 2-3-26 & 25)

Thence West at 1860 m point

Thence South at 26 m old rock mound from which a L.O. 12" \neq $\text{br N } 23^{\circ} \frac{1}{2} \text{ W } 30^{\circ} \frac{1}{5} \text{ m}$ do 14" \neq $\text{br N } 74^{\circ} \text{ W } 31^{\circ} \frac{1}{5} \text{ m}$ (supposed common corner 3-4-23 & 26)

Thence West at 1885 m point

Thence North at 29 m rock mound from which a L.O. stump outlet # 12"

$\text{br N } 88^{\circ} \text{ W } 65^{\circ} \frac{1}{2} \text{ m}$ another L.O. stump 14" \neq $\text{br S } 87^{\circ} \text{ W } 70 \text{ m}$ (both trees cut off above mts, supposed common corner of 4 5-24 & 23.)

Thence West at 1100 m point from which

(5)

a rock mound br N4¼ W 123½ vs
from which rock mound a L.O 8" curved
but still standing br N69E 55 vs a
L.O 14" x leaning br S33E 51 vs the
S. corner of # 30 I and N O by Co.
continued West from Point 1100 vs
in all 1847 vs Point

Thence N 30½ brs old rock mound +
from which a L.O. 12" # br N83W 17
do 11" # br N18W 37 vs, (common cor.
5-6-21 + 24

Thence W at 1620 vs Llanos River
course N and S. at 2015 vs spot

Thence N15 vs old rock mound from
which a L.O. 18" # br S47½ E 36 vs
do 12" # br N5½ W 42 vs (the original
corner 6-7-22 + 21.

Thence N9 W 122 vs old rock mound
from which a L.O. 6" x br N55E 14 vs
do 8" x br N43E 12 vs (the original
N. corner N^o 29 I + N O by Co.

Thence S45 E at 416 vs old rock
mound from which a L.O. x 9" br
S26½ W. 28½ vs do 9" x br N78W
38½ vs North corner # 27.

Thence South 1472 vs Point Lane
which starts water hole br S48 E
about 400 vs at 1670 vs Llanos River
course W to E at 2776 vs Point. (over)

54

Thence West 22 m old road mound
from which a L.O. 12" \times br N50 W 68 m
do 6" \times br N54 W 72 m (original Ser #27)

Beginning at the N.W. corner #6
N.E. cor #4 E.L. & R.R. by Co rock
mound from which a L.O. 18" $\#$ br S47 $\frac{1}{2}$ E
36 m do 12" $\#$ br N5 $\frac{1}{2}$ W 42 m.

Thence West at 2015 varas. Point
Thence N 10 m old road mound from
which a dead L.O. 10" br S14 W 3 $\frac{1}{2}$ m
(common cor # 7-8-19 & 22)

Thence West at 1200 m road at 1240
m branch at 1700 m another at
1871 m point

Thence N at 38 m point from which
a ^{Cedar} ~~10"~~ 10" $\#$ br N9 $\frac{1}{2}$ E 39 m (see
mesquite near)

Thence W at 1900 m point nothing
found

Thence West 1315 m branch runs N.W.
to S.E. at 1775 m creek N.W. to S.E.
at 1879 point.

Thence South at 76 m road mound
from which a L.O. 16" $\#$ br S31 $\frac{1}{2}$ E 41 m
do 12" $\#$ br S38 $\frac{1}{2}$ E 68 m (supposed NW
corner # 38. Y.B. St. J.)

(over)

Beginning at the E. corner of #14
W. C. Big Co from which a L. O. 10" \bar{x}
br S51 W 97 rs Ms 5" \bar{x} S45 E 41 rs
Thence West at 400 rs Llanos River course
S. W. to N. E. at 2220 rs creek course N. W.
to S. E. at 2350 rs point from which
East end McKenzie Lake br South about 200 rs
at 2569 rs point.

Thence S 18 rs rock mound near old
Cave all trees cut close to the ground
Thence S45 W at 390 rs branch course
N. W. to S. E. at 1346 rs an old rock
mound from which Mrs Sheep br
N84 E 2 L. O. 6" \bar{x} br N81 W 22 rs
(original S. corner #16)

Beginning at the N. corner #22
M. Gruffy, a rock mound from which
a L. O. 12" \bar{x} br S52 E 60 rs do
L. O. 4" \bar{x} br S23 E 52 rs
Thence S45 E at 640 rs. North bank
Llanos River at 690 rs ^{point} point from
which L. O. 14" \bar{x} br S16 W 22 rs
original S. corner #20.

Thence N45° E at 724 rs point
from which Gray's House br N58 W
at 1274 rs Gray's House br N88 W
at 2712 rs old rock mound from
which a L. O. 12" \bar{x} br S9 E 64 rs
(over)

do 18" x to S 2° E 60 m.

original corner N°

Thence N 45 E at 100 m to Lower River
course N. W. to SE at 1353 m pt.

Thence S 45 E 13 m old rock mound
the North corner N° 17 bearings OK

Thence S 45 E 651 m point

Thence S 45 W 6 1/2 m original
corner 15 and 16 before described

Beginning at the E. corner #14

N. O. Pay Co. fr. wh. L. O. 10" x to S 51 W
97 m a Mes 5" x to S 45 E 41 m.

Thence S 45 E at 520 m Creek course
N to SE at 1344 m point

Thence S 45 W 11 m old rock and fr. wh. a L. O.

9" to S 4 W 22 m do 6" to N 65 E 32 m (Sec. #25)

Thence N 45 E. at 563 m old rock and West
corner N° 26 of the N. O. Pay Co.

Thence S 45 E 840 m point

Thence S 45 E 1936 m point

Thence S 45 E at 254 m the original
S. corner #27. a L. O. 12" x to N 50 W

68 m do 6" x to N 54 W 72 m.

Surveyed Aug 1890

John Barnes

John Barnes leader

Edward Leeds hereby certify that I have examined
the foregoing field notes and find them correct
and they are recorded in my office Vol 2, p 578.

579.580.581.583.2585

John Barnes
leader

County 21710

Filed for record in my
office on Aug 22^o 1891 at 8
o'clock A.M.

County Surveyor
Edward Leeds

Connecting line from the S.W.
corner of N^o 12 S.P.R.R. Co on
North Lane to East corner N^o 14
W. Co R.R. Co on South Lane.

variation 9³/₄° E

Beginning at the S.W. corner
of N^o 12 S.P.R.R. Co a rock md
from which a L.O. br S 50 E 38 m
do S 67 E 56 m.

Thence East at 420 m point
Thence South at 200 m Lane River
at 1900 m pt

Thence East 1900 m point
Thence South 3497 m point
Thence East 1517 m to rock md
from which a L.O. 6" br N 78 W 69 m
a forked L.O. S 6 E 84 m, the S.E.
corner Williamson Co Sch. Land

Thence South 2898 m. Thence East
21 m rock mound fr. wh. a stump
of Cedar S 7 E 21, a cedar 7" S 65 E 82
The S.E. cor. Williamson Co Sch. Land
Thence West 2491 m rock md fr
wh. a cedar 8" br N 67 E 40 a forked
cedar br N 86 E 93 the S.W. corner
S. C. Surrage N^o 70.

Thence South 1/4 West 3880 m pt
Thence West at 11 1/2 m a rock md
fr wh. a cedar 8" N 5 W 30 m do 2" N 10 W 33

The S.W. corner of said Survey No 70
Thence West 241 m rock md fr wh
a L.O. 6" br South 85 m do 8" br
N 36 E 193 m. the N.W. corner of
Absalom Gray.

Thence S 44 W at 2595 m rock md
fr wh
the N.E. corner of No 73 S.P.R.R. Co.
continued S 44 W at 4526 m to point
Thence West 10 m rock md fr wh a
L.O. 5" br N 41 E 24 m, the S.W.
corner of W. Gray N.E. No 72 and
S.E. of No 73. S.P.R.R. Co.

Thence S 19 17 m. Point

Thence West at 3926 m rock md
fr wh. a Mesquite 6" br S 52 E 10 m
do 8" N 85 W 40 m. the S.W. cor
No 75 and N.W. cor No 76 New Yard.

Thence South at 1456 m rock md fr
wh. 10 m West fr wh a L.O. br S 39 1/2 W
21 m the S.E. corner No 78 S.C.

Survey. ~~continued~~ continued South
at 2780 m to point

Thence West at 20 m to S.W. cor said
Ward No 76 and N.W. corner No 77
a Cedar 4" S 75 W 100 m do 13" S 72 W
110 m.

Thence South at 1935 m Point

Thence West 11 m rock md fr wh a
L.O. 9" S 30 E 53 m do 6" N 8 W 95 m
the S.W. corner No 77 New Ward

Thence South at 2673 m point
for S.E. corner Meunard Co Sch Land
at 3260 m point
Thence West at 480 m point
Thence South at 2480 m point
Thence S 62 1/4 E. at 1849 m to pt
Thence S 30 W 16 m rock md, near an
old few all trees cut down close
to ground no bearing found, for West
corner No 14 N. Co RR Co.
Thence E. at 349 m creek corner
N.W. to S.E. at 2169 m ^{South} L Lane River
at 2569 m point
Thence North 18 m a rock md
fr. wh. a L.O 10" fr S 61 W 97 m
a Mes 6" S 45 E 41 m The E corner
of aforasaid No 14.

Surveyed February 18, 19 + 20, A.D.
1891.

D. C. Dimonds C.C.
Charles Cairns

Otto Davis Surveyor

I John Barnes, Assessor Edwards
Co Ark hereby certify that I have examined
the foregoing field notes and that
correct and they are recorded in my
office on pages 575 576 & 577 Book 2
John Barnes
Assessor Edwards Co Ark

18 14
File No. ~~14~~

Edwards Co.

Filed Sept 4th 1891

Wm Braullette

Chief Clerk

Filed for record
in my Office this
August 22^d 1891 at
8 o'clock am

County Surveyor
Edwards County