

(Copy)

Field Notes of Connections on Blocks I & P.
T. W. N. G. R. R. Co and Block F. G. H. & S. A. R. R. Co
in Eastern part of Edwards Co.

G. M. Williams

State Surveyor

Connection for sur. No 1 Bl. F. G. W. I & P R. R.
Co. on middle meces or Pulliam creek.

Begin at the N. original monument on the
N. line of sur. 46. S. P. R. R. Co. 500 ors. West of the
N. E. cor. of the said sur. Thence a cedar 12" brs. S.
89° E. 3 1/2 ors. a span oak 8" brs. S 10° E. 3 ors.

Thence N. 85° 05' W. at 50 ors. high bank of Pulliam
Creek at 180. ors middle of said creek in all 445 1/2
ors. crossing creek again to a cedar stake at
the original N. W. cor. of said sur. 46. in flat on
bottom Thence a cedar 15" brs. N. 23 1/2° W. 2 ors. a
do 12" brs S. 73 1/2° W. 2 ors. a do. 15" brs S. 41 1/2° E. 1 2 3/5 ors.
all mtd. ###

Thence North. 0° 35' West at 1800 ors. a drain
in all 1928 ors. to the original N. W. cor. of sur.
47. S. P. R. R. Co. Thence a dead cedar 6" brs. S 66 1/2°
E. 40 ors. mtd. ###

Thence West 593 ors. crossing Pulliam creek
Thence North 124 ors. to the original mon-
ument on N. line of sur. 50. S. P. R. R. Co. Thence
an elm stump 12" brs. N 73 1/2° E. 3 ors. Do stump
15" brs. N. 30 1/2° W. 4 1/2 ors. The trees were cut high
above ground, and the stumps show the marks.

Begin at the said NW cor. of sec 47.

Thence East 1960.00 to a pt mid road SW 1.

On the side of hill overlooking Hackberry Cr.
made by one for the NE cor. of sec. 47, S P R R Co.
and the SW cor. of Sec. 1. R. P. G. W. & P. R. R. Co.

Whence a white oak 4" brs. N. 80 E. 600.00 2 white oaks
3" each br. 50 1/2. E 9 3/5 000.00 a white oak 4" brs. 44 E.
11 3/5 000.00 This cor. is at point of intersection of
lines brought East from NW cor. of Sec. 47, and
North from the SE cor. of said sec. 47, and is 2052
000 north and 500 000 E of the original monument
on the N line of Sec 46. 500.00 west of NE cor. of
said Sec 46, and the SE cor. of Sec 47, &

Field Notes of connections between the S
W cor. of Sec 71, S. P. R. R. Co on E Nevers and Sec
1528 in name of Edward Hughes on the Tris
 near Leaky Beginning at a strand on the
 E bank of the E Nevers River at the lower or S.
 W cor. of Sec. 71, S. P. R. R. Co whence a sycamore 9"
 brs. S 35° E. 1100rs. a Walnut 10 brs. N. 51° E. 1800rs. a Walnut
 (forked) 4" brs. S 21° E. 600rs. all marked \equiv

Thence down the valley of E Nevers the follow-
 ing courses and distances to wit:

S. 30° W. 8400rs to small strand on W bank of river

Thence S 59° W at 2000rs. crosses river in all 2400rs

Thence S 15° E. 20400rs to a strand.

Thence S 5° E. 1950rs Thence S 17° E. 17200rs. to a

point in field. Thence S 12° E. at 11000rs crosses

Bull Head Creek near its mouth. in all. 14400rs

small strand in a field near E bank of the river

Thence S 43° W. at 1000rs. E bank of river at 4900rs

W bank of River in all. 7400rs.

Thence S 20° W. at 17800rs. River in all. 27000rs.

small strand

Thence south 8000rs. small strand on road.

Thence S 50° E. 20400rs. Thence S 67° E. turning

into cedar creek cañon 13700rs. Thence East

9850rs to point on W side of cedar creek cañon

Thence up cedar creek cañon N. 0° E. 0000rs.

Thence S 75° E. 8000rs Thence S 70° E. 9000rs
 S 60° E. 1800rs

a. At mid. on side of road.

Thence, N. 62° E. 300. ors. Thence, N. 85° E. 460. ors. Thence, N. 63° E. 1200. Thence, N. 40° E. 540 ors. Thence, N. 22° E. 220 ors. Thence, East 140 ors. to a point in small field (Hazelwood). Thence, S. 52° E. 200. Thence, East 360 ors. to a st mid. Thence, S. 31° E. 140. ors. Thence, S. 36° E. 260. ors. Thence, S. 53° E. 960 ors. to a st mid. on the N. slope of Hill on S. side of Cedar. crk. Cañon mtd. A. Thence N. 55. ors. made a st mid. mtd. B. on N. side of a drain in said cañon. and on N. side of the new road (Leaky and Barksdale) where a spav. O. 2 in clump. of Do. trs. N. 43³/₄. W. 5¹/₅ ors. and 1¹/₂ in clump. of Do. trs. N. 27³/₄. W. 7 ors. Began at st mid. mtd. A. Thence south leaving cedar crk cañon 237 ors. a st mid. on top of Hill Thence, S. 20° E. 510 ors. a st mid. on top of high Hill. Thence, S. 45° E. 520 ors. Thence, S. 28° E. 425 ors. Thence, S. 10° E. at 300 ors. passes 10 ors. East of a fine spring in cañon in all. 360 ors. Thence, S. 20° W. with the said cañon 70 ors. Thence, S. 10° E. 720. ors. Thence, south. leaving said cañon. 842¹/₁₀ ors. Thence East 63¹/₅ ors. made a large st mid. in a small ravine about 300. ors. E. of the branch in said cañon, and mtd. it S. E. 78. for S. E. cor. of sur. 18. Bl. 3. G. W. & P. R. R. Co. and N. W. cor. of sur. 1 Bl. 7 G. W. & P. R. Co. where a cedar (low) 10" br. 85° E. 20

making corners every mile, to a stand mid.
 S. E. 8. for the S. E. Cor. of Sec. 8 bl. 7, a short dis-
 tance N of a running branch, whence, a L. O. 8"
 brs N. 19 1/2 E 26 ors. a Clump of 3 L. O. from same
 root 6" each. brs. N 1° W, 30 ors. a stand. on E side
 of the new Leakey & Barksdale Road. brs East
 112 ors. Thence. S 60° E. 3800 ors. Thence. East 509
 ors. a stand for S. E. cor. of Sec 20. Bl. 12 G. W. I & P. R.
 N. Co. Thence. East 908 1/4 ors. Thence South 260 1/2
 to a stand at the N. W. Cor. of Sec. 15 28. in name of
 Ed Hughes whence, a L. O. 12" brs. S 20 1/2 E. 7 1/4 ors
 N. 24" brs. S 11° W. 7 1/2 ors. both mid. #

Thence. East 448. ors to the County line (said to
 be by the people of Leakey). By choosing the C
 Nices and cedar creek Cañons for a route
 I got smooth measurements. The S. E. Cor. of
 Sec 20. Bl. B. as Established by me. is 1806 ors
 North. and 170 ors. west of the S. E. cor. of the
 said sec. and as made by Reeves, a former
 Co Surveyor of Edwards Co

x corrected our copy from Land Office 4/25/91 - see attached letter
 (?) supply an insertion as per copy from Land Office. - J. H. D. - Sept. Co. Jan.

Connection from the SW Cor of Sec 57, Block
12, G. C. & S. F. and the Original monument on
the N. line of Sec 51, Bl I G. W. F. & P. R. R. Co. 1290
ors S. 85° E. of the NW Cor. of Sec. 51.

Beginning at a st mid. at the original S.
W Cor of Sec 57, Bl. 12, G. C. & S. F. R. R. Co. whence
a L.O. 10" brs. S $87\frac{1}{2}^{\circ}$ E. 29 ors. a do 12" brs. S $67\frac{1}{2}^{\circ}$
E. 20 ors. both marked \bar{x}

Thence. East 193 $\frac{1}{2}$ ors. to an. old st mid in
a hollow near N. bank of a drain. Thence. South
142 ors Thence East 61 $\frac{1}{5}$ ors. to a large st mid.
mid. NW. 1. in said hollow on the N bank of
said drain it being the NW Cor of sec 1, Bl. 2,
B. S. & F. as recently established by me it
being 14468 ors S. 23° 15' W. from the West Cor
of Sec 44, M. & P. R. R. Co. whence a L.O. 9" brs
S $8\frac{1}{4}^{\circ}$ W 41 $\frac{1}{5}$ ors a L.O. 10" brs. N. $55\frac{1}{4}^{\circ}$ W. 64 ors

Thence. East at 6480 ors. crossed the Dry
prong of T. Lane. in all 7600 ors made a
large. st mid. in the flat of said draw,
whence. a L.O. 10" brs. S 18° E. 42. ors. a do 8."

brs. N. 79° E. $57\frac{3}{5}$. ors. made by me for N. E. cor
4 Bl. 2. Thence. S 45° E. 2688. ors made. a st
mid. Thence. S 45° E. 2688 ors made a st
mid. Thence. S 45° E. 2688 ors made a st mid
on the S bank of a drain in hollow abt.
400 yards above said spring being on
N. E. 1/4 of Sec. 28 Bl. 2 B. S. & F. marked the,

said st. mid. S E 29 for S E Cor. of Sec 29 Bl. 2.
 Whence, a L.O. 2" brs S. $5\frac{3}{4}$ E. $30\frac{1}{5}$ or a do 3" brs S E,
 $30\frac{1}{5}$ ors. both in a small clump of L.O.

Thence, S. 45° E 2688 ors. made a st. mid. mark. S.
 W 36, on the E slope of a hill for SW Cor. of Sec.
 36, Bl. 2, whence, a L.O. 5" brs S $24\frac{3}{4}$ W. $55\frac{2}{5}$ or
 a do. $2\frac{1}{2}$ " brs S. $81\frac{3}{4}$ E. $4\frac{3}{5}$ ors. X

Thence East 1289 ors. to a st. mid.
Thence, S 61° E. 739 ors. to a st. mid. on the W side
 of a road. Thence, S 43° E. 780 ors. small.
 st. mid. Thence, S 52° E. 399 ors. to a small.
 st. mid. on brow of high hill overlooking Hack-
 berry cañon on the south.

Thence, S. $18\frac{1}{2}^{\circ}$ E. 740 ors. to a small st. mid. in
 in flat in Hackberry cañon.

Thence down the said cañon. East. 1143 ors.
Thence, south. 70° E. 203 $\frac{1}{5}$ ors. Thence
 South 119 $\frac{1}{5}$ ors. to a st. mid. on the N bank of
 Hackberry creek. about 200 ors. above Hackberry
 spring the said st. mid. being the original
 monument in the W line of Sec. 1. A B & M
 100 ors. south of the NW corner of the said
 Sec. 1. Whence, an Elm. 12" brs N. 43° E. 15 ors.
 a Chestnut Oak. 12" brs N. 7 W. 11 ors. a Chestnut
 O. 10" brs S. $12\frac{1}{2}$ E. 14 ors.

Thence East 410 ors. Thence, south 30 ors. to
 a small st. mid. on the N. bank of the said Hack-
 berry creek. Thence, S 25° E. crossing said creek

1103 ors. Thence, S 10° E, 1120 ors. Thence, S. 55°
E, 130 ors. Thence, S 48° E, 1740 ors. Thence, S 30°
E, 820 ors. Thence, S 17° E, 162 ors. Thence, S 27 1/2°
to the W cor. of the Young stockman sec. on the
N bank of Hackberry creek in low water edge
whence a sycamore, 15" brs. N. 30° E 15 ors.,

The run from Ser 1, to this sec was made
along the flat of Hackberry creek. Began at
the W cor. of the said stockman sec.,

Thence, N 65° E, 50 ors. Thence, N. 52 3/4° E, 795
ors. to ^{an} old st mid. on the S. Slope. of a hill mtd.
2. Thence from said st mid. mtd. 2. N. 89 1/2°
E, 680 ors. Thence, S. 85° E, 600 ors. Thence, N 5°
E 8 ors. to an old st mid. mtd. A it having been
made for the NW cor. of ser. 47. Bl. I G. W. T. & P. Lye.

Thence, S. 5 W, 178 ors. Thence, S 85° E, 15 ors. to a st.
mid. mtd. NW. 47, it being the NW cor. of ser. 47,
as established by me. whence a S. P. O. 6" brs. N.
66. W. 49 ors. a wild cherry 4" brs. S 80 1/2° W. 46 1/5 ors.
Thence, S 85° E, at 8032 ors crosses the Dry bed
of C. Nueces River in all 8887 2/5 ors. to a st mid.
the same being the original monument
in the N. line of ser 51. Bl. I 1290 ors S 85° E.

from its NW cor. whence a cedar, 10" brs. N 25 1/2°
W. 14 ors. a do. 10" brs. N. 74 1/4° W. 10 1/2 ors. both mtd. ⁱⁿ
said st mid. is in a small cedar brake near ^{the} _{edge}
edge, & capped mid. with rock mtd. D Thence N.
4° 55' E, 1900 ors to the original monument

in the N. line of Sec 56, 1290 ors $S 85^{\circ} E$. From its
 NW Cor. where a cedar 12" brs. N. $86^{\circ} E$, 48 ors. a
 cedar, Bush. brs. $S 60^{\circ} E$, 17 $\frac{1}{4}$ ors, and capped the said
 mid with a rock mkd F. Thence, N. $5^{\circ} 16' E$,
 1872, $\frac{3}{5}$ ors. to a st mid. at the original monument
 in the N. line of sec. 65, 1290 ors. $S 85^{\circ} E$. of its
 NW Cor. where, a L.O. 5 brs. $S 77^{\circ} W$, 45 ors. a do. 5" brs.
 $S 84 \frac{1}{2} W$, 48. ors capped the said mid. with a
 rock mkd. F Thence, N. $85^{\circ} W$, at 1425 ors.
 crosses the dry bed. of E. Meeker in all,
 1938. 8. brs to a st mid. at the original mon-
 ument on the N. line of sec 64, - 1290 ors
 $S 85^{\circ} E$. from its NW Cor. where, a fallen skin
 Oak, 6" brs. N. $18 \frac{1}{4} E$, 21 $\frac{1}{4}$ ors found the stump of the
 other witness capped the said mid. with a rock
 mkd G. Beginning again at the said
 st mid. mkd D. in N line of sec. 51. Thence
 $N 85^{\circ} W$, 944. ors. Thence, $S 5^{\circ} 13' W$, 1905 ors
 to the original monument in the N. line
 of sec 42, 386. ors $S 85^{\circ} E$. from its NW Cor. where
 a Cedar 8" brs N. $33 \frac{1}{4} E$, 2 ors. mkd. # said st mid.
 is on E side of the old. road capped the said mid.
 with a stone mkd C. Thence, $S 85^{\circ} E$. at 110.
 ors middle of E. Meeker River (at 60 ors. high bank
 on W. side) in all, 167 ors.
Thence, $S 6^{\circ} 02' W$ 1921. ors. to a st mid. on the side
 of the road, and in the N. line of sec. 37, the
 same being the original monument 533 ors.

114.85°E from the NW Cor. of the said sec 37, whence
 a double Cedar 8 1/2" trs. N. 7. W. 13 1/2 ors. a Triple
 Hackberry 9" 10" + 10. trs. N 73 E 16 ors.
 Thence, N. 85° W. 553. trs. Thence, S. 4" 13. W 188 1/2 ors.
 Thence, N. 85° W 310. ors. to a st mid. on the E side
 of old road. at the original monument in
 the N. line of sec 27, 310 ors. N. 85° W. from its
 N.E Cor. whence a fallin P.O. 10" trs N. 66. E 70. ors
 a dead L.O. 5" trs. N. 18 1/2. W 21. ors. Thence, S 5 W.
 1894. 6. trs. Thence, N. 85° W. 1643. 8. ors to a
 st mid. on the E side of the, old road at the
 original N.E Cor. of, sec 21, whence, a Double
 Cedar 7. trs. S 61. W 24 1/2 ors.
 Thence, S 5" W. 1795 ors. Thence, N. 85° W. 1928. ors
 to a st mid. at the original NW Cor. of sec 14,
 whence, a L.O. 8" trs N. 50 E. 13 1/2 ors a do. 12" trs. N.
 89. W. 34 ors. a cedar 9" trs. S 1 3/4. W 9 ors
 Thence, S 5" W. at 960 ors. crosses river in all, 3840
 6 ors. Thence, N. 85° W. 895 1/2, to a st mid on the, E,
 side of, old road it being an original monu-
 ment whence, a walnut 10" trs. S 23 3/4 W. 39 1/2 ors
 Thence, N. 85° W. 177 3/5 ors to, a st mid. on the
 E bank, of the River at the original NW Cor
 of sec 3, whence, an Elm: 8" trs. S 10 W. 19 ors
 Thence, N. 85° W. 120 ors. to a st mid. on high
 West bank, at the, Original N.E Cor of sec 2
 whence, a cedar 8" trs. S 71 W. 27 3/4 ors a Do 5"
 4 trs. S 5 1/4 W 45 ors.

Began at the NW cor. of sec 3. Thence, S. 32° 27' W. 1085 7/8 ors. to a stand. on the E side of old road. at the SW cor. of sec 3, and on the E bank of a large spring branch, and on the east bank of the old. River bed, where a Pear 8" brs. N 86. W 11 1/2 ors. Thence N. 85° W. 130 ors. to the original NE cor. of sec 1 on the W bank of old river bed, where a spaw oak in clump. of 4 Do. brs. S 89 1/2 W 80 ors. from this cor. it is 210 ors. to the river as it now flows it having changed its bed water sinks just above the SW cor. of sec 3, and rises at a point on 100 yds. N.W. of where it sinks & forces a bold stream which empties into old channel a short distance below SE cor. of sec 1.

Beginning at SW cor. of sec 3. Thence, S 35° W. down gravel bar 1077 7/8 ors. to a stand. on gravel bar on E side of old. River channel where a sycamore 14" brs N. 33 E 47 7/8 ors, a stand. at the SE cor. of sec 1. brs. N 85. W. 98. ors. the said cor of 1, is on west bank of old channel and on E bank of new. (River) channel. where a Pear 10" in a clump of 4 pears brs. S. 5 W. 13 ors. a forked, Cedar 6" brs. N 85. W 30 ors From SW cor of sec. 4, as above made. Thence S. 85° E 200 ors into an old stand. on W side of old. Road. where a pear 6" brs. S 78. W 14 1/2 ors a Walnut 6" brs. S 55 W. 30 ors

J. G. M. Williams State Surveyor
do hereby certify that the foregoing con-
nections were made on the ground,
and that all corners and distances
and corners with marks both natural
and artificial are correctly described
Therein Surveyed March 1890.

Given under my hand at Ellis
Edwards County, Texas, this May
6th A.D. 1890.

J. G. M. Williams
State Surveyor

EDWARDS Co. SK. FL. # ~~23~~
4.5
F/N OF CONNECTIONS ON
BLOCKS I. AND P. - T. W. N. G. R. R. Co.
AND BLOCK F. C. H. & S. A. R. R. Co
IN E. PART OF EDWARDS Co.
BY G. M. WILLIAMS. MAY 6 - 1890
COPIED FROM Co. SURVY'S REC^d
BOOK G. MAILED TO C. L. D.
BY NED BISHOP Co SURVEYOR
APR. 1 - 1948.
