

Connecting lines run by H. A. Goodwin in B1140
No. 2.5.47 H & H N R R Co., B1142 2 7 & N O R R Co., Block
G W & N W R R Co., Block 5 S H & H R R Co. and
Block 97 H & H R R Co., in Garza and Kent
Counties in May 1904

Variation 9° East

Beginning at a Stake in an Earth Mound and
4 pits, from which a Mesquit brs N 12½° W 17 vrs & a
Willow on dam of K. Tank brs S. 2½° E., the S.W.
Cor. of Sur. No. 6. B114 No. 2 H & H N R R Co. Surveys
thence S 88¾° W. 156 vrs to a Stake in the South line of
Sur. No. 7 of said block 2, the N.E. Cor. of Sur. No. 12 of
Block No. 7 same grantee,

thence S. 1¼° E. on East line of said Sur. No. 12 at 1901 vrs
pass the N.E. Cor. of Sur. No. 21 of said block No. 7 at 3802
vrs pass the N.E. Cor. of Sur. No. 30 block No. 7, at 5703 vrs
pass N.E. Cor. of Sur. No. 38 said block No. 7, at 7604 vrs
pass N.E. Cor. of Sur. No. 48 of said block 7, at 9505 vrs
pass the N.E. Cor. of Sur. No. 57 of said block No. 7 at 11406
vrs to the N.W. Cor. of Sur. No. 59 of said block No. 7, which
is 156 vrs S 88¾° W from a stone set in the ground in the South
line of Sur. No. 56 of said block No. 7,

thence S. 88¾° W. on South line of said Sur. No. 57 of said block
No. 7 at 405 vrs a Mesquit Stake for the N.W. Cor. of corrected
Sur. No. 124 block G W & N W R R Co. surveys,

thence South at 145 vrs a Stake in Earth Mound & 4 pits
in open prairie fr. Wh. Double Mesquite 4" brs N 14½° E.
120½ vrs, at 1806 vrs pass the N.E. Cor. of Sur. No. 48, block
No. 2, T & N O R R Co. Surveys, on West boundary line of
said block G, at 2032 vrs pass Earth Mound & 4 pits in
high open prairie, the N.W. Cor. of Sur. No. 94 in said
block G, fr. Wh. Cooper Mountain brs S 43½° East and

South peak of McKimzie Mountain brs $S 11^{\circ} E.$, at 3704 vrs pass the N.E. cor. of $sm. No. 33$ of said block 2 T & N O R R co. at 3919 vrs pass a stone mound on head of Cañon the N.W. cor. of $sm. No. 93$ in said block 4, fr wh a mesquit 3" brs $S 10^{\circ} W 64$ vrs a do. 3" brs $N 54^{\circ} W 35$ vrs, at 5606 vrs a stake on left bank of Alamo River, the S.E. cor. of $sm. No. 33$ of said block No. 2 T & N O R R co., fr wh a cottonwood 8" brs $S 8^{\circ} W. 158$ vrs a do. brs $S 1^{\circ} E. 140$ vrs, (bearing trees now washed out & gone, but I had established this corner from the bearings 15 years ago and know where it belonged) thence W. at 1860 vrs cross Alamo River, 1900 vrs a stake in sand bar of said River, (cottonwood bearing trees washed out and gone) this corner is ¹⁹⁹⁸ 1998 vrs north and 101 vrs west from an iron pipe in the N.E. cor. of $sm. No. 74$ block No. 5 H & G N R R co.

Continued west at 3800 vrs pass the S.E. cor. of $sm. No. 35$ of said block No. 2 T & N O R R co., at 5500 vrs cross the Alamo River, at 5700 vrs pass the S.E. cor. of $sm. No. 36$ of said block No. 2, at 7400 vrs crossing a bend of Alamo ~~River~~ pass a stone mound the S.E. cor. of $sm. No. 37$ of said block No. 2, fr wh a cedar 8" brs $S 41^{\circ} E 84$ vrs, at 9500 vrs ^{crossing a bend of Alamo river} a stone mound on south side of bluff the S.E. cor. of $sm. No. 38$ of said block No. 2 fr wh a cedar 8" brs $N. 24^{\circ} E. 30$ vrs, at 11400 vrs a stone set in the ground in the S.W. cor. of said $sm. No. 38$, block No. 2 which is 306 vrs north & 49 vrs west from the N.E. cor. of $sm. No. 123$ block No. 5 H & G N R R co. thence north 1900 vrs to the S.W. cor. of $sm. No. 43$ of said block No. 2 T & N O R R co., thence west 7600 vrs to the S.E. cor. of $sm. No. 58$ block No. 5 H & G N R R co., thence south 5700 vrs to the N.E. cor.

of Surr. No. 18 of said block No. 5 , Thence East 119 vrs
to the west line of Surr. No. 127 of said block 5 , A & G R
R & Co., Thence South $1\frac{1}{4}^\circ$ East 475 vrs To the S.W. Cor.
of said Surr. No. 127 , Thence $\text{N. } 88\frac{3}{4}^\circ \text{ E. } 5703$ vrs to an
iron pipe in the S.W. Cor. of Surr. No. 130 of said block
 No. 5 , A & G R R & Co., fr. wh. a Hackberry br. $\text{S } 28\frac{1}{4}^\circ \text{ W } 49\frac{1}{2}$
vrs & a mesq^t 4 " br. $\text{N. } 76\frac{3}{4}^\circ \text{ E. } 6\frac{1}{2}$ vrs

Thence $\text{S } 1\frac{1}{4}^\circ \text{ E. } 1901$ vrs pass an iron pipe in the N.W. Cor.
of Surr. No. 132 of said block No. 5 , fr. wh. a Mesquite 3 "
br. $\text{S } 33\frac{1}{2}^\circ \text{ W } 53$ vrs, & a do. 3 " br. $\text{S } 80\frac{3}{4}^\circ \text{ W } 31\frac{1}{2}$ vrs at 3234 , the
N.E. Cor. of Surr. No. 952 in the west line of said Surr. No.
 132 , which is 548 vrs $\text{N. } 1\frac{1}{4}^\circ \text{ W.}$ from an iron pipe the S.W.
Cor. of said Surr. No. 132 fr. wh. a Mesq^t 6 " br. $\text{S. } 9^\circ \text{ W. } 9$
vrs & a do. 3 " br. $\text{S. } 26^\circ \text{ E. } 8$ vrs

Bearings Mkd. \bar{x}

Surveyed May 2. 3. 4. 5. - 1904

Earnest Wheeler, B O Lockhart, Chain
Wm. Dodson, Joe Callis, Stainers

I, H A Goodwin Surveyor of Tenny Land Dist.
Texas, do hereby certify that the foregoing survey
was made by me, on the ground, and according
to law, that the limits, boundaries and corners,
with the marks, natural and artificial, are truly
described in the foregoing Plat and field-notes, just
as I found them on the ground, and that they are
recorded in my Office in Book No. \bar{x} page 99,

This 31st day of May 1904

H A Goodwin
Surveyor
Tenny Land Dist.

