

Field Notes of Nelson K. Smith's line from the S.W. Corner of  
Block No. 6 in Randall County to original corners of surveys  
in Blk. J.K. - S. 1. - K. and K. 3 in Hale County, Texas.

Filed in the General Land Office, Austin, Texas. this the            day  
of                            1904

B

Counter 24743

\*\*\*\*\* 1 \*\*\*\*\*

Field Notes of a Transit Line, from the S.W. Corner, of Survey No. 208 I. & G.N.R.R. Co. Block 6 in Randall County, Texas. to certain original Corners in Blocks, J.K. - S. 1. -K. and K.3. in Hale County, Texas. Made by Nelson K. Smith, C.E. of Plainview, Texas. All measurements made with a steel tape, and each angle and course turned with the plates of the instrument. Transit points set with great care.

Beginning at an iron pipe, marked 208, set in an old earth mound, the S.W. Cor. of Blk. 6 and the N.W. Cor. of Blk. M. 8.

Thence South (variation 11.21' East) at 5700vs pass a few feet east of a rock set in an east and west lane, in all 13.305.6varas or seven miles, to the S.W. Cor. of sur. No. 7 blk. M.8

Thence South 3800.6vs. or two miles to S.W. Cor sur. No. 9

Thence South at about 300vs cross South line of Randall County, at 468 varas, X Happy Hollow Draw, in all 1900.8vs to S.W. Cor. Sur. No. 10. blk. M.8 in Swisher County.

Thence South at 380 and 2/3vs. pass a pipe marked, ; M6. 5-6 and M.8.10-11 in all 1900.8vs, the S.W. Cor. of sur, 11

Thence South at 396vs, pass a pipe marked M.8. set in an east and west lane, in all 1900.8vs, the S.W. Cor. of sur No. 12

Thence South in all 5702.4vs or three miles, the S.W. Cor 15 blk . M.8.

Thence South at 1353varas cross, North Tule Draw, in all 1900.8 varas, to the S.W. Cor. of sur. No. 16

Thence South in all 7603.2vs or four miles, the S.W. Cor. No. 20.

Thence South at 576vs. pass a pipe marked, M.8.-20 in all 1900.8 vs. to the S.W. Cor. of sur. No. 21.

Thence South 3801.6vs, or two miles the S.W. Cor. No. 23 blk M.8.

Thence South crossing Middle Tule Draw, in all 1900.8vs S.W. Cor. No. 24

Thence South in all 1900.8vs the S.W. Cor. of sur No. 25 blk M.8 also the N.W. Cor of survey No. 5 blk M.11

Thence South 5702.4vs, or three miles to the S.W. Cor. of sur. No. 25 M.11 from this point an iron pipe, marked M.11.-25- bears South 673.2vs and East 21 varas.

Thence East on the South line of blk. M.11. in all 1900.8vs S.E. Cor. 25

Thence East at 83vs pass 673.2vs North of a pipe, in all 1900.8 varas.

Thence East at 142vs pass 673.2vs North of pipe marked M.11. 24-23 & K.2. at 1058vs pass 673.2vs North of pipe marked, K.2.-4-5 & M.11. 23 in all 1900.8vs to the S.W. Cor. of Sur. 22 blk M.11

Thence East at 203 and 3/4 varas pass 673.2vs North of a pipe marked M. 11.-22 at 1648vs pass 673.2vs North of a pipe marked, K.2. 2-3 in all 1900.8vs to the S.W. Cor of sur. No. 21 blk. M.11

Thence East at 266 varas, pass 673.2vs North of a pipe marked M.11- 22-21 in all 1900.8 varas to the S.E. Cor of sur No. 21 Blk. M. 11 and the S.W. Corner of survey No. 10 blk. M. 13.

B'8

Counter 24744

GGGGGGGGGGGG 2 GGGGGGGGGGGG

Thence South at 673.2 varas, set a pine stake in the east edge of a shallow basin, in all 1900.8varas, to the N.W.Cor of sur, NO,33 blk M.13

Thence South 1900.8vs the S.W.Cor of sur. 33 blk M.13.

Thence South at 690.8, vs. point from which an iron pipe marked, M.13. 33-34 and K.2. 16 bears East 379.6 vs. and South 17.6 vs. in all 1900.8 varas, the S.W.Cor,of sur. No. 34 blk M. 13.

Thence South with the West boundary line of block M.13. in all 15206.4 varas or eight miles to an earth mound and circular trench, with Cedar stob in center of mound, for the S.W.Corner of survey No,66 blk. M. 13. From which an iron pipe and four pits, a rock, bottle, tin can and an iron rod, Known as the Hutchinson and Parks' corner of M.13. C. 3. & C.4. bears South 754.2 varas and East, 402 varas.

Surveyed on the , 3rd, 4th, 5th, and 6th. days of August, A.D. 1904.

August, the 17th. 1904

Beginning at the earth mound , cedar stob and trench already mentioned, 39 miles South and Five miles East of the S.W.Cor of blk. 6. Randall Co. Thence South ~~XXXX~~ 378 varas to a pine stake,

Thence West 5400 varas to a point,

Thence South at 73 varas x Hale County line, 180 varas, west of the 17th mile mound, at 376 varas x east and west wire fence, in all 10743 varas to a point on the South line of Sur, No. 3 blk. J.K.

Thence West 41 varas to the Original Summerfield Sod Monument, 997 varas east of White River, the S.W.Corner of Survey No. 3. blk, J.K.

Then beginning at a point on my N.&S. line 5726 vs, North and 41 varas east of Summerfield's sod monument,

Thence West at 3863 varas pass a mound and four pits, the N.E. Corner of survey No. 1 blk. S.1. located formerly by me from S.1. corners and bearing mounds on upper White River, in all 4263 varas to a wagon spindle and four pits, 340 varas South of four pits mound, with 1/2 gallon jug in ground, the S.E.Cor. of Survey No. 53 Blk. K. located by N.K.Smith in 1902, while Surveyor, of Hale County. field notes of said location on file in the General Land office at Austin. Said Jug mound and four pits are one mile South and eight miles East of the original eight stone cor. made by E.M.Powell, for the N.W.Cor. of Sur. No.1 blk. K.3.

Jeff Pippin

Henry Hagood Chain-Carriers

Lascar Hobbs Mug. 17th.

I, Nelson K. Smith, surveyor, do hereby certify that the foregoing described survey was actually made by me on the ground according to law, on the dates and with the Chain-carriers aforesaid, duly qualified, and that all Corners, Lines, Boundaries and Marks of the same whether natural or artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes.

Nelson K. Smith  
Surveyor.

I, A.S.Howren, a State Surveyor, do hereby certify that I have examined the foregoing Plat and Field Notes and find them correct.

A.S. Howren  
State Surveyor.

W. Jeff Williams do hereby certify that I have examined the above field notes and find them correct.

Plainview. Aug. 20<sup>th</sup> 1904.  
counter 24745

W. J. Williams  
Surveyor of Hale County.

14.

14.

Hale Co. Sketch  
by N. K. Smith.  
Connecting line -  
Block no. 16, I & G. N. Ry  
Randall county to  
Block K 3 and S1,  
Hale county.  
Sept. 2, 1904.

Fee for copy 1<sup>00</sup>/<sub>50</sub>

Ram

Counter 24746

B3