

(1)

State of Iowa
County of Haskell I W R Standefer
County Surveyor
of Haskell Co Iowa do hereby
certify that I ran the following
connecting lines in Haskell County to wit

I began at the S E corner of Thos D
Coring Survey an Old Stone mound
from which I a Mesquit - tree S 67. W.
35 Old tree Still Standing Thence
West - at 6286 rods find a Stone mound
N W corner of No 13 Blk 1 H & T & R R Co
from which a Mesquit tree N 19 W 50 do
tree S 83 W 50 rods both bearings Still Standing
at 7116 rods a pile of Stone Thence north
on N. line of T D. Coring finding several
lime trees at 7308 rods find Stone
mound the S E corner of Peter Allen survey
No 140 One bearing tree found the other
gone Thence north finding several lime
trees at 3654 rods Established corner

I then in connection with J W Armstrong
Surveyor for the H & T & R R Co Thence to
~~48.35 rods~~ We then ran West N. 31
rods to N W corner of Peter Allen survey
Thence N at 1099 rods established the
N. W corner of Section 30 Blk 1 Thence N
at 1978 rods establishing corners of surveys
Nos 28, 42, 45, 60, 63, 70, 73 and N. E corner of
No 88 Thence South at 1827 rods establishing
corner of Nos 74, 75 and 76 and established S W
corner of No 74 and S E corner of No 88

Then ran East 1978 rods and established
S.E. corner of 76 and S.W. corner of
Thence South at 1097 rods to N line
of Longell's School land survey No 62
Thence N 185 rods N.W. corner of same

(which corner was established by me at
August 1885. Commencing at the
S.E. corner of Geo Harris' League
a large Spreading Elm marked X
Still standing N 33 E 60 rods
Thence North at 600 rods cross Mallow
Paint creek finding several lime trees
marked But found no bearing trees of
640 Surveys E of line continue North 79.60
rods to N.E. corner of Matthew Dennis
Thence N 5700 rods to a point on E
line of Longell's School No 62 Thence
N 45 60 rods and ~~to~~ established the
N.E. corner of No 62 Thence N 3800 rods
and established N.W. corner of 62 Thence S
at 8,500 rods

Then we ran South 800
rods to N.E. corner of No 1 Bk (2)

Thence South 1900 rods on N line
of No 2 at 1900 rods established
N.E. corner of No 6 Bk 2 Thence N 1200
rods N.W. and N.E. cor No 5 Thence N 1900
to N.W. corner of No 5 Thence S 1900 rods
to S.W. corner of No 5 and S.E. corner of No 4

Thence South Thence S 1900 rods
to S.W. corner of No 8 and S.E. corner of No 9

N.B. very corner has a large
stone in the survey

Thence W 1900 paces the N.W. corner
 of No 10 and S.M. 9 a large stone
 set in ground. Thence W 3758 paces
 a Point. Thence N. 2688 paces to the
 S line of Geo Lang Survey Thence W
 880 to a Point on high bluff of
 Double Mountain fork of Brazos River
 Thence N 2 3/4 W 673 paces to S.E. corner
 of No 30 B.B.B. & C.R.R. survey from which
 a large cottonwood an old bearing tree
 still standing which has N 66 W 80 paces
 then returned to Point on high bluff
 and ran N 83 W 560 paces to
 a large cottonwood marked X on E side
 at the mouth of a small creek the
 beginning corner of Thos & Sivalin's Survey
 Noly in March 1885

I began work at a ^{corner of} ~~Stone~~ mound ^{all bearing}
 F.H. Day from which a mes has S 71 W 4 paces
 Thence E 800 paces but found ~~but found~~
 no bearings Thence North 800 paces
 to a Point for S.E. corner of M.P. Norton
 Survey Thence E 1600 paces cross a Branch
 but found no bearings. But found traces of
 old California ^{Calcutt} ~~Point~~ in ^{old} ~~land~~ ^{is}
 Thence N 2688 paces to same Point on
 high bluff Thence I ran ~~at~~ N 23 1/2 E
 2160 paces N 6 E 1480 paces N 60 E 1050
 to a mesquit tree ^{the N.W. corner of} ~~from~~ ^{Survey} ~~from~~ ^{ally}
 still standing mes N 39 W 15 paces
~~to~~ a mes stump has N 1 E 19 paces

Then I returned to S.W. corner of
 #2 Thos Early Survey and ran ~~E 3747 paces~~
 counter 26138

(4)

East 3447 rods to NE corner of
E Robertt Survey Thence E 1187 rods
to N.W. corner of No 10 Blk 2 the same
large stone put there by ~~the~~ myself and
J. W. Armstrong also find the space between
of Poterant nos 3 & no 1000 surveys
and H & L C R R C's surveys to be 1187
rods I returned to NW corner of Geo
M. Lang Survey and saw West 160 rods
Thence No 613 rods to NW corner of no 5
of Poterant Thence E 3212 rods to NE corner
of no 5 Thence S 69 rods to SE corner of
same Thence S 291 rods to a Point
Thence E 2986 rods to SE corner of no
82 and S.W. corner of no 76 making the
space between "N. B. line of" Blk no 1
and of Poterant Survey nos 3, 4, 5, 6
and Georgetown RR Surveys No 1 & 2
and many more to be 1028 rods
as shown in Field notes of Thos. B. Starkey
and W. P. Rice Surveys. I then ran
from West from SE corner of No 80 1978
rods and established corner Thence N 499
rods to N.W. corner of no 79 Thence S 1818
rods to S.W. corner of same Thence N 1372
rods to N.W. corner of Blk 2 Thence S 5700
rods to N.W. corner of No 10 Blk 2,
and the mark fit-up all @ T