

1 Field Notes of a Survey connecting Original  
2 Corners in Block 42. H & T. C. R. R. lands, with  
3 the corners established by J. L. Long, State  
4 Surveyor.

5 Beginning at a stone set for the origi-  
6 nal N. W. corner of Survey 110 in said Block  
7 42, from which a cottonwood, now 8 inches in  
8 diameter, marked  $\bar{x}$ , bears S 40° N 40 varas, and  
9 roots and remnant of the trunk of another  
10 cottonwood about the same size bears N 3° E  
11 25 varas:

12 Thence West 1198 varas to a point 382 varas  
13 South of a mound of stones set by J. L. Long for  
14 the S. E. corner of Survey 124.

15 Thence West 3804 varas to point 379 varas South  
16 of the S. E. corner of Survey 138 as established  
17 by J. L. Long.

18 Thence West <sup>1402 varas</sup> to a point 375 varas South of the  
19 S. W. corner of said Survey 138 as established  
20 by J. L. Long.

21 Thence West 972 varas to the S. E. corner  
22 of the J. C. Schule Survey.

23 Thence North 1901 varas to the original  
24 N. E. corner of the said Schule Survey and  
25 the <sup>original</sup> S. W. corner of Survey 137, from which a  
26 cottonwood now 2½ ft in diameter, marked  $\bar{x}$   
27 bears S 65½° N 313 varas, another cottonwood  
28 now 2½ in diameter, marked  $\bar{x}$ , bears S 67° N  
29 314 varas.

30 Thence North 369 varas to a point in the  
31 South line of Survey 139 as surveyed by J. L. Long.

32 Again, beginning at the S. W. corner of



#- Filed for record at 12 M. Jan 15, 1903, and recorded in Book 1, page 188.  
W. H. Cunningham.

1 Survey 137 as established by J. L. Long, in which  
2 is an <sup>iron pipe set on the mile spot on county line</sup>  
3 Thence West 967 varas to a point 367 varas  
4 North of the N E corner of the J. C. Schule Survey  
5 and the original S. W. corner of 137.

6 Thence West 933 varas to a stone set for  
7 the S. W. corner of Survey 139

8 Thence West 1902 varas to the S W corner  
9 of Survey 150 as established by J. L. Long.

10 Thence West, on S. line of 151, 1008 varas.

11 Thence North 1544 varas to the original  
12 N E corner of Survey 151 from which a cotton-  
13 wood now 3 ft in diameter, marked X, bears  
14 N 87 1/2 E 45 varas; part of the stump of an-  
15 other cottonwood bears S 76 E 59 varas.

16 Thence West 892 varas to a point in the  
17 West line of Survey 151, as surveyed by J. L.  
18 Long, 76 varas South of the South bank of the  
19 Canadian River, and find that the S. W. corner  
20 of 151 is now 280 varas in the river and  
21 that the bearing tree marked for this corner  
22 has also washed into the river.

23 Surveyed Jan 6, 7 & 8, 1902.

24 James Cooper } Chainmen  
25 R. M. Perkins } Sworn.

26 I, W. H. Cunningham,  
27 County Surveyor of Hampshire Co, Texas, hereby  
28 certify that the above described survey was made  
29 on the ground with the chainmen above named,  
30 and that the courses and distances and marks  
31 natural and artificial are set forth as actu-  
32 ally found on the ground

W. H. Cunningham, Surveyor of Hampshire Co.



1 a single corner of the Long survey on the  
2 South side of the Canadian River for a distance  
3 of twelve miles West from the town of Canadian  
4 that can be identified.

5 W. H. Cunningham

6  
7 Sworn to and Subscribed before me 17<sup>th</sup> day of  
8 January A. D. 1903.

9 M. M. French

10 Notary Public

11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32



1 pits. The mound was almost level with the  
 2 general surface and the stake was broken off  
 3 and lying on the ground, but the pits were  
 4 in a tough mesquit sod and were as square  
 5 and perfect as when first made and remain  
 6 so to this day, although now grassed over.

7 At 1400 varas West from this corner is  
 8 a stone mound (small, loose stones and earth)  
 9 which, from its position and comparatively  
 10 fresh appearance, I believed to have been  
 11 established by the Long survey, the S.W. corner  
 12 of 138. I set the 8<sup>th</sup> mile Post on the County  
 13 line in this mound.

14 At 1900 North from this corner I found a  
 15 post and mound and four pits. On the  
 16 post the mark 139 was still perfectly legible.  
 17 This corner was in a tough alkali grass sod  
 18 and the pits are as distinct today as when first made.

19 I drove the 7<sup>th</sup> mile Post by the side of this  
 20 post. It has now rotted off, but a part of  
 21 it is still lying by the Iron Pipe, with traces  
 22 of the marks still visible but not now legible.

23 At 3802 varas West from this corner the  
 24 pits of another corner are distinctly to be  
 25 seen, now well grassed over in a tough mes-  
 26 quit sod, the S.W. corner of Survey 150.


27 This deponent believes that the close agree-  
 28 ment of these corners with each other shows  
 29 that they belong to one continuous survey, and  
 30 there has been no continuous survey in that  
 31 vicinity except the Long survey. If these are  
 32 not recognized as Long corners there is not



1 J. W. H. Hummingham, present Surveyor  
2 of Hemphill Co., Texas, say under oath  
3 that I was County Surveyor of said  
4 County continuously from Jan, 1888 until  
5 Jan, 1900; that I have known the S. E. corner  
6 of Survey 124, Block 42, H & T. L. R. R. lands,  
7 since the Autumn of 1889; that said corner was  
8 at that time near a public road and was a  
9 prominent and well known section corner;  
10 that said Survey 124 was a very desirable  
11 section and was taken up by one McCarthy  
12 in 1890, who started his fence from this corner,  
13 and it has remained unquestioned since as  
14 a valid corner of this Survey; and I further  
15 depose that the position of this Survey as  
16 located from this corner conforms generally  
17 to the J. L. Long Survey.

18 I further say that in February, 1843, I  
19 assisted in running the West line of Hemphill  
20 County. That in order to find the corners  
21 in Block 42, South of the Canadian River, on  
22 the County line, I started from this aforesaid  
23 corner and ran West; at 1900 varas Long's  
24 Notes call for a mound and Hackberry tree  
25 N. 89° 50' E 329 varas. The soil in the vicinity  
26 is loose and sandy and no mound could be  
27 found, and no surveyor has ever found  
28 even a trace of the Hackberry tree. At 3804  
29 varas this deponent believes he found a  
30 corner established by the Long Survey although  
31 the notes do not call for any mark here. The  
32 corner was a mound and stake and four





Sketch showing connection between original corners in block 42, H. & T. Co. R.A. land, and corners established by J. L. Long in the resurvey made in 1888.

Surveyed Jan. 6, 7 & 8, 1903.

H. H. Cunningham  
Surveyor of Hempfield Co.

Scale, 1200 v. = 1 inch  
 Variation shown on lines identified.  
 Original corners marked ○  
 Identified J. L. Long corners marked ○

M. H. Ragsdale

GREAT BRITAIN



Sketch No 4 A.  
Hemphill Co.

North East Part  
Connecting line between  
original and re-located  
corners of Block 42  
H + T. C. R. R. Cr.

Filed Jan. 23 1903.  
John J. Terrell Comr.  
by Humicutt

32	31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1	

County 26094