



J. J. GOODFELLOW,

COUNTY SURVEYOR
AND CIVIL ENGINEER.

OFFICE IN COURT HOUSE.

*All to corners erected or planted
by Mr. Bergen in his survey see
Southwestern Vol. 25 page 737
N. Y. & T. L. Co. vs Garden*

FORT WORTH, TEX., *Oct 14* 1902

Report of Surveys made for S. M. Swenson & Sons, of New York,
of lands in King, Cottle, Dickens and Motley Counties, Texas.

—000—

On August 30th, 1902, I began at the S.E. Cor. of No. 2 E. & R.R. Co. survey, a stone on the west bank of North Wichita River, from which a large cottonwood tree, now dead and lying on the ground, bears S. 12, 1/2 E. 400 varas, I ran thence, north, in all 3796 varas to a point 17 varas E. of a stone set in the ground in a mound of stone, for the S.E. Cor. of the San Augustine University Survey.

Thence West from said stone, at 4966 varas, passed 500 varas South of a stone, (newly ~~xxx~~ set) for S.E. Corner E.W. B. ^(Best) ~~East~~ survey; at 4986 varas, passed 521 varas south of S.E. Corner of fence; in all 5000 varas, to a point for the S.W. Corner of said S.A.U. survey, no corner found.

Thence West, at 2862 varas, passed 5 varas N. of 14 inch mesquite stump; in all 2886 varas, and set a stake for the ^{temporary} S.E. Corner of No. 61 B. & B. survey, and N.E. Corner of 109 H. & G. N. R.R. Survey.

Thence West 230 varas to Swenson's East fence, 42 varas South of the E. end of a cross-fence, and 15 1/2 varas north of the gate post.

Thence North, with said fence, through level prairie, at 320 varas passed ~~xx~~ 75 varas East (stepped) of a mound of stone said to have

counter 29085

survey No. 61. 2886 varas west of the S.E. corner of the San Augustine University survey, and set a large ~~stone~~ marked 'X' thence a 14 inch mesquite stump ~~marked 'X'~~.

Thence North ~~with said fence~~, through level prairie, at 320 varas to the stake for ^{and set} temporary corner ~~of said survey~~ ^{at} S.E. corner No. 61. ^{Here set a stake}

been placed by Chalk; (from said mound of stone, a stake set by Carroll, for S.E. Corner Stallings survey No. 1, bears S. 80 E. 42 varas), at 430 varas passed 75 varas (stepped) E. of a stone set in the ground; at 530 varas passed about 75 varas E. of another stone set in the ground; in all 1900 varas to a point in said line of fence. Measured east 230 varas and set stake for temporary S. E. Corner No. 63 B. & B. in flat prairie, with small dry ponds or sink holes in the vicinity. No. corner ~~found.~~ *or borings found.*

Thence from said point in fence north, at 315 varas passed 80 varas (stepped) E. of a mound of stone (new mound) ; at 1200 varas crossed ravine; at about 1600 varas top of ridge; in all 1900 varas to a point in said fence line; measured E 230 varas and set stake for temporary ~~corner~~ N. E. Corner of said No. 63; and S.E. Corner of No. 66, same name. From said point in fence ran north ^{at} about 50 varas crossing branch course N.E. in all 300 varas.

Thence west 90 varas to a stone set by Carroll for N.E. Corner Stalling's No. 1; from said stone a forked hackberry 12 inches in diameter standing on said branch bears S. ⁶⁹~~57~~ 1/2 E. 149 varas. Said tree is marked "X" on west side; a chip from said tree ^{over} said cross discloses ten years growth ~~on~~ said mark; and from said tree another forked hackberry bears N.E. about 150 varas, said tree being also marked with a cross of more recent date. From said stone set by Carroll for N.E. corner of Stallings No. 1, a mound of stone, said to have been placed by Chalk, bears N.E. about 40 varas. Said stone set by Carroll for N.E. Corner Stallings No. 1 is claimed in report by surveyors, Chipman and Carroll, to be the N.E. Corner of ~~Stallings~~ said survey No. 61. *B + B.*

Believing said point not to be the original N.E. Corner of No. 61, I returned ~~to~~ the stake for the temporary S. E. Corner of said survey No. 61, 2886 varas west of the S.W. Corner of the San Augustine University Survey, and set a large gyp rock marked 'X' whence a 14 inch mesquite stump bears S. 78 E. 23 varas.

Thence north over level prairie 1900 varas to the stake for temporary corner of said No. 61 and S.E. Corner No. 63. ^{and set} Here set a gyp

3

stone marked "X" 230 varas east of fence, in flat prairie.

Thence North, crossing ravine, and over hill in all 1900⁰ varas to the stake for temporary ~~mark~~ N.E. Corner of No. 63, and S.E. Corner of No. 66. Here set a sandstone marked "X" for corner.

Thence west at 230 varas crossed said fence; in all 1900 varas and made a mound of flint rock on N.W. slope of a high hill for the N.W. corner of said No. 63 B. & B. and the S.E. Corner of survey No. 28 in the name of J.H. Stephens. This corner is 321 vrs E. and 296 vrs S. of a stone set by Carroll for said corner; also 321 vrs E. and 317 S. of a stone set by Combest for said N.W. Corner No. 63. And is also 321 varas east and 535 vrs S. of N.E. Corner of Halley's improvements, & S.E. Cor. of Wooley's improvements, on said survey No. 28 J.H. Stephens.

From N. E. Cor. No 63. 'Rem North 1900 vrs & set stone for N.E. Cor. No 66 B & B.

Monday September 1st, 1902.

Commenced at the S.W. Cor. of J. Burleson survey, 3 stones Mkd. "J.B." set in ground in a m'd. of stone on hill for Cor. Thence west 710 vrs to a point ~~at~~ 1 & 1/2 varas S. of a stone marked "X" and set in ground for N.E. Cor of J.B. Robinson L. & B. survey (said stone 3 yrs since was lying on ground about same place)

Thence west, crossing Buford's branch, now known as "Finny". and at 5711 vs passing a stone (newly set) for S.E. Cor. ^{No B & B. in all} ~~said Robinson~~ 5098 vs + set a mark. sth mkd "X" in line of fence for N.W. Cor said Robinson survey.

Thence west 446 vrs and set a cedar block mkd "X" for S.W. Cor. of No. 1 B. & B. survey in fence line, Whence a m'd. of stone, said to have been placed by Sam Chalk, bears 138 vrs W. and 19 vrs N.

Thence North 1929 vrs to 2 flint Rks. for N.W. Cor. said No. 1 B & B. survey, 143 vrs E. & 12 vrs S. of N.E. Cor. of a fence.

Thence N. 1974 vrs to a stone in sand hill 70 vs E. of S.E. cor. of fence.

Thence ^{N.} at 800 varas cross N. Wichita River (C.E.) in all 1955 vrs to a point due W. of S.W. Cor. of No. ~~lands~~ 13 B.S. & ^(F) and 12 vrs E. & 79 vs. N. of N.E. Cor of a fence.

Thence East at 1100 vrs. crossed a creek (Co. S. of E) at 1880
Counter 29087

OT

vs. Wichita River (Co. -N) in all 1955 vrs. to S.W Cor. of No. 13 and N.E. No. 11 B.S. & F. in said river bottom whence a 20 inch Chittim mkd. "X" (washed and blown over and partially dead), bears S. 10 E. 17 vs. (this bearing is called for in original filed notes as being at S.E. Cor. of No. 13 B.S. & F. A 12 " Hackberry mkd. "X" (marks appear to be about 10 years old) brs S.W. about 15 vrs.

Thence East at 200 vrs sd river (Co. S) at 1040 vrs said river Co. N) and again at 1320 vrs. said river (Co. S) in all 1900 vrs to a post in prairie, no bearings found.

Commenced again at N.W. Cor. of No. 1 B. & B. at the 2 flint rocks, Thence W. at 138 vrs, crossed fence 12 vrs S. of its N.E. Cor. at 1675 vrs crossed a br. at forks (Co. N) at 2145 vrs passed 62 vrs S. of an iron pipe in wd of stone, said to have been placed by Bergin, ^{at 3800} ~~at 32~~ vrs br (Co. N) in all 3967 vrs to a point 12 vrs S. of a stone mkd "N.E. 1." from said stone a group of China trees brs N. 78 E. 100 vrs.

Thence W, From said stone, at 1860 vs S.E. bluff bank of Wichita river, in all 2028 vs to a point in N. side of said river, whence what appears to be the old mouth of a large branch from S., ^S br. 20 W. 50 vs. (the present mouth of said branch being 75 vs further west.

Moved point 5 vs ^S in river Thence N. at 2800 vs, crossed water Cannon (Co. S.E.) in all 3814 vs to a point 100 vs west of 2 stones one mkd. "N.E. 1 J.C." Supposed to have been placed by Sam Chalk.

Thence from said stone N. 89 degrees E with fence at 3815 vs. to N.W. Cor. of a fence, in all 5870 vs, to the point 1955 W. of S.W. Cor. of No. 13 B.S. & F.

Commenced again at the 2 stones, 1 mkd "N.E. 1. J.C." Thence N. 1935 vs to stone for S.W. Cor. No. 4 N.W. Cor. No. 3 J.H. Gibson.

Thence E. 1908 vs to a md of stone for N.E. Cor., said No. 3 & S.E. Cor. said survey No. 4.

Thence N. 1917 vs to a point 11 vs E. of a flat stone mkd. "N.E. 4"

Thence from said stone, N. at 410 vs "S.M.S." fence (Co. N. 87 E) in all ¹¹⁵⁰ 1450 vs to a point.

23

5

Thence E. at 980 vs passed 270 vs S. of a stone set by ~~Combest~~, at S.E. Cor. of a farm fence for S.E. Cor. of No. 62, B. & B. at 2967 vs crossed "S.M.S". (N. & S.) fence, 17 vs S. of N.E. Cor. and in all 3197 vs to a point 25 vs N. of the stone set for S.E. Cor. of No. 61 B. & B. and N.E. Cor of No. 109 H. & G. N. R.R. Co. survey. ✓

Thursday September 4th, 1902.

Commenced at the N.E. Cor. of No. 66 B. & B. as set up by me one large rough sand stone for cor. Thence ^{N.} 2586 vs ^{to fence} (Co. S. 83 E.)

Thence E. at 170 vs crossed fence Co. N. Easterly in all 300 vs.

Thence N. 856 vs ~~to~~ to an E) & W fence, 35 vs E. of a stone at its S.W. Cor. for the supposed S.E. Cor. of No. 1 A.B. & M. ✓

Thence E. 3200 vs to S.E. Cor. of a fence.

Thence E. 3860 vs to a point in a N. & S lane

Thence N. 1980 vs to a point in said lane or road west of a S.W. Cor. of a fence.

Thence E. 1984 vs to a flat blue sandstone, mkd "X" and set in ground, supposed to be the original S.E. Cor. of No. 3 D. & W. R.R. Co. survey

Thence N. 1924 vrs. to another flat blue sand stone mkd. "X" for the original N.E. cor said No. 3 & S.W. Cor. No. 5 D. & W. RR. Co. Crossing a large br. at 1620 vs (Co. E). This corner is 280 vs N. of N. Bank of said creek. No. bearing tree found. ✓

Thence N. crossing a creek (Co. S/E.) in all 1924 vs to stone set in ground in ~~mid~~ mid of stone; no marks.

Thence N. 1946 vs to a point 2 vs E of a flat blue sand stone mkd "X", the supposed original N.E. Cor. No. 13 D. & W. R.R. survey; no China tree for bearings found standing; but a growth of China stumps for brs., brs N.W. about 140 vs. ✓

Commenced at the stone for S.E. Cor. said No. 13 D. & W. R.R. Co.

Thence E. 1900 vrs no corner found and no China tree for bearings.

Thence N. 1940 vrs and made search for N.W. Cor. No. 7 D. & W. R.R Co., no corner or bearing tree found.

Commenced at the stone mkd "X" for N.E. Cor. of said No. 13 D. &

Counter 29089

76

W. RR. Co. thence ~~thence~~ W. 1951 vs to a point 13 vs N. of a flat blue stone mkd "X" for N.W. Cor. of said No. 13 and N.E. Cor. No. 14 D. & W R.R. Co.

Thence from said sand stone ^S at 660 vs crossed said cr. (Co. S.E.) at 1946 vs no original cr. or bearings found.

Thence S. 1924 vs no original cr found or bearings,

Commence at said N.W. Cor. No. 13 and ran N. 1900 vs to a point in center of turn of road leading to Paducah No. Cor. found.

Again commenced at said N.W. Cor. of No. 13 & N.E. Cor. of No. 14.

Thence W. at 1589 vs pass 169 vs N. of 2 stones lying on ground (from said two stones a dub. 60 " C.W. mkd "X" and standing in a branch brs S 60 E. 282 vs and from said two stones Gyp rock mkd "X" brs N. 60 W. 34 vs (new work) in 1941 vs to a gyp rock set in ground at N.W. Cor. of a fence for N.W. Cor. said No. 14 --(Note. The marks on said C.W. appear to be 8 or 10 years old.)

Thence W. , crossing and re-crossing said br several times , in all 1931 vs to a stone (newly set)

Thence W. at 5 vs crossed fence , in all 3800 vs to the S.M.S E. fence 24 vs N. of the S.W. Cor. of another fence and 22 vs E. and 24 vs N. of a stone set by Neff for S.W. Cor. of No. 2. D. & W. R.R. Co.; from said stone set by Neff a C.W. mkd "X" and standing in a yard brs N. 331/2 E. 133 vs.

Thence W. at 1400 vs ^{branch} (Co. N.W.) in all 1900 vs ; no corner found for S.E. ^{Cor.} of J.H. Gibson No. 6

Thence N. at 100 vs cross br. (Co. N.E.) and again at 1600 vs Co. N.W.) at 1872 vs crossed E. & W. fence; in all 1900 vs ; no Cor found.

Thence N. 1916 vs to a point 100 vs ^E of a md. of flint pebbles for S.W. Cor. No. 4 J.H.G. & S.E. Cor. No. 1 T.W. & N.G. RR. Co.

Thence from said md of flint rocks N. at 1470 vs passed 61 vs W. of a 6 inch hackberry mkd "X" (new marks) in a bunch of hackberry bushes ; from said bushes a md of flint pebbles brs N.W. about 30 vs in all 1920 vs to a md of flint pebbles for the N.W. Cor. of said No. 4 and N.E. Cor. of said No. 1 T.W. N.G. R.R. Co.

Thence ran N. to search for N.E. Cor of original No. 1 before

said survey was corrected, At 442 vs a pile of stone; at 735 vs S.E. bank of Tongue river; at 900 vs a point ^{on} bed of said river (no bearings found in all 1250 vs to a point ^{bed} in said river to which last mentioned point I was directed by surveyor Kenny as being the place where a C.W. tree mkd "X" was lying in sand, said tree having been painted, ~~and~~ out to him (Kenny) by Sam Chalk as being the bearing to N.E. Cor. of original No. 1 T.W.N.G.R.R.Co. survey. No tree at this point now.

From the md of flint pebbles for N.W. Cor. of No. 4 and N.E. Cor. said T.W.N.G.R.R.No. 3. ran Thence W. at 1217 vrs passing 39 vs N. of the S.W. Cor. of a pre-emption survey (supposed S.W. Cor. McDonald survey) from said Cor. a 16 ^{inch} C.W. Mkd. "V" brs S. 27 1/2 W. 36 vrs and a 40 inch C.W. on Cr. bank Mkd. "V" brs N. 66 W. 91 vrs. at 1300 vrs a creek (Co. N.) at ~~1500~~ ¹⁵⁰⁰ vrs S. bank of Tongue river, in all 3863 vrs to a point 2 vrs S. of a Mkd Mound of Gyp rock on N. hill side and 13 vrs S. of an iron pipe set in ground in mound of stone at foot of said hill side for the N.W. Cor. survey No. 3 T.W.N.G.R.R.Co.

Commenced at a point in Tongue river 1900 vrs E. of said last mentioned iron pin. Thence South at 250 vrs crossed "S.M.S" N. fence, at ~~1450~~ ¹⁴⁰⁵ vrs passed 20 vrs W. of Md. of gyp rock (new ^{work} ~~mark~~), in all 1895 vrs to a point 18 vrs W of a large Md of flint rock for the S.E. Cor. said No. 3 & S.W. Cor. said No. 1 T.W.N.G.R.R.Co, whence a C.W. in ravine bears N. 66 ~~S~~ 900 vrs. Thence W. 1918 vrs to an iron pipe in stone Md for S.W. Cor of said No. 3 & N.W. Cor. of No. 4 T.W.N.G.R.R. Co.

Monday September 8, 1902.

Commenced at a Md of stone in E. edge of Tongue river bottom, the N.W. Cor. No. 14 & N.E. Cor. No. 13 A.B. & M. surveys, whence a 20 inch C.W. (original bearing) brs N. 72 W. 40 vrs and a 12 inch C.W. (new bearings) brs N. 16 E. 5 vrs and a well brs ~~S~~ 72 1/2 W 22 1/2 vrs.

Thence ^E 1916 vrs to a point 4 vrs S. of a md. of stone for S.E. Cor of No. 184 I.R.R.Co. survey.

Thence from said mound of stone N. 1900 vrs to a point in Tongue river.

Thence E. 1918 vrs to a point 16 vrs S. of a Md of stone.

Counter 29091

5

Thence from said stone Md. E. 3853 vrs to a point in W. line of No. 4 T.W.N.G.R.R. Co. 32 vrs S. of a large Md. of stone .

Thence from said stone Mound N. crossing branch (Co. N.W.) in all 767 vrs to the S.W. Cor. No. 1 & N.W. Cor. said No. 4 T.W.N.G.R.R. Co. a gas pipe in Md. of stone for Cor.

Again commenced at the ~~MaxxExx~~ N.E. Cor. of A B. & M. No. 13, and N. W. No. 14.

Thence N., at 1000 vrs old south bank, at 1200 varas the present south bank of Tongue river.

Again return-ed to said N.E. Cor. No. 13, and N.W. Cor. No. 14, A.B. & M.

Thence South at 600 vrs the E. bank, at 720 varas the W. bank of said river . Again at 1300 vrs the W. bank, at 1500 vrs the E. bank, and at 1900 vrs the E. bank and 2100 vrs the W. bank, and at 2540 vrs W. bank said stream, (course S.W.), in all 2688 vrs, and set a stake in bed of river, no bearings found for common S. Cor of said Nos. 13 & 14.

Again commenced at the Common N. Corner of said Nos. 13 & 14.

Thence West at 290 varas the ~~W~~ E. bank of said river, at 360 the W. bank, in all 1362 varas to a large pile of flint stone on the N. slope of a hill, for the N.W. Corner of said No. 13, at N.E. Cor of the fence. ✓

Thence West 556 varas to stone mound for S.W. Cor of No. 183, I.R.R. Co., at N.W. Cor of fence. ✓

Thence N. 1052 varas to a large Gyp rock in a mound of flint rock between two br-anches, for S.E. corner 196 and N.E. Corner 195, H. & G. N. R.R. Co. , 60 varas south of Bluff creek, and 70 varas N. of a branch. ✓

Tuesday September 9, 1902.

Thence W. at 500 varas Bluff creek (course N.E.), in all 2463 varas to a point 13 varas north of an old mound of stone on N.E. hillside, the N.W. Cor of No. 195 & S.W. Cor of 196 said ~~W~~ I.R.R. Co. survey.

Thence from said stone mound N. at 1100 vrs "S.M.S!" fence (course S.W.), at 1475 varas passed 11 varas W. of a new mound of stone, at 1534 varas passed 6 varas E. of a new mound of flint rocks, in all 1990 varas to a point 9 varas W. of a very large mound of stone, part old and

1

Counter 29092
Counter 29093

9

part new, for the N.E. Corner No. 16 J.H. Gibson, 61 varas west of "S.M.S. E. fence.

Thence W. 1950 varas to a point 51 varas south of a large mound of flint stones on a high prairie, for N.E. Corner of No. 17 & N.W. Corner of No. 16 J.H. Gibson survey.

Thence West from said stone mound 1943 varas to a point 2 varas North of very large ^{mound of} stone near the forks of a branch.

Thence W. 1969 varas, to ^{1975 N + 1375 E of a new mound of stone} a point 13 varas south of an old mound of stone, for the S.W. corner of No. 19 & N.E. Corner of No. 21 J.H. Gibson surveys. Thence W. at 500 varas, branch (course N.) at ¹⁵⁵⁰ ~~1500~~ varas a bend in Teepee Creek, in all 1891 varas to large stone marked "N.W. 21" in a large mound of stone in a level valley, a 30 inch C.W. marked "X", (original bearing) standing in the N. side of said creek bears N. 34 W. 246 varas
Wednesday September 10, 1902.

Commenced at a mound of stone ^{SW} the N.E. Corner of said No. 19 & the N.W. Corner of No. 20

Thence N. at 450 varas a branch (course N.W.) at 1200 varas S. bank and at 1400 varas N. bank Tee Pee Creek (course N.E.), in all 1952 varas, to a point 16 varas east of a large sandstone set in the ground on a hill, & marked "19" for N.W. Corner No. 19, J.H. Gibson.

Again returned to the S.W. Corner of said No. 19, thence south, at 1540 varas passed 10 varas W. of a N.W. Corner of "S.M.S." fence in all 1926 varas to a point 25 varas west of a pile of cement rock. Thence from said pile of rock south ^{1/3 East} parallel to said fence, at 300 varas ^{at 860 vs another branch (course NW.)} branch (course west), in all 1916 varas to a point 7 varas E. of a Gyp stone marked "N.E. 71", and set in the ground in a mound of stone; a 10 inch mesquite bears S. 21 W. 10 varas.

Thence S. ^{1/3} E. parallel with fence, at 1245 varas, the west end of a fence, at the center of the west end of a dry lake (in size, about 500 varas N. & S. & 800 varas E. & W.), in all ¹⁹¹² ~~1921~~ varas to a mound of stone, on N. slope of a hill, for ^S N.W. Corner No. 70 J.H.G., 7 vs E. of said fence.

Thence S. ^{1/4} E., at ¹⁴⁸⁰ 1480 varas crossed China Cannon (course E) in all

10
1915 vrs to a point 7 vrs E. of stone ^{md} in line of fence, the S.W. Corner of No. 133 J.H. Gibson.

Thence E. from said corner, at 1000 varas China Cannon (course S.E.), at 1500 vs same creek (course N.E.), in all 1924 vs to a point 13 vs S. of an old mound of gyp rock, about 150 varas S. of said China creek, the S.E. Corner of said No. 133, no bearings found for the N.W. Corner of No. 127, M.C. Co.

Thence E. at 1577 vs passed 5 vs S. of a large Gyp rock marked "T.W. N.W.", (new work), in arrea, at 1950 varas passed a new mound of gyp rock, one marked "N.E. 1", in all 1970 varas to a point 50 varas S. of an old mound of stone, one marked S.W.C. 5" for the S.W. Corner No. 5, M.C. Co. survey.

Thence from the S.W. corner said No. 5, N. at 400, W. bank of an arrea, (course N.), at 750 varas said China Cannon, in all 1914 varas to some stone in edge of valley, with numerous high red points around.

Thence E. 1917 varas, a stone lying on ground.

Thence N. 920 varas to a point 46 vs W. of a gyp stone marked "N.W. 57" for N.W. corner No. 57 J.H.S. survey, a peak bears N. 46 E., and a pile of flint rock bears N. 122 vrs.

Thence E. at 1546 varas passed 3 varas N. of large Gyp rock for N. W. cor. No. 56, & N.E. Cor. No. 57, J.H.S., in all 3015 to a point in W. line of No. 13 A.B. & M. survey, 10 varas N. of an old mound of gyp rock; the N.E. Corner of said No. 56. Said Mound of stone being 118 vs S. of a pile of flint rock, and 1640 vrs S. of the N.W. Cor., of said No. 13 A.B. & M.

Thence from said stone mound S. 1091 vs to a point 17 vs E. of said S.W. Corner said No. 13 A.B. & M., a large gyp rock marked "S.W. 15" in mound of flint rock for corner.

Thence from said corner east, at 640 vs passed 4 vs S. of a stone marked "41" for N.W. Cor J.H.S. No. 41; at 1200 vs the W. bank of Tongue river; in all 1373 varas to a point 2731 vs S. of the N.E. corner of No. 13 A.B. & M., a stake in the E. edge of said river bed.

Friday September 12, 1902.

Commenced at the S.E. Corner of No. 13 A.B. & M. in the edge of Tongue river.

Thence E. 1330 vrs to a new mound of stone 14 vrs W of where it should be for the S.E. corner of No. 14 A.B. & M.

Commenced at N.W. corner of No. 41 ~~Survey~~ J.H.S., in S. line ~~of~~ of No. 13 A.B. & M.

Thence S. at 700 vrs crossed Salt creek and again at 900, in all 1002 vrs to a point 6 vrs W. of a large mound of stone marked "S.W. 41".

Thence from said stone mound ^{at} 100 vrs cross a bend in said creek, in all 191 vrs, to a large flat stone set in ground 40 vrs south of said creek for N.W. cor. A. Smith survey No. 277.

Thence S. at 840 vrs cross said creek in all 1900 vrs to point on N. side of said creek 20 vrs N. of same.

Thence E. ^{at} 400 vrs cross said creek (course N.), in all 1373 vrs to a point 4 vrs N. of a mound of stone for N.E. Cor. of No. 189 B.S. & F.

Commenced at a point in the N. line of said No. 189 B.S. & F., 1373 vrs W. of its N.E. corner, being the S.E. corner of No. 54 J.H.S.

Thence W. at 544 vrs, a point 9 vrs N. of N.W. corner of said No. 189, and N.E. corner of No. 1 A.B. & M., in all 1864 vrs to a point 14 vrs N. of a large mound of Gyp rock 1 vrs wide & 1/2 vrs high, the S.E. corner of No. 55 and S.W. corner of No. 54 J.H.S.

Thence from said stone W. at 591 vrs passed a stone marked "N.W. 1. A.B. & M." in all 1926 vrs to a mound of Gyp rock, N.W. 55 & S.W. 58 J.H.S.

Thence W. 565 vrs to a point 6 vrs N. of a new mound of Gyp rock, 5 vrs S.E. of the N.W. cor. of fence.

Thence South from said stone mound 500 vrs to another mound of stone, 5 vrs S.E. of another ^{ell} corner of said fence. Thence W. 1005 vrs passed 20 vrs N. of a large Gyp rock marked "S.E. 1." (new work), in all 1377 vrs to a point 24 vrs N. & 5 vrs E. of a stone marked "S.W. 1." (new work) and 268 vrs N. of the S.E. corner of No. 127 M.C. Co. survey.

Thence S. 268 vrs to said S.E. cor No. 127, large mound of stone; The N.E. bank of a canon bears W. 30 vrs & a 16 inch dead C.W. in said canon bears S. 391/2 W. 146 vrs.

Thence from said mound of stone the S.E. cor. of said No. 127 M.C. Co., and S.W. cor. No. 53 J.H.S. - North, at 268 vrs cross N. line survey No. 10,

T.W.N.G.R.R. Co, in all 1882 vrs to a point at W. edge of a red arrow in the S. line of No.134 J.H.G., 1652 vs E. of its S.W. Corner.

Saturday 13th 1902.

Commenced at a stone mound, N.E.cor. of said No.10 T.W.N.G.R.R.Co. 500 vs S. of N.W.Cor. No.2 A.B.& M.

Thence South at about 1300 vs crossed branch, at 1400 vs crossed salt creek (course E.), in all 1456 vs to the N.W. Corner of No.7 T.W.N.G.Co., stone marked "N.W.7".

Thence S. at 441 passed a new mound of stone, at S.E corner of fence, at 500 vs passed at 1/2 vs west of a Gyp stone marked "N.E.9", at 1530 vs top of hill; *at 1540 vs passed a row of a new mound of stone in all 1900 vs* no corner found for S.W.Cor.No.7.

Thence South at 303 vs crossed creek (course E) in all 508 vs to a large mound of stone, partly old, partly new for S.E.Cor.No.9 T.W.N.G. R.R.Co. survey, 205 varas S. of said creek.

Thence South at 1404 vs a large gyp rock marked "S.W.8", in all 1500 vs to "S.M.S" fence, the N.E.Cor. of No.1 I.G.& N.R.R.Co.

Thence south at 1818 varas passed 1 1/2 varas east of a rock mound marked "S.W.45", in all 1918 varas, to a stone marked S.E.I.I.& G.N..

Thence W. 950 varas to an ^{all} W. corner of an the S.M.S. fence, the N.W. cor, no. 53 J.H.S.

Commenced at the S.W.Cor.No.45 J.H.S., thence E. 566 varas to a point 6 varas south of N.W.Cor. No.46, a mound of stone, one marked "N.W.46".

Thence E. from said stone at 1367 vs passed S.W. Corner No.44 J.H.S., at 1900 vs no corner found, in all 2400 vs in the "breaks".

Thence South at 720 vs N. bank of Tongue river, in all 900 varas a point in said river, about 600 vs N. of its S. bank.

Thence E. 2400 vs the S. bank of said river, in all 3400 varas, left a cow's head on N. line of No.72 A.B.& M. (B.S.&F. 279)

Thence from said cow's head East, at 550 varas passed about 350 varas N. of "Hoo Din", in all 1302 vs, the calculated distance for the S.E. Cor.No.279 B.S.&F.; set a mesquite stake for corner, whence an iron pipe, supposed to have been set by Bergin, bears N.7 E.41 vs.

Thence N. at 670 varas crossed the S. fence of farm, *at 1265 vs crossed n fence of said farm* in all 2873 vs

to a

to a point 13 vs E. of a rock pile in valley of Tongue river for N.W. Cor. No. 36 J.H.S., about 150 vs E. of said river.

Monday Sept. 15, 1902.

Commenced at said stake for N.E. Cor. of No. 279 B.S. & F.

Thence ^E through shinnery 9002 vs to a point in W. line No. 66 B. & B. ~~Commenced at said stake for N.E. Cor. of No. 279 B.S. & F.~~ 92 vs N. of the pile of flint rocks, set up by me for the N.W. Cor. No. 63 B. & B.

Commenced at the N.E. Cor. No. 4, J.H. Gibson, 3791 vs W. and 1125 vs S. of the S.E. Cor. No. 61. B. & B.

Thence W. at 960 vs crossed N. & S. fence, at 1100 vs passed about 300 vs N. of Drummon's house, at 1907 varas crossed Drummon's E. farm fence, ¹⁴ 22 varas N. of its S.E. Corner; at 2262 varas, Drummon's W. farm fence, 25 varas N. of its S.W. corner at 3831 varas Drummon's W. pasture fence, in all 7666 vs, to a point 40 varas North of a stone marked "X", said stone being the original N.W. corner No. 11 & S.W. Cor No. 12, B.S. & F., the same being at the S.W. Cor. of White's farm, ^{+ 26 Cor of Newman's farm}

Tuesday, Sept. 16, 1902.

Commenced at said stone for N.W. Cor No. 11 & S.W. Cor. No. 12, B.S. & F.

Thence N. at 634 vs passed the N.E. corner of Newman's claim on No. 48, J.H. G., in all 1907 vs to a stone set in ground for N.W. Cor., said No. 12.

Thence N. at 1280 varas, the fence turns N. 13 E, in all 3151 varas to a point 18 vs E. of the Mesquite stake set by me for the N.E. Corner of 279 B.S. & F.

Returned to N.W. No. 11 & SW. No. 12 B.S. & F., Thence W at 602 vs passed S.W. Cor said Newman's claim and S.E. Cor. White's pre-emption in all 1910 vs to a stone marked "N.E. 7". for N.E. Cor. No. 7, J.H. Gibson, and S.W. Cor. No. 48 J.H.S. and is also the S.W. Cor. of White's pre-emption on said No. 48; thence west at 478 varas to the S.E. Cor. J.N. Dillard pre-emption in all 1912 varas to a stone set in ground, the N.W. Cor. said No. 7, and S.W. ^{Cor} 49 J.H.S. and is also the S.W. Cor J.N. Dillards pre-emption on said No. 49, and is 633 vs S. of the N.E. Cor. of another survey in the name of Dillard, and is also the S.E. Cor. of No. 50 J.H.S.

Thence South at 352 varas, passed the S.E. Cor said Dillard's last mentioned survey, and N.E. Cor. D.C. Wagley's claim; at 1346 vs passed the S.E. Cor. said Wagley's claim, at 1900 vs no corner found for S.W. Cor. No. 7, at 2350 vs crossed the S. line of Motley & N. line of Dickens County

240 vs (stepped) E. of mile post No. one, at 3575 vs passe d 8 vs W. of an iron pin in a mound of stone (new work), in the valley of a branch; in all 3834 vs to Gyp rock set in the ground for N.E. Cor. No. 17 S.E. Cor. No. 18 J.H.G. an iron pipe set by Bergin bears S. 11 vs and the S.E. Cor. of a fence bears S.E. 5 vs.

Thence South 1933 vs to a point 4 vs E. of a stone set in the ground for N.W. Cor. No. 9 J.H.G., at the S.W. Corner of a fence.

Wednesday Sept. 17, 1902.

Commenced at the N.E. Cor. No. 1 B.S. & F. on the N. bank of Wichita river, whence the mouth of a branch bears S. 20 45 vs.

Thence S. at 1920 vs a point 20 vs W. of a stone mound for S.E. corner No. 1 B.S. & F. in all 3995 vs to a point 43 vs W. of a stone marked "N.E. 163" for N.E. cor. No. 163 H. Hughes survey, whence a 16 inch mesquite bears S. 69 1/2 E. 193 varas. ^{SE} No buffalo head found. There are axe marks on these trees, but no cross visible. There are no other trees in this vicinity.

Thence, from said stone, W. at 1600 vs cross br. of C.W. cr. (Co. N) at 2530 vs crossed another prong of said cr. (Co. N), at 2700 vs recrossed said creek (Co. S) and again at 2800 vs same cr (Co. N) in all 3909 vs to a large Md of stone for S.W. Cor. No. 149 S.K. & K. survey, whence a Mes't. with top cut off and one limb of stump mkd "X" brs S. 31 1/2 E. 63 vs & a 12 inch Mesk stump bs N. 60 1/2 E. 8 vs.

Thence W. 1910 vs to a point 5 vs N. of a md of flint rock for S.W. cor. of No. 50 S.K. & K.

Thence N. at 62 vs cross old line of "scab 8" fence at 919 vs passed a stone, in all 1900 vs & set a stone for N.W. Cor. said No. 150.

Thence N. 119 vs to a point 8 vs E of a stone set in ground.

Thence E. 136 vrs to a point 5 vs S.W. of N.E. Cor. of said "S.M.S" fence which pt is about 34 vs E. of where S.W. Cor. N. 5 B.S. & F. should be.

~~fence~~ Thence N. 1900 vs to a point 8 vs S. & 30 vs E. of N.E. Cor. of a farm fence

Thence W. at 1944 vs passed 26 vs N. of a stone lying on ground at 3344 vs crossed Wichita river (Co. N.E) in all 3853 vs to point 33 vs N. of a md of stone, said to have been placed by Sam Chalk, for S.W. Cor. No. 9 J.H. Gibson survey.

Thence, from said stone md, N. at 900 vs passed 9 vs E. of a md of gyp rock, at 1600 vs cross N. prong of Wichita river in all 1911 vrs to a point

213

8 vs E. of the stone set in ground at S.W. Cor. of fence, for S.E. Cor. of No. 17 J.H.G.

Thence from said stone W. at 1110 vs crossed said N. prong of Wichita river or Buford's cr. (Co. S.E) in all 1910 vs to a point 6 vs N. of a stone lying on ground for S.W. Cor. said No. 17, on high prairie, no bearing tree found.

Thence W. at 1050 vs crossed said N. prong (Co. N.E) and at 1250 vs entered said cr., leaving it again at 1600 vs, in all 1914 vs to a point 9 vs N. of a md of stone, said to have been placed by Chalk, for N.W. Cor. of No. 15 J.H.G. about 40 vs S. of said N. prong (naumann of Wichita river & 4 vs W. of "S.M.S. fence, (course of said fence N. 13/4 W.)

at
Thence S. 905 vs passed 30 vs W. of a pile of flint rocks for N.E. No. 1 B.S. & F., at 909 vs crossed "S.M.S." fence, 34 vs W. of its S.E. Cor., in all 1910 vs to a md of stone on ridge for N.W. No. 14 J.H.G.

Thence S. at 916 passed 9 vs W. of stone for S.E. Cor. sd. No. 1 B.S. & F & N.E. Cor. No. 1 T.W.N.G.R.R. survey in all 1917 vs to a large stone, mkd. "N.W. 13,

in a large md of stone

Thence S. at 404 vs passed 8 vs W. of a new md of stone, one mkd "J.M.D." at 900 vs a md of rock on S. bank of S. prong of said Wichita river for S.E. Cor. of said No. 1 T.W.N.G.R.R. Co. survey, in all 1883 vs to a md of stone for the S.W. Cor. of No. 13 J.H.G., 5 vs S.W. of S.W. Cor. of "S.M.S." new fence, and in line with the old "scab 8" fence.

Thence E. at 400 vs cr. br. Co. N. in all 1908 vs to a md of stone the S.E. Cor. said No. 13.

Thence E. at vs crossing another br. (Co. N) in all 1910 vs to a point 7 vs E. of S.W. Cor. of fence, for S.E. Cor. No. 12 J.H.G.

Thence N. at 240 vs passing a stone for S.W. Cor. of M.T. Frazier's pre-emption, in all 1896 vs to stone at N.W. Cor. of McDuff's fence for N.E. Cor said No. 12.

Friday Sept. 19, 1902.

Commenced at the Md of stone for S.E. Cor. of T.W.N.G.R.R. Co. survey No. 1

900 vs S. of N.W. Cor. of No. 13 J.H.S.

Thence W. 400 vs to S. end of tank dam, Thence N. 155 vs crossing S. prong of Wichita river or Buford's cr., to N. end of said dam.

Thence W. with fence at 250 passed 155 vs N. of mouth of branch, at 810 vs crossed said br. Co. S.E., in all 1505 vs to a point 4 vs W. of S.W. Cor. of S.M.S. fence.

Thence S. 132 vs to a md of stone on high prairie 485 vs ^S of a branch

RM

8=9

See R.M. Camp of Dept. of Geol. & Mining, July 13/04, as to true position of Blk. G.

with cotton wood trees on it , but no tree marked for bearings. This Cor is also 513 vs of another small branch. Made search for bearing trees both cotton-wood and hackberry, none found, & is also 65 vs E. & 413 vs N. of a pile of flint pebles (new work) at Ng E. Cor of a fence.

Thence W. at 1112 vs crossed said small br (Co. S. E) in all 1906 vs to a point 33 vs N. of a scattered md. of Gyp rock for the S.W. Cor of T.W. N. & R.R. Co. survey No. 2, a mesk. 14 inches brs. S. 110 vs, this tree is marked "X" on W. side and has a 10 years growth of wood over said "X" (this Mesk tree has evidently been taken by some surveyor for the bearing to S.W. Cor. No. 2 H. & G. N. R.R. Co. survey No. 2 in Blk. G., but as there is no Buford oak or a branch of any kind, wherein the bearing trees for the S.E. Cor. of said No. 2 H. & G. N. survey could stand, as called for in original field notes, if placed by this mesquite tree. This is evidently mistaken identity.)

Commenced at the Md of stone for S.W. Cor. No. 1 T.W. N. G. R.R. Co. survey 1 mile W. & 900 vs S. of N.W. Cor., No. 13 J.H.C. Thence N. at 132 vs passed 4 vs W. of S.W. Cor. of "S.M.S." fence, at 485 vs crossed a br (Co. S.E.), ~~XX~~ in all 1885 vs to md of rock on high prairie.

Thence N. at 283 vs passing a point 10 mi & 1400 vs W. and, 5 miles S. of S.E. Cor. of No. 61 B. & B. survey, at 1500 vs cross a branch of N. prong of Wichita river, Co. E., in all 1920 vs to a point 5 vs N.W. of N.W. Cor. of "S.M.S" fence for N.W. Cor. No. 1 B.S. & F.

Thence North 263 vs to a point for S.W. Cor. No. 4 H. & G. N. R.R. Co survey when placed by course and distance from S.E. Cor. of No. 61, ^{B & B} No Cor found.

Thence N. at about 800 vs another br of N. prong of Wichita river (Co E) at 1650 vs crossed said N. prong of said river in all 1900 vs.

Thence N. 1900 vs to a point 10 miles & 1400 vs W. and, 2 miles S. of S.E. Cor. No. 61 B. & B. Thence N. 1900 vs.

Thence ^N at 1590 vs crossed an E. & W. fence about 150 vs E. of S. end of a lane or road, in all 1900 vs.

Thence ^N 1900 vs to point in valley of Tongue river.

Thence N. at 650 vs Tongue river (Co. E) at 1640 vs a deep br, Co S.E., in all 1900 vs.

Thence N. 893 vs to S. line of No. 1 I. & G. N. R.R. Co. survey, 1775 vs W. of its S.E. Cor.

Thence W. 125 vs to the point for S.W. Cor. of said I. & G. N. R.R. Co. survey

L-5

whence a new mound of red rocks bs E 5 vs.

Thence N. at 1328 vs crossed a spring branch (Co. N.E.) in all 1907 vs to a md of stone, for N.W. Cor. said survey about 60 vs W. of forks of Torrnet's creek.

Commenced at the ^SN.W. Cor of said Survey No. 11 & G.N.R.R. Co. & S.E. Cor of No. 1 in name of Rusk Tram Co.

Thence W 1900 vs to md of stone for S.W. Cor. said Tram Co. survey.

Thence W. 1161 vs to a point due S. of S.W. cor. of No. 133 J.H. Gibson,

Thence North 701 vs & made search for N.E. Cor. of No. 247 B.S. & F. no cor found.

Thence S. 1900 vs to a point for S.E. Cor of said survey in valley of Tongue river, about 400 vs N. of said river. No corner found.

Thence W. 165 vs to the N.W. Cor. of the old "scab 8" fence about 100 vs N. of said river.

Commenced at the stone md for N.W. Cor. J.H.G. ^{No. 7} & S.E. cor No. 50 J.H.S. and which is also the S.W. Cor. of J.N. Dillard pre-emption survey on No. 49 J.H.S. Thence N. 633 vs to N.W. Cor. of said Dillard pre-emption & the N.E. Cor. of another claim in same name.

Thence W. at 950 vs pass N.W. Cor said last Named survey & N.E. Cor of J.S. Wagley's 80 acre claim; at 1900 vs passing N.W. Cor. said Wagley claim.

Thence W. 350 vs to a point 5 vs S.W. of S.W. Cor. of "S.M.S. fence.

Thence N. at 1873 vs passed a stone set in ground (new work), at 2791 vs passed 12 vs W. an old md of rocks, in all 3052 vs to md of rock, said to have been placed by Sam Chalk upon a re-surveying of the "scab 8" ranch said md of stone being 5 vs S.W. of an inner Cor. of "S.M.S. fence.

Thence W 375 vs to another md of stone said to have been placed by said Chalk upon said survey.

Monday Sept. 22, 1902.

Commenced at the N.E. Cor. of No. 66 B. & B. Thence ^N 907 vs to point on high prairie ridge,

Thence E. 270 vrs. Thence North 2219 vs to a point 21 vs E. of a stone mkd "S.E. 1", supposed to have been placed by Sam Chalk.

Thence W. 13 vrs to "S.M.S." E. fence; old "Scab 8" fence. Thence North, with fence, 317 vs to the flat rock at S.W. Cor. of a fence, for supposed S.E. cor. of No. 1 A.B. & M.

Thence N. with fence 1964 vrs to a flat stone marked "X" which I take to be the original N.E. Cor. of said No. 1 A.B. & M.

Thence N. with said old fence line, 5791 vrs to the point reached from the east, for the N.W. Cor. of No. 5 A.B. & M., 24 vs N. & 22 vs E. of a stone set by Neff for S.W. Cor No. 2 D.W. RR. Co.

216

Thence N. 3817 vs to point 17 vs W. of 1 N.E. Cor. of fence.

Thence W. 2008 vs to the md of flint pebles for S.W. Cor. No. 4 J.H.G. & S.E. Cor. No. 1 T.W.N.G. R.R. Co.

-----000-----

Remarks.-- In making this survey I found a great number of corners upon the ground where no original corners were called for, and have been informed that there had been several surveyors making corners for surveys within the boundary surveyed by me, and that Sam L. Chalk undertook to set up the corner for each survey within this Ranch. Consequently some of the corners referred to in this report were evidently placed by him, although enough original corners with bearings were found by me in each block to enable me to correctly ^{locate} ~~locate~~ the blocks and adjust the surveys in same, except the block of surveys in name of B. & B., Numbering from 61 to 66 inclusive. There are no original corners or bearings to be found, so I placed said block upon the ground by course and distance from the S.W. Corner of San Augustine University survey, which harmonizes their location with the surrounding surveys.

Also block "G", H. & G. N. R. R. Co. - calls to begin 10 1/2 miles and 1400 vs W, and 5 miles S. of S.E. Cor of No. 61 B. & B. & calls for a hackberry tree 270 vs away, on bank of Buford's creek. At the course and distance above mentioned from said S.E. Cor. No. 61 B. & B. there is no creek near nor any branch of a creek. The S. prong of said creek is about 2 miles S. of this point & the north prong is nearly two miles north; a branch of N. prong is about 1200 vs north & a br. of S. prong is about 1600 vs S. of this point. I find that there can be no positive identification of any of the bearings called for in this block; it appearing that the surveyors who have worked upon the ground differ from 1 to 4 miles in their placing of surveys in this block. I consider that course and distance from corners called for, to-wit: the S.E. Cor. of No. 61 B. & B. survey, to be the more correct and unchanging way to locate this block, as will be seen upon map accompanying this report.

For correct & true position, refer to "See report" of R. M. Young Station, Feb 13/04. Station "J" Dickerson & Skelton Rowenbury

217

In the re-surveying of block "B" in name of J.R. Stephens, I find some surveyor has commenced at the N. line of said block, & placed the surveys upon the ground by course and distance, ignoring the calls for the surveys on S. side of said block, thus throwing all of the excess in the entire block into a strip of extra good land along the S. boundary of said block and placing settlers thereon, claiming the same as vacant lands. The surveys south of said block "B" are as well defined upon the ground as those on the north side, and the surveys in this block along the s. side thereof call to begin at the corner of the surveys in the S. of this block & run north-ward ^{call} for corners of surveys in in the ~~nonhnpnanan~~ interior of this block, as do also the surveys in the north portion, begin on surveys adjacent & run south-ward and call to close in the interior of this block with surveys from the south side thereof. So that I cannot give a preference to one end of the block over that of the other, and have probated the excess found in the block between the different surveys, making up same as will be seen upon map hereto attached.

The variation used by me was 10° 10' E. which appears to fit with the majority of the original work found upon the ground. While the work that has been done of more recent date would require a variation of about 20' greater to follow. No effort was made by me to ascertain true variation, only that necessary to follow original lines.

In locating survey No. 1 T.W.N.G.R.R.Co. on Tongue river I find that there has been difference of opinion among surveyors as to where the survey was originally located; and finding that all evidence of ^{original} bearings have disappeared, unless it be the S.E. Cor. of N. 3 T.W.N.G.R.R.Co. where a grove of C.W. on a ravine call to bear N. 70 E. about 500 vs", and at this corner or rather the md of stone I take for this cor where the top of a C.W. on a ravine ^{these} bears N. 66 E. about 900 vs. I locate ~~here~~ surveys No. 1 & 3 T.W.N.G.R.R.Co. by course & distance from No. 4 of the Gibson block, as will be seen on map attached. The original field notes of No. 61 B. & B call to run north over level prairie, which condition I find corrected if placed on ground as located by me, but if placed as claimed by Chipman, Carrall the E. line would cross the branches with a high ridge between them.

This October 14th 1902.

.....
W. Goodfellow
 Surveyor

218

"8" 11
Sketch file
King County

J. J. Goodfellow's
report of connections
run in King, Cottle
Wolley & Dickens
Cos. in want is
known as the Swenson
& Sons ranch.

Filed July 13/04

Acting Commissioner

July 13, 04

L 19

counter 29104