

La Salle Co.

A.

File A-14.A

La Salle County Sketches

Field notes of a connecting
line run by Wyschetski

3-2-80

filed April 22, 80

Rhoads Fisher
Cly Clerk

Wyschetski's FN. of a con-
necting line on Nueces
R.

Dated Mar. 8, 1880.

Filed Apr. 22, 1880.

Book
4/22/80
Walsh

counter 29532

N 17 E 47 S
N 17 E 47 S

1.

Orbers Christie, Tex. March 6th 1880

A connecting line run by undersigned, a Deputy Surveyor of Tensas District, in the County of La Salle between December 29th 1879 and March 6th 1880 Beginning at a double \odot by on East bank of Tensas River, one 6 in. dia. nkd. x the other 4 in. dia. nkd. \odot , from which 3 \odot lvs, the nkd. one 6 in. dia. nkd. x, bears S 84 \circ E 12 $\frac{1}{2}$ ^{ors} another double 18 in. dia. nkd. x bears N 81 $\frac{1}{2}$ W 5^{ors}, an old nkd. line bears N 29 \circ E. Thence S 75 W 58 up River with its meanders, thence S 29 W 67^{ors}; S 70 $\frac{1}{2}$ W 45 $\frac{1}{4}$ ^{ors}; N 89 $\frac{1}{2}$ W 80 $\frac{1}{2}$ ^{ors}; N 54 W 79 $\frac{3}{4}$ ^{ors}; N 71 E 46 $\frac{1}{2}$ ^{ors}; N 85 $\frac{1}{2}$ E 47 $\frac{3}{4}$ ^{ors}; N 14 $\frac{1}{2}$ E 68^{ors}, River about 20^{ors} to left, N 57 W 31^{ors} River 10^{ors} to left, N 76 W 28^{ors} River, N 88 $\frac{1}{2}$ W 56^{ors}, River 5^{ors} to left N 79 $\frac{1}{2}$ W 54^{ors} River 20^{ors} to left N 31 E 63^{ors} River 4^{ors} to left N 35 E 45^{ors} River 20^{ors} to left, N 84 $\frac{1}{2}$ W 26 a small slough, 63^{ors} River 15^{ors} to left, N 77 $\frac{1}{2}$ W 34^{ors}, River 10^{ors} to left, N 50 $\frac{1}{2}$ W 88^{ors}, River 20^{ors} to left; N 53 $\frac{1}{2}$ E 57^{ors} River; N 88 E 86 $\frac{1}{2}$ ^{ors} River 25^{ors} to left, N 16 W 70 $\frac{1}{2}$ River 20^{ors} to left, N 45 W 43 $\frac{1}{2}$ ^{ors} River 15^{ors} to left, N 61 $\frac{1}{2}$ W 74^{ors} River 10^{ors} to left, N 7 E 49^{ors} River 20^{ors} to left N 24 W 55 $\frac{1}{2}$ ^{ors} an \odot by 5 in. dia. on bank of River nkd. \odot , the N. W. corner of survey No. 207 in the name of F. Hazel, as established by the Surveyor of Tensas District; Thence ^{East} West at 125^{ors} a large lake in slough 1374^{ors} a stake nkd. w. the N. E. corner of survey No. 207 in name of F. Hazel, as established by the District Surveyor. Thence West 125 $\frac{1}{2}$ ^{ors}, Stake about 25^{ors} to West thence up slough N 58 $\frac{1}{2}$ W 39^{ors}; N 36 E 37^{ors} N 89 $\frac{1}{2}$ W 33^{ors}

See S. 1112 Co. 54. P. 110 44

2. N 39 1/2 W 79 1/2, S 71 W 60 1/2, E 55 W 55 1/2 N 75 E 41 1/2
 Thence E 49 W 50 1/2, S 55 W 35 1/2, S 52 1/2 W 48 1/2, N 34
 W 38 1/2, N 28 1/2 W 108 1/2 a stake from which an Oak 11 in. dia
 bears S 16 1/4 W 3 1/2, an Ash 5 in. dia bears S 88 1/2 E 2 1/2
 both trees marked $\frac{+}{+}$, the S. W. corner of survey No 286 is
 the name of Jose Antonio Seal, said corner stands on North
 side of the lake, there where the slough forks in said
 fork. Thence up the larger slough with its meanders
 N 80 1/4 W 45 1/2, S 20 1/2 W 36 1/2, N 32 1/2 W 41 1/2, S 85 W 30 1/2
 S 75 1/2 W 32 1/2, N 57 W 42 1/2, S 72 W 47 1/2, S 23 1/2 W 53 1/2
 S 85 1/2 W 58 1/2, N 45 W 80 1/2, S 34 1/2 W 56 1/2, E 189 1/2 W 32 1/2
 a live tree blazed on E W side, S 80 W 59 1/2, S 49 W 67 1/2
 S 67 1/2 W 57 1/2, S 88 1/2 W 58 1/2, W 188 1/2, S 80 1/2 W 31 1/2
 S 83 1/2 W 47 1/2, S 86 W 41 1/2, S 70 1/2 W 34 1/2, S 88 W 31 1/2
 S 70 1/2 W 44 1/2, S 78 W 27 1/2, S 51 1/2 W 35 1/2, S 40 W 59 1/2
 S 86 W 32 1/2, S 51 1/2 W 23 1/2, S 19 1/2 E 36 1/2, S 25 E 61 1/2
 S 48 W 50 1/2, S 85 W 34 1/2, S 85 1/2 W 28 1/2, S 16 E 34 1/2, S 3 E 36 1/2
 S 57 W 34 1/2, S 33 W 48 1/2, N 13 E 25 1/2, S 35 E 38 1/2, S 16 E
 28 1/2, S 23 1/2 E 44 1/2, S 20 W 36 1/2, S 80 W 48 1/2, S 78 W 50 1/2
 S 25 E 22 1/2, S 58 1/2 E 29 1/2, S 37 E 28 1/2, S 61 W 48 1/2
 S 85 1/2 W 61 1/2, S 32 E 44 1/2, S 45 E 28 1/2, S 48 E 38 1/2
 S 37 E 37 1/2, S 25 E 34 1/2, S 15 E 30 1/2, S 6 1/2 E 24 1/2 an
 Elm 3 in. dia. marked with haches on 4 sides, from which an
 Elm 7 in. dia. marked $\frac{+}{+}$ bears S 2 1/2 W 3 1/2, as per field notes
 S 33 1/2 W 3 1/2, an Elm 5 in. dia. marked $\frac{+}{+}$ bears S 59 1/2 E 1 1/2
 as per field notes S 23 1/2 E 1 1/2, the N. W. corner of survey
 No 286. Jose A. Seal, from there a well marked line
 goes S 45 E. Thence S 45 W at 40 1/2 cross slough to 1000 1/2

3. South of Finnes, hunted there for corner as the survey claimed to be on the Finnes, but found none also the line is not marked as above the corner called for on the survey Returns to stake marked W, the N. E. corner of survey of No 207 in name of J. Hazel; Thence East at 330⁰⁰ old road course N. E., 1200⁰⁰ road course nearly East to West 2871⁰⁰ a stake marked V. Thence East 74⁰⁰ stake miked with 4 hacks on S. side, 800⁰⁰ road S. to N. 1423⁰⁰ stake with 3 hacks on S. side; Thence North 203⁰⁰ stake miked A, S. W. corner of sur. No 237 Apts. N. R. R. Co. Thence North 1900⁰⁰ forked stake miked B on South side, S. W. corner of survey No 236 Apts. N. R. R. Co. Thence North at 2000 Cr. course N to S. 320⁰⁰ same, 790⁰⁰ same, 1320⁰⁰ Cr. 1410⁰⁰ road course N. E. 1900⁰⁰ at 2064⁰⁰ a stake miked on N. side D on the South B; Thence North 1764⁰⁰ stake miked P on South side, S. W. corner of survey No 234 Apts. N. R. R. Co. and S. E. corner of survey No 1 Blk 1. Pub & Est. Northern R. R. Co. Thence North 400⁰⁰ have Cr. on which line has run, from last stake, 1900⁰⁰ stake miked F on S. side, the N. E. corner of survey No 1. Blk 1; Thence N 45 E at 1200⁰⁰ a creek course, N to S. 1300⁰⁰ same Cr. 2450⁰⁰ Creek, course N to S. 2387⁰⁰ a point, have been hunting all over the country to find a post set by Lockett, as he claims, but could not find any and as I have heard from responsible parties which were there at time Lockett claimed to have set these posts, say he never made them corner as claimed, because there was not a drop of water Finnes & Finnes at

LaSalle Co. St. F. 1877

4 that time and so he marched only over the ground, leaving
 the Fri in the morning, and returning the next day.
 Thence West at 150⁰⁰/₁₀₀ Cr. at 1440⁰⁰/₁₀₀ Cr. course W to S. 1900⁰⁰/₁₀₀
 point. Thence West at 1380⁰⁰/₁₀₀ Cr. course W to S. 1900⁰⁰/₁₀₀
 stake w. k. H. N. E. corner of survey W^o 2 Blk 1. Pub. P.
 G. S. North L. C. Co.; Thence West at 916⁰⁰/₁₀₀ point from
 which Altito Ranch bears S 54 W, 1900⁰⁰/₁₀₀ stake from
 which same Ranch bears S 34 W; Thence West 240⁰⁰/₁₀₀
 road course S. to N. E. 800⁰⁰/₁₀₀ vs Altito Cr. course W to S. 1380⁰⁰/₁₀₀
 vs branch course W to S. 1900⁰⁰/₁₀₀; Thence West 1320⁰⁰/₁₀₀ Cr.
 course W to S. 1401⁰⁰/₁₀₀ point from which a round hill bears
 S 12 1/2 E. 1900⁰⁰/₁₀₀ stake and earth mound 5x5' with ditch
 around it the S. W. corner of sur. W^o 14 Blk 1, Thence South
 at 1400⁰⁰/₁₀₀ Cr. course W to E. 1780⁰⁰/₁₀₀ road course E to W.
 1900⁰⁰/₁₀₀ stake & earth mound 5x5' with ditch around it
 the S. W. corner of survey W^o 13 Blk 1, before connecting
 said survey. Returned to S. W. corner of survey W^o 14 Blk 1.
 Thence North at 1513⁰⁰/₁₀₀ a point from which a round hill
 bears S 14 E. 1900⁰⁰/₁₀₀ stake & earth mound 5x5' with ditch
 around it. Thence West 1355⁰⁰/₁₀₀ Olmos Cr. course W to S. 1900⁰⁰/₁₀₀
 vs stake & earth mound 5x5' with ditch around it. Thence
 West at 92⁰⁰/₁₀₀ pasture fence course W to S. 140⁰⁰/₁₀₀ branch
 of Olmos, W to S. 1900⁰⁰/₁₀₀ stake & earth mound 5x5' with
 ditch around it. Thence North at 1300⁰⁰/₁₀₀ pasture fence,
 1320⁰⁰/₁₀₀ old road course of both E to W, 1900⁰⁰/₁₀₀ stake & earth
 mound 5x5' with ditch around it; Thence North 1900⁰⁰/₁₀₀
 stake & earth mound 5x5' with ditch around it, on small
 branch; Thence West at 487⁰⁰/₁₀₀ Six Oak Cr. 525⁰⁰/₁₀₀ same

counter 29536

5 580^{rs} same, at 770^{rs} branch 815^{rs} branch, 1900^{rs}
 stake & earth mound 5x5' with ditch around it. Thence
 West 1900^{rs}; Thence West at 230^{rs} lake 350^{rs} Creek,
 course W to S. 420^{rs} Cr. course W to S. 1900^{rs}. Thence West
 160^{rs} Mustang Cr. W to S 430^{rs} Golulas pasture fence
 1900^{rs}. Thence West 883^{rs} Thence about 120^{rs} to West
 Thence N 25¹/₂ W 400^{rs}; Thence N 72 W 196^{rs}; Thence N 7 W 80¹/₂
 Thence N 13 W 78^{rs}; Elm tree as corner from which
 a live Oak 8 in. dia bears N 55 W 4¹/₄^{rs} and other about
 11 in. dia bears N 24 E 18^{rs} the W. corner of sur. N 12
 and S. corner of survey N 11. S. A & M. C. T. C. Co. Thence
 S 45 E 950^{rs}. Thence S 45 W 493^{rs} stake from which
 an Oak 12 in dia bears N 81¹/₂ E 56³/₅^{rs} another 9 in. dia
 now broken down but the two lower halves could be seen
 stump about 4 ft high, bears N 82¹/₂ E 56³/₅^{rs}, S. corner
 of survey N 12, made for the State and W. corner of survey
 N 13. Pub. Art. W. T. C. Co.; Thence N 45 E 145^{rs}
 Thence S 45 E 523^{rs}, Thence N 45 E 304^{rs}; Thence S 45 E
 427^{rs}; Thence S 45 W 307^{rs} stake on bank of River from
 which an Ash 8 in. dia. bears S 47¹/₂ W 5^{rs} and Oak 8 in dia
 bears N 71 W 7³/₄^{rs} miked 0, Thence N 45 E 307^{rs}; S 45 E
 556^{rs}; N 45 E 149^{rs}; S 45 E 156^{rs}; N 45 E 101^{rs}; S 45 E 56^{rs}
 stake on bank of River from which a live oak 24 in. dia
 bears N 83 W 2¹/₂^{rs} and Elm 16 in. dia bears S 62 E 3³/₄^{rs} miked 0
 Thence N 45 E 536^{rs}; S 45 E 133^{rs}; N 45 E 132^{rs} Golulas pasture
 fence; S 45 E 40^{rs} a house 370^{rs} Mustang Cr. about 60^{rs}
 above its mouth 817^{rs}; S 45 W 36^{rs} stake from which a
 Coma tree 3 in dia bears S 68¹/₂ W 3¹/₄^{rs} a Mesquite 4 in dia
 bears N 35¹/₂ W 5¹/₄^{rs} miked 0 counter 29537

556
 156
 68

La Salle Co. St. Pl. 47

6. Thence S 45 E 950 ^{var}; S 45 W 397 ^{var} stake on bank of River
 from which a Hackberry tree N 31 W 74 ^{var} an Elm 12 in dia
 tree S 53 W 15 ^{var} $\frac{1}{4}$ in ked 0. Thence N 45 E 543 ^{var}; S 45 E 900 ^{var}
 S 45 W 140 ^{var} S 45 W 243 ^{var}
 stake in mouth of Six Oak Cr. from which a stake bears
 N 45 E 20 ^{var} from which a Corn tree 3 in dia. tree N 12 W
 21 ^{var}, an Elm 6 in dia bears N 80 W 30 ^{var} Thence N 45 E
 227 ^{var}, S 45 E 950 ^{var}, S 45 W 280 ^{var} a stake, 1523 ^{var} stake
 on bank of River from which a Elm 8 in. dia. tree N 43 W
 4 ^{var}, an Elm 10 in dia. tree N 9 W 33 ^{var}; Thence N 45 E
 592 ^{var}; S 45 E 747 ^{var} pasture fence E to W. 950 ^{var}; S 45 W
 609 ^{var} stake on bank of River from which a Six Oak 14
 in. dia tree N 26 $\frac{1}{2}$ W 6 $\frac{1}{4}$ ^{var}, a Six Oak 13 in. dia tree
 N 41 $\frac{1}{2}$ W 7 $\frac{1}{2}$ ^{var}; Thence N 45 E 513 ^{var}, S 45 E 950 ^{var}; S 45 W
 829 ^{var}, stake on bank of River from which an Elm 12 in
 dia tree N 74 E 4 $\frac{1}{2}$ ^{var} a Hackberry 3 in. dia tree S 79 W
 2 $\frac{3}{4}$ ^{var}; Thence N 24 E 696 ^{var}, S 45 E 320 ^{var}; N 45 E 45 ^{var}
 S 45 E 632 ^{var}; S 45 W 88 ^{var} stake on bank of River from
 which a Hackberry 6 in. dia. tree N 32 W 6 ^{var} a Six Oak
 10 in. dia tree S 6 E 2 $\frac{1}{2}$ ^{var}; Thence N 45 E 492 ^{var};
 S 45 E 950 ^{var}; S 45 W 321 ^{var} stake on bank of River from
 which an Elm 6 in. dia tree N 51 $\frac{1}{2}$ W 6 $\frac{1}{4}$ ^{var} another 4 in dia
 tree S 36 $\frac{1}{2}$ E 7 $\frac{1}{4}$ ^{var}; Thence N 45 E 242 ^{var}; S 45 E 950 ^{var};
 S 45 W 422 ^{var} stake from which a Six Oak 10 in dia tree N
 57 $\frac{1}{2}$ W 3 $\frac{1}{2}$ ^{var} an Elm 5 in. dia tree S 21 W 3 $\frac{1}{2}$ ^{var}; Thence
 N 45 E 295 ^{var}. S 45 E 950 ^{var}; S 45 W 661 ^{var}; stake from
 which an Elm 6 in. dia. tree S 68 E 5 $\frac{1}{4}$ ^{var}, an Elm 8 in dia
 tree S 79 E 5 $\frac{1}{4}$ ^{var}, also two unked Elms one just the other
 8 in. dia one tree East 100 the other N 43 W 0 ^{var} unked from
 stake of survey N 41 2. the S. corner of survey N 41 2 Blk 20
 Int. West North R. R. Co.

7 Beginning at S. W. corner of our No 13 Blk. 1. as before
 corrected field notes were made, a stake & earth mound 5' x 5' with
 ditch around it; Thence S 70 W at 230⁰⁰ road E to N 19 00⁰⁰
 S 70 W 380⁰⁰ Pasture fence, N to S. 820⁰⁰ Plains Cr. 19 00⁰⁰
 S 70 W 271⁰⁰; Mucos about 40⁰⁰; Thence N 47 W 435⁰⁰;
 S 89 W 9 1/2⁰⁰ a forked Live Oak 12 in. dia one fork mkd 0000
 as corner, from which the other 6 in. dia brs N 64 W 7⁰⁰
 a Live Oak 7 in. dia. brs S 22 W 5 1/2⁰⁰ both bearings mkd $\begin{matrix} \text{X} \\ \text{III} \\ \text{III} \end{matrix}$
 I suppose one old corner made by W. Kuechler, but could
 find no other corner to correspond; Thence N 82 W 168⁰⁰
 N 84 W 60⁰⁰ to stake, the S. corner of survey No 12 Blk 20 as
 established by me; Thence N 04 E 212⁰⁰, S 45 E 950⁰⁰,
 S 45 W 20⁰⁰ bank of River; thence N 45 E 20⁰⁰, S 45 E at
 50⁰⁰ Plains Cr. about 15⁰⁰ above its mouth, 400⁰⁰ bank of
 River, N 45 E 80⁰⁰, S 45 E 545⁰⁰ bank of River; thence
 S 45 E 118⁰⁰, N 45 E 210⁰⁰, S 45 E 280⁰⁰ road N. to S., 950⁰⁰
 S 45 W 280⁰⁰ same road N to S. 310⁰⁰ a slough 640⁰⁰ bank of River
 from here to a corner very newly made thence N 45 E 14⁰⁰ S 9 E 60⁰⁰
 S 21 W 65⁰⁰, S 89 W 32⁰⁰ a Live Oak and a stake leaning against
 it mkd 0 on 3 sides from which a Live Oak 12 in. dia. brs
 N 38 E 3/4⁰⁰ mkd 0. Return to point on Prairie where
 turned off for last corner. Thence N 45 E 14⁰⁰ S 45 E 115⁰⁰
 road, E. to W. 240⁰⁰ slough 300⁰⁰ top of hill, 950⁰⁰, S 45 W 62 1/2⁰⁰
 bank of Hill; Thence N 45 E 20⁰⁰, S 45 E 391⁰⁰, N 45 E 92 1/2⁰⁰
 S 45 E 509⁰⁰, S 45 W 60⁰⁰ bank of Mucos; thence N 45 E 60⁰⁰,
 S 45 E 220⁰⁰ large slough, stake for reference, at 300⁰⁰
 same slough, 350⁰⁰ again, 546⁰⁰, S 45 W 395⁰⁰ an Oak
 as corner 15 in. dia. marked + on four sides

from which an Elm 10 in. dia. bears East 2° and an
 Ash stump 12 in. dia. with young sprouts growing
 out off it, bears North 7° ; the Elm marked $\bar{0}$, on
 stump of Ash no mark visible, the South corner
 of survey No. 283, Lorenzo Carrasco (very old) from
 there S 45° W crossing Neeces at 28" an Ash 24 in. dia.
 marked with + on four sides, from which an Ash 12 in.
 dia. bears N 21° E. 7° , another Ash 10 in. dia. bears S 14° W.
 4° , both bearings marked $\bar{0}$, the East corner of survey
 No. 288 in the name of James Wright, both very old
 corners and very plain. Return to East side of
 Neeces to South corner of survey No. 283; thence
 S 45° E. 404", S 45° W. 180" bank of Neeces; thence
 N 45° E. 91", S 45° E. 950", S 45° W. 640" bank of River,
 thence N 45° E. 40", S 45° E. 950", S 45° W. 140" Neeces,
 thence N 45° E. 1200", S 45° E. 524", N 45° E. 308", S 45° E.
 426", S 45° W. 140", thence N 45° E. 140", S 45° E. 500"
 N 45° E. 81", S 45° E. 81" an Elm 6 in. dia. on bank of
 Neeces mkt. \boxtimes The N.W. corner of survey No. 207, F. Nagel
 Return to reference stake in slough, before reaching
 the two old corners; thence N 45° E. 148", S 45° E. 887",
 N 45° E. 54", S 45° E. 63", S 45° W. 40" bank of slough;
 thence N 45° E. 711", S 45° E. 280" slough, N 45° E. 135" slough,
 S 45° E. 70", N 45° E. 224", S 45° E. 240", N 45° E. 59", S 45° E. 180"
 cross the mouth of other slough which turns to the left,
 360", S 45° W. 60" bank of first slough, thence N 45° E. 587",
 S 45° E. 872, S 45° W. 574" an Elm 3 in. dia. on East bank
 of slough from which an Elm 7 in. dia. bears N 2° W. 8°
 another 5 in. dia. bears S 9° E. 1° bearing mkt. $\bar{7}$ the N.W.
 corner of survey No. 286, Jose Antonio Lenz as established
 by Parsonson.

Beginning at a stake & earth mound 5' x 5' with drolch
 around it, the S.W. corner of survey No. 13. Blk. 1. as before the corner
 thence East 700' Cr. N. to S. 900' Cr. N. to S., 1900' stake & earth
 mound 5' x 5' with drolch around it, thence East 240' Alt. loc.
 1900' stake & earth mound 5' x 5' with drolch around it, thence
 East 1900' stake m^{rk}. G on South side, made earth mound
 around it, thence North 1900' stake m^{rk}. H on N. side, made
 mound, thence North 1900' stake m^{rk}. I on S. side, made mound,
 thence North 1900' stake & m^{rk}. J on S. side made mound, from
 which a Post (m^{rk}) on S. side W. on N. side H. by N 7 1/2 W 29 1/2
 thence North 90' road, N. E., 160' Cr. E. to W. 1900' stake
 m^{rk}. K on S. side, made mound, thence North 1900' stake m^{rk}. L
 made mound, thence North 1200' Cr. W. to E. 1900' stake
 and earth mound 5' x 5' with drolch around it. thence North at
 1000' Cr. W. to E. stake & earth mound 5' x 5', thence North, at
 440' Cr. W. to E. 1660' Cr. N.W. to S.E. 1900' stake m^{rk}. M on
 N. side, made mound etc, thence S 45 E, 1430' road, N. to S.
 2687' stake & earth mound 5' x 5' etc, thence East 930' road,
 N. to S. 1900' stake & earth mound 5' x 5' etc, thence East
 1900' stake, thence East at 520' road N.E. to S.W. 880'
 Cr. N. to S. 1900' stake & earth mound 5' x 5' etc, thence East
 1900' stake, thence East 1900' stake & earth mound 5' x 5' etc.
 thence East 1340' Laredo & San Antonio road, N. to S. 1590'
 Pasture fence nearly E to W. 1900' stake & earth mound 5' x 5'
 from which a stake m^{rk}. D. & H. bears N 45 W 157', thence
 North 1670' San Antonio & Laredo road, 1800' an other
 pasture fence N to S. 1900' stake & mound 5' x 5' etc, thence
 North 190' road E to W. 540' Sahay Cr. 1300' again.

La Salle Co. St. #174

1660^m; thence N 45 W 308^m same Creek, N. to 652^m old San Antonio x Laredo road, N. to 655^m; thence North with said road 1900^m; thence North 5 W^m point where other road enters the San Antonio road from the West, set a reference stake; thence N 57 W 440^m a stake, S. E. corner of survey N^o 29. J. Poolevent; thence N 25 W 1900^m a stake from which a Mesquite 14 in. dia. br N 14 1/4 W 113 1/8^m marked + the N. E. corner of survey N^o 29. J. Poolevent. Return to reference stake on San Antonio road meander the road to the Rio River to west: N 85 E at 200^m a Cr, 225^m N 9 E. 160^m another Cr; 202^m; N 77 E 180^m Tahuy Cr, 212^m; N 39 E. 229^m; N 48 E 225^m; N 45 E 295^m; N 25 E. 270^m; N 30 1/2 E 240^m; N 37 E 200^m; N 34 1/2 E 274^m; N 58 1/2 E. 245^m; N 50 E. 671^m; N 55 1/2 E 349^m; N 58 1/2 E 200^m; N 58 E. 130^m; N 34 E. 154^m; N 53 E. 227^m; N 52 E, at 1316^m pasture fence, 1435^m; N 37 E at 164^m new San Antonio road coming from the right, 258^m; N 24 E 300^m; N 30 E. 963^m; N 27 1/2 E 143^m; N 20 E. 281^m; N 43 1/2 E. 100^m; N 31 E. 114^m; N 80 E. 130^m; N 63 E. 138^m; N 75 E. 65^m at waters edge of Rio River, on crossing of road, thence S 22 E. 60^m; thence S 60 W 92^m point from which a Hackberry 8 in. dia. marked X (any old) br N 5 1/2 E 17 1/2^m on East bank of Rio River. Returned to stake from which a Mesquite 14 in. dia. br N 14 1/4 W 113 1/8^m; N. E. corner of survey N^o 29. J. Poolevent on Tahuy Cr; thence N 62 1/2 E 146^m old road to Castroville, meander said road as follows: N 43 1/2 E 171^m; N 15 E at 50^m Tahuy Cr, 233^m; N 46 1/2 E at 18^m a road N. to S. at 88^m a bend 113^m; N 30 E. 245^m; N 19 E. 226^m; N 3 W. 158^m; N 16 E. 174^m; N 28 1/2 E at 167^m Pasture fence N. to S. 347^m; N 22 E 743^m; N 25 1/2 E. 304^m; N 50 E 247^m; N 4 W. 526^m; N 3 E. 158^m; N 16 W. 191^m; North 380^m road going off to right, N 15 E. 139^m; N 2 E. 260^m; N 8 E. 317^m; N 8 W. 113^m; N 6 3/2 E 158^m; N 19 1/2 E 320^m; N 10 W 173^m.

Thence N 30 E 221^m, N 17 W 217^m, N 65 1/2 W 194^m, N 35 W 180^m, N 29 1/2 W 168^m,
 N 12 W 504^m, North 143^m, N 6 1/2 W 149^m, N 18 E 161^m, N 4 E. 159^m,
 N 16 E 103^m, N 6 E 150^m, N 21 W 160^m, N 12 W 215^m, N 18 W. 287^m,
 N 29 W 180^m, N 45 E 223^m, a Hackberry on Westbank of Frio
 River mk^d □ very old from which a Live Oak below south 20^m
 with old marks on it, also a Hackberry on Eastbank of
 River marked o (very old) bears N 26 1/2 E 30^m, supposed
 N. corner of survey No. 73. A. Egau, Thence S 45 E 850^m, Thence
 N 45 E at 675^m slough, 730^m an Elm 16 in. dia. mk^d □ (very
 dim) from which an Elm 20 in. dia. br S 45 E. 74^m, the supposed
 E. corner of survey No. 73. The old road which I meandered across
 the Frio about 150^m to North of N. corner of said survey No. 73.
 Meandered Frio River for several miles to North, but could
 not find any corner.

Beginning at S.W. corner of Preemption survey No. 76
 in the name of D. C. Frank on Crotolo Cr, a stake from
 which a Mesquite 6 in. dia. br West 8 1/2^m, another 4 in. dia.
 brs N 24 E 6^m, marked x, Thence West 104^m, Thence
 N 30 E 220^m stake from which a Mesquite 6 in. dia. br
 S 70 E 8^m, another S 40 W 7^m, marked +, the S. corner of
 survey No. 37. J. Forrevent, Thence N 60 W 1900^m, Thence
 N 60 W at 1010^m pasture fence, N to S. 1030^m a road N.W.
 to S. E. 1900^m, Thence N 60 W 1840^m same road E. to W.
 1900^m, looked for corner, turned N 30 E. at 85^m cross
 Crotolo Cr, 176^m stake from which a Mesquite 9 in. dia.
 brs N 48 1/2 W 9 1/5^m another Mesquite 8 in. dia. brs N 88 1/2 E 13 1/2^m
 (course called for in field notes a Mesquite 9 in. dia. brs N 51 1/2 W 9 1/5^m)
 E. corner of survey No. 45 in the name of C. C. Keenan
 as the former 3 mcs. show that W. Garrettson did
 not run N 60 W as called for, but N 88 1/2 W, I continued

Let. S. L. L. Co. St. Fl. #4

the last named course and find the line well marked
 thence N 88 1/2 W 1900- stake from which a Mesquite 10 in. dia.
 bears N 76 W. 6 1/10; another 7 in. dia. bears S 89 N 7 2/3; N. corner
 of survey No. 45, J. Coker, East corner of survey No. 46 in. dia.
 name of John Simon. Thence N 58 1/2 W at 1620 -
 dry branch course N. to S. 1900- stake from which a Mesquite
 8 in. dia. bears N 74 W 10 3/5; another 8 in. dia. now broken
 down, but marks could be seen, N 40 W. 13 9/10 m. $\frac{7}{10}$
 N. corner of surv. No. 46. John Simon and East corner of
 survey No. 47 S. L. & M. G. R. R. Co., thence N 58 1/2 W 1900-
 stake from which a Mesquite 12 in. dia. bears N 84 1/2 E 2 1/2
 in. free notes called 11 1/4; the N. corner of survey No. 47, S. L. & M.
 G. R. R. Co. & East corner of survey No. 48; Thence N 58 1/2 W
 at 1780 road course E to W. 1900- stake from which a
 Mesquite 7 in. dia. bears N 80 3/4 W 11 1/4; a Mesquite 8 in. dia. bears
 S 70 W 15 4/5; N. corner of survey No. 48. all these corners
 marked $\frac{7}{10}$; thence North 7790-; thence East 309- stake from
 which a Mesquite 7 in. dia. bears N 23 E. 13 1/4; another 7 in. dia.
 bears S 41 1/2 E 6 3/4 - the N. E. corner of survey No. 8. S. M. & S.
 Thence N 75 W 1900- stake from which a Mesquite 5 in. dia.
 bears S 40 W 21 3/4; another 16 in. dia. bears S 69 E. 1900-; N. W. corner
 of survey No. 8. S. M. & S.; Thence N 75 W at 1640 - dry Corral Cr.
 course N. to S. E. 1900- stake from which a Mesquite 7 in.
 dia. bears N 8 E. 18; another 6 in. dia. bears N 15 1/2 W. 27; N. W.
 corner of survey No. 6. J. Postleaut. Thence S 45 N 2687 -
 thence S 45 W at 2180 - road N. to S., 2220 - Corral Cr. course
 N. to S. 2687; thence S 45 N. 700; thence West at 520 -
 road course N. to S. 970 - a road N. to S. N. 1900-; thence
 West 1900-; thence West 1900-; thence West at 1180 -
 skull Cr., N. to S. 1900-; thence West 260-; thence S 60 N 1900-

Thence S60W 1900^m; thence S60W at 900^m Oluos Cr. course
N. to S. 1900^m; thence S60W 700^m a branch N. to S. 1900^m; thence
S60W. 1080^m road, N. to S.; thence S30E. 366^m; thence S60W
160^m; thence S30E. 858^m; thence S60W. 143^m road, N. to S. 200^m
Equis Cr. N. to S. 362^m; thence S30E. 53^m stake on pasture fence
from which a Mesquite 12 in. dia. bears S75W. 2 1/2^m; a Mesquite
8 in. dia. bears N35W. 13^m; West corner of survey N^o 38 and
East corner of survey N^o 39. in the name of C. Poolevent.
Thence N60E. 950^m along Pasture fence, thence N60W. 1900^m
stake from which a prong of a Mesquite 12 in. dia. bears N6 1/4W.
15 7/8^m; a prong of same Mesquite bears N4W 15 3/8^m the South
corner of survey N^o 41. J. Poolevent, both corners marked
≡
+

Beginning near the East corner of survey N^o 20. J. Poolevent
on Equis Creek, thence S30E. 1900^m; thence S60W. 1356^m
thence S30E. 14^m stake from which a Mesquite 12 in. dia.
bears S32W 9 7/8^m; a Mesquite 8 in. dia. bears N15W. 13 7/8^m the W.
corner of survey N^o 21. J. Poolevent; thence S75E. at
900^m road course N. to S. 2687^m stake from which a Mesquite
9 in. dia. bears S4E. 34 7/8^m; now burned down, but marks plain
≡
≡, a Mesquite 9 in. dia. bears S53W. 57 3/8^m; E. corner of survey
N^o 21. C. Poolevent. ≡. Thence South at 835^m road course
N. W. to S. E. 1260^m point; thence East 97^m stake from which
a Mesquite 7 in. dia. bears S14 1/2W. 17 7/8^m; another 9 in.
dia. bears S84 1/2W. 48 3/8^m; field notes call for Mesquite which
bears S9 1/4E. 17 7/8^m; Mesquite bears S88 3/4W 48 3/8^m; N. W. corner
survey N^o 1. J. Poolevent, marked ≡. Thence South 404 1/2^m
stake from which a Mesquite 6 in. dia. bears N32 1/2W. 20^m

Las Pallas Co. Sr. File # X

a Mesquite 6 in. dia. b^y N 87 W. 34 1/2 ^u ^u ^u ; 3833 ^u stake on
East bank of Mueces, about 100 ^u above mouth of Epia
Cr, from which a Mesquite 14 in. dia. b^y S 37 1/4 W 13 3/8 ^u
an Elm 7 in. dia. b^y N 6 3/2 E 37 ^u, S.W. corner of survey
No. 1. J. Poolevent.

Beginning at a stake, the S.E. corner of survey
No. 21. Lx N.O. R.R. Co. on Las Pallas Creek
from which a Mesquite 6 in. dia. b^y 1/5 E. 102 ^u,
Mesquite 4 in. dia. b^y S 77 E. 105 ^u m^{rk} ^u ^u ^u, then
N 45 W. at 2520 ^u Las Pallas Cr, 2687 ^u stake, then
West 1900 ^u, then N 45 W. 1580 ^u stake 6' x 5' x earth
mound 5' x 5' from which a Mesquite 6 in. dia. b^y
S 6 1/2 E 20 ^u, a 4 forked Mesquite 30 in. dia. b^y
N 89 1/2 E. 47 1/2 ^u, S.E. corner of survey No. 139. B.R. & A. Inter-
national & Gen. Northern R.R. Co.

J. C. Wysocki, Deputy Surveyor, Mueces
District, Do hereby Certify that the foregoing survey
was made according to law, and that it was made actually
in the field, and that the limits, boundaries & corners,
with marks, natural & artificial, are truly described in
the foregoing field notes as found on the ground.

J. C. Wysocki
Deputy Surveyor, Mueces District

O. Lafayette Caldwell, District Surveyor, Mueces District
Do hereby certify, that I have examined the foregoing
field notes, and found them correct, and that they are
recorded in my office in Book N No. 5 page 380

O. Lafayette Caldwell
District Surveyor, Mueces District