

Meanders of the Mueces River from the N.E. Cor. of old Sur. No 109 - the crossing of the old Bexar + Laredo Road. to the N.E. Cor. of Sur. No. 93 in the name of E.L. Garrett.

Survey No. 109 (B. B. Self) covered by I. & G. W. R. R. Co. 1 + 2. Beginning at a post on the right margin of the Mueces River at the point where the Bexar + Laredo road cross the River at Ft. Euell. the N.E. cor. of the J. W. Peacock Sur. + W. W. Cor. of this Sur. a Live Oak stump on the bank of the river bore <sup>(old call 52 1/2 incorrect)</sup> N. 47 1/2° E 52° and a Cusack bush South 22°. Thence down the River with its meanders, N. 71° E. 180°, S. 43° E. 200°, S. 30° E. 160°, N. 75° E. 92°, S. 34° E. 200°, S. 40° E. 100°, South 160, S. 9 1/2° E. 120, S. 25° E. 106°, S. 55° E. 160, S. 87° E. 200, S. 60° E. 175°, S. 4° E. 235°, S. 33° E. 190°, East. 70°, South 282°, East 64°, to a stake for the N.E. Cor. - An Oak 4" mk'd J. bore S. 67° E. 3°, an Oak mk'd = bore N. 17° E. 2 1/2° a Hack mk'd x bore S. 62° W. 12° for the N.E. Cor. of this Sur.

Survey No. 108. Taylor B. Self width by old meanders 1441 varas

Beginning at the N.E. Cor. of Sur. No. 109 (Bearings as above) Thence down the right margin of the River with its meanders, as follows. S. 70° E. 30 vrs. South 100 vrs. S. 42° E. 410°, S. 77 1/2° E. 320 vrs. S. 63° E. 74°, S. 69° E. 200 vrs. S. 46° E. 120 vrs. S. 61° E. 210 vrs. S. 42° E. 200 vrs. S. 24° E. 34 vrs., S. 28° E. 332 vrs. set a stake counter 29565

L.A. 54112 CO. 54. 714  
# 30

whence an Ash mkd X hrs. S.  $81\frac{1}{2}^{\circ}$  W. 49 vns  
and a Willow " V " " N.  $22\frac{1}{4}^{\circ}$  W.  $35\frac{1}{2}$  vns.  
for the N.E. corner of this Survey.

Survey No. 107. width by old meanders.  
1445 vns. John Sutherland and Julio Romero.  
(Covered by R. H. Brown in 640 Acre Surveys)

Beginning at the N.E. Cor. of Sur. No. 108,  
bearings as above. Thence down the right margin  
of the Mucel River with the following meanders,  
S.  $49^{\circ}$  E. 40<sup>m</sup>, N.  $50^{\circ}$  E. 160 vns. S.  $47\frac{3}{4}^{\circ}$  E. 113 vns., S.  $30^{\circ}$  E. 140<sup>m</sup>  
S.  $37^{\circ}$  E. 200<sup>m</sup>, S.  $24^{\circ}$  E. 48 vns. S.  $59^{\circ}$  E. 120 vns. South 120 vns  
S.  $11^{\circ}$  W. 118 vns., S.  $45^{\circ}$  E. 58 vns. S.  $18^{\circ}$  E. 24 vns. South 60 vns.  
S.  $80^{\circ}$  E. 64 vns. S.  $54^{\circ}$  E. 300 vns., S.  $42^{\circ}$  E. 47 vns. S.  $60^{\circ}$  E. 340 vns.  
S.  $7\frac{1}{2}^{\circ}$  E. 69 vns. S.  $22^{\circ}$  E. 100 vns. S.  $26\frac{1}{2}^{\circ}$  E. 160 vns. S.  $7^{\circ}$  E. 100 vns.  
S.  $35^{\circ}$  E. 100 vns. S.  $64\frac{1}{2}^{\circ}$  E. 62 vns set a stake whence a  
Willow 6" dia mkd X hrs N.  $45\frac{1}{2}^{\circ}$  W. 18<sup>v</sup> and  
2 Ash 4" " " X " N.  $50^{\circ}$  E.  $3\frac{1}{2}$  vns and  
3 Ash 4" " " X " S.  $68^{\circ}$  E. 10 vns, for  
the N.E. cor. of this Sur.

Survey No. 106. W. A. Tennison. —

Width by original meanders 1466 varas.

Beginning at the N.E. corner of Sur. No.  
107 bearings as above. Thence down the Mucel  
River with its meanders — as follows — S.  $75^{\circ}$  E. 140 vns.  
S.  $19^{\circ}$  E. 80 vns. East, 140 vns., S.  $66\frac{1}{2}^{\circ}$  E. 340 vns., S.  $50^{\circ}$  E. 400 vns.  
S.  $40^{\circ}$  E. 320 vns., S.  $13^{\circ}$  W. 100 vns. S.  $75^{\circ}$  E. 377 vns.; set a stake

whence a chump of Oak 4" dia 3 of them sub'd X br.  
N. 50 1/2° E. 130 vrs. for the N. E. cor. of this Sur.

in Sur. No. 105. Wm Wallace in

Width by old meanders 1445 vrs.

Beginning at the N. E. Cor. of Sur. No  
106 - bearings as above. Thence down the  
Nueces River with the following meanders.

S. 75° E. 63 vrs., S. 12° W. 120 vrs., S. 64° E. 130 vrs. S. 1 1/2° E. 180 vrs.  
S. 30° W. 100 vrs., S. 30° E. 80 vrs., S. 21° E. 70 vrs. N. 80° E. 110 vrs.  
S. 35° E. 129 vrs., East. 76 vrs. S. 20° E. 130 vrs. S. 64° E. 160 vrs.  
East. 126 vrs. S. 33 1/4° E. 280 vrs. East 90 vrs. S. 7° E. 280 vrs.  
S. 50° E. 460 vrs. East 70 vrs. set a stake whence

2 Willows on North side of the River sub'd X br. N. 52° W. 52 1/2°

2 Ash sub'd X br. N. 52 1/2° E. 30 vrs for the N. E. Cor. of  
this Survey.

Survey No. 104 John Rennerman (He of)

Width by old meanders 1444 varas.

Beginning at the N. E. cor. of Sur. No. 105 with bearings  
as above. for the N. W. cor. of this Survey.

Thence down the right margin of the Nueces River with  
its meanders as follows, S. 68 1/4° E. 160 vrs, N. 65° E. 130 vrs  
S. 35° E. 150 vrs. N. 57° E. 220 vrs, S. 79 1/4° E. 260 vrs. N. 68 1/4° E. 200 vrs.  
N. 75° E. 140 vrs. N. 50° E. 200 vrs, S. 35° E. 160 vrs., S. 73° E. 49 vrs.  
S. 44 1/2° E. 56 vrs. set a stake for the N. E. Cor of this Sur.

whence a Willow 4" dia sub'd X brs N. 40° W. 50 vrs.

and a " over River " X " N. 52° E. 39 vrs.

L. 5-112 Co Sk. File # 30

Survey No. 103 J.D. Owen assn of Wm. Fenner

Width by old meander 950 varas

Beginning at the N.E. Cor. of Sur. No 104 -  
bearings as on previous page for the N.W. Cor.  
of this Survey, Thence down the right-margin  
of the Mucos River with its meanders, as follows.  
N. 78° E. 200 varas., S. 84° E. 195 varas., S. 2 1/2° E. 200 varas.  
S. 75° E. 160 varas., S. 15° E. 250 varas., W. 57° E. 343 varas.


- set a stake for the N.E. Cor. of this Survey whence a  
Willow mtd x brs. S. 86° E. 64 varas
- 2 Willows. " X " N. 43° E. 36 "
- 2 Ash " X " N. 53 1/2° W. 20 "
- 2 " " X " S. 73° E. 61 "

Survey No. 102. Wm. H. Steele assn Clemente Diaz.

Width by original meander, 1851 varas.

Beginning at the N.E. Cor. of Sur. No. 103, bearing as  
above, for the N.W. Cor of this Sur. - Thence down the  
right margin of the Mucos River with the following -  
meanders. S. 85° E. 64 varas., S. 51° E. 45 varas., S. 61 1/4° E. 160 varas.  
S. 83° E. 190 varas., W. 58° E. 140 varas. S. 30 3/4° E. 120 varas., S. 61° E. 400 varas  
W. 80 1/4° E. 380 varas. North, 180 varas., W. 55° E. 220 varas., set a stake  
whence an Ash mtd x brs. N. 75° W. 19 varas.

- " " " X " N. 71° W. 17 "
- 2 " " X " N. 75 1/2° E. 56.



Survey No. 101. J. D. Owen Assn of Irwin Armstrong  
Width by original meanders. 1164 varas.

Beginning at the N.E. Corner of Sur. No. 102. -  
bearings as on previous page. - Thence down the Mucos  
River with its meanders. as follows - S. 73 1/4° E. 290 vrs.  
N. 66° E. 120 vrs., S. 63 3/4° E. 100 vrs., S. 84° E. 280 vrs., N. 48 1/4° E. 180 vrs.  
S. 35 1/2° E. 300 vrs., S. 83 1/2° E. 100 vrs. set a stake whence a clump of  
Ash 2 mks. x br. N. 13° W. 5"  
An Ash " x " N. 82 1/2° E. 4"  
" " " x " S. 44° W. 7 1/2"  
a Katama mks. x br. S. 2 1/2° E. 9" for the N.E. Cor. of this  
Sur.

Survey No. 100. Daniel Dolan.

Width by old meanders 1422 varas.

Beginning at the N.E. Cor. of Sur. No. 101. - bearings as  
above for the N.W. Corner of this Survey. Thence down the  
right margin of the Mucos River with its meanders as  
follows. N. 87 1/2° E. 160 vrs., N. 72° E. 290 vrs., S. 84° E. 100 vrs.  
S. 26 3/4° E. 60 vrs. <sup>to the West bank of San Casimiro Cr.</sup> S. 80° E. 100 vrs., N. 82 1/2° E. 200 vrs., N. 73° E. 260 vrs.  
N. 52 1/4° E. 190 vrs., S. 80° E. 100 vrs., East 67 vrs. set a stake for  
the N.E. Corner of this Sur. whence a Willow 12" dia. br.  
N. 39° E. 22 vrs. and an Ash. 7" mks. x br. N. 39° E. 14 vrs.  
and an Ash. 6" dia mks. x br. S. 36° W. 8 vrs.

Survey No. 99 J. A. Valdez. (Resurveyed by R. H. Brown.

Width by old meanders 1440 varas.

Beginning at the N.E. corner of Sur. No. 100 - bearings as  
counter 29569

La Salle Co. St. #30

above for the N.W. corner of this Sur. Thence down  
 the right margin of the Neeces River with its meanders  
 as follows. — S.  $46^{\circ}$  E. 80 varas., S.  $70\frac{1}{2}^{\circ}$  E. 86 varas. S.  $80\frac{1}{2}^{\circ}$  E. 160 varas.  
 N.  $84\frac{3}{4}^{\circ}$  E. 160 varas., N.  $63^{\circ}$  E. 230 varas., S.  $63\frac{1}{4}^{\circ}$  E. 67 varas. S.  $80^{\circ}$  E. 40 varas.  
 S.  $50^{\circ}$  E. 140 varas., N.  $41^{\circ}$  E. 370 varas., S.  $67\frac{1}{2}^{\circ}$  E. 210 varas., N.  $57^{\circ}$  E. 163 varas.  
 set a stake whence a Willow 12" dia mk'd X brs. N.  $5^{\circ}$  W.  $30\frac{1}{2}$  varas  
 An Ash. 4" " " X " N.  $11^{\circ}$  E. 26 $\frac{1}{2}$  varas.  
 " " 6" " " X " N.  $19^{\circ}$  E. 25 varas.

for the N.E. corner of this Survey.

Survey No. 98. Wm. S. Williamson.

Width by old meanders, 1243 varas.

Beginning at the N.E. corner of Sur. No. 99 bearings as  
 above. For the N.W. corner of this Sur. Thence down  
 the right margin of the Neeces River with its meanders  
 as follows. — N.  $60^{\circ}$  E. 80 varas. S.  $71\frac{3}{4}^{\circ}$  E. 200 varas. N.  $76\frac{1}{2}^{\circ}$  E. 360  
 S.  $70\frac{1}{2}^{\circ}$  E. 270 varas., N.  $86^{\circ}$  E. 340 varas., N.  $46^{\circ}$  E. 56 varas. set  
 a stake whence 3 Ash mk'd X brs. N.  $6^{\circ}$  E. 16 $\frac{1}{2}$  varas.

An Ash. " X brs N.  $82\frac{1}{2}^{\circ}$  E. 17 varas.

A. Ratama mk'd X brs N.  $72\frac{1}{2}^{\circ}$  E. 16 varas.

for the N.E. corner of this Survey.

Survey No. 97. Francis W. Hunt, G. Stovall & son.

Width by original meanders. 1420 varas.

Beginning at the N.E. Cor. of Sur. No. 98. — bear-  
 ings as above — for the N.W. corner of this Survey.

Thence down the right margin of the Neeces  
 River with its meanders as follows — S.  $80\frac{3}{4}^{\circ}$  E. 85 varas

N.  $75^{\circ}$  E. 120 vrs., S.  $62^{\circ}$  E. 200 vrs., N.  $84^{\circ}$  E. 79 vrs., S.  $31\frac{1}{2}^{\circ}$  E. 260 vrs.  
 to the West-bank of Pinto Creek., N.  $55\frac{3}{4}^{\circ}$  E. 190 vrs., N.  $86^{\circ}$  E. 160 vrs.  
 N.  $73^{\circ}$  E. 120 vrs., East 282 vrs., N.  $40^{\circ}$  E. 100 vrs., N.  $63^{\circ}$  E. 56 vrs.  
 set a stake whence 2 Ash 6" dia mk'd X brs. S.  $77^{\circ}$  W. 41 vrs  
 An Ash X brs. S.  $81\frac{1}{2}^{\circ}$  W. 36 vrs. and an Ash mk'd X brs.  
 S.  $88^{\circ}$  W. 23 vrs. for the N. E. corner of this Survey.

Survey No 96. Jas. House Sr.

Width by original meanders. 1487 varas.

Beginning at the N. E. corner of Sur. No. 97. - bearings  
 above for the N. W. cor of this Survey, Thence down  
 the Right margin of the Mucos River with its meanders,  
 as follows - N.  $57^{\circ}$  E. 180 vrs., N.  $63\frac{1}{2}^{\circ}$  E. 340 vrs. East 56 vrs.  
 N.  $52\frac{1}{2}^{\circ}$  E. 360 vrs., N.  $13^{\circ}$  E. 180 vrs. N.  $40^{\circ}$  E. 160 vrs. S.  $80\frac{3}{4}^{\circ}$  E. 200 vrs.  
 S.  $70\frac{1}{2}^{\circ}$  E. 360 vrs., N.  $44^{\circ}$  E. 16 vrs. set a stake for the N. E.  
 corner of this Survey. whence an Ash 6" dia mk'd X brs. N.  $30^{\circ}$  E.  
 9 vrs. 3 Ash. 6" dia mk'd X brs. N.  $82^{\circ}$  E. 12 vrs. a Hackberry 10"  
 dia mk'd X brs. S.  $15\frac{1}{4}^{\circ}$  E. 157 vrs. a jocal brs. S.  $35^{\circ}$  E.  
 E. about 180 varas.

Survey No. 95. James Gilleland.

Width by original meanders. 673 varas.

Beginning at the N. E. corner of Survey No. 96 -  
 bearings above - for the N. W. corner of this Survey.  
 Thence down the right margin of the Mucos River  
 with its meanders as follows, S.  $56\frac{1}{2}^{\circ}$  E. 220 vrs.  
 S.  $76^{\circ}$  E. 180 vrs. N.  $60\frac{3}{4}^{\circ}$  E. 120 vrs. S.  $71\frac{1}{4}^{\circ}$  E. 66 vrs.  
 N.  $23\frac{3}{4}^{\circ}$  E. 160 vrs., S.  $80^{\circ}$  E. 83 vrs. set a stake whence 2 Ash  
 counter 29571

La Salle Co. 56  
File # 30

4" dia mk'd x br. N. 25 1/2° E. 4<sup>rs</sup> an Ash 6" dia mk'd,<sup>8</sup>  
x br. N. 21° W. 6<sup>rs</sup>. a Button Willow 6" dia mk'd x br. N. 19° W.  
6<sup>rs</sup>. a Willow 6" dia mk'd x br. N. 38° W. 19<sup>rs</sup>. for  
the N. E. corner. of this Survey.

Width by  
Original.  
Meanders  
632<sup>rs</sup>.

Survey No. 94. Isaac Read Assn Thos H. Hall.  
Beginning at the N. E. Cor. of Survey No. 95 - bearings  
as above. - for the N. W. Cor. of this Survey. Thence  
down the right margin of the Mucos River with the  
following meanders. East 41<sup>rs</sup>. , N. 48 1/4° E. 300<sup>rs</sup>.  
N. 60 1/2° E. 100<sup>rs</sup>. , N. 81 1/4° E. 160<sup>rs</sup>. , East. 52<sup>rs</sup>. set stake at  
a point where there are no trees on the right bank of the  
River where an Ash<sup>8" dia</sup> mk'd x br. S. 31° E. 33 1/2<sup>rs</sup>. An Ash  
8" dia mk'd x br. S. 30 3/4° E. 34<sup>rs</sup>. , An Ash 8" dia mk'd x br.  
S. 25° E. 27<sup>rs</sup>. - these trees are in a slough. - for the  
N. E. corner. of this Survey.

Sur. No. 991. J. P. Doswell.

Width of River front by old meanders. 1013<sup>rs</sup>.  
Beginning at the N. E. corner of Sur. No. 94. -  
bearings as above, for the N. W. corner of this Sur  
Thence down the right margin of the Mucos River  
with its meanders as follows. N. 64° E. 80 varas.  
N. 75° E. 25<sup>rs</sup>. , N. 58° E. 73<sup>rs</sup>. , S. 55° E. 93<sup>rs</sup>. , S. 68° E. 100<sup>rs</sup>. ,  
N. 87° E. 300<sup>rs</sup>. , S. 22 1/2° E. 140<sup>rs</sup>. , S. 56° E. 200<sup>rs</sup>. S. 78° E.  
140<sup>rs</sup>. , S. 84° E. 80<sup>rs</sup>. , N. 65° E. 36. to a point where I  
mk'd 3 Ash 6" dia x. S. 62 1/4° E. 80<sup>rs</sup>. , S. 50 1/2° E. 120<sup>rs</sup>.  
50<sup>rs</sup>. cross Charamusco Crk. 120 varas, S. 88 1/4° E. 200



varas, N.  $70\frac{3}{4}^{\circ}$  E. 135 varas, N.  $21^{\circ}$  E. 150 var. set a stake  
 for the N. E. Cor. where an Ash mkt'd T. line N.  $9\frac{1}{4}^{\circ}$  E.  
 $20\frac{1}{2}$  var., An Ash mkt'd T. line N.  $15\frac{1}{4}^{\circ}$  E. 24 varas an Ash  
 mkt'd D. line N.  $26\frac{3}{4}^{\circ}$  E. 22 var. An Ash. mkt'd S. line.  
 N.  $30\frac{1}{4}^{\circ}$  E.  $21\frac{1}{2}$  var.

Survey No. 110  
 H. Sykes  
 Width of River front by original meanders  
 728 varas

Survey No. 110 H. Sykes. Prentiss Ellwell Assne  
 Width of River front by original meanders 728 var.  
 Beginning at the N. E. corner of Survey No. 119. for ~~H. Sykes~~  
 for the West corner of this Survey. Thence down the  
 Right margin of the Mucos River with its meanders  
 as follows. S.  $87^{\circ}$  E. 64 var. S.  $68^{\circ}$  E. 280 var., S.  $45^{\circ}$  E. 79.  
 to a point where I mkt'd 4 Ash & a Willow X. S.  $45^{\circ}$  W. 80 varas.

Survey No. 110  
 H. Sykes  
 Width of River front by original meanders  
 728 varas

S.  $55^{\circ}$  E. 55 var., S.  $72\frac{1}{2}^{\circ}$  E. 59 varas. S.  $64\frac{1}{4}^{\circ}$  E. at 35 var. Ch. 60 var.  
 N.  $68\frac{1}{4}^{\circ}$  E. 140 var., N.  $67^{\circ}$  E. 41 var. to a point where I mkt'd An  
 Ash Ct. & 2 Ash X. S.  $33\frac{3}{4}^{\circ}$  E. 70 var., N.  $68^{\circ}$  E. 100 var.  
 N.  $25^{\circ}$  E. 80 var., N.  $60^{\circ}$  E. 280 var. N.  $77^{\circ}$  E. 10 var. set a stake  
 for the North corner of this Survey, where an Ash. 4"  
 dia mkt'd S line. N.  $78^{\circ}$  W. 4" An Ash 4" mkt'd E line. N.  $87\frac{1}{4}^{\circ}$  E.  
 $9\frac{1}{2}$  var. an Ash <sup>8"</sup> mkt'd Ct line East. 11 var.,

Width of Survey  
 by original  
 Meanders  
 1445 varas  
 X

Survey No. 93. Hrs. of E. L. Garrett or Garnett,  
 Beginning at the North corner of Sur. No. 111, - bearings  
 as above, for the West corner of this Survey, Thence  
 down the right margin of the Mucos River with  
 its meanders as follows. N.  $60^{\circ}$  E. 70 var. S.  $72^{\circ}$  E. 120  
 varas, N.  $76\frac{3}{4}^{\circ}$  E. 120 varas, N.  $54^{\circ}$  E. 180 varas. N.  $40^{\circ}$  E.  
 360 varas, S.  $89\frac{1}{4}^{\circ}$  E. 180 varas, N.  $50\frac{3}{4}^{\circ}$  E. 126 varas  
 counter 29573

Examined Chapter 1 recorded in Book & 215  
Page 401 & at Corpus Christi Aug 20. 1880  
Lafayette Caldwell San Diego

to a point where I marked 2 Willows and an Ash X<sup>10</sup>  
S. 82° E. 120 varas, W. 56 $\frac{3}{4}$ ° E. 220 varas., W. 23 $\frac{3}{4}$ ° E. 156 varas.  
to a stake whence an Ash mkd F. brs. S. 44 $\frac{1}{2}$ ° W. 9 varas.  
An Ash. 8" mkd G. brs. S. 43° W. 8 $\frac{1}{2}$  varas  
An Ash 5" " J " W. 4° E. 17 varas.

for the North Corner of this Survey.

Surveyed July 19. - to July 26 (inc) 1880.

Leonardo Cante } Chain  
Ricardo Larra } Carruis.

At the time of running these meanders the  
River was not running, and all the meanders were  
made upon the South or right margin.

I found no old Corners except the one at  
the starting point.

I, A. M. French Deputy Surveyor of La-  
Salle Co. do hereby certify, that the meanders  
contained in the foregoing nine and part  
pages, were actually run by me upon the ground  
according to law, and that they are correct  
and that the limits boundaries and corners  
with the marks natural and artificial are  
truly described in the foregoing Fieldnote  
and accompanying Plat; and further that  
after running Survey No. 109. I could not  
run according to the old meanders and  
follow the course of the river.

San Diego, Tex. Aug. 18, 1880

A. M. French.

Deputy Surveyor LaSalle Co.

Meanders of  
Muced River  
from N.E. Cor. of sub: N. 109.  
to N.E. Cor. of sub: N. 93.

107 2 M. 1/2  
by Surveyor  
La Salle

(34-39)

La Salle County  
No. 2  
La Salle 38

Meanders of the  
Muced River from  
N.E. Cor. of sub: N. 109.  
to N.E. Cor. of sub: N. 93.  
dated Aug. 18, 1880.

Filed Sept. 2/80.  
R. H. Fisher,  
Chief Clerk