

Limestone Co. St. F. 1877

On or about March 1<sup>st</sup> 1887 I went to the N.E. cor of John Tucker 1280 acre sur, where I find one of the bearings called for in his field notes at this point (Station 1) He calls for two Post oak - one bearing N 16 E 17 rs - this one I found - and one bearing S 33 W 20; at S 33 W 20 rs, I found nothing but at S 33 E 20 rs, found a large Post oak stump, also two well marked lines running one S 30 E, the other N 60 E. Running thence S 30 E on Tucker's E. line and finding it well marked at 4530 rs (field notes call for 4561) I intersected a marked line running S 60 W and N 60 E but could find no bearing trees for Tucker's S.E. cor anywhere around. Assuming this to be the S. line of Tucker and also N. line of Sawright I followed it S 60 W finding it well marked and at 1580 intersected another marked line (Station 4) but found no bearings for Tucker's S.W. cor, nor could I find any at <sup>Lawson's</sup> his N.E. cor. Running from this point (Station 4) S 30 E at about 1380 rs (Have misplaced part of the notes I took while on the field and can't say positively about this distance being exactly 1380 rs but am sure it is not more than that) I found one mesq, marked as a bearing tree. Assuming it as one of the Lawson bearings I took cor. from it - I turned N 60 E and found a well marked line which I accepted as the S. line of Jas Lawson. Running thence (Sta. 5) at 1346 rs, I struck a line running N 30 W no bearings found. Continuing N 60 E



N.E. cor. of H. & T. C. R. R. No. 7 at 2690  
rs. intersected a marked line running  
N 30 W, East line of the John Seawright  
survey, no bearings found, I then  
returned to the N.E. cor. of H. & T. C. R. R.,  
No. 7 and running S 30 E at 265 rs.  
reached the N.W. cor. <sup>(Sta. 11)</sup> of T. R. Adair's 160  
acre survey as established by S. G.  
McLendon, then County Surveyor,  
at 1408 rs. reached the N. line of  
State Sec. No. 6 as established by said  
McLendon. Returning to Adair's N.W.  
cor. (Station 11) I went N 60 E finding  
Adair's N. line well marked at 790 rs.  
reached his N.E. cor. (Station 10) bearing  
found, mes. marked for cor. tree. This  
is the beginning cor. of S. B. Maffitt's  
160 acre survey, and running thence  
N 60 E finding his line well marked  
at 318 rs. reached his ell corner <sup>(Sta. 8)</sup> bearing  
found, thence N 30 W 249 rs. to  
his most northern N.W. cor. at which  
point I found myself 16 rs. S 30 E  
from the S.E. cor. of the Seawright  
survey established as described above.  
Thence N 60 E 388 rs. Thence N 30 W  
265 rs. Thence S 60 W 388 rs. to the  
East line of Seawright. Thence S 30 E  
249 rs. to his S.E. cor.

Mr. Priest

Former County Surveyor states to me that  
in chaining the E. line of John Tucker  
he found it about 200 rs. to long to go  
to the marked line I described on the South  
however he did so and established the corner at the  
same point I did, he may have made an error  
in counting his out or I may have lost on myself

H. W. Williams  
Co. Surveyor & Limestone Co.







Limestone County.

H Williams SK. & Statement of sur.  
 about 12 mi. S. 75° W. of Groesbeck.

Surveyor's sketch & statement filed  
 in the General Land Office

August 10/37

R. Shuler  
 Chief Clerk.