counter 31429

REFERRED TO MAP

2.11

IN FINGEN COMMAN' LENTS'

KNOWN BS SIE MYLE BRICHT . S. M.M.CH.

This percel of the Fyls Baker Ranch Lying and being situated in Live O.S. County. Feral, was made for the Furpose of obtaining an accurate screage of the Hanch title boundary lines of the original Surveys, and the location of the boundary fance lines of Th Ranch.

They housed in weak in weak into the five of said Saray Fire, and 0. House of the stat stands in weak into the five of said Saray Fire, and bolk a way for the of the stat should in the interface bia set corners of Saray in . The stat stat stat stat of the stat should in the interface bia set corners of Saray Fire, S. Static is competient with the gradie boundary line of said Saray Fire, S. to the gast bory. Just by the state boundary into the state corner pain and in ground, from which is as considered state in gradie, of Saray Fire force the state indice of the face, but a state of the state basis of the state for the state for the state indice of the face. For the original Saray is "Fight For the state state indice of the face basis basis in the point should show the state big face the state finales of the face basis basis for the original strate in the state state state state state and boundaries in line of the state state in gradie, of Saray Fire state state state and bound for an interstate state state state in the state state state state state and bound for an interstate state into of House state into of House state into of House state state state state state state state state state into of House state state state state state state state state state into of House state into of House state state state state state state state state state is the state is the state is the state is the state is the state is the state is state state state sta

The corners slong the Southeast and Northeast boundaries of the original surveys cell in the shove report, are corners which have been established by adjoining land owners and are being recognized as corners placed for the original surveys adjoining the Saker Hanch, and have set substancial mericals for corners.

servey No. 50, and continueing on with the N. 2. birg. line of Jurvey No. 60, to thom

The obtar lines, corners and acreages of the inclosed surveys of this Portion of the Baker Sanch are delouisted by trianglation from the out side lines, as shown on Fist accompanying the Fishf Hotes of said original Arreays.

This the Srd. day of Anguar, 1945.

Report of Survey

and a star

1930. ve, bo the gast corner of said Survey No. 60 .

REFERRED TO MAP.





REPORT OF A SURVEY OF LANDS IN LIVE OAK COUNTY, TEXAS,

83.53

Known as the Myla Baker's RANCH.

REFERRED TO MAP

SEP 4= 1943

This parcel of the Myla Baker Ranch lying and being situated in Live Oak County, Texas, was made for the purpose of obtaining an accurate acreage of the Ranch title boundary lines of the original Surveys, and the location of the boundary fence lines of the Ranch.

After location of the East boundary line of Sections No.7, 6, 5, and 50, lying and being situated in McMullen and Live Oak County, Texas, and being a west portion of the said Ranch, I then located the East corners of Survey No. 52, and made the connection with the South boundary line of said Survey No. 52 to the East bdry.line of said Survey No. 50, THEN from the S.E. corner post of survey No. 52, which is located S.45° W. 270. vs. from the East corner post set in ground, from which a Mes. stump brs. S.362 E. 6vs, THENCE running the S.E. bdry. line and N.E. bdry. line of of survey No. 52, which is along the fence line just inside of the fence to the gouth corner post set in ground, of Survey No. 160, these Corners and boundaries lines has been recognized for several years by the ajoining land owners as being the location for the original Surveys, THENCE running the S.E. bdry. line of Survey No.60 and 342, N.45 E. at 1900 vs. pass the East corner of survey No.60 set in South west line of Road along the N.E. bdry. line of said Survey No. 60, from which an old m ked mes brs. N. 332 W. 15 ws. and continueing the line with the S.E. bdry. line of Sur. No.342, pass the mest cornerstone of Survey No.58, set in fence line, and at 3554.vs to the point of intersection with a line run from the N.E. bdry. line of said Survey No. 342, from an iron pipe set at the N.W. corner fence post of said Survey No. 342, THENCE with the N.E. and N.W. bdry. line and fence line of Said Sur. No. 342, to an iron pipe set by corner of fence, from which an old marked Mes, brs. 5.24° W. 9 vs. this corner being the South corner of T.T. R.R. Co. survey No. 321 and a corner of 342, THENCE N.45° W. with the N.E. bdry. fence line of survey No.322, at 2056 vs. a 2" iron pipe set in said fence line, for the North corner of survey No. 322, THANGE with the fence line N.36° DW. along the N.E. bdry. line of the said Survey No.348) to an iron pipe set by corner of fence, the S. W. corner of the T.T.R.R. Co.sur. 3347 the beginning corner of the original Survey No.348, THENCE N.45° W. at 300 vs. set a stake on the S.E. bank of a small branch, and AT 573.84 vs, set astake 29 vs, east of corner of fence, for the N. E. corner of Survey No.388, THENCE West along the north side of fence line to point of intersection with the East bdry. line of sur. No. 10, at corner of fence, THINCE SOUTH WITH THE East line No.10, 374 vs, corner of new fence, along the North side of survey No.7, THENCE south with old marked East bdry. line of Survey No.7 and 6 at 773 vs south of the S.E. corner of No.7, set a stake in East line of No. 6, for the N.W. corner of survey No.387, and S.W. cor, of Survey No. 388, thence turning at right angles running East at 1471.4 vs. inter-section of the S.W. line of Survey No. 322, thence S.45 E, at 389 vs. set a stake in the S.W. bdry. line of the said Survey No. 322, for the west North corner of E, at 389 vs. set a stake survey No. 60, and continueing on with the N.E. bdry. line of Survey No. 60, to the at 1900. vs, to the East corner of said Survey No. 60 .

The corners along the Southeast and Northeast boundaries of the original surveys call in the above report, are corners which have been established by adjoining land owners and are being recognized as corners placed for the original surveys adjoining the Baker Ranch, and have set substancial markets for corners.

The other lines, corners and acreages of the inclosed surveys of this portion of the Baker Ranck are calculated by trianglation from the out side lines, as shown on Plat accompanying the Fielf Notes of said original Surveys,

This the 3rd. day of August, 1943.

AU.Cobb Licensed

counter 3/430

The East boundary line of Surveys No.5,6 and 50, was located by old marked line as called for in corrected field notes of the said surveys,

In paragraph three of original Report, adopting the corners as has been placed on the ground by the previous surveyors of the adjoining lands, and marked as follows; the east corner of Section No. 52, a post of about 6 inches above ground the Mes, stump does not show any matks as being the original tree as called for in the original Survey. The South corner of Section No. 60, is a post set in ground no original marking identified, but stands about 15 inches above ground. The South boundary line and S.W. corner of Survey No. 52, is calculated from the S.S. corner post at corner of fence, to correspond with the call as given in the original Survey, The N.W. and N.M.S.corners are calculated from the gast corner post as is now places on the ground,

Section No. 387, the S.W. and S. S.E. corners, and South boundary line are calculat from the N.W. & N.N.E. corners same being placed on the ground for the S.W. and S.E. corners of Section No. 388,

The corners that has be placed along the N.E. boundary lines of the Baker Ranch at N. W. corner of Section No. 342, for a corner of Section No. 321, at corner of fence, the middle interior S.W. corner, of No.342, same being the South corner of said Section No. 321, placed by corner fence post, from which an old marked Mes."L" brs. S.24° W.9vs. the angle turned at this corner with the fence lines is a 90° angle, to the 2" iron pipe set in same, for the West corner of the Survey No. 321, and the angle to right, of the fence line is 6°10' to an iron pipe 2" set by corner of fence, for the West cor. of survey No. 347. All of these 2" iron pipe are marked thus, To other identification marks found other than what is given in the field Notes.

Inclosed herewith I am returning correction field Notes,

Land Surveyor,

22

DWC/c.

Nym.

REFERRED TO MAP

counter 3/431

RECEIVED

SEP 4- 1943

REPORT OF A SURVEY OF LANDS in Live Oak & McMullen Cos., Texas, And known as the Myla Baker's Ranch,

V.

343

This Survey was made for the purpose of obtaining an accurate acreage of the Ranch title boundary lines of the original surveys and the location of the boundary fence lines of the Ranch,

Beginning the work of the survey on the 8th, day of January, 1943, by first locating the original S. E. corner of Survey No. 8, same being the S.W. corner of Survey No. 7, and N.E. corner of Survey No. 4, from which the original Mes. marked "Q" brs. S. 54° E.42 vs. and after locating this original Corner, I then ran a line south along an old marked line at 1908 vs, an old dead Mesquite tree standing with part of marks of the"H" visible, but the "R and V" rotted away, and continueing the line south from this tree along an old marked line at 2004 vs, intersect the North bdry. line of Survey No. 50, 97vs east of the N. W. corner of said Survey No. 50. I then returned to the S. W. corner of Survey No. 7, and ran the west bdry. line of Survey No. 7, same being the East bdry. line of survey No. 8, at 1874, ws, intersect the south bdry.fence line established by W.S. Golf and C.E. Haberer, Surveyors, of McMullen County, Texas, for the South bdry. line of Survey No. 9 & 10, 18, and at 1935 vs. set a stake in the old fence line the original North bdry. line of surveys N.7,8 & 16, from which an old marked "R" mesquite tree brs. N.17° E. 242 vs.

After location of the East boundary lines of Survey No. 3, 4 & 8, and useing the same as a base line, I turned transit angles and ran the out side boundary of the Ranch, locating the original surveys corners where they could be found, and by trianglation platted some of the interior corners of original surveys of the Ranch, by course and distances, checking the distances to original corners and fence crossings, Roads, etc.,

The North boundary lines of Surveys No.7,8 & 16, seems to be in confrict with the new establish South boundary lines of Surveys No. 9,10 & 18, as was surveyed by C. E. Haberer and W. S. Golf, surveyors of McMullen County, in May and November, 1937, The excess measurments of the North and South lines of the surveys 9, 10 & 18 passes over the original South boundary marked line of these surveys and places iron pipes for corners of 9, 10 & 18 at corners of fences with the new fence line and fences of the sections 7,8% 16 on the south, At the N. W. corner of Survey No.7 same being the N.E. cor. of Survey No. 8, the original corner of these Surveys should be 61 vs, north of the new established South gast corner of No. 9, and S. W. corner of No.10. The old fence line which has been there for about 50 years has the only evidence of the markings of the original surveys lines, and should be recognized as the boundary lines of the said original Survey s.

The surveys 7 & 8 shows to be excessive in acreage on account of the excess measurement of the East and West courses, but Survey No. 16 falls short of acres on account of the shortage of distance in the North and South courses, with connection with the boundary fence line established by C.E. Haberer and W.S.Golf. Thenwest bdry. lines of Survey No.1, 2 and 16, ran from the S.W. corner stake set W. S. Golf, for the S.W. corner of Survey No.1; Thence North at 1974.6 vs. pass the S.E. corner of Survey No. 15, same being the S.W. corner of Survey No.2, from the Corner of fence brs. West 30.vs., and AT 3882.6 vs. pass the N.W. corner of survey No.2, from which an old Mes. which has been blocked out on the N.W. side brs. S.46° W.22.vs., an old stake in ground, at place for corner, and continueing the line North from this point for corner, at 1863. vs, cross the fence line of established line by Haberer and Golf, 31.7 vs. west of the 2" iron pipe set for the S.W. corner of Survey No. 18,; at 1899.vs. to the old S.W. corner fence post of the said Survey No.18, at 1935 vs. a large Mes. tree with new growth grown over old trunk, I diden't block out this tree to identify the marks, (Brs. S. 562 W. 16 vsp.

The east bdry. line of survey No. 7, run due north form its S.E. corner which is located S.89° c9'E. 1957 vs. from the beginning corner "Q" (S.W. corner), will intersect the new bdry, fence line, established by C. E. Haberer & Golf, at 1893vs, and 12 vs. west of the 2" iron pipe set by corner of fence, set by Haberer & golf for the S. E. corner of survey No. 10. The East line of surveys No.10, 12 and 14 seems tobe in one steight line of the Plat of Re-survey of these three sections, but on the ground there is an off set in the line to the west of 12vs, about 300 vs, north of N.E. corner of Survey No. 10, which corresponds to point of intersection of the mast line of Survey No. 7 with the Fence line as called for in their Re-survey of No.10, Counter 3/432

ME MULLEN CO SKETCH File No. 45 Mª Mullen-Lire Oak Countys. D.W. Cobb. Surveyor's Statement. 7 28-43 × 8-5-43 × Filed. Sept- 4, 1943. BASCOM GILES, Com'r . attlu . File Clerk SEE ME MULLEN CO ROLLED SKETCH Nº 12. NOTA VAR NAYAS DIX RAFORT IN S.F. 14627 1460 BAR LIVA ORIA CO RLO VA. NO 3 N. MO 3 N. M. 10/2/44 REFERRED TO SCHOOL JUL 2 8 1943