

The State of Texas  
County of Motley. I need notes of a  
Connecting line in Block 3<sup>and</sup> 4 Texas  
and Pacific R.R. Co in Motley Briscoe  
and Floyd Counties and Block extending  
into Block 9<sup>in</sup> Motley Floyd & Motley Co,  
and, <sup>also extending</sup> into Block 9<sup>"</sup> in Motley Co Tex  
This line is made in connection with  
another of same purport and as a correction  
in part of said line which is of record  
in this office Book No 1 - Pages 320 to 328  
inclusive made May 7<sup>th</sup> to 19<sup>th</sup>  
A.D. 1900. Var. N 10° 2' East, (Equivalent  
to N 11° E in the year 1874)

Beginning at a stone mound on the  
South Bank of Pole Cannon. (evidently  
Pease River) same being 50 var.  
South of a stone mound fixed for the  
S.W. Corner sur No 5 Blk 3, on north  
bank same creek. Said md on S. Bank,  
being 7755 var. South from monument  
on E. Bank of creek near spring whence  
a Cott. bears S 70½° West, and whence a  
stone mound on East Bank of a Hill bears  
North 66½° E. Identified as the monument  
situated 730 varas North of the N.E. Cor of sur No.  
1. Blk No. 3. T. & P. Briscoe Co.  
Thence <sup>1</sup> S 70° 35' East 444<sup>0</sup> to a stone mound  
on south Bank of stream. Thence <sup>2</sup> N 88° 10' E,  
with the meanders of stream 465 varas  
to a point. Thence <sup>3</sup> N 75¾° East 301  
varas with meanders of stream to a  
point. Thence <sup>4</sup> ~~N 70¾°~~ N 10¾° East 376  
with meander of stream to a point opposite  
high red Bluff. Thence <sup>5</sup> South 88° E.

Page 2

with the meander of stream 152 varas, to  
a point on the south bank. Thence  
560<sup>+</sup> E. with meanders of stream. 131<sup>1/2</sup>  
point on south bank. Thence North  
52<sup>+</sup> E 486 varas to a stone mound on  
south bank of stream. (River front  
of sur. No 3) Thence N 34<sup>1/2</sup> E with  
meander of stream. 520 varas to stone  
a point at mouth opposite mouth of  
Los Linguis from the North West.  
Thence N. 85<sup>+</sup> E. 569 varas with the meander  
of stream to a point. Thence N 83<sup>+</sup> 10' E  
1046 varas to a stone mound on the  
south bank from which a cot. bears  
South 89<sup>+</sup> E. marked X. Another cot with  
dead N.W. side old mark with cot  
bears S. 17<sup>+</sup> E. (River front survey  
H.) Thence South 46<sup>+</sup> East 818 var  
with meanders of River to a point on South  
bank. Thence N 14<sup>1/2</sup> E 650 varas to  
a point on the South bank of River.  
Thence S 38<sup>1/2</sup> East 445 varas with meanders  
of river to a point on the south bank.  
Thence S 42<sup>+</sup> 10' E 574 varas with meander  
of river to a point. A stone mound on  
North bank of river bears N 17<sup>+</sup> 2 varas. (River front on sur. No 5)  
Thence S. 62<sup>3/4</sup> East. 268 varas to a point  
on South bank of river. Thence N 83<sup>1/4</sup> E  
350 varas to a point on the South bank  
of river. Thence South 41<sup>+</sup> E 619 varas  
with meander of river to a point  
Thence N 72<sup>+</sup> East with meander of stream  
553 varas to stone mound from  
which cot. bears S. 50<sup>+</sup> 35' E.  
Thence S 54<sup>1/2</sup> East with meander of.

Stream 469 varas to a stone point  
 on South Bank near foot of rocky Bluff.  
~~Thence South~~ (River front for Sur 6.)  
 Thence <sup>20</sup>South  $84\frac{1}{2}^{\circ}$  East along meanders of  
 river 341 varas to a point on  
 South Bank. Thence <sup>21</sup>South  $24\frac{1}{4}^{\circ}$   
 East 390 varas, a point on high Bluff.  
 Thence <sup>22</sup>South  $85\frac{1}{2}^{\circ}$  East along meanders  
 of river 514 varas to a stone mound  
 for corner on South Bank of River  
 Thence <sup>23</sup>South  $47^{\circ} 30' E$ , 973 varas  
 with meanders of river to a point  
 16 varas west of a stone mound from  
 stone mound a cotton wood bears S.  
 $61\frac{1}{4}^{\circ}$  East 115  $\frac{3}{4}$  varas. (River front Sur 7)  
 Thence <sup>24</sup>South  $37^{\circ} 50' E$  with meanders of  
 the river and crossing <sup>Warren fork</sup> at the mouth  
 1548 varas a point. A stone mound  
 on sand Bluff bears  $S 158.18^{\circ} E 60\frac{1}{2}$  var.  
 $58\frac{1}{2}$  varas.  
 Thence <sup>25</sup>South  $83^{\circ} 55' E$  955 varas,  
 with meanders of River to point from  
 which a stone mound on a gravelly hill bank  
 bears S  $37^{\circ} E 26\frac{1}{2}$  varas (River front Sur 8)  
 Thence <sup>26</sup>South  $84^{\circ} 55' E$  with meanders of  
 river 954 varas to a point from which a stone  
 mound in grassy valley bears South  $14^{\circ} 10' E$ ,  
 52  $\frac{1}{4}$  varas. Thence <sup>27</sup>South  $77^{\circ} 20' E$  with  
 meanders of River <sup>974 var</sup> to a point. A stone md bears East  
 16 var. and from said stone md a cott bears S  $44\frac{3}{4}$   
~~East West~~ another stone md on North side River  
 bears N ~~2~~  $216\frac{3}{4}$  var (River front for Sur 9)  
 Begin at stone md at east end of 974 var  
 run "S  $77^{\circ} 20' E$ " above  
 Thence <sup>28</sup>South  $75^{\circ} 40' E$  with meander  
 of stream 981 var to a point &

<sup>29</sup> Thence South  $57^{\circ}50'$  East 1122 var with meanders of River to a point from which a pile of stone in valley bears South  $41^{\circ}$  East 24 varas (River front for Sur 10)

<sup>30</sup> Thence  $S 67^{\circ}56'$  East 1025 var with meanders of River <sup>31</sup> Thence South  $54\frac{1}{2}$  East 1167 var to a point a stone mound bears East 18 var and from which mound a sand hill bears  $N 31\frac{3}{4}^{\circ} E$  about 259 var. <sup>32</sup> Thence  $N 70^{\circ}55'$  E with

meanders of river 2011 varas to a point 19 var. West of a pile of stone on a sand the N.E. end of a sand ridge; from which stone mound another bears South  $3\frac{1}{4}$  East 307 varas; a cot. at foot of Bluff North side river bears  $N 11^{\circ} 10'$  West Red bluff on North side bears  $N 18^{\circ} E$  (River front 12)

<sup>33</sup> Thence East 400 varas with meanders of river

<sup>34</sup> Thence South  $15\frac{1}{4}$  East 759 varas to a

point <sup>35</sup> Thence South  $71^{\circ}08'$  East 371 var. to a stone pile of stone bears East 19 varas.

<sup>36</sup> Thence  $N 66^{\circ}$  East 1040 var to a point a stone mound bears  $S. 12^{\circ} 10' E.$  87 varas dist.

(River meander on Sur 13)

<sup>37</sup> Thence  $N 75^{\circ}$  East 400 varas with meanders of stream to a point <sup>38</sup> Thence South  $62\frac{1}{2}$  East 620 varas with meanders of stream

to a point <sup>39</sup> Thence South  $39^{\circ}45'$  East 618 varas with meanders of river to point

<sup>40</sup> Thence South  $81^{\circ}$  East 630 var to a stone mound from which a Gypsum rock partly imbedded in sand valley bears South  $25^{\circ} E$   $96\frac{1}{2}$  var

(River front sur 14)

<sup>41</sup> Thence South  $68^{\circ}10'$  East with meander of stream 1023 varas to a point from which a stone mound bears  $S 56\frac{1}{2} W.$   $44\frac{1}{2}$  var.

1042 m

Thence <sup>42</sup> South 65<sup>34</sup> East with meanders of stream to a stone mound from which a Cott  $\bar{x}$  bears  $\bar{x}$  East. 151 yards,

Thence <sup>43</sup> South 29° 09' East 616 yards a point

Thence <sup>44</sup> South 15° 05' E with meanders of river  $\times$  1306 to a <sup>point a</sup> stone mound at the mouth of Alamosa Creek on the west bank brs E. 19<sup>th</sup> var.

Thence <sup>45</sup> South 75° E along meander of stream 400 var to a <sup>point of from which</sup> stone mound br E  $\bar{x}$  19 yards

Thence North 69° 10' East along meander of river 524 var to a stone mound from which another on north Bank of river bears N 18° 06' West. 193 yards

(River front for Sur. No 16)

Thence <sup>47</sup> South 64° 25' East with meanders of river at 907 yards mouth of branch. At 1017 yards a point 10 yards south of a forked cott.  $\bar{x}$

At 1053 var a point, Thence <sup>48</sup> S. 69° 55' East At 751 yards a point 10 var south of a lone cott tree mtkd  $\bar{x}$  at 1001 a point for N.E. Cor 16 Blk 4 T<sup>ry</sup> and Pacific R.R.

Leo Mottly co T<sup>ry</sup>. Return to N.W. Cor 16 above a stone mound from which another brs North 18° 06' West 193 yards, Thence South

8928 yards to a stone set in sand valley. a 3 prong Hackberry marked  $\bar{x}$  brs N 13° 50' West 144 1/2 var another hackberry mtkd  $\bar{x}$  brs S 84 West 34 var Thence this stone is set for S.E. Cor of Sur 54.

Blk 4 T<sup>ry</sup> P. Thence west 1900 yards to the S.W. corner of sur No 54 a point and from which a set stone with + cut on top brs South 5 var.

Thence North 1254 yards a point Thence West 1900 yards to a point a stone brs South 11 yards to Thence North 1075 yards a point for South East cor Sur No 62 Blk 4, a set Post. brs S. 11 yards,

Thence West 1900 varas a point 17 varas North  
of a set stone from <sup>which point</sup> ~~an~~ Hackberry <sup>marked</sup> X  
on east bank of a small basin brs S  $78\frac{1}{2}^{\circ}$  W  $39\frac{1}{4}$   
varas Another 3 prong Hackberry brs S  $80^{\circ}$  W  
 $42\frac{1}{2}$  var. marked X. Said Point is S.W. cor  
of Sur 62 Blk 4. and N.E. Corner of 160 acre  
<sup>Should be 321</sup> sur in name of H. A. Martin Thence  
N 406 varas a point for S.E. Cor Sur 63  
Blk 4 from which a stone md on point brs  
S 17 varas and from <sup>point a</sup> ~~said stone md~~ <sup>forked</sup> Hack  
at mouth of Gulch brs N  $33\frac{3}{4}$  E S.O. varas  
Thence West 1900 varas a point from which  
a stone mound an divide between two  
gulches brs S. 23 var. Thence South  
from said point at 23 var pass stone  
mound and at 1538 var a point in the  
North line of 80 acre track in name of J. W.  
Miller 270 var. West of a set stone its N.E.  
cor identified at 3041 varas a point from which  
a mesquite tree marked X brs S  $37\frac{1}{4}^{\circ}$  E.  $9\frac{1}{2}$  var  
The North East Corner of the J Dooley 160  
acre survey is 328 var. S. and 270 var <sup>East</sup> ~~West~~  
of this point the S.E. Cor of Sur 72 Blk 4. ~~T & D~~  
J Dooley identified on the ground by cor.  
+ Bearings, Thence West 243 var cross the west  
line of Sur. of 80 acres in name of A. S.  
Johnson. 1900 varas a point. for S.W.  
Cor of Sur no 72 Blk 4. Thence South  
at 20 var pass stone mound in valley  
from which a mesquite <sup>stump</sup> with three  
prongs marked X brs S  $47\frac{1}{2}$  E.  $18\frac{1}{2}$   
varas. 594 var a <sup>point</sup> stone mound <sup>20 var north of a</sup>  
on prairie. Thence West 1900 varas  
to a point for S.W. Cor Sur No 73 Blk 4  
a stone md. brs S. 19 var. from which

Page 4

a blackberry marked x brs N  $74^{\circ} E 14\frac{3}{4}$   
var. ~~W Stone~~ Thence South 1766  
varas to a point in the north line of  
survey no 5 Blk G. B. Central & Mont-  
gomery. Motley Co Texas, from which  
a stone set in prairie brs N  $56^{\circ} 20' W, 14\frac{4}{10}$   
varas. And is 1147 varas ~~North~~ West from  
the North East Corner of the same and  
by me established as herein after stated in connection with Sur 55, R & B  
Returning to No S.W. corner of Sur 73

above point 19 var. North of Stone and etc.  
Thence N ~~656~~<sup>4795</sup> varas to a point the  
S.E. cor of survey no 82 Block 4, T & P.  
Thence West 931 varas a stone point a  
stone bears south mound the N  
W cor of a Sur 60 acres in name  
of W. B. Gilpin bears North 509, Identif-  
ied on the ground at 1400 var a point  
South West cor of Sur no 82. Blk 4 T. & P.

Thence North 731 varas to a point  
a stone mound is East 37 and South  
8 varas from which stone md. a <sup>forked</sup> mesq  
tree 11 in in diam marked x tree  
standing in a draw. course N.E. brs  
 $546\frac{1}{4} E 175$  varas

Thence ~~East~~<sup>West</sup> Crossing creek or draw  
twice  $1400\frac{1}{2}$  to a point a flat sand  
stone 37 var ~~east~~<sup>west</sup> of and 4 var. North  
of a flat sand stone set in earth.

Thence N 911 varas to a point for  
South East Corner of Sur no 90. T. & P. Blk 4.  
a triangle stone set in ground is  
37 varas East and 4 varas South.

Thence ~~East~~<sup>West</sup>  $7400\frac{1}{2}$ <sup>1863</sup> varas to a pile  
of stone. in a field from which a

Page 8

Large Sand Stone boulder on hill top  
 bears S.  $61^{\circ}05'$  East the East end of a Hand top  
 Peak br. S  $85^{\circ}05'$  west mile past on west line  
 of Motley Co. marked N. L. 27 br. N.  $10^{\circ}35'$   
 West 2 brs at 1900 var as a point for S. W. corner  
 of Sur. 90 Thence North at 900 var as pass 84  
 var as East of N. E. corner of the A. P. Banner 160 acre  
 Survey identified at 924 var as a point from which  
 the N. W. corner of Sur. no. 49 Blk G. M. Lloyd  
 Co. identified by its bearings natural and  
 artificial as set forth in field notes and found  
 on the ground bears west  $835^{\circ}$  at 1338 var as  
 the S. E. corner of Sur. no. 91 this Blk. 4 T. & P.

Thence North 8820 var as to the N. E.  
 corner of sur no 6 before described  
 herein.

Returning to a point in north line of J. W.  
 Miller 80 acre Reception 270 var west of its  
 N. E. cor and 1538 var South of the S. W. Cor of Sur.  
 63 T. & P. Thence East 270 var set <sup>Identified</sup> stone  
 Thence E. 950 var set stone N. E. C. R.  
 M. Dowell identified. Thence South 962  
 var a set stone identified Thence  
 East 475 var to the N. E. corner of  
 J. Wharton sur. Thence South 1117  
 var as point  $137^{\circ}$  West of J. D. S. W. Cor  
 M. C. Nutt <sup>J. E. Martin</sup> 160 acre sur in 1900  
 var as point Stone set for N. E. Cor  
 W. H. Burkett sur brs E. 475. var as  
 Thence West 475 var as stone  
 set for its N. W. Cor.



Thence South 950 varas to stone  
 set for S.W. corner said Burket  
 sur Thence West 73 varas  
 Thence South 5 varas to the  
 N.W. corner of sur No 55 Blk  
 T A & B. established as  
 per instructions <sup>given</sup> in Land office  
 Letter to JH Seayler, Sur. of Date  
 Aug 30<sup>th</sup> 1900. var. in this Blk "T"  
 being N 52° N 10° 52' E  
 Note that variation of above line is N 10° 2' E  
 Surveyed at ~~times~~ made from time to  
 time beginning May 7<sup>th</sup>  
 A D 1900 to Sept 20<sup>th</sup> 1900

Chain carriers

- J J Bass
- Will Scott
- Lafayette Scott
- Andrew Tibbet
- M. C. Potter
- Hubert Parker

I J. H. Seay County surveyor of Motley Co  
 Texas do hereby certify that the foregoing  
 survey was made by me on the  
 ground and according to law and that the  
 limits boundaries and corners with the  
 marks natural and artificial are truly  
 described in the foregoing plat and field  
 notes just as I found them on the  
 ground and that they are recorded  
 in my office in Book 1 Pages  
 335 to 344 inclusive

This 5<sup>th</sup> day of Oct. A D 1900.  
 J H Seay County Surveyor  
 Motley County Texas

(B4)

See sketch. 10.  
accompanying

Connecting line

No. 2

Blocks 3<sup>rd</sup> & 4<sup>th</sup>.

Texas and

Pacific Railway  
Company

Extending to Block

H and G. M.

Broscoe Lloyd and

Matley Counties  
Oct 5, 1900.

J. H. Selby

Surveyor

Matley County Texas

See letter to J. B. Coulter  
in letter book on page

2/5 10 1/2 Matley Co

718 720  
31 20-

729 201  
122 -