

See Orange Co.

Filed Nov 8/90

Certificate of J. P. Ward, State Surveyor, showing the positions of surveys in Orange County adjacent to the surveys made for S. N. O. R. R. company.

J. Pevito.

The S. W. corner of this survey is identified by its original brgs. - Beg at its S. W. corner I ran East with old hacked line 950 m to S. E. corner the survey established by me at intersection with its Old hacked East brgy. - Thence North 280 m to Original N. W. corner 31, identified by old brgs. - Thence S. 89° 44' E. 1715 m with old line to N. W. corner of S. Pevito identified by Original brgs.

S. Pevito.

Located field note call from its N. W. corner identified by its original brgs.

H. J. Adams.

The West line of this survey is old hacked, and its S. West corner was identified by its original corner tree (stump of a R. O.) and two old brgs. - Beginning at S. W. corner this survey I ran East 48 m to an old corner of survey No. 15. - Thence South 68 m to the North West corner of J. Murphy.

J. Murphy.

Beginning at the N. W. corner of this survey identified by its original bearing trees I ran South 976 m to the South West corner of this survey, identified by its original bearing trees. Thence N. 89 1/2° E. 711 m with old hacked line to an old corner of survey No. 15. - Thence South 779 m to the N. W. corner of O. P. Cooper.

O. P. Cooper.

Beginning at the N. W. corner of this survey identified by its original bearing trees, I ran South with old line 953 m to the S. W. corner of this survey

W2.

identified by its Original logs. (R. O. mtd & br. S. 11° E. 92 m. & a pine mtd & br. N. 47° E. 120 m). Thence East etc.

E. Dicky.

Beginning at the Original N. W. corner this survey, it being the S. W. corner of C. P. Cooper survey, - Thence South 950 m in the prairie ^{bearings called for on map.} Thence E. 950 m to S. E. corner this survey - Thence North 950 m to Cooper S. E. corner. - Thence West 950 m. to beginning.

J. Bland.

Beginning at the S. W. corner of this survey identified by its Original log trees, (a water. O. mtd with very old hacks & blades br. N. 19° W. 7 1/2 m. & a pine O. stump br. N. 60° W. 11 1/2 m.) - Thence North 1340 m to N. W. corner this survey in the prairie ^{logs called for on map.} - Thence East etc.

Wm Clark.

I found the north line of this survey plainly hacked & very old, and running as indicated upon the Sketch accompanying this statement.

A. M. Rogers.

Beginning at the S. W. corner of this survey identified by its Original bearings on the old hacked N. S. line of Wm Clark survey, I ran North 950 m to N. W. corner this survey - Thence East 950 m to the N. E. corner this survey - Thence South 958 m to the South East corner this survey on North line of Wm Clark. Thence N. 89° 30' W. at 168 m cross a branch (S.) at 487 m cross another branch (S.) at 900 m cross another branch (S.) ^{950 m to beginning} - The bearing trees at the S. E. corner of this survey could not be found, though I made a long & thorough search for them. -

E. Prabon.

The N. W. corner this survey was identified by its Old logs. one of them standing, the other fallen (N. 40 W. 18 m).

Reg at this N. W. corner I ran South at 425

no. pass the South East corner of J. Eberts survey, 950 m to S. W. corner this survey identified by its Original log. trees. - Thence East with old line 948 m to the S. E. corner of this survey established at the intersection with its East line, whence a S. E. mark X (old) br. N. 85° W. 38 m. + a do to West 49 m, also mark X (old) Thence N. 950 m to N. E. corner this survey, Thence West with old hooked line 948 m to the beginning.

J. Eberts.

Beginning at N. E. corner this survey identified by its Original logs. I ran South at 249 m pass N. W. corner of Proabow survey, 674 m to S. E. corner this survey identified by its Original log trees, - Thence West 672 m to S. W. corner of this survey, identified by its original bearings. Thence North 674 m to N. W. corner this survey at intersection with its North today plainly marked Thence East 672 m to beginning.

J. Bayou.

Its N. W. & N. E. corners identified by original logs indicated upon the sketch.

Jno. Young.

Beginning at the N. E. corner of this survey identified by its original bearings I ran S. 89° 5' W. with old line 950 m to the N. W. corner of this survey identified by the bearing trees called for by Frank. Cleveland Co. Surveyor (in 1873), a pine mark $\frac{1}{2}$ (old) br. N. 64° E. 6 1/2 m + a do br. N. 35° W. 47 m. - Could not find the other bearing trees called for at this corner. - Thence South 936 m to S. W. corner this survey at intersection with its South line plainly marked. - Thence East 70 m to the N. W. corner of A. C. Line comb. survey. -

Caleb Linecomb,

Beginning at the N. W. corner of this survey identified by its Original logs I ran South 957 m to the

S. W. corner of this survey identified by its original
big tree. Thence $S. 0^{\circ} 42' E.$ 1466 m to S. E. corner of 9.
Thence $S. 88^{\circ} 31' W.$ 172 m to N. E. corner of 8. - Thence
South 434 m to N. W. corner of J. D. Brewer. -

J. D. Brewer.

Beginning at N. W. corner this survey, identified
by its original bearing tree, I ran South 950 m
to S. W. corner this survey in prairie, (Orig. logs gone)
Thence East 950 m to the S. E. corner this survey
identified by original bearings. - Thence
South with West line Josiah Jordau survey,
957 m to Jordaus S. W. corner. -

Josiah Jordau.

Beginning at its the S. West corner of this survey
identified by its original logs I ran East
570 m to N. W. corner of Atkins' survey. -

Atkins.

Beginning at the N. W. corner this survey estab-
lished by me on Jordaus South today 672 m
North from the S. W. corner this survey I ran
South 672 m to S. W. corner this survey iden-
tified by its original bearings. Thence East
389 m to N. W. corner of S. Pevito. -

S. Pevito. -

Beginning at N. W. corner this survey iden-
tified by its original bearing trees, I ran
South 884 m to S. W. corner this survey on
North today of C. West. -

C. West. -

Beginning on North today this survey at the
S. W. corner of S. Pevito survey I ran $S. 88^{\circ} 50' W.$
with old hacked line, 613 m to the N. W.
corner of this survey, identified by the S. E.
corner tree marked X very old & marked X by Cleveland in 1873
from which the stump of a burnt wh. C. tree $N. 58^{\circ} 40' E.$

3 rods - as called for in the field notes of the West.
Thence N. $1^{\circ}10'W$, with old hacked line, 854 rods
to the N. E. corner of T. B. Johnson survey.

B. Johnson

Beginning at the N. E. corner this survey identified
by its Original, big tree (marked X very old on North side)
I ran S. $88^{\circ}50'W$, 1630 rods to N. W. corner this survey in
the prairie, - Thence S. $1^{\circ}10'E$, 469 rods to a corner of No.
7 - Thence West 817 rods to the S. E. corner of P. Bland.

P. Bland.

Beginning at the S. E. corner of this survey identified
by the bearings given in the field notes of survey No. 7, &
signed by Frank Cleveland 1873. - Original, top of the
Bland an gone. - Thence I ran North 950 rods to
N. E. corner this survey established by me at the
intersection, with its old hacked North line.

Thence West 100 rods to an iron stk in the
ground, which has been recognized for many
years as the ~~N. W.~~ S. E. corner of the Jno Bland
Survey.

Jno. Bland.

I found south line this survey plainly hacked &
old & at the S. E. corner of found an old iron
stk in the edge of the prairie, said to have been
set by Cleveland (Co. Surveyor) in 1873. & witnessed by
a pine big tree, marked X (old). - Beginning at the
corner I ran North 1344 rods to N. E. corner this
survey in open prairie; - Thence West 430
rods to S. E. corner of P. Young survey in prairie
Thence North 587 rods to the S. E. corner of the
J. Linscomb, & N. E. corner of P. Young.

J. Linscomb & P. Young.

I established the S. E. corner of Linscomb, which is
the N. E. corner of P. Young at the intersection of
the plainly marked South & East sides of the J.
Linscomb survey - Original bear's toes at this

26.

corners are gone. Beginning at S. E. corner of Linscomb, I ran West with old line 950 m to the S. W. corner of Linscomb, identified by the original Pine knot stk & one of the bearing trees. - Thence N. $0^{\circ}36'$ W. 958 m to N. W. corner Linscomb, identified by Original bearings. - Thence S. $89^{\circ}52'$ E. 965 m to the N. E. corner of Linscomb, identified by original logs. - Thence S. $0^{\circ}18'$ W. 956 m to beginning.

A. Prudick.

The N. E., South West, & South East corners of this survey were identified by original logs, & all its lines are hacked - see sketch for connection of corners. -

J. Prudick.

The South West corner this survey was identified by original logs, & its South line is old hacked. - I made thorough search for the bearing trees at all the corners of this survey but failing to find any except those at S. W. corner I located the survey field note call from this corner. -

J. Haley.

The N. W., North East, & S. E. corners of this survey I identified by their original bearings respectively. All its lines are hacked & old. - For connection of its old corners see sketch. -

M. Pevito.

The N. E., North West, & South West corners of this survey were identified by their respective, original bearing trees, while the S. E. corner was located 950 m. East of its S. W. corner & witnessed by 2 bearing trees much & very old but not the ones called for in the field notes. - These trees were evidently marked by the locator (though not called

food, as the mark upon them is similar in age & character to those which have been identified by their calls. —

Silas Bland. —

The N. W. & S. W. corners of this survey were identified by their original bearing trees respectively & the North, West, & South lines are old hacked. — The N. E. & S. E. corners were placed field note call from the S. W. corner. — The bearing trees at N. E. corner this survey are gone.

M^o. Alpine & M^o. Iver.

I made a long & thorough search for the corners & lines of these surveys, but was unable to find either lines or corners. Not being able to find any marks upon the ground by which to locate these surveys, I was compelled to locate them by following the calls of survey No. 16, I & C. N. R. R. Co.

No. 16 begins at the S. W. corner of 27 (identified by Old logs.) Thence North etc. — to the S. W. corner of 20, located by N. O. R. R. Co. — Thence North 1370 m. to the North cor. of 16 at intersection with S. E. line of M^o. Alpine survey. Thence S. 20° W. with M^o. Alpine line 2400. m. to South corner of M^o. Alpine. — Thence S. 50° E. 1000 m. to the East corner of M^o. Iver etc. — From the above calls of 16 I located the M^o. Alpine & M^o. Iver surveys. —

The North line of Survey No. 21 is, however, marked upon the ground & changes the call of 16 slightly along the southern portion of that survey which will be clearly understood by a reference to the sketch.

J. Collier.

The N. West & N. E. corners of this survey were identified by their original bearings. & the other lines & corners located from these. The bearing trees at S. W. & S. E. corners of this

survey on gone. -

Wm. Shipp

The N. W., N. E., & S. W. corners of this survey were identified by their original bearing trees & the S. E. corner located field note call from its S. W. corner. -

G. W. Hayes.

The N. W. corner this survey was identified by its original bearing trees. - The North & West lines are old hacked. - Its remaining corners, are located field note call from its N. W. corner. - The logs called for at S. W. corner on gone. -

W. Washington

The N. W. & S. W. corners of this survey were identified by original bearings and its North, South & West lines old hacked

G. A. Patillo. (Small survey)

This survey was identified on the ground by the marks of Frank Cleveland (Co. surveyor 1873). - I found the North & West boundary hacked & identified Cleveland's S. E. corner of No. 37 on the North bdy of Patillo, by its original logs. - Also the old corner of 37 on West bdy of Patillo was identified by its original logs. - I was unable to find any marks on said lines or at the corners of Patillo, of older date than those of Cleveland. -

G. A. Patillo. League. -

The West line of this survey plainly hacked & blazed & very old - also its North line was plainly marked - Its N. W. corner was established by Cleveland at the intersection of these lines whence a hicky 24" dia will fit the call for log at this corner but is not used.

G. A. Patillo (2 small surveys. -

The S. E. corner this survey at the N. E. corner

A survey No. 41, was identified by original logs. Thence I ran West 1000 m to S. W. corner this survey identified by its original logs, marked X & marked V. - Thence North with old line etc. -

Jno. Stephenson

The N. E. corner of this survey identified by 3 witness trees marked V by Frank Cleveland (but not original trees) at the intersection of his plainly marked North & East lines, - - - -

E. W. Brown

S. E. Corner this survey was identified by its original log trees & its East line old hacked. -

J. Dickerson

The N. E. corner of this survey was identified by its original logs & its East line old hacked.

Mary Hawley.

The S. E. & N. E. corners of this survey were identified upon the ground by their original logs & East line is plainly hacked. -

R. Carroll, Alw Reid, Ed Hurst, R. Mc Sanders, and G. Ribouir.

These surveys were all made originally in 1839 & consequently we should hardly expect to find their bearing trees standing now. -

I found nothing older than Cleveland's work in 1873 by which to locate these surveys. - They all lay in the "Big Thicket" of Orange County & no dispute exists about their boundaries as marked by Cleveland in 1873.

Sarah Gray.

The South line of this survey is plainly hacked & very old - also old bly d

V. N. Harris.

The North & East corners of this survey were identified by their original logs. & its N. W., N. E., & S. E.

2/10

I drive on all plainly marked roads. -

J. C. Whitcomb.

The 4 sides of this survey are plainly marked & its N. E., S. E., & S. W. corners identified by original bearings.

G. Collins.

The N. E. corner this survey was identified by its original bearing two one hundred two North of the South West corner of Whitcomb. - Thence South 640 m intersected the plainly marked North line of A. Rand survey - Thence West 950 m to S. W. of this survey. - Thence North 640 ^{with old marked line} m to the N. W. corner this survey identified by original log trees. - Thence East at 65 m cross creek (S. W.) 950 m to beginning. - -

A. Rand

Its N. E. & S. E. corners identified by old bearing trees & its East, South, & North boundaries plainly marked.

Martin Palmer

The North Side of this survey is plainly marked & old. -

I, Jas. F. Need, State Surveyor, hereby certify that the above is a true & correct statement covering the lines & corners of survey herein mentioned & that the sketch accompanying this statement & signed by me officially correctly represents the positions of the lines & corners established by me as the result of careful investigation upon the ground. -

Jas. F. Need
State Surveyor.

B-1

Orange Co Sketches

certificate of JFWeed in
re to Surs. adjacent to T. &
N O Ry Co.

Filed Nov 8/90

all