

Line from Pontoaw bridge to Pecos Spring at
the lower corner of Survey # 535 on the Pecos.

Course	Distance	North	South	East	West	Remarks.
T 84 $\frac{1}{4}$ W	240	24			239	
S 26 W	120		108		52	
S 31 E	1600		1371	824		
S 65 $\frac{1}{2}$ E	600		249	546		
S 62 E	580		272	512		
S 8 $\frac{1}{2}$ W	140		138		21	
S 71 $\frac{3}{4}$ E	640		200	608		
S 50 $\frac{1}{4}$ E	3780		2417	2906		
S 49 $\frac{1}{2}$ E	5900		3832	4486		
S 60 $\frac{1}{2}$ E	1000		492	870		
S 75 $\frac{1}{4}$ E	3900		993	3771		
S 40 $\frac{1}{2}$ E	2600		1977	1689		
S 37 $\frac{1}{2}$ W	1040		825		633	
S 9 W	1040		1026		162	
S 57 E	480		261	403		
S 18 E	300		285	93		
S 37 $\frac{3}{4}$ E	7040		5567	4311		
S 11 E	1340		1313	255		
S 18 E	5060		4812	1563		
S 12 $\frac{1}{2}$ W	400		390		87	
S 43 $\frac{1}{2}$ W	980		980		674	
S 2 $\frac{1}{2}$ W	1800		1798		79	
S 17 $\frac{1}{2}$ E	1540		1469	463		
S 28 $\frac{1}{2}$ E	730		641	348		
S 9 $\frac{1}{2}$ E	1760		1735	291		
S 26 $\frac{1}{2}$ E	4600		4117	2053		
S 19 $\frac{1}{2}$ E	1600		1508	534		
S 75 E	140		36	135		86
T 69 E	50	18		47		to Hackberry at
		42	38543	26708	1947	Pecos Spring.
			42	1947		
Total			38501	24767		

Line from Pecos Spring or lower corner of Survey #535 to the mouth of Independance Creek,

"B."

Pecos County
(See Sketch File #413)

Course	Distance	North	South	East	West	Remarks
South	950		950			
East	1660			1660		
South	950		950			
S 52 3/4 W	30		18		24	
S 46 1/2 E	4080		5112	2650		
South	697		697			
West	29				29	
S 52 3/4 W	30		18		24	
S 36 1/2 E	240		193	143		
S 8 1/2 W	200		198		29	
T 84 E	1600	167		1591		
S 23 3/4 E	1000		915	403		
T 84 1/2 E	2920	280		2907		
S 66 E	400		163	365		
T 67 E	240	94		220		
S 26 E	60		54	26		
T 57 E	606	330		508		
S 75 E	120		31	116		
S 58 3/4 E	1160		602	991		
S 82 E	180		25	178		
S 34 3/4 E	120		97	68		
S 56 1/2 E	2220		1225	1852		
S 89 E	960		17	957		
S 54 E	860		506	696		
S 32 1/2 E	1900		1607	1010		
S 2 1/4 W	4000		3997		157	
S 33 1/2 E	80		66	44		
S 4 W	72		72		5	
S 32 E	130		110	69		
S 49 E	60		39	45		
S 18 E	460		437	142		
S 23 1/2 E	3740		3430	1491		
S 44 1/2 W	200		143	140		

S 71 19.663 18276 268

over

counter 33671

4

Continuation of Line to Independence Creek.

Pecos 40-58 File # 22

Course	Distance	North	South	East	West	Remarks
Great forward.		871	19663	18276	268	
S 30 W	885		766		442	
S 35 1/2 W	4100		3348		2366	
S 87 1/4 W	540		21		540	
S 46 W	260		181		187	
S 9 W	260		257		41	
S 5 1/4 W	1360		1355		124	
S 18 W	1840		1750		568	
S 65 W	600		254		544	
S 38 1/2 W	320		251		198	
S 1/2 E	1680		1680	15		
S 15 1/2 W	2376		2289		635	
S 74 3/4 W	200		53		193	
S 84 3/4 W	1600		146		1593	
N 28 1/2 W	480	422			229	
N 57 1/4 W	1360	735			1143	
S 49 1/2 W	860		559		654	
S 21 W	280		261		100	
S 9 1/4 W	2041		2013		327	to the mouth of
S 62 1/2 E	1700		785	1508		mouth of
		2028	35632	19799	10152	Independence Creek
			2028	10152		
Total.			33604	9647		

Line from mouth of Independence Creek
to Cedar on Pecos River.

Course	Distance	North	South	East	West	Remarks
N 62 1/2 W	1700	785			1508	to Mt. Mica 14.
S 29 W	1000		875		485	
S 50 W	2280		1465		1746	
S 7 3/4 W	600		594		81	
S 16 E	840		800	232		
S 38 E	1520		1198	935		
S 58 E	420		223	356		
S 74 1/2 E	1940		511	1872		
S 44 1/2 E	940		656	673		
S 13 1/4 E	1820		1771	418		
S 44 1/2 W	8		6		6	
S 11 E	54		53	10		
S 26 E	80		72	35		
S 17 3/4 E	45		43	14		
S 27 E	333		294	150		
S 49 3/4 W	40		26		31	
S 56 1/4 W	1500		833		1247	
S 37 1/4 W	260		207		157	
S 53 E	660		397	572		
S 33 1/4 E	440		369	240		
S 6 3/4 W	2400		2383		282	
S 41 W	1040		785		682	
N 78 1/4 W	260	53			255	to Mt. Mica 14
S 55 1/4 W	3020		1699		2496	to Cedar on Pecos.
		838	15268	5507	8976	
			838		5507	
Total			14430		3469	

Line from Bedarou Pecos to Myers Pt.

"C.V."

Course	Distance	North	South	East	West	Remarks
S 33 1/4 W	720		599		1316 400	
S 27 3/4 W	1224		1083		569	
S 78 3/4 W	480		93		470	
S 32 1/4 W	1400		1184		747	
S 35 E	60		9	311		
S 74 W	220		60		211	
S 28 3/4 W	300		263		144	
S 18 3/4 W	360		341		115	
S 3 1/2 W	400		399		24	
S 21 1/4 E	400		372	145		
S 10 3/4 W	440		432		82	
S 23 1/4 W	1205		1108		476	
S 60 1/4 W	2200		1091		1909	
S 31 3/4 W	380		323		200	
S 57 W	680		370		570	
S 36 3/4 W	1380		1105		825	
S 35 W	18800		15400		10783	
S 22 3/4 W	540		498		208	
S 59 E	35		17	30		
S 57 3/4 W	2000		1067		1691	
T 85 1/2 W	2040	160			2034	25499 10812
S 6 1/2 W	470		467		53	299 25290
S 39 W	360		280		227	
S 54 1/2 W	200		116		162	2016 32630
S 4 W	980		978		68	
S 32 1/4 W	1060		896		566	
S 2 3/4 W	600		599		28	
S 30 1/2 W	440		379		223	
S 12 W	720		704		149	
S 7 W	200		198		24	
S 51 W	700		440		544	
S 59 1/4 W	1460		735		1261	
S 49 3/4 W	500		323		382	
S 76 1/4 W	365		86		354	
S 17 1/2 E	300		286	90		

160 32,330 299 25,499

160 299

Total

32,170

25,200

counter 33674 7

2
X2

Line from Independence Creek to T.E. Cor. N^o 6 BLK 34 University Lands.

Pecos Co. S.B. File # 22

Course	Distance	North	South	East	West	Remarks
N 62 1/2 W	1700	785			1508	
N 48 W	1100	736			817	
N 56 3/4 W	1200	658			1004	
N 82 1/2 W	5600	731			5552	
N 12 1/2 W	620	605			134	
S 48 1/2 W	420		278		315	
West	420				420	
S 77 1/2 W	720		156		703	
N 32 W	40	34			21	
N 88 W	65	2			65	
South	1350		1380			
N 45 W	2400	1697			1697	
West	1900				1900	
North	793	793				
West	1828				1828	
South	1566		1566			
		6041	3380		15964	
		3380				
Total		7161			15964	

X₂³

X₂

counter 33675

8

Line from S. E. cor. survey N 400 at Peña Colorado
to rock mound at forks of Raymond and Stockton
roads. the N. W. corner of sec # 1 Bk # 1.

Course	Distance	North	South	East	West	Remarks
T 32 W	940	797			498	
T 35 E	2254	1846		1293		
T 41 1/2 E	3892	2915		2579		
T 29 E	800	700		388		
S 13 1/2 E	7800	7827		5398		
T 49 1/2 E	4000	2584		3053		
T 74 E	3020	3014		210		
T 50 E	5245	3371		4017		
T 55 E	19340	11095		15838		
S 18 W	229		217		70	to ART 77 road at
		34140	217	33276	568	forks of Road NW
		217		568		Cor N 1 Bk 1
Total.		33,932		32,708		

Line from N. W. Cor. # 1 Bk N 1 to rock mound at
the N. E. cor of survey N 1.

T 36 1/4 E	5000	4032		2957		
T 57 E	5300	2887		4445		
T 74 E	4200	1158		4037		
North	420	420				
T 28 1/2 E	3255	2854		1565		
T 38 1/2 E	2600	2035		1619		to ART 77 rd. H.
Total		13,386		14,623		

State of Texas }
County of Travis } Before me the undersigned
Authority on this day personally appeared
E. Gage & me well known who after having
by me been duly sworn depose and say
that the connecting line tabulated on the
foregoing plan & line marked respectively 'A'
'B', 'C' & 'D' were run in the direction

REGS. CO. ST. FILE #22

and superintendence and are to the best of his knowledge and belief true and correct - He further deposes and says that the most of said Committed line has been checked by running the same two or more times

E. S. Gage

sworn to and Subscribed before me this 13th day of September 1886

Alfred H. Hull
Notary Public Davis Co. Mo.



Sept 14/86
Rubin

X2

Line from Marion Spring or N. E. corner #11 blk 9,
 To Myers Spring the center of survey No 335

"D."

Course	Distance	North	South	East	West	Remarks
N 72 $\frac{3}{4}$ E	980	295		935		
S 65 E	1900		803	1722		
N 84 $\frac{3}{4}$ E	2700	247		2689		
N 48 $\frac{1}{2}$ E	900	596		674		
N 72$\frac{3}{4}$ E	980	295		935		
S 80 E	1400		243	1379		
N 70 $\frac{1}{4}$ E	2100	710		1976		
N 65 $\frac{1}{2}$ E	2000	829		1820		
N 48 E	8800	5888		6540		
N 77 $\frac{3}{4}$ E	4000	849		3909		
S 73 $\frac{3}{4}$ E	1800		511	1726		
S 53 $\frac{1}{4}$ E	4373		2617	3503		
S 80 $\frac{3}{4}$ E	3825		615	3776		
N 75 $\frac{1}{4}$ E	1600	407		1547		
N 53 $\frac{1}{4}$ E	5000	2992		4006		
N 80 E	5200	903		5121		
S 60 E	1400		700	1212		
S 81 $\frac{1}{4}$ E	2700		2308	1401		
N 2 $\frac{3}{4}$ W	121	120				6 to N. E. corner P 2
S 84 $\frac{3}{4}$ E	2400		220	2390		
N 88 $\frac{1}{2}$ E	1600	42		1599		
S 69 $\frac{1}{2}$ E	1300		445	1218		to large rock at Sanderson.
S 60 $\frac{1}{2}$ E	1362		671	1185		
S 10 $\frac{3}{4}$ E	2640		2593	492		
S 52 E	1900		1170	1497		
S 58 E	1400		742	1187		
S 15 $\frac{1}{2}$ E	2680		2582	716		
N 51 E	3400	2140		2642		
S 83 E	4680		571	4645		
S 47 E	6640		4528	4856		
S 66 $\frac{3}{4}$ E	2540		1003	2334		
S 75 E	460		119	444		
S 89 E	6280		109	6279		
		18601	22550	80836		6.

counter 33678

4
X2

DEPOS. CO. ST. F. H. 752

Course	Distance	North	South	East	West	Remarks
lost found		18.601	22.550	80.836	6	
S 80 ³ / ₄ E	7040		1131	6948		
T 45 ¹ / ₄ E	2720	1915		1931		
T 73 ¹ / ₂ E	5800	1647		5561		
S 81 E	1200		188	1185		
T 82 E	7600	1058		7526		
T 45 ¹ / ₄ E	960	676		681		to Myers Spring
		23.897	23.869	104.668	6	
		23.869			6	

Total. 28 10.4662


State of Texas
 County of Presidio } Before me the undersigned
 Authority on this day personally appeared
 H. M. Patterson known to me, who after being
 by me duly sworn deposes and says, that
 the above and foregoing tabulated list from
 Maxon Spring or N. E. cor. sur. W 11 Block E,
 to Myers Spring the middle survey W 335

of July 1856. and to the best of his knowledge and
 belief is correct.

H. M. Patterson

Sworn to and Subscribed before me
 this 7th day of September 1856.

James Curran
 Notary Public Presidio Co. Tex.



22.

Pecos Co.

Filed Sept. 14/86
 D. A. Robinson

Chief Clerk

12.00

See map filed
 same date
 (Roll started)
 10/23/81
 done

4 20
 4

12