

Connecting Line

From the S.E. Corner of Survey No. 6 in  
Prennio County, Made by virtue of Certificate  
No. <sup>35-00</sup> 3607 issued to A. S. Lewis, to the N.E.  
Corner of Survey No. 31 in block No. 3. Made  
for the C. H. & S. A. Ry' Co., & situated in said  
County

Beginning at - The S.E. Corner of said Survey  
No. 6

- Thence S.  $62\frac{1}{2}^{\circ}$  W. 6146 Vars to point -  
Thence South 85 Vars found a rock mid  
" South 709 Vars to point -  
" S.  $54\frac{1}{2}^{\circ}$  W. 5000 Vars " "  
" S.  $76^{\circ}$  W. 5800 Vars " "  
" West 8000 Vars " "  
" N.  $46^{\circ}$  W. 2220 Vars " "  
" N.  $70^{\circ}$  W. 2760 Vars " " from  
where the East - Corner of Survey No. 20 made  
by virtue of Certificate No. 1512 issued to Ari of  
Lewis Mollett, is N.  $11\frac{1}{2}^{\circ}$  E, 268 Vars  
Thence S.  $65\frac{1}{4}^{\circ}$  W. 3640 Vars to point -  
" West 2500 Vars " "  
" North 254 Vars " "  
" West 1120 Vars " "  
" S.  $44^{\circ}$  W. 2220 Vars " "  
" N.  $70\frac{1}{4}^{\circ}$  W. 1200 Vars " "  
" S.  $57\frac{1}{2}^{\circ}$  W. 2600 Vars " "  
" North 213 Vars " "  
" West 225 Vars " "  
" N.  $33\frac{3}{4}^{\circ}$  W. 2160 Vars " "  
" N.  $70\frac{1}{2}^{\circ}$  W. 2200 Vars " "  
" N.  $42\frac{1}{2}^{\circ}$  W. 1400 Vars " "

(over)

1 Hence West - 4300m built a rock mound  
 2 " N.  $20\frac{1}{2}^{\circ}$  W. 43400m to point -  
 3 " N.  $5\frac{1}{4}^{\circ}$  W. 34000m " "  
 4 " N.  $40^{\circ}$  W. 152000m " "  
 5 " N.  $12^{\circ}$  E. 20000m " "  
 6 " N.  $36\frac{1}{2}^{\circ}$  W. 11270m " "  
 7 " North 14640m " " on the South

8 bank of Ben - Humber Creek  
 9 Hence East - 22860m to point on S. bank  
 10 of creek

11 Hence S.  $60\frac{1}{2}^{\circ}$  E. 11400m " "  
 12 Hence S.  $54\frac{1}{4}^{\circ}$  E. 11200m " "  
 13 " S.  $60\frac{1}{2}^{\circ}$  E. 4000m " "  
 14 " S.  $21^{\circ}$  E. 4000m " " on S. side of creek  
 15 " S.  $69^{\circ}$  E. 10800m " "  
 16 " N.  $85\frac{1}{2}^{\circ}$  E. 12000m " "  
 17 " N.  $48\frac{1}{2}^{\circ}$  E. 9600m " " on divide  
 18 " North 2240m found a large rock

19 mound from whence a large cedar tree S.  
 20  $36\frac{1}{2}^{\circ}$  W. abt 1500m another cedar tree S.  $18^{\circ}$  W.  
 21 abt 1550m. This is the N. E. corner of Survey  
 22 No. 31 in Blk No. 3. Made for the S. H. & S. Co. by  
 23 Geo. The trees are plainly marked 7

25 I S. G. Thompson County Surveyor of Presidio Co.  
 26 Texas do hereby certify that the foregoing is a  
 27 true and correct connecting line as sur-  
 28 veyed by me during the month of May June  
 29 A.D. 1885, and that the same is of record in  
 30 my office in book B. pages 205 & 206

31 G. Wilson Secy S. G. Thompson  
 32 July 23<sup>d</sup> 1885 County Surveyor Presidio Co.

## Connecting Line

From a point on the foregoing Connecting line, to the N. W. Corner of Survey No. 27 in block No. 2 made for the S. H. & S. A. Ry' Co., and to S. E. Corner of Survey No. 923, the N. E. of Survey No. 835 in <sup>Survey No. 49</sup> W. line of Blk No. 9, Sec. 4 to S. E. of Survey No. 1 in Blk # 360.

Beginning at point in above line at 5300 feet on Course N. 40° W,

Thence South 111 feet to point -

" West 426 feet built a rock mound the N. W. Corner of Survey No. 27 in block No. 2 made for the S. H. & S. A. Ry' Co.

Thence N. 56 $\frac{3}{4}$ ° E. 7200 feet to point -

" S. 79° E. 620 feet found a rock mound the S. E. Corner of Survey No. 923. from whence an Oak 12" in dia' B'is S. 61° W. 812'. another B'is S. 83° W. 1532'.

Thence S. 46 $\frac{1}{2}$ ° E. 280 feet to point -

" S. 34 $\frac{1}{2}$ ° E. 1160 feet " "

" N. 75 $\frac{1}{2}$ ° E. 400 feet " "

" S. 40 $\frac{1}{4}$ ° E. 196 feet " "

" N. 49 $\frac{1}{4}$ ° E. 1660 feet " "

" S. 17° E. 597 feet found large rock mound the N. E. Corner of Survey No. 835 from whence 3 Cedar trees marked X B'is N. 38° E. 600'. a large pine tree in creek marked X B'is N. 86° E.

Thence N. 69° E. 4000 feet to point -

" S. 84 $\frac{1}{2}$ ° E. 1140 feet " "

" N. 76° E. 1260 feet " "

" N. 30° E. 1140 feet " "

" N. 20 $\frac{1}{2}$ ° E. 700 feet built a rock mound

the S. E. Corner of Survey No. 1 in Blk No. 360

(over)

1 Made by virtue of Certificate No. 1801 S. L. Co.  
2 Ry'les, from whence an Oak Bur' N. 19 1/2° E. 70',  
3 Another Oak Bur' N. 72° W. 110'  
4 Variation used 11 1/2° East-

5 I S. G. Thompson County Surveyor of Prendis  
6 County do hereby Certify that the above is a  
7 true & correct line as surveyed on the  
8 ground, and that the same is recorded  
9 in my Office in book B. pages 207 & 208  
10 Ft. Louis Tex. S. G. Thompson  
11 July 23<sup>d</sup> 1885 } County Surveyor Prendis Co.

Connecting Line

From the East Corner of Survey No. 20 made  
by Virtue of Certificate No. 1572 issued to His' of James  
Mallett, to S.E. corner of Survey No. 1034k. P. 4. 3.  
& N.W. corner of Survey No. 3 in black or. J. 6. 1.  
and to S.W. corner of Survey No. 679.

Beginning at the East corner of Survey No.  
20 a pine stump on E. bank of creek, from  
whence an oak stump plainly marked  $\bar{X}$   
Bis' S.  $79^{\circ}$  W. 100.

Thence N.  $55^{\circ}$  E. 1120 paces to Pt.

Thence N.  $25^{\circ}$  W. 32 paces found a rock

found the S.E. corner of Survey No. 1 Bk. or. J. 6. 1.  
& N.W. corner of Survey No. 3 in Bk. or. J. 6. 1. from  
whence an oak abt. 25" in dia marked  $\bar{X}$  Bis' N.  $7^{\circ}$  W. 6180.

Thence East - 1900 paces to Pt.

Thence South 56 paces found a rock and from  
whence a cedar stump abt. 3 ft. in dia on  
W. side of creek, Bis' N.  $81^{\circ}$  W. 600.

Thence South  $45^{\circ}$  E. 2688 paces to point -

Thence S.  $1^{\circ}$  W. 970. found a rock mound  
the N.E. corner of Survey #1 Bk. or. J. 6. 1. from  
whence an oak stump Bis' S.  $17^{\circ}$  E. 2960 paces

Thence N.  $45^{\circ}$  E. 2688 paces to point

Thence East - 2300 paces " "

Thence South 246 paces " "

Thence West - 31 paces found a large rock  
mound in plot the S.W. corner of Survey No.  
682 made by virtue of Certificate No. 2079 issued  
to the S. L. & S. L. Ry'les. from whence an oak  
stump marked  $\bar{X}$  Bis' S.  $84^{\circ}$  W. 127 paces

Thence East - 1900 paces to point -

1 Thence S.  $13\frac{3}{4}^{\circ}$  W. 63 Rods found a rock  
 2 Mound on top of a large boulder, on S.W.  
 3 side of hill, the S.W. corner of Survey No. 679  
 4 made by virtue of Certificate No. 2083 issued  
 5 to S. C. & S. F. Ry'ls.  
 6 Section  $11\frac{1}{2}^{\circ}$  E.

7 I S. G. Thompson County Surveyor  
 8 of Presidio County do hereby Certify that  
 9 the foregoing is a true & correct corner  
 10 line as run on the ground &  
 11 that the same is of record in my Office  
 12 in book B page 211 & 212

13  
 14 H. C. Louis Typo S. G. Thompson  
 15 July 23<sup>d</sup> 1885 County Surveyor  
 16 Presidio County Tex

Connecting Line

From the N.E. Corner of Survey N<sup>o</sup>. 835-Quadr  
by virtue of Certificate N<sup>o</sup>. 754 issued to the Tex  
Mex. Ry' Co. to the N.W. Corner of Survey N<sup>o</sup>.  
34 in black W. J. S. I.

Beginning at a rock mound at the N.E.  
Corner of Survey N<sup>o</sup>. 835, from whence 3 cedar  
trees marked X B<sup>is</sup> N. 38<sup>o</sup> E. 60<sup>v</sup>, a large pine tree  
in creek B<sup>is</sup> N. 69<sup>o</sup> E.

Thence N. 17<sup>o</sup> W. 597<sup>v</sup> to point-

" S. 49<sup>o</sup> W. 1660<sup>v</sup> " "

" West 468<sup>v</sup> " "

" South 1388<sup>v</sup> " "

" East 950<sup>v</sup> found a rock mound  
from whence an Oak marked X B<sup>is</sup> S. 41<sup>o</sup> E. 100<sup>v</sup>.

Thence West 445<sup>v</sup> to point-

" South 3800<sup>v</sup> " "

" East 376<sup>v</sup> " "

" South 71<sup>v</sup> found a rock mound  
the S.W. Corner of Survey N<sup>o</sup>. 35 in black W. J. S. I.  
from whence an Oak on N. bank of creek B<sup>is</sup>  
due South 350<sup>v</sup>

Thence South at 1900<sup>v</sup> to point- from  
whence a rock mound B<sup>is</sup> West 27<sup>v</sup>  
3000<sup>v</sup> in all to point-

Thence East 100<sup>v</sup> to point-

" South 4600<sup>v</sup> " "

" West 100<sup>v</sup> " "

" S. 44<sup>o</sup> W. 245<sup>v</sup> found a rock mound  
from whence an Oak about 20<sup>in</sup> in dia on  
W. bank of creek B<sup>is</sup> N. 37<sup>o</sup> W. 177<sup>v</sup> to the N.W.  
Corner of Survey N<sup>o</sup>. 34 in black W. J. S. I.

(over)

Sketch file No. 19.  
Presidio County.  
Connecting line's

From the S. E. cor. of Fort Davis  
Sur. No. 6 A. S. Lewis in Presidio Co.  
to the N. E. cor. of Sur. No. 31 Bl. 3.  
G. H. & S. A. Ry. Co. in said Co.

Also to N. W. cor. of Sur. No. 27  
Blk 2 G. H. & S. A. Ry. Co. & S. E. cor.  
of Sur. No. 923 the N. E. cor. of  
Sur. No. 1 Blk. 360.

From East corner of No. 20 Hrs. T.  
Mallett to S. E. cor. of No. 1 Blk.  
W. J. G. 3 & N. W. cor. of Sur. No. 3 Blk.  
W. J. G. 1. and to S. W. cor. of Sur.  
No. 679.

From N. E. cor. of Sur. No. 835  
Cert. No. 954 Tex. Mex. Ry. Co. to  
N. W. cor. of Sur. No. 54 Blk. W. J. G. 1.

Filed July 28<sup>th</sup> 1885  
Det Robinson  
Chief Clerk

see sk. #19 Jeff Davis Co.

See Sketch 19

Location 11<sup>th</sup> 3,

J. S. A. Thompson County Surveyor of  
Presidio County do hereby certify that the line  
of connection of above side of this that is  
here and correct; as shown on the  
ground and the same is shown in the  
Office in book B page 2099210

J. S. A. Thompson  
July 23<sup>rd</sup> 1885  
County Surveyor  
Presidio County