



26

COUNTY # 19938

File: 1.9

Reeves County

Connecting line from head
of Foyak Creek down.

Filed Novemb. 10/86

D N Robinson
Chf Clk.

S 7

Propter
Nov 10/86
W. W. W.

Connecting line run by E. A. Girard,
Deputy Surveyor of Pecos County,
near Head of Toyah Creek.

1st. Beginning at a cut stone monument
4 feet high, known as Lamberts Corner,
erroneously set for the N.E. Corner of
Survey No. 51, Block 13, H. & G. N. R. R. Co.,
thence S. $46^{\circ} 15' W.$ (var. $9^{\circ} 30' E.$) at 314
varas cross spring branch, at 1360 vs cross
Head of spring branch, about 75 vs to
right, at 1530 vs cross dry ditch, the course
of which is S. $53^{\circ} 15' W.$ at 3355 vs pass
wire fence whose course is N. $13^{\circ} 15' E.$
at 6180 vs cross road, at 6200 vs cross
main ditch, at 7300 vs cross Toyah Cr.
Just before crossing creek passed an
earth mound, 20 vs to the left, whole
course 7340 vs.

Thence South at 114 vs cross Toyah Creek,
at point where it is crossed by a sluice
197 varas.

Thence S. $54^{\circ} W.$ at 216 vs pass wire
fence whose course is S. $20^{\circ} 30' E.$ at 280
varas ^{cross} road whole course 942 vs.

Thence S. $60^{\circ} 15' W.$ 453 vs to point on
bridge at Victoria.

Thence S. $79^{\circ} 15' W.$ 313 vs set stake
near Head of Toyah Creek.

Thence N. $60^{\circ} W.$ 121 vs to the centre
of an old Mescal Camp, being point
called for in the South line of

Antonio Ball Survey No. 256.

2nd Meanders of Foyah Creek.

Beginning at the stake set near the head of Foyah Creek, Thence down said Creek with its meanders, N. 85° E. 50 vs. Thence N. 58° E. at 120 vs cross main ditch at its head 125 1/2 vs.

Thence N. 83° E. 232 vs. Thence N. 75° E. 80 vs. Thence N. 57° E. 140 vs. Creek 200 vs to left. Thence N. 32° E. 112 vs. Thence N. 3° E. 54 vs. Thence N. 48° E. 160 vs.

Thence N. 23° E. 63 vs. Thence N. 27° W. 94 vs. Thence N. 37° E. 106 vs. Thence S. 77° E. 80 vs. Thence N. 46° E. 34 vs. Thence S. 58° E. 129 vs. Thence N. 40° E. 38 vs. Thence N. 74° E. 65 vs. Thence N. 38° E. 80 vs. Thence N. 81° E. 80 vs. Thence N. 20° E. 82 1/2 vs

Thence N. 70° W. 53 vs. Thence N. 4° E. 80 vs. Thence N. 72° E. 60 vs. Thence N. 60° E. 91 vs. Thence S. 53° E. 78 vs. Thence N. 52° E. at 27 vs pass under sluice 50 vs.

Thence N. 16° E. 125 vs. Thence N. 23° W. 137 vs. Thence N. 60° W. 40 vs. Thence N. 8° E. 173 vs. Thence N. 49° E. 138 vs. Thence S. 89° E. 104 vs. Thence N. 36° E. 29 vs.

Thence N. 10° E. 100 vs. Thence N. 4° W. 160 vs set stake from which the chimney of an old adobe house is S. 8° 30' E. 66 1/2 vs.

Thence N. 32° W. down Foyah Creek.

with its meanders 86 1/2 vs.

Thence West 35 1/3 vs. Thence N. 40° E. 88 vs. Thence N. 48° W. 85 vs. Thence N. 34° E. at 140 vs cross small ditch near its head 215 vs. Thence N. 22° E. 220 vs.

Thence N. 45° E. 60 vs. Thence N. 22° E. 83 vs to road crossing. Thence North 120 vs. Thence West at 20 vs cross projection of the creek ~~taken in the enclosed meanders above~~ 40 vs.

Thence N. 15° W. 37 vs. Thence N. 28° E. 33 vs. Thence N. 3° W. 120 vs. Thence N. 34° W. 93 vs. Thence N. 18° W. 145 vs. Thence N. 41° W. 141 vs. Thence N. 57° W. 141 vs at this point the creek becomes dry. Thence N. 27° E. at 170 vs cross a road 217. vs

Thence N. 2° E. 142 vs. Thence N. 8° E. at 343 vs pass a two pronged Cottonwood tree each prong 15" dia. whole course 348 vs

Thence N. 54° W. 192 vs. Thence N. 18° W. at 100 vs a Church about 60 vs to right 532 vs. Thence North 179 vs. Thence N. 42° E. 280 vs. Thence N. 10° E. 65 vs. Thence N. 53° E. 272 vs to a point where the water again rises.

Thence N. 64° E. 61 vs at end of this course leave creek on the left.

Thence N. 75° E. 132 vs. Thence S. 85° E. 260 vs. Thence N. 70° E. 279 vs. Thence N. 59° E. 258 vs. Thence N. 76° E. 243 vs. Thence N. 75° E. 237 vs. Thence East 158 vs.

Thence S. 73° E. 286 as. Thence S. 34° E.
 97 as. Thence S. 12° E. 99 as. Thence S. 85°
 E. 78 as. Thence N. 67° E. 99 as. Thence
 S. 78° E. 259 as. Thence N. 50° E. 319 as.
 Thence N. 27° E. 120 as. Thence N. 23 W.
 at 43 as cross ditch 101 as. Thence N. 10°
 E. 201 as. Thence S. 83° E. 112 as. Thence S.
 69° E. 424 as. Thence N. 56° E. 526 as.
 Thence N. 45° E. 499 as. Thence N. 46° 30'
 E. 621 as. set stake and 4 rocks on bank
 of Toyah Creek. Thence S. 58° E. 550 as.
 Thence S. 31° E. at 40 as cross road, at 77 as
 cross ditch 316 1/2 as to rock monument
 4' high.

3rd

Meanders of Ditch.

Beginning at stake at head of Toyah
 Creek. Thence East 40 as. Thence N. 59°
 E. 117 as to a point at the head of
 main ditch. Thence S. 88° 30' E. down
 the ditch with its meanders 162 as.
 Thence S. 68° E. 280 as. Thence S. 78° 45'
 E. 482 as. Thence S. 87° 45' E. 308 as.
 Thence N. 54° 30' E. 88 as. Thence N. 39°
 E. 260 as. Thence N. 32° E. 525 as. Thence
 N. 42° E. 188 as. Thence N. 37° 30' E. 160 as
 Thence N. 30° 30' E. at 70 as pass wire
 fence (and dry ditch) whose course
 (fence's) is about N. 88° E. 104 as.
 Thence N. 22° 30' E. 124 as.

53

Thence N. 20° E. (at 2450 cross head
of branch ditch (course of which is
S. 69° E.) 3940. The end of this course
is opposite the head of another branch
ditch whose course is N. 41° W.

Thence N. 2° W. at 3790 cross head
of another branch ditch whose course
is N. 59° 45' E. at 4340 cross road at
ditch crossing 12090 set stake.

Thence N. 41° 30' E. down the main
ditch with its meanders 10300.

Thence N. 29° W. at 2500 cross branch
ditch at its head, at 2500 cross large
branch ditch at its head, whose course
is N. 55° E. 30100. Thence N. 22° 15' E. at
22500 pass head of branch on opposite
side of main ditch, the course of which
is N. 32° 30' W. 88700.

Thence N. 57° E. 11700. Thence N. 60° 30'
E. at 9000 cross branch ditch at its
head, the course of which is N. 88° 30'
E. at 10080 cross branch ditch at its
head the course of which is S. 54° E.
After passing this branch the main
ditch becomes dry 12400.

Thence N. 36° 15' E. 58900. Thence N. 58°
E. at 13800 cross head of branch ditch
whose course is S. 49° 30' E. at 26000
pass opposite the head of a branch
ditch whose course is N. 25° 30' E. 40000
Thence N. 60° E. 22000. Thence N. 66° E.
at 11300 pass wire fence whose course

is S. 13° W. The general bearing of the fence of the opposite side of the ditch is about N. 31° E. 800 vs. Thence N. 58° 30' E. 186 vs. Thence N. 42° E. 105 vs. Thence N. 59° 15' E. 111 vs. Thence N. 80° E. 140 vs. Thence S. 32 1/4° E. 235 1/4 vs to Lamberts Stone Monument.

Surveyed
October 1884.

~~E. H. Straud~~
Deputy Surveyor.
Pecos Co Texas.

Examined, approved and recorded in application Book No 5 on Pages - 14-15-16 and 17.

E. H. Bates
Surveyor Pecos County Texas

55