



State of Texas
County of Sullivan

Field notes of a survey made for

1 Water Obier, Cornering line U^o 2 ran
2 from the N.E. corner Survey U^o 15 of C & S F.R.C.
3 Block A to the N.W. corner Survey U^o 60 same Block
4 and Company.

5 Beginning at the original N.E.
6 Corner Survey U^o 15 of C & S F.R.C. on old rock
7 mound whence a 12 inch mesquite marked
8 E by S 28^o E 9 m a well stump about 8 inches
9 in dia no mark found by S 2^o 21^o W 8 m

10 Thence north with E line Survey
11 U^o 16 and 17 3861 m to an old rock mound
12 in South Edge of a sink about 200 m
13 S.W. of a well and windmill no bearings
14 found. Campers and prairie fires had
15 destroyed all trees near. Continued N.
16 with E line Sur U^o 18 & 19, at 1921^o m
17 passed an old stone mound about
18 two feet high, no trees near in all 3848^o
19 m to a point 3 m S.E. of a large rock and
20 S.E. Corner of a pasture fence, bearing tree
21 called for in field note destroyed.

22 Then moved compass over old mound
23 and ran west with N line Sur U^o 19
24 Block A at 1930^o m found an old stone
25 mound about 75 m S.E. of a well and
26 windmill whence the top of a buried
27 ^(Stump in Corral?) well even with surface of the ground
28 by North 38 m other well called for in
29 field notes totally destroyed.

30 Thence continued west with north line
31 Survey U^o 22 the Blk 1925 m to a small
32 stone mound in open valley about 60

mm



I

1 W 2 of road running S from Winton. The
 2 original SW Corner Survey U^o 21 N W 22 S E
 3 38 and NE 37 Q C & S S R R Co Blk A where
 4 the top of a mesquite stump 5' in dia
 5 br S 5 E 49.00 The top of a mes' stump just
 6 below surface of the ground br S 24 E 62 3/4
 7 W. Placed a large flat rock marked ^(on old mound.) Original
 8 NE 37 A. Made new bearings as follows
 9 a 3 cut on a flat rock br S 66 1/2 W 23 W
 10 an iron pin driven in the ground br N 61 E
 11 10 1/2 W

12 Thence west with N line Survey 37
 13 1900 made a rock mound marked NE 40 A
 14 at the NE Corner Survey U^o 40 and SE Cor
 15 Sur' U^o 39 Blk A where a mes' 6" in dia
 16 marked 7 br N 68 1/2 E 66 W a 3 cut on a
 17 fixed rock br N 58 1/2 E 63 W.

18 Thence South with E line Sur' 40 1900
 19 made a rock mound about 2 feet high Cap
 20 rock marked NE 41 A The NE Corner Survey
 21 U^o 41 & SE Corner 40 in W line Survey U^o 37
 22 27 W N of its SW Corner where a 7 cut on
 23 a large boulder br S 71 W 9.8 W a do br N 54
 24 W 8 1/2 W

25 Thence South with W line Sur' U^o 36
 26 1900 made a stone mound Cap rock marked
 27 NE 42 A at the NE Corner Survey U^o 42 Blk
 28 A in W line said Survey U^o 36 48 1/2 W N of
 29 N of SW Corner. Where a 3 cut on a flat
 30 rock br N 49 3/4 W 63 3/4 W top of wind mill
 31 tower br S 44 3/4 W about 1200 W

32 Thence South with west-line Surveys U^o 35-34-
 33-32-31 and 30 Blk A 1661 W. made a second



Effort to find new Corner Survey No. 30 1/2 in name of Day Land & Cattle Co as established by W. H. Boush Dept. State Surveyor. Satisfying myself that the corner had been destroyed Continued south in all ten miles or 19000 was made a large rock mound Cap rock marked N E 50 A at the N E Corner Sur. No. 50 Blk. A and S E Sur. No. 49 in west line Survey No. 9 said Blk. A G.C. + S.F.R.R. Co. Whence a 3/4 cut on a flat rock bearing S 52 1/2 E 37 1/2 as a do bearing N 43 1/2 E 23 1/2 was said mound being by actual measurement 273 was N of a rock mound 2 feet high Cap rock marked N W 8 A at N W Corner Survey No. 8 Blk. A as established by myself at a previous survey see field notes of Connecting line No. 1 attached herewith.

Thence ran west with 3 line Sur. No. 49 1900 was made a rock mound Cap rock marked N W 50 A. at the N W Cor. Sur. No. 50 and S W Cor. Sur. No. 49 Blk. A Whence a 3/4 cut on a flat rock bearing N 83 1/2 E 164 1/2 as a do bearing S 83 E 161 1/2 was

Thence south 1900 was made a rock mound Cap rock marked N W 51 A at the N W Corner Survey No. 51 + S W Cor. Sur. No. 50 Blk. A Whence a 3/4 cut on a large boulder bearing S 8 1/4 E 93 1/2 as a do on a flat rock bearing S 7 1/2 E 57 1/2 was. This N W Corner of Survey No. 51 G.C. + S.F.R.R. Co. Blk. A is by actual measurement, after cutting out the brush, 6060 was East and 70 1/2 was South of the S W Corner Survey No. 7 G.C. + S.F.R.R. Co. Blk. No. 2.

Thence south at 12625 a point 2 1/2 was W of a rock mound said mound being by measurement 300 was East of an other rock mound which I supposed were the mounds made by J. Campbell for N W Corner Sur. No. 51 Blk. A G.C. + S.F.R.R. Co. and S E Corner Survey No. 9 G.C. + S.F.R.R. Co.

see sketch and statement in SE 1180x



4

Blk 2. See call of J Campbell on working sketch
 from General Land Office inclosed herewith. Continued
 south in all 1900ms made rock mound two ft high
 in S Edge of suit. Cap rock marked N.W. 52A
 at the N.W. Cor Survey N^o 52. S.W. Cor 51 N.E. Cor 61 and S.E.
 Corner Sur' N^o 62 this Block whence an old rock
 mound br S 36 W 4 ms a 3 on flat rock br S 76 1/2 W
 15 1/2 ms a do br N 7 1/2 W 25 1/2 ms

Thence ran East with S line Survey N^o 51 1900
 ms made stone mound Cap rock marked S.E. 51A
 at the S.E. Corner Survey N^o 51 and N.E. Corner Sur' N^o 52
 Blk A whence a 3 cut on a fixed rock br S 47 E 9 1/2
 a do br S 40 1/2 E 18 1/2 ms in W line Survey N^o 7

Thence East 1900 ms to a point in west line
 Survey N^o 1. G.C. & S.F. R.R. Co.

Thence S with W line said Sur N^o 1 332 ms to a point
 one ms W of the Original N.W. Corner Survey N^o 1
 Certificate N^o 4/1286 G.C. & S.F. R.R. Co. Block D, whence a
 10 15' in dia marked 5 in group of 5 20' br N 49 1/2 E 69 ms.

Surveyed March 2nd to 13th 1916 Variation 10° 30' E.

B. F. Court Chain

Subsequent (Sangre) Corners

In making the foregoing survey the brush
 was cut and the way cleared before any chaining
 was done.

I Edgar C Saunders County Surveyor Sutton
 County Texas do hereby certify that the foregoing
 survey was actually made by me in the field,
 according to law and that the lines boundaries
 and corners with the marks natural and artificial
 are truly described in the foregoing plat and field
 notes

Edgar C Saunders
 County Surveyor Sutton County
 Texas

mm³

^{No. 13}
Schleicher Co.
Connecting line -
Blk A - GC + SF Ry Co.
in western part county -

Filed Apr 19 - 1916
J. D. Robinson
Clerk
by J. W. H. H. H.

FILED FOR RECORD
This 13 day of Apr
1916 at 11 o'clock A.M. and
Recorded in Book _____ Page _____
w. c. Bentler
County Clerk
By H. Meason Deputy

The State of Texas, :
County of Schleicher. : I, W. C. Benton, County Clerk, in and for
Schleicher County, Texas, hereby certify that the foregoing instrument
was filed for record in my office this 13th day of April A.D., 1916 at
11 o'clock A.M. and duly recorded this the 13th day of April A.D., 1916
in the Surveyors Records of Schleicher County, Texas, in volume number
one at page 163 and 164

I further certify that Schleicher County has No County Surveyor.

Witness my hand and seal of office at Eldorado, this 13th day of April 1916
W. C. Bentler
County Clerk Schleicher County, Texas.

By H. Meason Deputy



Wm. H.

County 36497