COOL & STILLEY CONSULTING ENGINEERS - LICENSED LAND SURVEYORS REGISTERED PUBLIC SURVEYORS 2211 S. W. FRONT STREET P. D. BOX 574 PHONE MU 4-8296 MIDLAND, TEXAS September 22, 1958

D-134

RECEIVED OCT 2 1958 GENERAL LAND OFFICE

counter 36541

CLIFFORD C. COOL J. C. STILLEY G. E. SAUNDERS D. ALSOP

> Honorable Bill Allcorn, Commissioner General Land Office Austin, Texas

Dear Sir:

I respectfully submit for your consideration the attached plat and field notes of a survey recently completed by me in the north part of T.W.& N.G. Ry. Co. Block 8, Schleicher County, Texas.

The original survey on Block 8 was done by L. C. Navarro in 1876. In the same year, L. E. Edwards surveyed the G.H.& S.A. Ry. Co. Blocks "H" and "I". Neither of these surveyors placed permanent corners to mark their surveys on the ground.

In 1888 and 1889, Mr. G. M. Williams, a State Surveyor, resurveyed the G.H.& S.A. Ry. Co. Blocks "H" and "I", and set numerous stone mounds with witness trees to mark his surveys. Since these two blocks were dependent upon Block 8 for their location, Mr. Williams re-established Navarro's northeast corner of Survey 1, Block 8, from the Fisher-Miller Colony Surveys, immediately to the east, according to Navarro's calls. From this re-established corner, Mr. Williams ran a line six miles north along a "very old marked line" and set a beginning corner for Block "H" at the southeast corner of Survey 1. He then resurveyed Blocks "H" and "I" from this beginning corner. I recovered all of the corners set by Mr. Williams in this area, as shown on the plat, as well as his re-established northeast corner of Survey 1, Block 8. However, I found from three to ten varas per mile excess in Mr. Williams' work.

COOL & STILLEY CONSULTING ENGINEERS - LICENSED LAND SURVEYORS REGISTERED PUBLIC SURVEYORS 2211 S. W. FRONT STREET P. D. BDX 574 PHONE MU 4-8296 MIDLAND, TEXAS GENERAL LAND OFFICE

- 2 -

CLIFFORD C. COOL J. C. STILLEY G. E. SAUNDERS D. ALSOP

> I also located the patented position of Surveys 8, 20, and 30, Block 8. The surveys in the T.W.& N.G. Ry. Co. Block 8 were then constructed by holding to Williams' corners on the north and west lines, Mr. Goodfellow's patent corners in Surveys 20 and 8, and Mr. Simpson's patent corners on the north line of Survey 30.

> > Respectfully submitted.

Cool,

Licensed State Land Surveyor

BEGEIVED

OCT. 2 1958

counter 36542

File No. 40 Schleicher County Sketch File Filed Oct. 2 1958 BILL ALLCORN, Com'r By L. L. Stangering Report of re-survey of T.W. \$ N.G.Ry. Blk. 8 functon's patent TINGS' (See Rolled Sk. 20) By C.C.Cool Sept. 22, 1958 . TM bos connere on the north in Surveys SO and 8, .D.W ent atent corners H counter 365+3