FI, Proctor R. Clarke, a Licensed State Surveyor Working Plat of Iexas and County Surveyor of Shackelford County, Texas, hereby certify that the plat of the Annie Gentry Survey NO. 4, 102 # acres, shown herein was drawn by me from data Shackeltard County, Texas. obtained by the original location survey Scale, 200 varas to I inch. made by me in January, 1910 and the re-survey and investigation made by me Frepared June, 1949, for the in June, 1949, and that the plat truly Commissioner of the General Land Office of Texas. represents the facts as they exist on the ground, to the best of my knowledge and belief. Procta M. Glade, Ticensed State Burreyor, Bounty Surveyor, Spacice) ford, County, Texa: 40x22 1786 N. 0°22' E, 1686 1.000 Annie Gentry Branch Surv. No. 4. Topatied by Proctor The Clarke, 1910. Ole Abandoned prospect hois NOX77 1900.8 300. No. 197 Sec. No. 198 00 Decated by Um. Armstrong 1848

Sketch File No. 12County Shackelford

Albany, Texas, June 11, 1949.

Jargan a

0-81

Hon. Bascom Giles, Commissioner of the General Land Office and Hon. J. E. Weeks, Jr., Assistant Attorney General, Austin, Texas.

Gentlemen:

I beg to report the results of the recent re-survey and investigation work performed on the Annie Gentry Survey No. 4 in Shackelford County, Texas.

Work was begun June 6, 1949, at the Southeast corner of the Gentry, which is also a corner common to Sections Nos. 198, 199 and 206, E. T. R. R.

This corner, an old stone mound, was found to be in good condition, somewhat flattened out.

Two of the old Mesquite witnesses were intact, as shown on the plat which is sent to the General Land Office with this report.

No change was made other than to drive a long iron stake in the center of the old mound.

A line was ran West 176 varas and the old stone mound at the Southwest corner of the Gentry and corrected Southeast cor. of the W. S. Keaghy Surv. No. 1, on the North line of Sec. No. 206, E. T. R. R., was recovered.

This old stone mound was in good condition, somewhat flattened.

Two of the old Mes. witnesses were found. No change was made other than to drive a long iron stake in the center of the old mound.

49.8 varas South of this corner an old stone mound, the original (conflicting) Southeast cor. of the W. S. Keaghy Surv. No. 1, was recovered and found to be in good condition. Returning to the Southeast cor. of the Gentry a line

was ran North and a transit station was set at 1786 varas on the line.

From this station a line was ran West 176 varas and the original stone mound at the Northeast cor. of the W. S. Keaghy Surv. No. 1 was recovered in perfect condition.

A long iron stake was driven in the center of the old mound; - three old Mes. witnesses were found.

Two erroneous stone mounds of unknown origin were

found nearby, the details being shown on the plat. In January, 1910, a single slab of limestone, marked S E 22 was found at the Southeast corner of the C. C. Bruff Surv. No. 22.

This corner was found to have been removed but the old slab was found nearby where it had been used to cover a blast hole which is thought to have been shot during a seismographic survey within recent years.

The old slab was re-set at proriginal position 38.5 varas N.86°30'E. from the original Northeast corner of the W. S. Keaghy Surv. No. 1.

Returning to the transit station set at 1786 vrs. North of the Southeast corner of the Gentry, the line was continued North and at 1900.8 vrs. the old stone mound, the common corner of Sections Nos. 197 and 198, E. T. R. R., on the East line of the Gentry was found.

This old stone mound, being near a large drain, was nearly buried by alluyiumtake was driven in the center of the old mound and some large stones were placed on top of it.

All three old Mes. witnesses were found intact. From this corner the positions of two producing oil wells within the boundaries of the Gentry were located.

The more Southerly of these wells, known as Hickok & Reynolds "C" Lease No. 3 is 105.6 feet West of the East line of the Gentry.

The next well to the North, known as Hickok & Reynolds "C" Lease No. 1, is 102 feet West of the Est line of the Gentry. this Southwest cor. of Sec. No. 197, E. T. R. R. From counter 36582

PAGE TWO.

mound.

found.

M

a line was ran North, setting transit stations at convenient points from which to locate a dwelling, a producing oil well and an abandoned prospect hole.

The dwelling on the Gentry is occupied by Mr. J. M. Mims, an employee of Hickok & Reynolds.

A producing oil well, known as Hickok & Reynolds "D" Lease No. 2, is a short distance North of the dwelling and is 109.5 feet West of the East line of the Gentry. An abandoned prospect hole in the North central part of the Gentry Survey is 93.6 feet West of the East line of the

Gentry.

At 1576 vrs. on this line a transit station was set and from this station a line was ran West 123 varas and an old stone mound on a high flat, the original Southeast corner of the R. Wilson Surv. No. 23, was found in perfect condition. Both old Mes. witnesses were found intact.

A long iron stake was driven in the center of the old

Returning to the station set 1576 vrs. North of the Southwest corner of Sec. No. 197, E. T. R. R., on the East line of the Gentry, the line was continued North, at 1692 vrs. the top of the South wall of the canyon of Bluff Creek was reached, at 1900.8 vrs. an old mound of large stones on the flood plain of Bluff Creek, the Northwest corner of Sec. No. 197, E. T. R. R. and the Northeast corner of the Annie Gentry No. 4, on the South line of the P. G. Holcombe Survey, was reached. This old mound, being built of very large stones had

been only slightly disturbed by floods, notwithstanding the fact that is situated on the flood plain of a swift creek and maxky only 32 vrs. South of the South bank of the channel.

The old Mes. witness, nearly destroyed, was found. No traces of the Elm and Walnut witness trees were

In the year 1910 a stone mound was built in the channel of Bluff Creek and witnessed by a large white stone on the South wall of the canyon, also by the Northeast corner of the Gentry, only 124 vrs. distant.

This corner was the Southwest corner of the P. G. Holcombe Survey and Northwest corner of the Annie Gentry No. 4. The mound at this corner was not replaced; it would

have lasted only until the next flood.

Fuller details are shown on the large scale plat which is sent with report to the General Land Office.

The following information was obtained from Mr. J. M. Mims, an employee of Hickok & Reynolds and who is known by me to be a reputable citizen.

The three Hickok& Reynolds wells on the Gentry were located by Mr. Lee Heltzell, a geologist and ist oil producer of Cisco, Texas.

Well No. 3, "C" Lease was driled in 1947. Well No. 1, "C" Lease was drilled in 1946. Well No. 2, "D" Lease was drilled in 1947.

Respectfully,

non Proctor K. Clarke,

Licensed State Surveyor of Texas, County Surveyor, Shackelford County, Texas.

GENERAL LAND DEFICE

counter 36580

JUN 13 1948

RECEIVED

REFERRED IN TURN TO .JUN 13 1949

RECEIVED

abandoned prospect hole. a line was ran North, setting transit stations at convenient points from which to locate a dwelling, a producing oil well and an

counter 36581

Mims, an employee of Hickok & Reynolds. The dwelling on the Gentry is occupied by Mr. J. M.

109.5 feet West of the East line of the Gentry. A producing oil well, known as Hickok & Reynolds "D" Lease No. 2, is a short distance North of the dwelling and is

Gentry. of the Gentry Survey is 93.6 feet West of the East line of the An abandoned prospect hole in the North central part

and from this station a line was ran West 125 varas and an old stone mound on a high flat, the original Southeast corner of the R. Wilson Surv. No. 25, was found in perfect condition. Both old Mes. witnesses were found intact. At 1576 vrs. on this line a transit station was set

A long iron stake was driven in the center of the old

of the Gentry, the line was continued North, at 1052 wis, one top of the South wall of the canyon of Bluff Greek was reached, at 1900.8 wrs. an old mound of large stones on the flood plain of Bluff Greek, the Northwest corner of Sec. No. 197, E. T. R. R. and the Northeast corner of the Annie Gentry No. 4, on the South line of the P. G. Holcombe Survey, was reached. This old mound, being built of very large stones had been only slightly disturbed by floods, netwithstanding the fact that 1g cituated on the flood plain of a swift creek and awaky only 52 wrs. South of the South bank of the channel. Returning to the station set 1576 vrs. North of the Southwest corner of Sec. No. 197, E. T. R. R., on the East line of the Gentry, the line was continued North, at 1692 vrs. the top

outy 52 vrs. South of the South bank of the channel.

The old Mes. Witness, nearly destroyed, was found. No traces of the Elm and Walnut witness trees were

124 vre. distant. In the year 1910 a stone mound was built in the channel of Bluff Creek and witnessed by a large white stone on the South wall of the canyon, also by the Northeast corner of the Gentry, only

This corner was the Southwest corner of the P. G. Holcombe Survey and Northwest corner of the Annie Gentry No. 4. The mound at this corner was not replaced; it would

only until the next flood.

Fuller details are shown on the large scale plat which is sent with report to the General Land Office. The following information was obtained from Mr. J. M. Mims, an employee of Hickok & Reynolds and who is known by me to be a reputable citizen.

Cleco, Texas. The three Hickok& Reynolds wells on the Gentry Were located by Mr. Lee Heltzell, a geologist and isk oil producer of

RECEIVED

JUN 13 1949

REFERRED IN TUBA TO

an

Shakelond co. St. F. 6 th

mound.

Well No. 3, "C" Lease was driled in 1947. Well No. 1, "C" Lease was drilled in 1946. Well No. 2, "D" Lease was drilled in 1947.

Respectfully,

County Surveyor, Shackelford County, Texas. Proctor K. Clarke, Droctor K. Clarke, Licensed State Surveyor of Texae, Eicensed State Surveyor Of Texae,

RECEIVED

JUN 13 1949

GENERAL LAND OFFICE

and a