REPORT OF CORRECTED SURVEY.

Reed aug 11-

THE STATE OF TEXAS,) COUNTY OF SHERMAN.)

THE STATE OF TEXAS,) COUNTY OF SHERMAN.) Official Report by D. D. Spurlock, County Surveyor of Sherman County, Texas, to Hon. J. T. Robison, Commissioner of the General Land Office of the State of Texas, at Austin, Texas, of a corrected survey made by him of all of Blocks Numbers 1C, 2, 2B and 3B, of the Galveston, Houston & Hen-derson Railroad Company surveys, situated in Sherman County, Texas, except that part of Block No. 2 is in Hansford County, Texas; said report intended to show especially the true location as found on the ground by actual survey and care-fully tested measurements of every original record corner in said blocks, iden-tified by its description and bearings, whether same agrees with or varies from tified by its description and bearings, whether same agrees with or varies from the said original measurements between such corners, thereby disclosing and lo-cating excess or deficiency in acreage in said blocks, in support and supplement of the accompanying plat or map of said blocks as so resurveyed:

Beginning at a large stone in ground, the N. E. corner of Survey No. 135, and N. W. corner of Survey No. 154, in Block No. 2, G., H. & H. R. R. Co. sur-vey, in Hansford County, Texas, from which the North boundary line of said block bears North nine measured miles and the East boundary line of said block bears East seven measured miles of 1900.8 varas each, and from which an Indian Monument on point of bluff bears S. 1° W. 1200 varas, and point of another bluff bears S. 70° E. about 500 varas, thence South 7760 varas to a mound and four pits, the S. W. corner of Survey No. 157 and the S. E. corner of Survey No. 132, thence West 7760 varas (at 6893.3 varas crossed Rabbit Ear or Coldwater Creek) to a mound and four pits and large corner fence post in center of mound, the S. W. corner of Survey No. 61 and S. F. corner of Survey No. 36, from which a point of high bluff on left, i. e. south, side of creek bears S. 54° W., also Indian Monument on bluff bears S. 16° W. 2180 varas, and another Indian Monument on bluff bears S. 67g E, distance not measured, Rabbit Ear Creek (now called Coldwater) bears on bluff bears S. 16° W. 2180 varas, and another Indian Monument on bluff bears S. $67\frac{1}{2}$ E, distance not measured, Rabbit Ear Creek (now called Coldwater) bears E. 864 varas, again bears S. 236 varas, the South boundary line of this block 2 bears S. eleven measured miles and the East boundary line of this block bears E. eleven measured miles and 160 varas; this corner also found and above measurement proved by a careful survey on the ground beginning at the corner of 135 and 154 first named above, thence S. 45° W. at 8230.8 varas pass stone in ground in cen-ter of mound, the N. W. corner of Survey No. 84, from which a trace or remnant of a hackberry grove bears S. 1° E. 850 varas at old bank of Rabbit Ear or Cold-water Creek and point of bluff bears S. 57½ E. about 1300 varas, 10,974.3 varas to the S. W. corner of 61 and S. E. corner of 36, reached as described by the foregoing survey: foregoing survey;

Thence West 1900 varas to mound and stone in ground, the S. E. corner of Survey No. 13, from which Indian Monument on point of bluff bears S. 33° E. 2485

Survey No. 13, from which indian monantic on plan and four pits made by me in this varas; Thence West 2083 varas to fresh mound and four pits made by me in this survey, the S. W. corner of Survey No. 13, marking the correct line between said Block No. 2 and Block No. 1C of the G., H. & H. R. R. Co. surveys; Thence South at 158 varas pass the S. E. corner of Survey No. 3 in said Block No. 1C, at 1723 varas cross Rabbit Ear or Coldwater Creek, 3900 varas pass S. W. corner of Survey No. 15 in this block, marked by me in this survey with fresh mound and four pits, 3958 varas to S. E. corner of Survey No. 1 in Block No. 1C, G., H. & H. R. R. Co., and N. E. corner of Survey No. 1 in Block No. 3B, G., H. & H. R. R. Co., marked by me with a mound and large stone in ground as the identified block line of Block 2 and the junction corners of Blocks 1C and 3B:

Thence West 1900 varas to a mound and stone in ground, the S. W. corner of Survey No. 1 in said Block No. 1C and the N. W. corner of Survey No. 1 in said Block No. 3B, from which a point of bluff bears N. 3° E, distance not measured but about 750 varas, another point of bluff bears N. 81° E., distance again not measured, Rabbit Ear or Coldwater Creek bears N. 575 varas and also bears W. 300

measured, Rabbit Ear or Coldwater Creek bears N. 575 varas and also bears W. 300 varas; said mound and stone are also seven miles and 244.5 varas East of the N.
E. corner of Block No. 2B of the G., H. & H. R. R. Co. grants; Thence West, at 300 varas cross Rabbit Far or Coldwater Creek, 1910.5 varas to a mound and stone in ground, the N. W. corner of Survey No. 18 and N. E.
vorner of Survey No. 19 in Block 3B and S. W. corner of Survey No. 30 in Block No. 1C, from which point of bluff bears N. 70° E. about 1½ miles, and point of another bluff or hill bears S. 82½° W. about one-half mile; Thence South, at 785 varas cross Rabbit Ear or Coldwater Creek, 1900 varas to S. W. corner of Survey No. 18, marked by me in this survey with fresh mound and four pits, thence West 1900 varas to mound and stone in ground (passed Coldwater Creek at 365 varas) the S. W. corner of Survey No. 19 and N. W. corner of Survey No. 20, and S. E. corner of Survey No. 36, from which point of bluff bears S. 372° E. about one-half mile, and another point of bluff bears S. 8° W. about 36, from which point of bluff bears S. 372° E. about one-half mile, and another point of bluff bears S. 8° W. about 36, from which point of bluff bears S. 372° E. about one-half mile, and another point of bluff bears S. 8° W. about 300 varas; 800 varas;

Thence South, at 420 varas cross Rabbit Far or Coldwater Creek, 1941 varas S. W. corner of Survey No. 35 and N. E. corner of Survey No. 34, marked by me to

counter 36691

in this survey with fresh mound and four pits, thence West at 1790 varas cross Rabbit Far or Coldwater Creek, 1900 varas to N. W. corner of Survey No. 34 and S. E. corner of Survey No. 38, from which Rabbit Far or Coldwater Creek bears E. 110 varas, and again bears S. 94 varas (though the original surveys of Sec-tions 34 and 39 of this block erroneously call for this creek 1706 varas north from their joining south corners instead of 1806 varas as must have been intend-ed and as is correct), also three very large cottonwood trees, the right hand one marked X, Bear N. 89° W. 436 varas, and another large cottonwood tree bears N. 89° W. 426 varas; also a large flat limestone rock lies on the ground bearing N. 36° E. 128 varas, directly down the course of said creek from said mound and pits made by me for said corner, both corner and stone being in the creek valley or bottom, and it being my conclusion that this stone was originally placed at the spot marked by me for the true corner and has been washed by overflows of this bottom to its present location;

the spot marked by me for the true corner and has been washed by overflows of this bottom to its present location; Thence West, at 426 varas cross Coldwater Creek, also here pass four large cottonwood constants of creek, at 1196 varas recross Coldwater Creek (erroneously called Spring Creek in field notes of original survey of Survey No. 38, this Block), at 1986 varas a pile of stones, one marked X, from which a cottonwood tree bears N. 895 E. 1550 varas, another cottonwood tree bears North 893 E. 1560 varas, and the North end of a hill bears S. 64° E. (erroneously called N. 64° E. in field notes of original survey of Survey No. 38, for there is nothing of such description at that course) about one mile, this being S. W. corner of Survey 38; Thence West, at 1450 varas cross Coldwater Creek, 1900 varas to a pile of stones, one marked X, from which a trace or remnant of a hackberry grove bears S. 33° E. 780 varas, also point of bluff bears S. 195 E. about 700 varas, and Coldwater Creek bears N. 530 varas cross Coldwater Creek, 1941 varas to the N. W. corner of Survey No. 53, marked by me in this survey with fresh mound and four pits;

pits;

pits; Thence West 2048 varas to pile of stones, from which an Indian Monument on point of hill bears N. 67° E. about 1000 varas, also point of hill bears N. 19½° E. about 230 varas, this being the S. W. corner of Survey No. 55; Thence West 1900 varas to a pile of stones, the S. W. corner of Survey No. 72, this block, and the S. E. corner of Survey No. 1 in Block No. 2B of the G., H. & H. R. R. Co. surveys, from which a point of hill bears S. 20° W. about 1300 varas, also a point of another hill bears S. 63° E. about 1¼ miles, and Goldwa-ter Creek bears S. 103 varas, also W. 780 varas, this pile of stones being built on a mound; on a mound;

Thence West, at 780 varas cross Coldwater Creek, 1900 varas to pile of stones, the S. W. corner of Survey No, 1, Block No. 2B, from which a point of bluff bears S. 15° E., distance not measured, also point of another bluff bears N. 89° F. about 2 miles, also a stone monument on point of bluff bears N. 410 varas;

varas;
Thence West 1900 varas to a pile of stones, the N. W. corner of Survey No.
17 and N. E. corner of Survey No. 20, from which a point of bluff bears S. 75°
W. 125 varas, and point of another bluff bears N. 70¹/₂° W. about 1¹/₄ miles; Thence West 2414 varas to a stone monument, partly fallen down, the N. W.
corner of Survey No. 20, S. E. corner of Survey No. 36 and S. W. corner of Survey No. 19, from which fork of creeks, Lake Creek with Coldwater, bears N. 60°
E. 700 varas, also Indian Monument bears N. 41° E. about 1 mile, and point of bluff bears S. 62° E, about 500 varas; Thence West 950 varas cross Lake Creek, 1900 varas to S. W. corner of Survey No. 36;

/ vey No. 36;

Thence South 1040 varas cross Lake Creek, 1941 varas to S. E. corner of

Thence South 1040 varas cross Lake Creek, 1941 varas to S. E. corner of Survey No. 38; Thence West 1900 varas to S. W. corner of Survey No. 38, mound and stone in ground, from which the stumps and roots of three hackberries several inches in diameter bear S. 14° W. 235 varas, and the remnant of five hackberries, stumps and roots, several inches in diameter, bear S. 16½ W. 244 varas, all on bank of Lake Creek; also from this corner the west line of Block 2B bears W. 2 miles, the south line of Block 10 bears N. 2 miles and 41 varas, and the South line of Block 2B bears S. seven miles. All of the corners, marks, bearings and witnesses herein referred to were found by me on the ground, and none were made by me except as stated herein. Surveyed July to November, 1918, and June and July, 1919. C. F. Rudolph and D. D. Spurlock, Chain Carriers. STATE OF TEXAS, COUNTY OF SHERMAN: I, D. D. Spurlock, County Surveyor of Sherman County, Texas, do hereby cer-tify that the foregoing is a true and correct report of a survey actually made by me on the ground, on the dates and with the chain carriers aforesaid, duly quali-

tify that the foregoing is a true and correct report of a survey actually made by me on the ground, on the dates and with the chain carriers aforesaid, duly quali-fied, according to law, and that all the corners, lines, boundaries and marks of the same reported by me herein, whether natural or artificial, are truly and cor-rectly described in the foregoing report and on the accompanying plat. Witness my hand at office in Stratford, Texas, this 5th day of August, 1919. County Surveyor of Sherman county, Texas. counter 36692

Sketch File No. B Sherman County Report of Survey By D.D.S. purlock Filed <u>Aug. 11</u>, 1920 WM. H. McDONALD, Com'r 5/2/38 Woodland File Clerk Descriptive: Correctd survey of Blocks 10, 2, 2.B, & 3.B G.H. &H. Ry Co. see Sherman Rolled SK. 5 country 36693