

THE STATE OF TEXAS, }

Sutton County. }

Survey No B1*See Rolled Sp. "H"
4/29/35*FIELD NOTES of a Survey of a connecting line N^o B1 ~~land~~ made for

RECEIVED

SEP 3 - 1935

REFERRED TO MAP

the heirs of Mrs George S Allison and ran from the original NE Cor of Sur 29 Williamson County School land West and North to the NW Cor of Sur No 8 in name of Beaty, Seale and Forwood of which the following are the field notes:

Variation 11° E obtained by tracing the original lines ran by W C Dalrymple original locator

Scale, _____ Varas per inch. Variation, _____

Said Survey is No. 29 in Sutton County, Texas, situated on the waters of the North Llano River a tributary of the Colorado River, about 13 miles S 81 E of Sonora, Texas Beginning at

the original NE Cor of Survey No 29, in name of Williamson Co, same being an inner corner of Survey No 3, in name of Brooks & Burleson an old stone md on East side of a drain from which a LO stump 6" brs S 85 E $24\frac{3}{4}$ vrs a LO 26" brs N 5 W 33 $1\frac{1}{2}$ vrs;

THENCE West with the North line of the said Sur 29, Williamson Co School land 802 vrs to an old stone md, the SE Corner of Survey No 30, in name Williamson Co whence a LO 10" brs N $89\frac{1}{2}$ vrs a LO 7" brs N $36\frac{1}{2}$ vrs.

THENCE North with the East line of Sur No 30 Williamson County School Land at 500 vrs cross a branch in all 602 vrs to an old stone md in South edge of a mesquite flat the SW corner of Sur 31, Williamson Co School land, whence a mesquite 14" brs N $50\frac{1}{2}$ E 48 vrs a mes 7" brs N $53\frac{1}{2}$ W 96 vrs, continuing N with East line Sur 30 at 625 vrs cross branch in all 746 vrs or 1348 vrs from SE cor of Sur 30, a stone md the NE corner of said Sur 30, in West line of Sur 31, Williamson Co School land, whence a 3 forked mesquite 20" brs N 47 E 138 vrs.

THENCE North with West line of Sur 31, Williamson Co at 575 vrs cross a drain in flat in all 600 vrs made a stone md for NW corner of Sur 31, SW 32, Williamson Co School Land in East line of G W Tucker Survey No 10, made diligent search for 6" LO called for at this corner which was a LO 6" N $1\frac{1}{2}$ W 396 vrs could find no LO tree nor a stump of a live oak at course and distance called for at this Cor.

THENCE NORTH with the West line of Sur 32, Williamson Co School Land at 1548 vrs a point 19 vrs East of an old stone md the original NW cor No 32 SW 33 Williamson County School Land. an old stone md L.O. 14" mtr rd H brs S 36 W 32 vrs. L.O. 8" 94 712 712 67 72 67 55. 622 50 vrs.

THENCE NORTH with West line Survey 33, Williamson Co School Land at 1344 vrs made a stone md (in line ran) mkd cap stone NW 33 a large stone md at corner of net wire fence brs North 6 vrs and East 4 vrs.

THENCE EAST with North line of Sur 33, 14 vrs to a stone md at SW corner of Survey No 8, Beaty Seale & Forwood same being SW corner of a net wire fence.

counter 37400

THENCE NORTH with West line of said Survey 8, BS&F at 2158 vrs an old stone md cap stone mrkd NW 8 at the NW corner of Survey 8, BS&F same being NE cor of Sur 11, BS&F whence a LO 6" mrkd S (old mrk) brs S 59 1/2 W 70 1/5 vrs a LO 12" mrkd C brs N 3 1/4 W 13 vrs completing the survey.

~~to the place of beginning.~~

Bearings marked #.S.C.

Surveyed Feb 5th to 7th 19 35.

James McLaughlin

Alfred Schweining

Chain Carriers.

I, Edgar C Saunders

Sutton County

Surveyor

of Sutton County Texas, do hereby certify that the foregoing described Survey was actually made by me on the ground, according to law, on the date and with the Chain Carriers aforesaid, duly qualified, and that all the corners, lines, boundaries and marks of the same, whether natural or artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes.

Edgar C. Saunders

County Surveyor,

By Deputy.

Sutton Co., Texas

Filed for Record the 10 day of February, 1935, at 10 o'clock A.M., and duly recorded the 12 day of February, 1935, Book 6 page 322

Edgar C. Saunders Surveyor.

Sketch File No. H

Sutton County

Filed Sept 3 1935
W.M. H. McDONALD, Com'r
File Clerk

Descriptive:

FIELD NOTES

SURVEY

OF A

MADE FOR

the

Heirs of Mrs. George S. Allison

Carbon Copy
Field notes of a connecting line run from the original NE cor sur 29 Williamson Co' School L North & West to N.W. Cor' of sur 10-8 Beauty Spur & 2nd Howard

OK

Concealing No. B2.

Block No.

RECEIVED

SEP 3 - 1935

REFERRED TO MAP

Variation 10°30 E meridian of Sonora as established by U S Coast & Geodetic Survey in 1901.

See Rolled Sp H 4/29/38 - J.C.

The State of Texas,

County of Sutton

FIELD NOTES of a Survey of connection line of land made for heirs of Mrs Geo S Allison from the NE Cor of Sur 1, Blk C HE&WT RR Co established by Edgar C Saunders Sept 30, 1908 by a connectic ran from the SW Cor of Sur 12, SP RR Co West & North whence from said SE Cor Sur 1, Blk C, of which the following are the field notes:

Said Survey is No. One in Sutton County, situated on the waters of Devil's River a tributary the Rio Grande River, about 9 1/2 miles S 53 E of Sonora, Texas

SCALE, 2000 Varas to the inch

Beginning at a stone md cap stone mrkd NE 1 C and 118-14 at the NE Cor of Sur No 1, Blk c, HE&WT RR Co, same being the NW Cor of Sur No 118, Blk 14, TWNG RR Co, whence a LO 6" mrkd S (old mrk) brs N 86 1/2 E 5 1/2 vrs a LO 5 marked an R (old mrk) brs S 45 E 90 1/5 vrs a LO 6" mrkd T (old mrk) brs S 46 1/4 E 87 1/3 vrs;

THENCE North with the E line of Surveys 11-26-46 and 61, West line Surveys 10-27-45 and 62, Blk B. HE&WT RR Co, 7600 vrs to a stone md mrkd NE 61 B at the NE Cor of Sur 61, NW Cor Sur 62, Blk B, HE&WT RR Co whence a LO 16" mrkd S (old mrk) brs N 23 1/2 E 5 1/2 vrs a LO 16" same mrk brs N 31 E 6 1/4 vrs.

Resurveyed August 17, 1935.

Ban Odom

John McLaughlin

Chain Carriers.

to the place of beginning

Bearings Marked S

Harold Saunders

Surveyed March 29th 1933.

Alden Garrett

Chain Carrier

I, Edgar C Saunders County Surveyor of Sutton County, do hereby certify that the foregoing Survey was actually made by me in the field, according to law, and that the limits, boundaries and corners, with the marks, natural and artificial, are truly described in the foregoing Plat and Field Notes.

Edgar C Saunders

County Surveyor of Sutton County.

I, Edgar C Saunders County Surveyor of Sutton County, do hereby certify that I have examined the foregoing Plat and Field Notes and find them correct, and that they are recorded in my office

in Book 6, No. 323, Page 323

Given under my hand, at Sonora, Texas, this 27th day of August A. D. 1935.

Edgar C Saunders.

County Surveyor Sutton County.

In calling for adjoining and connecting Surveys, the names of the ORIGINAL GRANTEES should always be given.

J2

counter 37402

Sketch File No. "H"

Sutton County

Filed Sept 3 1935

WM. H. McDONALD, Com'r

File Clerk

Descriptive: _____

counter 37403

Sutton Co. St. File #11

SECRET TO STATE GOVT

RECEIVED

33

STATE DEPARTMENT

Connecting Survey No. B 3.

Block No. _____

RECEIVED

SEP 3 - 1935

REFERRED TO MAP

Variation Meridian of Sonora as established by the U S Coast & Geodetic Survey in 1901. now 10° 32' E at 6 011.

See Rolled Sp. H 7/24/35 - J.C.A.

The State of Texas,

County of Sutton

FIELD NOTES of a Survey of a connecting line of land made for ran _____

it being the quantity of land to which _____ entitled by virtue of for the heirs of Mrs Geo S Allison ran from the NE corner of Survey 61, same being NW 62, HE&WT RR Co, Blk B, West & North to the NE Cor of Sur 71, HE&WT RR Co, Blk B of which the following are field notes: a tributary _____

Rio Grande River, about 13 miles S 85 E of Sonora, Tex

SCALE, 2000 Varas to the inch

Beginning at an old stone md set for the NE corner of Sur No 61, NW 62, HE&WT RR Co, Blk B, cap stone mrkd NE 61 B whence a LO 16" mrkd S (old mrk) brs N 31 1/4 E 6 1/2 vrs a LO 16" same mrk (old mrk) brs N 23 1/2 E 5 1/2 vrs.

THENCE West with North line said Sur 61, Blk B, at 40 1/2 vrs NE Cor of J D Fields net wire fence in all 1900 vrs to an old stone md against a net wire fence the NE Cor Sur No 60, Blk B, whence a LO 5" mkd S (old mrk) brs N 83 W 12 1/10 vrs a LO 5" same mrk (old mrk) brs N 86 W 19 vrs;

THENCE continuing West with North line of Sur 60, Blk B, passing SW corner of Sur 7, T C RR Co, 1900 vrs to a stone md in shin oak thicket cap stone mrkd NE 59, B at the NE Cor of Sur 59, NW 60, Blk B, HE&WT RR Co;

THENCE West with North line of Sur 59, passing SW Cor of Sur 8, T C RR Co, at 1900 vrs an old stone md cap stone mkd NE 58, B at the NE Cor of Sur 58, NW 59, and SE Cor 69, Blk B, HE&WT RR Co at SW Cor Clara Allison's net wire fence whence a S cut on fixed rock brs N 56 1/2 W 17 4/5 vrs a do brs S 82 1/2 W 23 1/2 vrs an old stone md T & R Cor brs S 61 1/2 E 60 vrs;

THENCE North with the East line of Survey 69, Blk B, 1900 vrs to a stone md cap stone mkd NE 69 B at the NE Cor of Sur 69, SE 70, Blk B, whence a LO 14" mrkd S (old mrk) brs N 34 1/4 W 246 2/3 vrs a LO 6" same mrk (old mrk) brs N 37 W 248 vrs old stone md T & R cor brs S 69 1/2 E 44 vrs;

THENCE North with the East line of Sur 70, this Blk 1900 vrs to an old stone md cap stone mrkd NE 70 B at the NE Cor of Sur 70, SE 71, Blk B, HE&WT RR Co whence a LO 5" mkd S (old mrk) brs N 13 W 71 1/2 vrs a LO 6" same mrk (old mrk) brs N 9 1/2 W 71 vrs;

THENCE North with East line Sur 71, Blk B, at 879 vrs cross net wire fence on South side of lane on highway to Owensville, at 900 vrs cross fence on North side of lane at 1015 vrs a point 4 1/2 vrs West of large old md at 1500 vrs a stake in stone md in all 1900 vrs to a stone md cap stone mkd NE 71 B an old stone md T & R Cor brs S 63 °E - *vrs Thence North with East line survey 72 1900 vrs to a stone md mkd NE 72 B at the NE corner survey 72 HE&WT RR Co Blk B.* to the place of beginning.

Bearings Marked Warren McDonald }
Surveyed Nov 6th 1924 Anestaceo Duran } Chain Carrier

I, Edgar C Saunders County Surveyor of Sutton County, do hereby certify that the foregoing Survey was actually made by me in the field, according to law, and that the limits, boundaries and corners, with the marks, natural and artificial, are truly described in the foregoing Plat and Field Notes.
Edgar C Saunders
County Surveyor Sutton County.

I, Edgar C Saunders County Surveyor of Sutton County, do hereby certify that ~~the foregoing~~ the foregoing ~~Field Notes and~~ Field Notes ~~and~~ they are recorded in my office in Book 6, No. 6, Page 324
Given under my hand, at Sonora, Texas, this 29 day of August A. D. 1935
Edgar C Saunders
County Surveyor Sutton County.

In calling for adjoining and connecting Surveys, the names of the ORIGINAL GRANTEEES should always be given.

③

Sketch File No. H

Sutton County

Connecting Lines B-1, B-2 & B-3

By Edger C. Saunders.

Filed Sept. 3 1935

W.M. H. McDONALD, Com'r
J.H. Walker

4/29/38 Woodland.
File Clerk

Descriptive: Connecting Lines
Filed with Rolled Sk. H.
about the Center of Co.

*See Sutton County
Rolled Sketch "H" for
Sk. filed with these
Connecting lines. 4/29/38. J.H.W.*

counter 37405

55

Connection Line # 13 in Sutton County Texas

I, John M Nicol, County Surveyor of Sutton County Texas do hereby certify that I ran a line on Dec. 28th & 29th 1908 beginning at the S.W. corner of section 9 Block D, G.C. & S.F.R.R. Co. in Sutton County, Texas, a stand whence a L.O. 10" S 77 W 10 1/4 a L.O. 8 S 72 1/4 W 12 1/34 a Wind Mill N 88 1/2 E about 1 mile (described in Connection Line No 10 through said block D)

Thence East 1900 vs to a stand N.E. cor said sur No 9 Bl. D.

Whence a Wind Mill N 19 1/2 E 363 vs a Mesq 6 S 1 1/2 E 46 1/2 vs.

Thence East 1900 vs a stand whence a Wind Mill N 65 E about 1700 vs another

N 79 W about 1800 vs., the N.E. sur. No 52 & SW 70 Bl. D

" South 1900 vs a stand the S.E. 52 Bl. D, G.C. & S.F.R.R. Co. whence a

L.O. 12" S 11 1/2 E 55 vs a L.O. 12" S 13 1/2 E 55 vs.

" South 1900 vs a stand S.E. 51 & N.W. 73 Bl. D. whence a L.O. 5" S 49 1/2 W

34 1/3 vs a L.O. 7" S 19 W 51 vs.

" South 1900 vs to a stand S.E. sur # 50 Bl. D. about 300 vs South of

Ozona road whence a L.O. 30" N 88 E 34 1/2 vs a L.O. 20" S 43 E 56 vs.

" South 1900 vs to a stand the S.E. cor sur. 49 Bl. D, whence a

L.O. 12" N 80 W 71 vs a L.O. 12" N 81 W 70 1/3 vs.

" South at 1712 vs a ~~point~~ stand 1208 vs West of S.W. corner of sur No 137 Bl. B, N.E. & W. Y.R.R. Co. at 1900 vs as

a stand the S.E. corner of sur No 42 Bl. D, G.C. & S.F.R.R. Co.

I also began at a stand the S.W. sur 86 & N.W. sur 85 Bl. B, N.E. & W. Y.R.R. Co. the extremity of a line run August 1891 to ascertain the location of the town of Sonora from the S.W. corner of survey No 12 S.P.R.R. Co. near Old Fort Terrett.

Said N.W. cor sur 85 Bl. B being described as a stand whence and filed in G.L.O. as connection line No 11.

a L.O. 12" N 69 1/2 E 63 vs a L.O. 12" N 63 E 82 vs.

Thence West 1900 vs to a stand the N.W. cor sur 92 Bl. B.

counter 37406

whence a L.O. 4" S 20 1/2 W 25 vs.

Thence West 1900 vs to a stand the NW cor. sur. No. 101 + N E sur 102

Bl. B, G. & W. R. Co whence a L.O. 6" S 67 1/4 E 50 vs.

" West 1900 vs a stand the NW cor sur No 108 + N E 117 said Bl. B.

" West 1900 vs to a stand the NW cor. sur. No 117 + N E cor. sur. No 124

whence a L.O. 12" N 71 1/2 W 68 vs, a L.O. 12" N 70 1/2 W 68 1/3 vs.

" North 1900 vs to a stand the N.W. cor. sur. No. 118 + N.E. 123 Bl. B.

whence a topped L.O. 18" N 9 E 31 vs a L.O. 10" S 78 1/2 E 48 2/3 vs.

" North 1900 vs to a stand the SW. cor. sur. No. 120 + SE No 121 Bl. B.

whence a L.O. 16" S 57 1/2 E 182 vs, a L.O. 12" N 86 W 270 2/3 vs.

" West 1900 vs to a stand the SW cor. sur. No 121 + SE 136 Bl. B.

whence a L.O. 12" S 41 1/2 W 19 1/2 vs, a L.O. 12" S 45 1/4 W 20 1/2 vs.

" West 1900 vs to a stand the SW cor sur No 136 whence a L.O. 12" brs

N 63 1/2 W 150 vs a L.O. 12" N 58 1/2 W 109 vs.

" West 1900 vs to a stand the SW cor sur. No. 137 Bl. B. whence a

Nat. Acctc N 88 1/2 W 22 1/3 vs.

" West 1208 vs to a stand in East line of Sur. No. 128 Bl. D

G. C. & S. F. R. Co 1712 vs south of its N.E. corner.

Surveyed 28 + 29th Dec. 1908 and 1st - 3rd Dec 1908

John Nix

Tom Adams } Chain

Fred Simmons

J. L. Conn } Carriers

Abe Acker

Arthur Simmons Flagman

Variation Meridian of Sonora 9 3/4 East. Bearings X

John M. Nicol

County Surveyor Sutton County Texas.

I, John M. Nicol County Surveyor of Sutton County, Texas do hereby certify that the foregoing survey was actually made by me in the field according to law

and that the limits, boundaries and corners, with
the marks natural and artificial are truly described
in the foregoing plat and fieldnotes.

Given under my hand at Sonora, Texas, this
19th day of January 1909 A.D.

John M Nicol

County Surveyor, Sutton County, Texas.

I, John M Nicol County Surveyor of Sutton
County Texas do hereby certify that I have examined
the foregoing fieldnotes and find them correct and
that they are recorded in my office in Book 2
pages 625 + 626.

Given under my hand at Sonora Texas this 19th
day of January 1909 A.D.

John M Nicol

County Surveyor Sutton County Texas.

Sketch File H ^①
Sutton County

connecting line by John
McMical between NW cor
85 Blk B, HE+WT and
SW cor. See 9 Blk D -
E+SF.

Filed 1/23/09 J. Robinson
Clerk
J. Hawkins
CLK

See connection
no - 10 in file
Bescar S - 52062
3-23-1915
Edwin Rumber