

*See Rolled Sk.
No. 5, 12/1/30 - v.v.v.*

Uvalde, Texas, July 2, 1928;

I, E.R. Benson, licensed State Land Surveyor, Uvalde, Texas, hereby certify the following data taken in the field, by me, is true and correct.

1st. Statement as to original corners found on the ground, the S.W. corner of Survey No. 261.

Here I found an old rk.md. and original bearing trees as follows: L.O. 10" in diam. N. 23 W. 128 vrs. cedar 8" in diam. N. 10 vrs. marked new bearings as follows: L.O. 8" in diam. N. 46° E. 13.3 vrs. L.O. 16" in diam. N. 83½ W. 5 vrs.

2nd. S.E. corner of Survey No. 261.

At this corner I found a rk.md. from which a dead L.O. bears N. 19 W. 13.4 vrs. and a burned cedar stump N. 62 W. 14.4 vrs. I marked new bearings as follows: A cedar tree 12" in diam. N. 54 W. 14.7 vrs. L.O. 8" in diam. N. 26° W. 14.4 vrs.

3rd. On the West line of Survey No. 539, found a rk.md at original designation point from which a L.O. stump 8" brs. S. 28½ vrs. a dead L.O. 10" in diam. E. 15.2 vrs. I marked new bearings as follows: L.O. 6" in diam. N. 59° E. 54 vrs. Cedar tree 8" in diam. S. 8° E. 12.6 vrs.

I was unable to locate the original N.E. corner of Survey No. 539, or the N.W. corner of Survey No. 540. These two corners were re-established from the original S.W. corner of Survey No. 540. (See former sketch for description of said corner.)

3rd. South corner of Survey No. 233, I found a rk.md. on the West side of hill, from which a Sh. Oak now 6" in diam. brs. S. 45½° W. 9 vrs. a Sh. O 8" in diam. brs. S. 43 W. 9 vrs.

4th. At the S.E. corner of Survey No. 311, I found a rk.md. from which a cedar 8" in diam. brs. N. 36½ W. 5.6 vrs. a cedar 10" in diam. brs. S. 62½ W. 6.6 vrs?

5th. At the N.E. corner of Survey No. 311, I found a rk.md. from which a cedar now 18" in diam. dead, bears S. 50 E 7.4 vrs. a cedar now 14" in diam. brs. N. 49 W. 2.2 vrs. These bearings are called for in the original field notes of Survey No. 929.

6th. At the North corner of Survey No. 619, I found a rk.md. from which a Shin Oak 8" in diam. brs. S. 58 W. 22.2 vrs. a Shin Oak 6" in diam. brs. S. 11° W. 16.2 vrs.

7th. At the West corner of Survey No. 619, I found a rk.md. from which a cedar now 24" in diam. brs. S. 85½ E. 78 vrs. a L.O. now 8" in diam. brs. S. 55 E. 55.4 vrs.

8th. At the East corner of Survey No. 352, I found a rk.md. from which a rock 20" high and 24" in diam. brs. S. 55 W. 16.6 vrs. Do. same size bears S. 54° E. 8.6 vrs. a L.O. 8" in diam. brs. N. 77 W. 52.8 vrs.

9th. At the South corner of Survey No. 352, I found a rk.md. from which a L.O. 6" in diam. brs. S. 35° W. 14.8 vrs. a cliff of rocks bears S. 57 W. 7 vrs. an old house bears S. 76° E.

10th. At the S.W. Corner of Survey No. 255, I found a rk.md. from which a L.O. 5" in diam. brs. N. 4° E. 8 vrs. Bluff rocks, bears N. 4½ E. a

11th. At the S.E. corner of Survey No. 198 called for in the field notes of Survey No. 255, I found a rk.md. on the South bank of Lake Creek from which a L.O. 6" in diam. dead and broken off, about 5 ft. from the ground, bears N. 82 E. 14.5 vrs. top of mountain bluff rocks bears N. 11½ E..

12th. At the North corner of Survey No. 233, I found a rk.md. from which a L.O. 6" in diam. brs. N. 45½ E. 5.6 vrs. a prominent rock on the South side of the mountain brs. N. 56° W.

13th. At the North corner of Survey No. 234, I found a rk.md. on the East bank of a drain from which a W. Oak 10" in diam. brs. N. 53° W. 15.8 vrs. Sp.O. 8" , N. 76 W. 11.6 vrs.

14th. At the East corner of Survey No. 232, I found a rk. md. on the top of a hill from which Yancy's peak brs. N. 36° W. and another prominent peak bears N. 33° W. A Cedar 10" in diam. brs. N. 7° W. 29 vrs.

14th. At the North corner of Survey No. 232, I found a rk.md. a L.O. 10" in diam. brs. S. 74° E. 38.6 vrs. Sp. Oak gone.

15th. At the South corner of Survey No. 1022, please see former sketch for description of this original corner.

16th. At the East corner of Survey No. 1022, I found a rk.md. on the North side of a mt. from which a bushy cedar bears N. 20° W. 6.8 vrs. a cedar 6" in dia., brs. N. 60 E. 10 vrs.

I located the West line of Survey No. 928 by running West 1091 vrs. from the original designation point on the South line of Survey No. 354, said designation point being on the West bank of the creek, where I found a rk.md and cherry tree stump N. 68½° E. 2.8 vrs. a L.O. stump N. 73½ W. 2. vrs. from this designation point, W. to the East line of Survey No. 616, there is a fence on a recognized property line.

For the location of the South of Survey No. 616, and the S.W. corner of said Survey, please refer to former sketch on file in your office.

You will note that on the sketch accompanying this certificate, there has been a small change made in the location of the corners of Survey No. 1022, in reference to the S.W. corner of Survey No. 616. ~~From the distance shown on my former sketch, This discrepancy is caused from the fact that on my former survey the~~ N.W. corner of Survey No. 22 was improperly located.

With reference to the Nueces river Survey, beg to state that I was unable to find any of the original corners on the river of Surveys Nos. 198, 195, 194 or 191. The original N.W. corner of Survey No. 190, Jno. Smith was shown me about ten or twelve years ago and my father, Wm. Benson, marked some new bearing trees. This corner bears S. 20° E. 980 vrs. and S. 70° W. 1404 vrs. from the N.W. corner of Survey No. 191 and as located on the accompanying sketch.

I measured both the North line and the South line to Survey No. 194 from the Bank of the river, and find the North line is 2213 vrs. long and the South line is 3362 vrs. long. Both of these lines are property lines and are marked by fences which have been recognized as the line for many years.

The South line of Survey No. 195 is fenced from the river out to about the N.E. corner of Survey No. 433. This is also a property line and has been recognized as a boundary line for many years.

I measured the South line of Survey No. 195

Sketch "25"
File No.

Uwacde County

Surveyor Statement

By E.R. Benson

Filed July 5 19 28

J. T. Robinson Com'r.

H. F. M. Bonded
File Clerk

Statement on Survey
in the N.W. part of Co.

For sketch see
Rolled Sk No. 5
5/3/38 - 244.

Handwritten notes:
The distance to be 6108 ars.
from the corner
of survey No. 198,
to the corner of
survey No. 199,
is 6430 ars.
The distance to be
6108 ars. from the
corner of survey No. 198,
to the corner of
survey No. 199,
is 6430 ars.

Vertical handwritten notes:
The distance to be 6108 ars.
from the corner
of survey No. 198,
to the corner of
survey No. 199,
is 6430 ars.
The distance to be
6108 ars. from the
corner of survey No. 198,
to the corner of
survey No. 199,
is 6430 ars.

the river to about the N.E. corner of survey No. 198.
as the division line between the said two surveys, which run from
line of survey No. 198 is marked, also, by an old fence recognized
The North line of survey No. 198 and the south
giving it its full distance from the river called for in
the Patent of 6293 ars.

8108 ars