

12

R. M. Kenney's Con. Lines Between
Blks N & S. of Peace River, begin,
at the mouth of Wanderer's Cr.
Wilbarger Co.

Five notes of a connecting line run to es-
tablish the variation of Blocks No. 13, 14, 15-
+ 16 made for the Houston and Texas
Central R. R. Co. in Wilbarger County
Texas, Beginning at a cotton wood on the
south bank of Peas River N. 66° E. 320
rs. from the N.E. corner of Survey No. 1.
Blk. No. 11. H. + T. C. R. R. Co. which tree
is called for in the field notes for said
Survey. Thence S. 66° W. 1270 rs. a stake
at the exact mouth of Wanderer's creek
it being the N. W. corner of Survey No. 1.
^{Said} Thence running at a variation of 9. 15° E.
S. 18° E. 26560 rs. to a point on the north
bank of Peas River just above the mouth
of Buffalo creek, thence S. 72° W. 1394 rs.
Thence N. 18° W. 172 rs. to a stake the S.E.
corner of sec. No. 1. Blk. No. 16. H. + T.
C. R. R. Co. from which a cotton wood
tree is marked = Srs N. 70° E. 175 rs.
another cott. brs. = N. 51½ E. 200 rs.
said corner is N. 18 W. 40 rs. from the
north bank of Buffalo creek. Then
correcting the Va. to 6. 20° E. I commenced
at the S.E. corner of Sec. No. 1. Blk. 16 and
running S. 18° E. at 180 rs. the north bank
of Peas River - at 840 rs south bank
of Peas River continuing same course at

15200 vs to a stake the N.E. cor. 115 and
NW corner of 98 Blk 14. Thence S 27° W —
2687 vs to NW corner of Sec No 109 in the
W.B. line 115 Blk 14. same sur. Thence S 18° E
1900 vs to the common corner of surveys No 103
104, 109 & 115 in a pool of water in Dennis or
Pool creek from which a double Cotton wood
plainly marked but now blown down bns. S. 56. W.
15 vs. and another double cotton wood marked
bs. S. 17 E. 14 vs. Thence S 63° E. 2687 vs to a
stake in prairie the S.E. cor of 103 & N.E. cor
No 102 same blk and sur. From which a mesquite
stump about five feet high plainly marked \overline{X} bns.
N 81. W. 147 vs. Thence N. 72 E. at 30900 vs a
pile of stone at the foot of a hill the N.E. cor
No 20 and S.E. cor. No 19 Blk. 14 at 22800 vs
a stone mound from which a cotton wood
marked \overline{X} bns N. $31\frac{1}{2}$ E. 54 vs. same being
the N.E. cor. No 11 and S.E. cor of No 12. at
26600 vs the N.E. cor. of sur No 1 Blk 14.

I have commenced at the S.E. corner of Blk.
13 H. & T.C. R.R. Co an earthen mound covered
with sand stone rock from the creek from which
a two pronged red elm under the north bank
of the creek marked \overline{M} bns S. $33\frac{1}{2}$ E. 49 vs
a cluster red elm at the head of ravine bns
N. $56\frac{1}{4}$ W about 900 vs two cotton wood trees
now blown down but still lying on the bank of

the creek br. N. 86 vs. the stumps of two cotton wood trees br. S. $33\frac{1}{2}$ W. $39\frac{3}{4}$ vs. — Hence I ran N. 18 W. crossing creek repeatedly, at 980 m. cross creek found cotton wood tree with an old side line mark, at 1900 vs. found pile of rock called for from which the stumps of the two hawks called for br. S. 35 W. 35 vs. at 7600 vs. found a large pile of stone, continuing, at 11400 vs. the N.E. cor. of sec. No 33 thence S. 72 W. 1900 vs. the NW. corner No 33. thence N. $81\frac{1}{4}$ W. 467 vs. to the N.E. cor. No 1 Blk 14.

I thence went back and commenced at the NE. cor. No 33 Blk 13. thence N. 72 E. 1900 vs. a mound and four pits the N.W. cor. of No 31 at 3800 vs. a mound and four pits the N.E. cor. of No 31, thence N. 27 E. 2687 vs. the N.E. cor. No 37 thence S. $71\frac{1}{2}$ E. 1950 vs. S. $67\frac{1}{4}$ E. 3080 vs. thence N. 18 E. 244 vs. to the 17th.

mile stone of the line between Wilbaug & Wochlafé I then went back to the N.E. cor. of sec. No 37 Blk 13. and ran N. 18 W. 5700 vs. to N.E. cor. sec. 53 Blk 13 a mound and four pits, thence N. 18 W. 1000 vs. thence N. $64\frac{1}{2}$ W. 1094 vs. thence N. $38\frac{3}{4}$ W. 540 vs. to the S.E. corner of the Aruwa. W. Gates survey

Fila notes of a connecting line between Blocks
5. and 13. Ft. and T. Co. R. R. Co.

Beginning at a stake on the West side of
Beaver Creek, where I found a well marked
= being the same identified by the District
Surveyor of the Clay County district from the
S. W. corner of No 14 Blk. 5 accepted as
the best defined corner in said Blk. Then
N 72 E. crossing Beaver Creek three times at
1900 vs a stake the N.E. corner as established
by said district surveyor, then N 72 E. 1900 vs.
to a pile of stone the N.E. corner of No 10 on
the S.E. bank of Sunflower Creek 1400 vs
N 72 E. from creek. The natural calls for all
these corners fit well. I then commenced at
the N.E. corner No 3 and ran N 18 W. at
4740 vs crossed Camp Creek at 500 vs
recrossed Camp Creek at 5700 vs the N.E.
corner of section No 6. Blk 5. Then S. 39 1/4 E.
500 vs. to the S.E. corner of sec. No 1 Blk. No
13. - D. a. $\frac{9}{15}$ E.

R. W. 16 Survey County Surveyor of
Wilbarger County Texas.

Recorded in Vol. 1. page 101 & 102.

See Towns S. 4999.