

13

David Cook

Various Connections

of Geo. Myers

Sunday dates -

counter 41279

LANDS EXAMINED,

Divided and prepared for sale in small tracts to suit the times.
 Titles examined perfected and recorded.
 Particular attention given to the sale and lease of lands and proceeds promptly remitted.
 Correspondence desired with those who desire to immigrate, and all inquiries promptly answered.
 Attention given to rendering and paying taxes and redeeming lands sold for taxes; also, special attention given to lands heretofore sold by the state.
 Abstracts, plats and correct reports furnished at reasonable rates.
 Have on hand several fine tracts of land for sale and lease.

OFFICE OF

GEORGE MYERS,

COUNTY SURVEYOR,

And General Real Estate Agent;

ALSO REPRESENTS J. B. WATKINS' LOAN AGENCY.

Batesville, Zavalla Co., Texas

1887

Beginning at S E cor G L & J P Dourry lot cor # 2948
 old cor found and found identified

Thence N 86° 880 1/4 W to N E cor of said pile of stave measures 22 x 2 1/2
 12 3/500 W measures 280 1/2 W 21

Thence W 137 W across of rd run Thence North 1899
 Thence East 1915 1/2 N E cor sur 2039 E with N E corner S 78° 50
 Thence North 257 Presids road 487 Batesville & Pearhall road
 1757 W S E cor sec 25 measures 10 W to S 85° 40 30 W measures stump
 tree burnt S 85° 67 3/500 W bearing measures 2 3/4 W 25 W

Thence North at 115 3/4 of ledged creek 1810 N E cor sec 25
 S E cor sec 20 W to stave end measures 20 S 63 1/2 W 45 measures stump
 tree burnt down S 86 1/2 W 40 W

Thence North at 168 x N E cor sec 20 and S E cor sec 19
 measures 6 W S 48 W 70 W to side of rd North 3 W

Thence North at 1688 N E cor sec 19 (measures 3596 40 W this
 bearing gave) measures 5 S 47° 60 W from record of connections
 Book No 1 Zavalla Co

Witness
 J. B. Watkins

Box 1.

12⁶

Geo Myers' Con. Line, Beg.
at SE Cor. of GC & SFRY G
#2, to NE Cor. #19.
Filed June 24, 1887.

GEORGE MYERS

And Parcel Real Estate Agent

ALSO REPRESENTS J. B. WALKER, LOAN AGENT.

COUNTY SURVEYOR

Palmer's Survey Co. Surveyors

1887

counter 41281

People's
Apr 24/87
Shuler

[Faint, mostly illegible handwritten text, likely bleed-through from the reverse side of the page.]

Wm. L. ...
P. ...

Resurvey of the base line running north
with the Gulf West Texas surveys of Goldsboro Creek
Beginning at the SE Cor of sec 26 stake in
a stake mound measures $S 78^{\circ} E 300$ to $N 65^{\circ} E 660$
Thence North at 252 to Presidio road 487 Batesville
and Pearsall road 1757 to the E Cor of sec 20 measures
 $S 85^{\circ} E 330$ measures stump tree burnt $S 85^{\circ} E 67\frac{3}{4}$
new bearing measures $N 31^{\circ} E 250$

Thence North at 1133 to Goldsboro Creek at 1810
to the NE Cor of sec 20 and SE Cor of sec 20 stake in
in a stake mound measures $S 86^{\circ} E 400$ measures stump
tree burnt down $S 65^{\circ} E 480$

Thence North at 1688 to NE Cor of sec 20 and SE Cor
of sec 19 measures $S 48^{\circ} E 700$ to 5 in bore North 300

Thence North at 1688 to NE Cor of sec 19
5 in in dia $S 47^{\circ} E 400$ new bearing a 4 in
measures $N 60^{\circ} E 78\frac{1}{2}$ Dec 1st 1886

Bearings run to ¹¹¹¹ Sedgwick
J. O. Campbell }
John L. Littleton }
Z. L. Linneman }
J. W. Linneman }
J. W. Linneman }
Recorded in surveyors
Records Book 20 p 25
counter 41282

File 12^a.

Box 1.

Zavalla County

Geographers, 12/1/86.

Connection line filed

Decemb. 8th 1886.

E. W. Pfeiffer.

D. A. Robinson

Chief Clerk.

Appl.

counter 41283

Resurvey of the base line running north
in the Gulf west Texas survey of Goldens Creek

Beginning at the S & E cor of sec 26 stake in
a stump mound mes 20 S 78 E 5000 do
N 56 E 6600 Thence North at ~~15~~ 25200
precise road 407 Batesville & Peasdale road
17070 to S & E cor of sec 25 mes 10 in mes
S 85 N 3500 mes stump tree burck S 85 E
67 3/4 00 New bearing mes S N 31 N 2500

Thence North at 1153 of Goldens Creek at
1810 the N & E cor of sec 25 S 80 E cor of sec 20
stake in a stump mound mes 20 S 86 1/2 N 4000
mes stump tree burck down S 63 1/2 N 4800

Thence North at 1682 N E cor of sec 20 and S E cor
of sec 19 mes 20 S 40 E 4000

Thence North at 168800 N E cor of sec 19
mes S in dia S 47 E 4000 New bearing a 4 pr
mes N 60 1/2 N 78 3/5 00 Dec 1st 1886

Bearings and ^{8 1/2}

Geo Myers

Geo Campbell
Brown Littleton

Chairmen

Co Surveyor Zavalla Co

Recorded in Surveyors Records

Book 207 page 25 Record
of connections

1757
1810
1888
1682
1688

46937
1964

Box 2

File 12^b

Zavalla County

Geo Myers, Dec. 1, 1886.

Connections. filed

Decemb. 11th 1886

McHale
Commissioner

Connections

Zavalla Co

filed Decemb. 11/86.

counter 41285

ZAVALLA CO ST. FILE #12

Connection from the S.W. corner of
Jno. H. Estlin survey to the S.W. corner of
Geo. H. in the name of Jno. Wilkinson
on east bank of the river in Paralla
County -

Beginning at the lower corner of
said Estlin sur. thence S 50° 34' 00"
W 85° 74' 00" S 37° 41' 00" S 73° 40' 00" S 80° 93' 00"
S 60° 33' 00" S 0° 20' 00" S 55° 09' 00"
S 25° 31' 00" S 65° 48' 00" thence S 65° 39' 00"
S 50° 25' 00" S 60° 24' 00" S 25° 25' 00" S 65° 47' 00"
S 20° 39' 00" S 60° 46' 00" S 55° 16' 00" S 59° 49' 00"
S 32° 68' 00" S 68° 46' 00" S 89° 05' 00" S 57° 38' 00"
S 75° 38' 00" S 74° 08' 00" S 62° 7' 00" S 6° 46' 00"
S 58° 29' 00" a stake from which a peccan
marked \bar{e} bears S 44° 02' 00" bearing here
gone, this corner stands about 3900 S 30° E.
from opposite corner of Valinier Bennett
survey, both bearing lines of Bennett
sur. remaining thence S 58° 38' 00"
S 64° 46' 00" S 70° 39' 00" S 77° 48' 00"
S 75° 38' 00" S 73° 40' 00" S 57° 38' 00" S 89° 47' 00"
S 68° 37' 00" S 32° 46' 00" S 50° 29' 00" thence
S 75° 38' 00" bank of Lona thence S 50° 00' 00"
thence S 75° 38' 00" thence S 50° 41' 00" Lona river
S 50° 29' 00" S 75° 38' 00" Lona river S 50° 29' 00"
S 75° 38' 00" S 50° 41' 00" S 75° 38' 00" Lona river

N 5 E 30 40, 175 E 60 20, 175 W 40, N 15 E 39 10
176 E 20 10, 167 E 52 10, 135 E 67 00, 177 E 42 10
to the said surveyor of said No. Wilkinson
Sur. No. 10 found C. O. bearing but this year.

Geo Myers
of San Jacinto Co.

Recorded in Record of Conventional
Surveyors Records of Zavalla Co. Book
No. 1 Page 21

Geo Myers
of San Jacinto Co.

6th from Lower
Estice to Upper
Milkensum -

SW corner of
Just Estice
to
SW corner of
J. W. Wilkinson
Tavalla County

Box 2

File 12
No 6.

Tavalla Co.

Geo Myers Con. Line fr. SW. Cor
Jno H Estice to SW. Cor. Jno H.
Wilkinson
dated Nov. 12, 1886.

Schultz

Nov 12/86

Robinson

Geo Myers Con. Lines fr. SWCOR,
Jno H Estice Co. SWCOR Jno H Wilkin
11/12/86

counter 41288

Zavalla Co. St. File #12

X bearings of the S.W. corner of said J. M. Hernandez survey are this 17 in. measured 66° 54' 42" on an elm stump 92 20' 6" W.

Connection from the S.W. corner of J. M. Hernandez survey being the lower river corner, said Hernandez survey lying between the Hodge & Collins surveys on the east bank of lower river in Garfield Co -
 To the S.W. corner sur. No 21 in the name of J. M. Hernandez ^{Mr. Kaggner}
 Beginning at said S.W. corner of J. M. Hernandez sur - thence S 9° W 44° 02' S 13° 26' 02" W, S 13° 26' 02" W, S 17° 26' 02" W, S 19° 02' W, S 45° 30' 02" W, S 48° 02' W, S 50° 02' W, S 73° 45' 02" W, S 13° 29' 02" W, S 48° 14' 02" W, S 31° 30' 02" W, S 15° 16' 02" W, S 26° 30' 02" W, S 30° 02' W, S 11° 40' 02" W, S 55° 16' 02" W, S 10° 02' W, S 45° 02' W, S 10° 02' W, S 30° 02' W (could not find N.W. corner of C. Holleniller survey No. 70) S 40° 02' W, S 65° 30' 02" W, S 13° 20' 02" W, S 29° 02' W, S 25° 02' W, a stake from which a sack ferris 10 in. in diameter $\bar{0}$ to S. 33° 02' W, S. 10 in. $\bar{0}$ S 72° 02' W another S. 0.8 in hole 60° 02' W S. 0 marked $\bar{0}$ and a Perimeter 4 in No. 70 S 23° 02' W marked $\bar{0}$ this corner taken for the S.W. corner of Jesus Hernandez sur. No 79 and the S.W. corner of

Hellmiller sur. No 40. S39E34770
 S54E2800 S77½E11500 S88E3700
 S61E3090 S68E3000 S42E12000
 S27E6500 S37E4070 S95E14700
 S24W10500 S14E24300 S14W221900
 S7E5600 S23½E13400 S2E17500
 S16E23500 S21W2500 S54-26300
 S45½E12700 S10E8190 S29W32500
 S30E13000 S79W27500 S25W7400
 N49W1500 In a stake a Pecan 12 in.

marked from Hackson three sides,
 from which a Pecan stump is S43½E
 2000 a Pecan 25 ft. marked o to
 S22E9500 the upper or N.W. corner
 of Chas. Bush survey No 38 thence
 down the line S40E8600 S10E2000
 S18E3800 S27½E5800 S76½E14300
 East 5700 S10E1700 S73½E7600
 S76E8700 S84½E7000 S70½E8900
 E6400 N. 78½E7800 S83½E7000
 S63E6900 S17E10200 S19W7800
 N88½W19200 S22W6700 S36E7100

a stake a walnut marked o to
 S3E000 another Walnut at same
 edge to S88½W1200 the lower or
 corner of said Chas. Bush sur. No 38.
 thence S36E9600 S49E120 S20½E11900

03 1/2 1/2 1/2 1/2

N 73 1/2 W 160 1/2 W. N 14 1/2 E 100 1/2 W
 S 37 1/2 E 84 1/2 W, S 1 1/2 W 49 1/2 W, S 37 1/2 W 73 1/2 W
 S 18 1/2 W 104 1/2 W, S 18 E 75 1/2 W, S 65 E 54 1/2 W
 S 20 1/2 E 40 1/2 W, S 19 1/2 E 66 1/2 W, S 23 1/2 E 97 1/2 W
 S 3 1/2 W 85 1/2 W, S 36 1/2 W 73 1/2 W, S 7 1/2 W 82 1/2 W
 S 13 1/2 E 88 1/2 W, S 30 E 49 1/2 W, S 6 1/2 W 161 1/2 W
 S 76 1/2 W 27 1/2 W, S 10 W 27 1/2 W, S 1 1/2 E 47 1/2 W
 S 75 1/2 W 28 1/2 W, S 19 1/2 W 77 1/2 W, S 18 W 12 1/2 W
 S 7 1/2 E 59 1/2 W, S 9 1/2 W 157 1/2 W, S 20 1/2 W 94 1/2 W
 S 47 1/2 W 78 1/2 W, S 29 1/2 W 89 1/2 W, S 46 1/2 W 86 1/2 W
 S 8 1/2 W 49 1/2 W, S 20 1/2 W 127 1/2 W, S 25 E 25 1/2 W
 S 28 E 59 1/2 W, S 85 1/4 E 140 1/2 W, S 41 E 39 1/2 W
 S 49 E 100 1/2 W, S 62 E 57 1/2 W, S 18 1/2 W 133 1/2 W
 S 12 E 177 1/2 W, S 21 E 47 1/2 W, S 27 E 93 1/2 W
 N 52 1/2 E 34 1/2 W, N. 76 E 36 1/2 W, S 79 E 27 1/2 W
 S 73 E 90 1/2 W, mid of river crossing
 by west side, S 40 E 73 1/2 W, S 9 E 14 1/2 W
 S 7 1/2 W 68 1/2 W, S 37 1/2 E 56 1/2 W, S 4 1/2 W 117 1/2 W
 S 62 1/2 W 51 1/2 W, S 75 1/2 W 50 1/2 W, S 63 1/2 W 59 1/2 W
 N. E. corner of E. Cassinova Survey.
 a track ferry bears N. 20 E 10 1/2 W,
 S. O. bearing gone, S 35 E 95 1/2 W across
 river, Smith 36 1/2 W, S 16 1/2 E 57 1/2 W
 S 27 E 50 1/2 W, S 1 W 73 1/2 W, S 7 E 120 1/2 W,
 S 14 3/4 W 60 1/2 W, S 1 1/4 E 53 1/2 W, S 14 1/2 W 30 1/2 W
 S 1 W 81 1/2 W, S 12 1/2 W 18 1/2 W, S 20 1/2 W 37 1/2 W
 S 37 1/2 W 116 1/2 W, S 32 1/2 W 73 1/2 W, S 50 1/2 W 90 1/2 W.
 N 65 E 20 1/2 W, S 25 E 16 1/2 W, N 65 E 61 1/2 W

1

S 25° E 710 vs, S 65° W 57 3/4 vs S 25° E 57 3/4 vs
 to a stake from which a L.C. marked $\bar{0}$
 to S 3° E 40 vs a Mulberry stump to
 S 60° E 5 vs thence N 20 1/2° W 20 vs S 35° E 47 vs
 N 65° E 230 vs, S 25° E 660 vs, S 20° vs
 S 25° E 80 vs S 100 vs to a stake
 from which a L.C. 40 in. $\bar{0}$ to S 30° E 40 vs
 and a L.C. 36 in. $\bar{0}$ N 42° E 0 vs thence
 E 926 vs, S 19 1/2° E 50 vs to lower corner
 of pro & estia survey No 22, being to
 S. W. corner fully identified thence
 S 25° E 84 vs N 85° E 74 vs S 37° E 41 vs
 S 73° E 40 vs, S 80° E 93 vs, S 60 1/2° E 33 vs
 N 0° E 20 vs, S 53 1/2° W 90 vs S 25° E 35 1/2 vs
 S 65° W 27 1/2 vs N 65° E 35 vs S 25° E 232 vs
 S 65° W 20 vs, S 37° E 15 vs a stake
 to S. W. corner of Wm Waggoner survey
 No 9, a stake from which a L.C. $\bar{0}$
 bears S 67 1/2° E 10 vs a L.C. 5 in. $\bar{0}$ to
 N 74° W 9 1/2 vs thence N 65° E 16 vs
 S 25° E 540 vs N 5° E 20 vs S 25° E 72 vs
 N 65° E 110 vs S 25° E 327 vs, S 65° W 150 vs
 N 35° E 32 vs N 5° E 50 vs N 54 1/2° E 50 vs
 N 25° W 30 vs a stake for S. W. corner
 of survey No 1 Wm Waggoner. from
 which a L.C. 5 in. to N 65° E 4 vs
 this tree is dead and down but
 when lifted Clin at waters edge
 to S 79° W 65 vs a L.C. 30 in. to S 72 1/4° W 4 1/2 vs

34

BOX 2

Recorded in Record
 of Cassiopolis Twp
 County Book # 100 p 11
 Geo Myers
 To Lower Cor. of Waggoner # 21
 Wm Waggoner No 9
 Wm Waggoner No 1
 Geo Myers Chm. line fr. Little Rock
 to Lower Cor. of Waggoner # 21
 Geo Myers
 Geo Myers
 Geo Myers
 Geo Myers

Geo Myers
 Geo Myers
 counter 41292

Beginning at the Lower cor of New Haggauer No 21
from which a Elm at waters edge 17 in dia $\frac{1}{2}$ or
879 ft 6 in vs a S O 30 in dia or 875 ft 4 in vs
The bearing tree called for U 65 Ex vs is down and
lying across a wash

Thence S 76 35 vs and S 122 26 vs found the
upper cor of Seal curves

S O or 7665 4 00 do S 76 7 00 this cor
is marked 9

Record of connections
Book No 1 page 23

Geo Myers
Cof Surveyor Jarvis Co

Box 1.

File 12

No. 5.

Geo Myers Con Line.

Beg. at Lower Cor. of W^m

Wagner #21.

Filed Jan. 18, 1887.

Geo Myers

Filed Jan. 18, 1887

R. W. Sta

Commissioner

counter 41294

ZAVATA 01 SE. FILE 712

[Faint, mostly illegible handwritten text, possibly bleed-through from the reverse side of the page.]

A Connection from the N. Western
 or Upper river corner of Survey
 No. 41 on the name of Lewis Jones
 on east bank of Leonora river in
 Cavalla County. To the south west
 of A. E. Budget survey nos. 9, 8
 & 7.

Beginning at said Upper river
 corner of said Lewis Jones Survey
 No. 41 a stake from which a L. O.
 stump 7 1/2 in diam S 60 E 1000 and
 a L. O. 13 in dia S 85 W 8 1/2 or a Hack-
 berry 6 in S 66 1/2 W 2 1/2 or. Thence
 down the river with its meanders
 as follows: S 53 E 178 or, S 50 E 118 or,
 S 39 E 150 or, S 55 E 42 or, S 33 E 137 or,
 S 25 E 73 or, S 4 W 204 or, S 17 E 33 or,
 S 4 W 204 or, S 17 E 33 or, S 4 W 268 or,
 S 25 W 57 or, S 15 E 83 or, S 7 W 77 or
 a stake for lower corner of L. Jones
 survey No. 41. A Hack berry 7 in
 S 67 W 4 1/2 or, a Hack berry 9 in dia
 7 1/2 or, thence down the river as
 follows: N. 47 E 77 or, S 12 W 89 or,
 S 25 E 205 or, S 17 E 30 or, S 29 E 147 or,
 S 25 E 208 or, S 88 E 10 or, S 25 E 63 or

S. 942.
 9. 242.

ZAVALLA CO. S.F.L. #12

S. 536
S. 538

S 26 E 30 0rs. S 29 E 64 0rs. S 28 E 90 0rs.
S 27 E 35 9rs S 29 E 1 0r. - a stake line
which a cat claw cut down but still
hanging on stump 8 in. to S 65 E 5 0rs
marks on part cut off. a mesq-
stump under fence to S 27 3/4 E 3 7/8 0rs

Geo Meyer
Cofur Zavalla Co

Recorded in Record of Connections
Book 1 page 6 Zavalla Co

Geo Meyer
Cofur Zavalla Co

Box 2, File 12
L. Jones to No 4.
Hodge

Zavalla Co.
Geo. Myers'
Com. Line fr. L Jones sur. to
Cor. Hodge.

3

counter 41297

Zavalla Co. St. File #12

Connecting line between the upper
river corner of Lewis Jones survey
No 41 on East bank of Iowa river
beginning at a stake from
an iron bar 44 inches long
to E 10 1/2 W and a line bar 13 inches
long S 8 1/2 W 8 1/2 on a hackberry 6 in -
long S 66 3/4 W 3 1/2 W, thence S 65 E
207 W raised a pile of stone for
west Northward corner of said
Jones survey S 25 E 3 W raised a pile
of rock E 9 1/2 W a stone mound for
corner of Section 3 B. & F. and state
section 24 thence North 16 1/2 W S. W.
corner of B. & F. survey No 160, a stake
a musquite 5 inches long S 23 W 8 W
another 8 inches long N. 27 W 17 W

Feb 12 1886

Geo Myers
Recorded in Coffey of Jarrell
Record of Auctions No 1 page 21
Survivors Records of Jarrell
Geo Myers
Coffey Jarrell

BOX 1.

File 12

N^o 3

No 3. Upper L. Ferry
Cor to S. W. cury State

160-

Zavalla C^o

Geo Myers con. line, fr. up-
per L Jones Cor,

Dated Feb. 12, 1886.

EM. 2/12/86

counter 71299

[Faint, illegible handwriting, likely bleed-through from the reverse side of the page]

ZAVALLA CO. ST. FILE #12

Connection between the N.E. corner of
sur. No. 19 G.W. T. & R. K. G. and the
upper river corner of the corner of
Hay Kendall etc. etc.

Beginning at the N.E. corner of sur-
No. 19 G.W. T. & R. K. G. a stake from
which a mesquite 5 in. $\frac{3}{4}$ to 147 E 40 vis. the
other bearing gone. A new bearing a
firm pointed mesq. N 60 $\frac{1}{2}$ W 78 $\frac{1}{2}$ S 920
has marked $\frac{3}{4}$ thence N 23 W 230 thence
N 92 40 W thence N 20 W 600 to a stake
at the N.E. corner of said Hay Kendall
sur. a mesq 5 in to N 7 E 10 vis. another
10 in pointed mesq N 33 $\frac{1}{4}$ W 15 920 thence
S 65 W 10 E 40 vis. to the North West corner or
upper river corner of Robert H. Hay Kendall
Survey L & O 5 0 to S 13 E 200 a mulberry
stump 2 to S 65 E 300

Geo Myers
Cofur Gavalla Co

Record of connection Gavalla
County Book No 1 page 24
Geo Myers
Cofur Gavalla Co

Box 1 File 12
No 2
19 G. W. S. + P. W.
R. D. Kendall

Zanatta Co.

Geo Myers' con. Line tr. # 19.
GNT & P. RY Co. to Robt
Kuy Kendall.

counter 41301

ZANATTA CO. ST. FILE # 12

Connecting line from Hooper and Wade
survey on Dona Vista to the S.E. corner
of A. Aguirre 11 league grant in Lavalla
County.

Beginning at a stake the S.W. corner
of section 18 Hooper and Wade, thence
S. 75° E 1951 ors. stake on the bank of
Arroyo Negro Mesquite 8 inches $\text{N} 16^{\circ}$
 $\text{W} 1000$ ors. Mesq. 12 inches S. 59° E 10 ors
thence south 731 ors thence west 320
ors thence S 38° E 22 ors to the S.E. corner
of survey No. 7 A. B. & M. a mesquite
10 inches S. 175° E 52 ors. forked
mesq. - S. 23° E 58 ors. thence west
1988 ors the N.W. corner of section
No. 7. a mesq. - S. 27° E 4 ors. a mesq.
S. 83° E 13 ors. continuing same
course 3190 ors road from Dona Vista
to Old Manchaca crossing at 3944
ors the N.W. corner of survey No. 8.
A mesquite 8 inches S. 171° E 17 ors
mesquite 9 inches $\text{N} 57^{\circ}$ W 14 ors. thence
south 423 ors Dona Vista road to
Manchaca crossing thence south
S 45° E 22 ors, S 66° W 29 ors, S 81° W 69 ors,
S 87° W 174 ors, S 80° E W 83 ors, S 78° W
36 ors, S 84° E W 23 ors, S 77° W 53 ors

N. 89 W. 88 vs. S 78 1/2 W 38 vs. N 88 W 36 vs.
 S 67 1/2 W 32 vs. S 87 1/2 W 40 vs. S 77 1/2 W 30 vs.
 N 77 1/2 W 27 vs. S 78 1/2 W 30 vs. S 76 3/4 W 23 vs.
 S 40 1/2 W 14 vs. S 55 W 52 vs. S 57 W 69 vs.
 S 69 1/2 W 129 vs. N 53 vs. S 45 1/2 W 60 vs.
 S 46 W 59 vs. S 72 W 36 vs. S 55 W 108 vs.
 S 81 1/2 W 61 vs. S 41 1/2 W 50 vs. S 57 1/2 W 63 vs.
 S 73 W 82 vs. S 74 1/2 W 44 vs. S 46 W 43 vs.
 S 79 W 36 vs. S 45 W 15 vs. N 86 1/2 W 39 vs.
 S 86 W 80 vs. (being 184 1/2 W and 545 vs. of
 crossing of old road or 968 vs. and
 184 1/2 vs. from N. E. corner of survey
 No. 2) Thence S 92 9 vs. W 121 vs. S 49 vs.
 S 22 1/2 E 21 vs. the S. W. corner of survey
 No. 1. B. B. & M. A. mesq - 7 inches by
 15 1/2 vs. a mesq by S 54 W 17 vs.
 All bearing lines marked X

Thence W 75 vs. a hauch at 920 vs.
 another hauch at 1080 vs. to run of
 Tortuga at 1210 vs. a slough at 1370 vs.
 another slough, at 1840 vs. a road.
 at 2390 vs. a road, course N 70 1/2 W.
 at 2560 vs. a stake, thence S. 84 W
 27 vs. a stake east line N. Aquino
 League grant. placed a stake and
 made the following bearings a
 formed mesq 8 inches S 32 1/2 W 230 vs.

runing 4 inches N 70 E 13 1/2 m. a
formed mesq 8 inches N 52 E 8 1/2 m
Thence 1/2 c (variation 9 30 east) at
4000. 0 1/2 stake and 1 1/2 on the
following bearings a formed mesq
S 81 E 5 1/2 m, a formed mesq 20 inches
S 75 W 3 1/2 m, a formed mesq - 8 inches
S 66 1/2 E 2 1/2 m, at 7509 m S.E. corner
of said 1/2 league grant, which
corner is N. 57 1/2 E 10000 m from
old Presidio crossing of Mucos
River.

June 9th 1886 Geo Myers
Cofar Jabala Co.
Recorded in Purveyors Record of
Cannettians & Co. 1201 1/2 pages
surveyors Records of Tabala Co. 1/2 page
Geo Myers
Cofar Jabala Co

Box 2.

File 12

Connection
No 1-


No 1.

H & W to 1/2 acre

ground

Zavalla Co.

Geo Myers. Con. line tr.
H & W. Surs. on Lama Vista
to SE Cor. of N. Aguirre.
Dated June 9 & 10, 1886.



counter 41305

123