

Datesville Feb 7/20/08

Man Jno. J. Powell Esq. G. L. O.

Quincy Feb 20

Dear Sir

I send you a set of corrected notes
the acreage is changed from what it has
heretofore been reported by your office

This change is principally caused by 2
caushtions having been placed on the western
two of surveys in Block A in 1886 & 7 & 8 which
might be termed the Danwell; Lacy caushtion was
my guide here it was these surveys ran course
and distance from original corners of No. 1. A & B & C
Later your office I think justly held that these
surveys must be caustrued by course and distance
from the west cor. of No. 17 A & B & C.

A careful reviewer should also that
my chain courses in crossing that certain
trees before have been neglected in reporting
distance or that I was negligent in keeping tally
and that both surveys 33 T. B. Rife and 31 Oscar
meager have more land especially the meager
than my return shows

Also that in 1888 I adopted about
400 yards of the D and E road as a boundary
between the Gilbert Rife & Meager surveys
as this is a well defined and settled point I still
held this piece of road as a starting point
to fix the boundaries. Benson having put in
all the surveys at same time. This point is now
on No. 4 B & C but assists in fixing southern
boundary of A meager as well showing where
T. B. Rife has been caustrued for 20 years.

Over B'

(2).

May 27th 1904

For Mrs Attukhauser

Set. 1.920'E

Began at NW cor no 17 orig cor with bearings standing
Thence S 16 2/2' E 20670 to Orig cor no 17 and orig
bearings gave the other N 32 E 400 standing but had
set rock for corner

Returning to NW cor no 17

Thence N 75 N 19510 set stake with the following bearings
for NW cor no 16 A B & C on cor no 20 m.v. br N 7 1/2 E 32 1/2 feet
my reason for running this line 19510 m 3 N 49 E 21 9/10 feet
is that Sec 16 calls to run N 75 N and m 6 S 1 1/2 E 4 2/10 feet
N 15 E from cor no 17 and 20 calls for its N 15 E.

Thence N 15 E 1900 on Stake and Rock m ~~10~~ m 7 1/2 E 38 4/10 feet
m 3 S 7 1/2 E 8 1/2 feet

Thence N 75 W 1900 on Stake cor no 27 76 m 8' S 7 1/2 N 18 3/10 feet
m v' S 1 1/2 E 22 1/10 feet

Thence N 15 E 434 on branch 773 on N.E. cor no 67 A B & C
m.v. S 83 1/2 W 19 7/10 feet m 10 N 86 E 88 1/10 feet.

Thence N 75 N 1900 on NW cor no 67 16" m N 87 1/2 N 10 3/10 feet
20" m N 1 1/2 N 25 feet.

For Ben Othman Dec 20th 1905 1.9.20

Began NW cor no 67,
Thence N 15 E 5700.00

Thence N 75 E 19000 on Stake cor no 13

Thence N 15 E 38000 set N.E. cor no 13. Stake for Cor.
L.M. of 1880 22 7/100 3 m in a cluster 3 to 6 N 63 W 22 7/100

Thence N 75 N 19000 set NW cor no 13 2 for m 8' S 49 E 7 1/2
3 for S 54 3/4 E 13 1/2 0.

For W.H. Sawyer May 8th 1906 1.9.27

Went to NW cor no 17 orig bearing S 87 E 1500 standing
other bench down

Thence N 15 E 75970 set Stake & Line Iron & Palladium & L
B² counter 41365

June 1908

Basin Puelam and Children

W began on the west bank of the Leans River at the mouth of the Cammeche Ditch and lower Cor of the Jno M Allen Survey at this date all signs of bearings are gone but I have seen 2 of the original bearings standing at the spot early in the Spring of 1886

Thence with the south line of the Jno M Allen Survey S 65° 33' W 100

Thence N 23° 22' W 105.60

Thence N 28° 4' W 267' 10" post on line marked by Puelam in 1882 for north line of Jno M Allen Survey

Thence N 67° E 263 10 to River bank

Thence N 15° 37' W line marked by Capt Puelam for upper Cor of Jno M Allen

Thence N 15° 10' W 514' 10"

Thence N 47° 55' W 101' 10"

Thence N 0° 29' E 901 10

Thence N 60° E 107 10 to point on River bank now recognized as N.E. Cor of E Cassanova field by Gen Estlinman, about 10 years

Thence S 65° W 7 10

Thence N 40° 2' W

Thence S 73° 27' W 207 10

Thence N 23° 1/2' W 713 10

Thence N 21° E 140 10

Thence N 72° E 142 10

Thence N 65° E 143 10

Thence N 6 3/4° E 664' 10"

Thence N 4 1/4° W 241 10

Thence N 65° E 150 to N.E. Cor. field by Gen Myers in 1888

4

I then returned to lower corner M Allen.

Thence S 65° W 185' 00"

Thence S 25° E 381' 00"

Thence S 37° 40' E 101' 00"

Thence S 90° 1/2° E 98' 00"

Thence S 29° E 201' 00"

Thence N 64° 1/2° E 149' 00"

Thence S 56° 1/2° E 440' 00"

Thence S 25° E 962' 1/2" 00"

Thence N 65° E 45' 00" to lower

Corner No 26 P. B. Jack as fixed by myself in 1888 in front of all marks apparently his marks corner I strayed at that date.

My meander was run as 9 but my line calculation will be 9.15 as this will be nearer an average of the line as run and from the river by different surveys
i. 9.15

Thence S 65° W 1154' 00" Center P. B. Jack 432' 1/2" S. Aug 8 1890 In Cor P. B. Jack

922' 00" Rel state and pile of stone NW Cor No 201 Y. Hernandez.

Thence S 25° E 2550' 00" Rel state and pile of stone on west line No 201 and near its SW Cor.

I then went to paint on Slim Wood Pattern Water Power poster on battam page No 7, 1. 9. 78

Thence N 78° W 275' 1/2" 00"

Thence N 75° W 383' 00" stone ^{pile of stone} west line Y. Hernandez 2344' 00"

S 45° E of it NW Cor. set for P. B. Jack corrected Sec 84 2" m. N 44° 1/2° E. 3 for was N 58° W.

Thence N 75° W 1577' 00" Rock mound

Thence N 15° E 1900' 00" Rel state for NW Cor No 85 1/2

I then went to the corner set by myself for NE Cor No 13 see work Stephen same being corner M. Gilbert

Thence S 75° E 1900' 00" Rel P. B. Jack for NW Cor. 3800' 00" raised rock mound.

I then went to state and rock mound for counter 41367

B⁴

V

N.W. Cor No 84

Thence N 15 E 7400 pail 200 S 75 E of rock mound
near N.E. Cor No 85 after checking my work I fix
the intersection of the 2 cut and lines as the N.E. Cor
No. 85. this being agreeable to all interested parties

I then set stake and Rkmd 6230 S 75 E from
S.E. Cor of M Gilbert for S.E. Cor Sect No. 6 since
found to be in error 70

Thence N 25 W 9710 to E line No. M Gilbert the
cut and part of nos. 1st survey and in accordance
my own notes I corrected back

Began at S.E. Cor M. Gilbert 6.9.28

Thence N 15 E 7450 of same stake

183500 stake on west line of M. Gilbert # 34

Thence N 25 W 19150

88000 stake on said line

Thence N 75 W 6.9.28

60700 stake on Ell Cor No 37

Thence N 25 W 14100 intersected S.E. line of T.C. Rife

Thence S 64 3/4 E 9150

111700 stake on N line No 48" M & 64 1/2 E 1100

I then returned to SW Cor M Gilbert 6.9.28

Thence N 15 E 19000 Rkmd Rkmd.

Thence N 75 W 21100 to where section S.E. line T.C. Rife

6/29/08

I went to SW Cor No 48 see work of D. L. Ham 6.9.28

Thence N 15 E 16480 B & E Road 168500 pail

S.E. Cor as per survey

I then went to a pail marked by myself in 1888
where it intersected B & E road see reference
to Russell & Co Construction

Thence N 75 W 44000 pail in said road

counter 41368

B⁵

adopted by myself on that date as a section
of Oscar member survey.

Thence N75-W S. 9.15 E

6400 to met line No 14 see loc. reference

Thence N75-W

93100 Davis Rock met

Thence N75-W 77800 to East line of Aguirre grant as found.

I then went to section No 14 S. 9 28

Thence S 11.34 E 43000 to point 4' or N79 E of State
set by myself for South Co No 73

Thence N75-W 89100 set on edge of N. S. L. Guineas
La Brea

Security Survey or La Brea Cat No. 100.

B6

County Lines

County Lines

Grants

