

Batesville Texas Dec 30<sup>th</sup> 1886

Beginning at the original lower corner of survey No 56 Jus  
M. Allen the upper corner of Patrick C. Jack bearings Ak.  
By measurement all shown to the corner marked by Susan for  
upper corner of said survey and from which the north  
line of said survey No 56 has been established and recognized  
by the Commanche Irrigation Company

I find said upper corner to be N 25 W 1326 00 and S 65 W  
42 1/2 00 from said lower corner

P. L. Dato 3 Chairman                      signed Geo Myers  
Thos Dato 3                                      County Surveyor Lavalla County

From record corrections Lavalla County Vol. 1 page 27.

Same record page 9. June 9 x 10 1886.

Part of a caution copied

From N W Cor No. 5. N E. Cor No 6 Sta A.

Corner described as follows. Stake M's N 51 1/2 E 17 00 9. N 51 W 14  
Thence South 423.00 West 1890 5/8 00 South 545.00 South 929 00  
West 121 1/2 00 S 22 1/2 E 21 to N W Cor No 5 A B & W  
W. 7 1/2 S 15 E 7 00 SA N 54 W 17 00. Thence West 2560 00. S 84 W  
57 1/2 00 E. line of N. A. Grant. Caution signed Geo Myers

Surveyor Lavalla Co

Same record shows page 10 & 11

Beginning at old Precidia ring on the Mexican River

Thence N 54 1/2 E 10000 00 part for S. E. Corner of Grant

Thence N 51 0 20 W at 12119 00 end of above caution. 27536 1/2 00  
part for corner between Grants.

Note of surveyor that course of Grant is S 2 1/2 W and course  
of A B & W line 6 0 W Caution signed

Geo Myers

Surveyor Lavalla Co.

July 6 & 7, 1899

Began at a post set for the N. E. Corner of the Morris  
Acquire 11 L. Grant and S. E. Corner of the Adams Acquire  
11 L Grant



Zavall's Co. St. Feb 7 70

Thence N 4° 30' W with the fence along the east line of said Autumn Aguirre Grant 10683 to N. W. Cor. of Cassin Pasture

Thence N 70° E 21700

Thence S 75 1/2° E 29600

Thence S 78 1/2° E 20700

Thence S 38 1/2° E 133300 prolongation of Jack line

Thence N 65° E 152900 faint (15' or 165' W from S. W. Cor. No 56 as established by myself)

Thence N 25° W 132600 faint 15' or 165' W from N. W. Cor. No 56

Thence N 65° E 107400 S. E. Cor. No 34 1/2 & Wood M. James 598600 center Dater with Alvalde road.

Thence N 46 1/2° W 369800 at one North line sur #27 J. Gill 310200 S 65° W of its N. E. Corner 49800 faint

Thence N 37 1/2° W 37000 faint

Thence N 26 1/2° W 11000 "

" N 39° W 27400 "

" N 32° W 65000 lower line of Ruiz survey 209800 faint

" N 65° E 504000 faint

" N 25° W 600 N. E. Cor. No 32 E. W. Ruiz on west bank of Grand River Spring uses N 50° E 800 back by 1/4 gage

Geo. Myers

Surveyor Zavalla County Texas.

Records of Caution Vol # 1. June 48.

Plans for lawrence meadows across E. W. Ruiz

Requiring at above described corner

\$12 1/2 W 83. \$3 W 853 \$22 1/4 N 69 \$15 W 54 \$2 E 404

\$2 6 E 167. \$7 1/2 E 64 (note) survey corners on last course



S. 9 08

meanders in Zavalla County Texas taken in front of a portion of the land claimed as being in the Antonio Aguero 11 League Grant on the River. This copy of meanders reduced to Texas and extend down the river to point where in 1900 took the meanders coming up the river from the Presidio Crossing.

Beginning on Gravel bar on a continuation of line running S 54° W and about 75' or from the top of bluff bank.

\$46 3/4 E 8.7/1000	\$25 E 697.300	\$39.20 E 463.200	\$39.25 E 135.400
\$40 E 174.600	\$39 3/4 E 145.400	\$39.5 E 131.800	\$41 1/4 E 127.100
\$39 1/4 E 253.800	\$70 E 127.100	\$23 E 303.8	\$22 E 58.700
\$47 1/2 E 111.200	\$28.5 E 149.000	\$13 1/2 E 137.9	\$13 1/4 E 247.000
\$30 1/4 N 79.900	\$0 25' N 82.6	\$3/4 N 149.8	\$39.5 E 181.800
\$39 1/2 E 195.800	\$7 1/4 N 157.600	\$7 N 83.200	\$6 3/4 N 103.000
\$7 3/4 N 35.6	\$4 1/2 E 43.600	\$4 10 E 109.800	\$31 20' N 35.200
\$45.29 E 131.800	\$86 1/4 E 85.700	N 60 3/4 E 67.000	\$31 1/4 E 303.700
\$30 5 E 141.700	\$31 1/2 E 144.000	\$31 3/4 E 40.700	\$31 1/2 E 70.600
\$6 N 217.400	\$7 20 E 156.600	\$21 5 E 127.100	\$35 05' N 164.200
\$35 10 N 278.600	\$1 5 E 217.100	\$2 4 E 135.400	\$1 50 E 75.600
\$24 1/2 N 442.100	\$58 40 E 119.500	\$58 50 E 316.100	\$58 50 E 173.200
\$36 3/4 E 175.700	\$69 E 369.700	\$78 50 E 203.800	\$62 50 E 132.100
\$62 3/4 E 281.900	\$49 5 E 224.300	\$33 3/4 E 266.800	\$16 10' N 970.400
\$16 1/2 N 203.800	\$15 N 10.800	\$72 1/4 N 343.700	N 63 N 111.200
N 64 W 420.500	\$67 1/2 N 824.000	\$1 1/2 N 36.000	\$1 50 N 920.200
\$12 E 148.7	\$12 55 E 534.6	\$39 1/2 E 474.1	\$89 50 E 205.600
\$83 50 E 97.700	N 84 1/2 E 103.000	\$33 10 E 88.9	\$79 50 E 73.800
\$53 1/2 E 191.500	\$1 20 E 88.600	\$1 10 E 146.2	\$1 E 209.500
\$34 E 135.000	\$14 35 E 117.000	\$15 E 201.600	\$53 3/4 E 179.300
\$26 55 N 166.3/1000	\$27 N 515.500	\$81 1' N 240.5	\$12 1/2 N 173.200
\$11 10' N 157.200	\$58 E 306.400	N 81 1/4 E 244.400	N 61 40 E 140.4
\$84 E 262.800	\$50 1/2 E 333.200	\$49 E 137.200	\$21 20 E 91.100
\$20 25 E 67.000	\$43 E 28.400	\$8 20 E 80.600	\$28 50 E 30.600
\$28 50 E 81.700	\$27 10 E 267.600	\$6 3/4 N 144.700	\$37.40 E 78.500
\$2 10' N 117.400	\$2 05 N 148.300	\$2 10' N 97.600	\$3 35' N 99.000



(2)

✓ \$7.50 226.40 \$16.75 65.90 \$46.40 14.00 \$34.00 115.20  
 ✓ \$85.10 142.90 \$85.40 158.40 \$85.20 145.80 \$85.40 347.80  
 ✓ \$28.05 159.80 \$19.40 156.20 \$19.70 233.60 \$32.12 165.60  
 ✓ \$32.05 159.8 \$29.55 246.20 \$50.20 435.20 \$87.40 112.00  
 ✓ \$58.75 59.00 \$76.14 229.7 \$46.50 144.00 \$35.55 137.90  
 ✓ \$77.35 171.00 \$24.12 69.8 \$62.12 178.2 \$31.50 97.90  
 ✓ \$61.00 127.80 \$73.00 231.10 \$34.25 128.2 \$34.10 84.20  
 ✓ \$7.14 104.80 \$7.10 171.70 \$28.50 106.60 \$29.50 24.10  
 ✓ \$50.50 68.80 \$24.70 105.80 \$44.00 35.30 \$47.70 70.90  
 ✓ \$54.70 66.20 \$33.14 186.50 \$78.00 153.00 \$85.20 100.80  
 ✓ \$31.14 179.60 \$7.10 164.20 \$60.40 267.50 \$32.50 131.80  
 ✓ \$55.70 59.00 \$54.70 49.70 \$34.70 174.60 \$12.14 54.00  
 ✓ \$71.14 175.70 \$51.70 50.40 \$66.50 202.00 \$61.50 54.70  
 ✓ \$60.10 243.70 \$9.20 144.00 \$75.35 108.00 \$82.35 125.60  
 ✓ \$82.00 56.90 \$82.10 214.60 \$60.10 185.00 \$68.00 270.40  
 ✓ \$67.50 147.20 \$3.70 144.00 \$4.00 162.40 \$4.12 104.40  
 ✓ \$47.50 69.80 \$46.14 69.8 \$84.14 173.50 \$0.20 214.20  
 ✓ \$86.20 42.50 \$85.55 53.30 \$85.05 46.40 \$89.50 15.50  
 ✓ \$35.35 244.80 \$5.00 53.30 \$5.14 198.70 \$69.10 193.70  
 ✓ \$69.40 84.60 \$85.40 25.60 \$85.70 57.20 \$60.70 59.80  
 ✓ \$75.50 51.80 \$76.30 95.40 \$9.35 88.60 \$10.14 55.80  
 ✓ \$88.14 214.60 \$27.70 318.20 \$56.20 135.40 \$86.14 52.20  
 ✓ \$88.70 7.90 \$32.70 59.20 \$39.14 202.70 \$39.40 91.80  
 ✓ \$52.20 74.45 \$54.00 16.60 \$52.70 172.40 \$67.14 153.00  
 ✓ \$40.20 130.3 \$7.55 65.90 \$7.40 77.00 \$63.40 86.40  
 ✓ \$64.50 30.60 \$62.00 90.70 \$8.14 88.60 \$49.10 179.60  
 ✓ \$78.70 77.40 \$79.14 61.60 \$49.50 121.00 \$86.50 141.10  
 ✓ \$50.14 19.80 \$79.14 67.30 \$27.12 96.50 \$70.50 52.90  
 ✓ \$24.50 80.30 \$11.40 173.20 \$47.12 67.30 \$6.70 164.50  
 ✓ \$28.75 128.20 \$29.12 384.50 \$48.12 68.70 \$31.75 6.10  
 ✓ \$4.14 186.80 \$3.75 29.20 \$29.00 82.80 \$14.10 93.60  
 ✓ \$31.50 219.00 \$7.14 45.70 \$5.75 32.80 \$7.50 43.90  
 ✓ \$16.14 195.80 \$79.30 250.20 \$79.70 150.10 \$6.75 151.60  
 ✓ \$7.20 271.10 \$56.50 313.90 \$30.14 120.60 \$71.20 195.8  
 ✓ \$24.70 251.3 \$58.00 136.10 \$61.12 43.90 \$39.12 142.10



$S 75^{\circ} 05' E 143^3$   $S 39^{\circ} 05' E 76^0$   $S 14^{\circ} E 59^0$   $S 16^{\circ} E 112^7$  or  $S 19^{\circ} W 87^2$  or  
 $S 38^1/4 W 82^2$  or  $S 50^5/8 W 63^4$  or  $S 61^5/8 W 85^3$  or  $S 20^1/4 W 149^4$  or  
 $S 10^3/4 W 33^1$  or  $S 32^3/4 W 32^2$  or  $S 54^1 W 62^4$  or  $S 56^3/4 E 140^0$   
 $S 57^{\circ} E 165^2$  or  $S 44^{\circ} E 51^8$  or  $N 75^{\circ} 05' E 42^8$  or  $N 51^1/4 E 234^2$  or  
 $N 50^3/5 E 108^4$  or  $S 60^3/5 E 220^7$  or  $S 39^{\circ} E 1670^4$  or

Thence  $N 64^1/2 E 6945$  or to post claimed for upper corner  
 of Narcissa Aquino and upper corner of Autumn Aquino  
 being the same post referred to in my report of 1900  
 on lower grants

Thence  $N 74^1/2 W 27678$  or point claimed for upper cor  
 of Autumn Aquino grants

Thence  $S 54^1/2 W$  at 10215 or pass over bluff bank 10291 or  
 to the beginning

The fact that I have in my meander taken  
 in portions of gravel bar might cause some confusion  
 in calculating the area I have left sufficient of  
 other points to offset the gravel bars taken in

In my meander in summer of 1900 after  
 passing point on river for the N.E. cor of the lower 1/2  
 of the Pedro Jose de Aquino Grant, I took the following 5'  
 courses following a fence that crosses a bend  
 in the River  $N 39^{\circ} E 80^0$  or  $N 37^3/4 E 111^0$  or  $N 38^1/4 E 677^0$   
 $N 37^3/4 E 63^0$  or  $N 39^1/4 E 61^0$  or for the purpose of more accurate  
 calculation on grants and to better show river the 5'  
 courses should be changed to North  $779^0$  or East  $614^0$

I find the Original North Corner of Family  
 W King Sur Reg at the post set for N.E. corner  
 corner of Grants and following fence  $N 4^1/2 W$  or  $N 4^1/2 W$   
 $27041$  or point  $43^0$  or  $S 85^1/2 W$  of marked line  
 for fence and grant this being where cut and right  
 of way intersects another right of way

Thence  $N 24^1/2 W 192$  or corner of fence  
 Thence  $S 65^1/2 W$  at 228 or pass <sup>original</sup> cor of sur #1 W King  
 both bearings above standing and at mark  $\approx 266$  or  
 cross an old marked line that runs about  $N 4^1/2 W$



995 vs S 4 1/2 E from its termination (at this  
 point there is doubt as to what I can not give exact  
 Cause of this line) 134600 S E Cor of Lopez survey  
 the tree called for S 16 3/4 E 460 is N 16 3/4 E 490  
 the other bearing corresponding exactly 192400  
 corner of line as are the lines claimed for Gault  
 Thence North 400 vs  
 Thence N 36 3/4 E 33400  
 Thence N 7 1/2 W 155 5/100 to another corner said Lopez survey  
 from which a 4/89 meter 20' at back bears S 1/2 E 155 5/100

I have found the other 3 corners described in notes  
 of E. W. King all bearing true & standing well except  
 these in another 4/89 of Lopez  
 6/5/1901  
 Geo. Myers  
 County Surveyor, Zavala Co



In my meanders in summer of 1900 after passing  
 Saint au River for the N.E. Corner of the upper <sup>lower</sup> 1/5 of  
 the Pechu Jon de Acquisse Grant. I took the following  
 \* Courses following a fence that crosses a bed bend  
 in the River N 39 E 80 00 N 37 3/4 E 111 00 N 38 1/4 E 677 00  
 N 37 3/4 E 63 00 N 39 1/2 E 61 00 for the purpose of more  
 accurate calculation on Grants and better than River  
 these 3 Courses should be changed to North 779 00 and  
 East 614 00.

I find the original North Corner of Survey No 1 Emily  
 W King. Rem at the fork set for N. E. and S. E. Cor of  
 Grants and following fence N 4 1/2 W and N 4 1/2 W 27041 00  
 point 43 00 S <sup>85 1/2 W</sup> ~~85 1/2 W~~ of marked line of fence and  
 Grant the being when cut out right of way intersects  
 another right of way Thence N 24 W 197 00 Cor of fence  
 Thence S 65 W 278 00 pass Cor of Run No. 1. Emily W King  
 266 00 <sup>an old mark</sup> Cross a line that runs about N 4 1/2 W 995 00  
 S 4 1/2 E from its termination (at this point there is <sup>an old mark</sup> an  
 old mark can not give exact Course of the <sup>old mark</sup> Grant Line)  
 1346 00 S E Cor of Lopez Survey the tree called for  
 S 16 3/4 E 46 00 is N 16 3/4 E 49 00 the other bearing correspond  
 ing exactly 1924 00 Cor of fence Thence  
 North 400 00 Thence N 36 3/4 E 534 00 Thence N 7 1/2 W 155 3/4 00  
 to another <sup>corner</sup> of said Lopez Survey for which a <sup>upper</sup> upper was set  
 for S 7 1/2 E 155 3/4 00.

at the north corner of Emily W King both bearings  
 are standing full standing. I have also found the  
 other 3 corners called for in King notes. Will  
 report these in another report shortly.

4/30/1901.

By My self  
 County Surveyor of Lavaca Co.



See) <sup>How</sup> (Pro faces in large book ~~had~~ missed in making copy  
 and found upon comparison these measurements came in  
 where brackets are and are courses 51 to 101 inclusive

$\$78.55 \text{ E } 566 \text{ ft}$   $\$67.20 \text{ E } 367 \text{ ft}$   $\$67.40 \text{ E } 783 \text{ ft}$   $\$49.20 \text{ E } 673$   
 $\$33.40 \text{ E } 741 \text{ ft}$   $\$16.10 \text{ W } 2697$   $\$16.40 \text{ W } 566$   $\$15.70 \text{ W } 30$   $\$72.40 \text{ W } 953$   
 $\text{N } 63 \text{ W } 309 \text{ ft}$   $\text{N } 64 \text{ W } 1168 \text{ ft}$   $\$67.10 \text{ W } 2789 \text{ ft}$   $\$11.10 \text{ W } 100$   $\$1.50 \text{ W } 7556$   
 $\$120 \text{ E } 413 \text{ ft}$   $\$120 \text{ E } 1485 \text{ ft}$   $\$39.10 \text{ E } 1317 \text{ ft}$   $\$89.50 \text{ E } 571$   $\text{N } 83 \text{ E } 270$   
 $\text{N } 84.10 \text{ E } 786 \text{ ft}$   $\$33.10 \text{ E } 247$   $\$79.50 \text{ E } 205 \text{ ft}$   $\$53.10 \text{ E } 532$   $\$1.20 \text{ E } 246$   
 $\$1.00 \text{ E } 406$   $\$10.50 \text{ W } 324$   $\$3.00 \text{ E } 375$   $\$14.30 \text{ E } 325$   $\$15.00 \text{ E } 560$   $\$53.40 \text{ E } 498$   
 $\$26.50 \text{ E } 462$   $\$27.40 \text{ W } 1482$   $\$81.10 \text{ W } 668$   $\$13.40 \text{ W } 481$   $\$11.40 \text{ W } 420$   
 $\$380 \text{ E } 851$   $\text{N } 81.40 \text{ E } 679$   $\text{N } 61.40 \text{ E } 390$   $\$84 \text{ E } 730$   $\$50.10 \text{ E } 927$   
 $\$49 \text{ E } 381$   $\$21.50 \text{ E } 283$   $\$20.20 \text{ E } 186$   $\$43 \text{ E } 79$   $\$8.20 \text{ E } 22$   
 $\$78.50 \text{ E } 85$   $\$28.50 \text{ E } 227$   $\$27.10 \text{ E } 743$   $\$6.40 \text{ W } 402$   $\$37.40 \text{ E } 218$   
 $\$24 \text{ E } 2.10 \text{ W } 326$   $\$2.05 \text{ W } 412$  all full measurements



Meanders Taken in front of Grant on Mucere River  
 Grant on the Land claimed by the Western Union Livestock  
 and Land Company in front as part of Antonio Aguero  
 Grant. the meanders are given in feet and yds to  
 the point where I in summer of 1900 took the  
 meanders running up the River from the Presiding  
 Beginning on Gravel bar as a continuation of line

Running S 54 1/2 W and 70 00 from the top of bluff Paul's  
 Thence S 46 3/4 E 24 ft.  $\phi$  25 E 1937 ft  $\phi$  39 20 E 1759  
 $\phi$  39 20 E 376 ft  $\phi$  40 E 485 ft  $\phi$  39 3/4 E 404 ft  $\phi$  39 55 E 366  
 $\phi$  41 1/4 E 353 ft  $\phi$  39 1/4 E 705 ft  $\phi$  70 10 E 353 ft  $\phi$  23 E 844 ft  
 $\phi$  22 E 163 ft S 47 1/2 E 309 ft  $\phi$  28 55 E 414 ft  $\phi$  13 40 E 383 ft  
 $\phi$  13 1/4 E 686 ft  $\phi$  30 1/4 N 257 ft  $\phi$  0 20' N 2297 ft  $\phi$  3 1/2 N 416  
 $\phi$  39 55 E 505 ft  $\phi$  39 1/2 E 543 ft  $\phi$  7 1/4 N 424 ft  $\phi$  7 N 231 ft  
 $\phi$  6 3/4 N 286 ft  $\phi$  7 1/4 N 99 ft  $\phi$  4 1/2 E 121 ft  $\phi$  4 10 E 305 ft  
 $\phi$  31 20 N 1488 ft  $\phi$  45 20 E 366 ft  $\phi$  86 1/2 E 288 ft N 60 3/4 E 186 ft  
 $\phi$  31 1/4 E 843 ft S 30 55 E 392 ft  $\phi$  31 1/2 E 400 ft  $\phi$  31 3/4 E 113 ft  
 $\phi$  31 1/2 E 196 ft S 6 W 604 ft S 7 20 E 435 ft  $\phi$  21 55 E 353  
 $\phi$  35 55 N 456 ft  $\phi$  35 10 N 635 ft  $\phi$  1 5' E 603 ft  $\phi$  2 40 E 376  
 $\phi$  1 50 E 210 ft  $\phi$  24 1/2 N 1728 ft  $\phi$  58 40 E 332 ft  $\phi$  58 55 E 878 ft  
 $\phi$  58 55 E 482 ft  $\phi$  36 3/4 E 488 ft  $\phi$  69 E 1077 ft  $\phi$  2 10 N 271 ft  
 $\phi$  3 55 N 275 ft  $\phi$  7 50 E 629 ft  $\phi$  16 10 N 183 ft  $\phi$  46 40 E 39 ft  
 $\phi$  34 55 N 320 ft  $\phi$  85 10 N 397 ft  $\phi$  85 40 N 440 ft  $\phi$  85 20 N 405 ft  
 $\phi$  85 40 N 966 ft  $\phi$  28 55 N 444 ft  $\phi$  19 40 N 434  $\phi$  19 N 649  
 $\phi$  32 1/2 E 460  $\phi$  32 55 E 444 ft  $\phi$  39 55 E 684 ft  $\phi$  50 20 E 1211  
 $\phi$  87 1/2 E 311  $\phi$  58 3/4 E 162 ft  $\phi$  76 1/2 E 638 ft  $\phi$  46 50 E 400 ft  
 $\phi$  35 55 E 383 ft  $\phi$  77 55 E 475 ft  $\phi$  24 1/2 E 194 ft N 62 1/2 E 496 ft  
N 31 50 E 272 ft N 61 E 355 ft N 73 E 647 ft  $\phi$  34 20 E 338 ft  
 $\phi$  34 10 E 234 ft  $\phi$  7 1/2 E 291 ft  $\phi$  7 10 N 477 ft  $\phi$  28 50 E 296 ft  
 $\phi$  29 55 E 67 ft  $\phi$  50 55 E 191 ft  $\phi$  24 N 294 ft  $\phi$  44 55 N 98 ft  
 $\phi$  47 N 197 ft  $\phi$  54 N 184 ft  $\phi$  33 1/2 N 518 ft N 78 55 N 475 ft  
 $\phi$  85 25 N 280 ft  $\phi$  31 1/4 N 490 ft  $\phi$  7 10 E 456 ft  $\phi$  60 40 E 743 ft  
 $\phi$  32 55 N 366 ft  $\phi$  55 N 162 ft  $\phi$  54 N 138 ft  $\phi$  34 W 485 ft  
 $\phi$  12 1/2 N 150 ft  $\phi$  7 1/2 N 488 ft  $\phi$  5 N 140 ft N 66 35 N 561 ft  
 $\phi$  61 5' N 152 ft  $\phi$  60 10 N 677 ft  $\phi$  9 20 E 400 ft  $\phi$  75 55 E 300 ft.

Course of Grant in copying



125.6 56.9 214.6 185.5  
 N 52° 00' E 349 ft N 82° E 158 ft N 82° 10' E 596 ft S 60° 10' E 514 ft  
 N 68° E 751 ft N 67° 55' E 409 ft S 33° E 400 ft S 46° 45' E 451 ft  
 S 41° E 290 ft S 47° 50' N 194 ft S 46° 10' N 194 ft S 84° 10' N 482 ft  
 S 0° 20' E 595 ft S 86° 20' E 118 ft S 85° 55' E 148 ft S 85° 55' E 129 ft  
 S 89° 5' E 43 ft S 35° 35' E 680 ft S 5° E 148 ft S 5° 10' E 551 ft  
 S 69° 10' W 538 ft S 69° 40' W 235 ft S 85° 40' W 71 ft S 85° 30' W 159 ft  
 S 60° W 166 ft N 75° 50' W 144 ft N 76° 50' W 265 ft S 9° 35' E 246 ft  
 S 10° 10' E 135 ft S 88° 10' W 596 ft N 22° W 884 ft N 56° 20' W 376 ft  
 N 86° 10' W 145 ft N 88° W 22 ft N 32° 30' W 163 ft N 39° 10' W 563 ft  
 N 39° 40' W 255 ft S 52° 20' W 207 ft S 54° 20' W 46 ft S 52° W 479 ft  
 S 67° 10' W 455 ft S 40° 10' W 362 ft S 7° 55' E 183 ft S 7° 40' E 214 ft  
 S 63° 40' E 240 ft S 64° 50' E 85 ft S 62° 30' E 252 ft S 81° 10' W 246 ft  
 S 49° 40' W 499 ft S 78° W 215 ft N 79° 10' W 171 ft N 49° 5' W 336 ft  
 S 86° 50' W 395 ft S 50° 10' W 55 ft N 79° 10' W 187 ft S 27° 10' E 268 ft  
 S 70° 50' E 147 ft S 24° 50' E 223 ft S 11° 10' E 481 ft S 47° 10' E 187 ft  
 S 63° 10' W 457 ft S 58° 30' E 356 ft S 29° 10' E 1068 ft S 48° 10' E 191 ft  
 S 31° 30' E 17 ft S 41° 10' E 519 ft S 34° 10' E 83 ft S 29° E 230 ft S 14° 10' W 260 ft  
 S 31° 50' W 636 ft S 71° 10' W 127 ft S 57° 10' W 91 ft S 7° 50' W 122 ft S 16° 10' W 544 ft  
 S 79° 30' W 677 ft S 79° W 417 ft N 63° 10' W 421 ft N 72° 20' W 753 ft N 56° 55' W 872 ft  
 N 30° 10' W 335 ft N 71° 50' W 544 ft S 24° W 698 ft S 58° E 378 ft S 61° 10' E 122 ft  
 S 39° 10' E 396 ft S 75° 50' E 398 ft S 39° 50' E 211 ft S 14° E 162 ft S 16° E 313 ft  
 S 19° 20' W 242 ft S 38° 10' W 230 ft S 50° 50' W 176 ft S 61° 50' W 237 ft S 20° W 415 ft  
 S 10° 30' W 92 ft S 22° 30' W 91 ft S 54° 10' W 173 ft S 56° 30' E 361 ft S 76° 45' W 459 ft  
 S 44° 20' E 144 ft N 75° 50' E 119 ft N 51° 10' E 657 ft N 50° 55' E 301 ft  
 S 60° 30' E 613 ft S 39° E 4640 ft all distances given

above are in feet. Plus N 64° 10' E 6945' to corner  
 claimed for upper corner Narciso Aguirre and lower  
 corner of Antonio Aguirre being the same point referred  
 to in my report 1904 as lower 9 points  
 Plus N 41° 10' W 2767800 feet claimed for upper cor of the  
 grant Plus S 54° 10' W at 10215' to pass over bluff  
 10291' to the beginning of the meander line

Zavalla Co. 40.  
 5 Hatches  
 Box 2.  
 Geo. Myers meanders  
 of Antonio Aguirre on  
 Nieces River.