

CONTENTS.

Diagram of triangulation of the Salazar-Dias Survey of 1852 10-11 Bronze tablet imbedded in top of each Boundary Line Monument... 20 Bronze tablet imbedded in top of each Reference Point Monument.. 54 Diagram showing New Mexico-Texas Boundary Line in drainage canal from Boundary Monument 71 to Boundary Monument 72 and near Reference Monuments 32 and 33...... 38-39 Diagram showing New Mexico-Texas Boundary Line in Rio Grande of 1930 near Boundary Monuments 81 and 82 and near Reference Monuments 29 and 30..... 42-43 Diagram showing connection made in 1929 and 1930 by the New Mexico-Texas Boundary Commission between Clark Monument No. 1 as reestablished by the Scott-Cockrell Commission of 1911 and triangulation station RXIII of the Salazar-Dias Survey of 1852 ... 74-75 Map of the Boundary Line between New Mexico and Texas in the Valley of the Rio Grande from the Parallel of 32 degrees north latitude, southwardly to the parallel of 31 degrees and 47 minutes

6

11

Supreme Court of the United States OCTOBER TERM, 1930

No. 2, Original

THE STATE OF NEW MEXICO, COMPLAINANT,

VS. THE STATE OF TEXAS, DEFENDANT.

MARE THE BOUNDARY BETWEEN NEW MEXICO AND TEXAS.

To the Honorable Chief Justice and the Associate Justices of the Supreme Court of the United States: I, Samuel 8. Gannett, Washington, D. C., Commissioner appointed under decree of the Court rendered April 9, 1928, to run, locate, and mark the boundary between the State of New Mexico and the State of Texas in the valley of the Rio Grande River, extending southwardly from the parallel of 32 degrees north latitude to the parallel of 31 degrees 47 minutes on the international boundary between the United States of America and the United States of Mexico,—have the honor to submit the following report with an accompanying map. The map is marked as follows:

counter #### El Paso le. Rld. sk. # 53

D

1-No. 2, Orig.

Supreme Court of the United States OUTOBER TERM, 1990 No. 2, Original

. /

THE STATE OF NEW MEXICO, COMPLAINANT,

THE STATE OF TEXAS, DEFENDANT.

MAP OF THE BOUNDARY LINE BETWEEN NEW MEXICO AND TRIAS IN THE VALLEY OF THE BIO GRANDE BIVES FROM THE PARALLEL OF 32 DEGREES NORTH LATITUDE SOUTHWARDLY TO THE PARALLEL OF 31 DEGREES AND 47 MINUTES, AS SURVEYED IN 1929 AND 1930, IN ACCORDANCE WITH THE TREMS OF THE ABOVE-ENTITLED CAUSE.

Section 3 of the decree specifice as follows:

"The true boundary between the State of New Mexico and the State of Texas in the valley of the Rio Grande River, extending southwardly from the parallel of 32 degrees north latitude to the parallel of 31 degrees 47 minutes on the international boundary between the United States of America and the United States of Mexico, is the middle of the channel of the Rio Grande River as it existed on the 9th day of September, 1850, as outlined by the special master in Section V (1) of his report; the intersection of the east bank of the river with the line of the 32nd parallel to be taken at a point 600 feet west from the Clark Monument No. 1 as re-established by the Soott-Cockrell Commission, and the middle line of the channel to be taken 150 feet from the east and west banks of the river, respectively, as found by the special master."

counter +++88

Sec. V (1) of the special master's report referred to in section 3 of the decree follows:

"Conclusions as to the Location, Course, and Width of the Rio Grande in 1850

(1) Course and Location

"On all the evidence in the case, I find that the allegations in the plaintiff's bill of complaint, as to the location and course of the Rio Grande, "as it existed in the year 1850," are not sustained, and that the river did not flow on the eastern side of the valley as set forth in the plaintiff's Pleading Map.

I find the location and course of the Rio Grande "as it existed in the year 1850" to have been, in general, as alleged in the defendant's cross bill, and, in particular, as follows, on the dates nearest to 1850 of which there is credible evidence.

The earliest date at which there is definite evidence of the location and course of the river at the thirty second parallel is January, 1859, when John H. Clark made his survey of the parallel, at which time he located his Monument No. 1, 600 feet east of the east bank of the river. In August, 1860, Anson Mills made his Texas Surveys No. 161 and 162, at which time the east bank of the river was only 428 feet (154 varas) west of Monument No. 1, the river having shifted to the eastward 172 feet, between January, 1859 and August, 1860.¹

I find that the location of the east bank and of the course of the river of 1850, from the thirty second parallel to a point a few hundred feet northeast of the northernmost point on the Salazar-Diaz Survey of 1852, was its location and course shown on the plats and field notes of Texas Surveys No. 161 and 162.

'See Surveys No. 161 and No. 162 and Resurvey of No. 162, Defendant's Exhibits No. 16, 16a, 17, 17a, Record 3223-3228.

Between the extreme southwestern corner of Survey No. 162 and the northernmost point of the Salazar-Diaz Survey, there is a gap of a few hundred feet. The location of the east bank and the course of the river for this gap, I find was that shown on the plat and field notes of Texas Survey No. 35, a survey made on October 4, 1849."

The location of the west bank and of the course of the river, in 1852, from the northernmost point of the Salazar-Diaz Survey to the point called Frontera and thence to the Canyon, I find was that shown by the triangulation, traverse, and field notes contained in the Salazar-Diaz Survey (substantially as reproduced on Defendant's Exhibit No. 70, Record 3373, subject to any necessary corrections on that reproduction as to the proper magnetic variations).

The location and course of the river through the Canyon, in 1850, I find was the same as its location in 1913 (the date when the bill of complaint was filed).

The location of the west bank and of the course of the river, in 1852, from the southern end of the Canyon to the International Boundary Line, viz., to the parallel of 31 degrees 47 minutes north latitude, I find was that shown by the Salazar-Diaz Survey."

METHOD OF PROCEDURE

Field work of running, locating, and marking the boundary line was begun in August. 1929 and completed in February, 1930.

(1) A transit traverse line was carefully run around that portion of the Rio Grande Valley in which the disputed boundary line is situated, as a base for a topographic map of the area of 60 square miles, and to furnish a check upon other transit traverse lines which were later run to determine the exact positions of all boundary and reference monuments.

'Defendant's Exhibit No. 15, Record 3222, red numbered pages 5487-5490.

5

(2) The Salazar-Dias triangulation and traverse of 1852 were reproduced on the ground as closely as possible, from the angles, bearings, and distances given in the record. The triangulation stations having originally been more carefully located, their positions were accepted as being correct and the traverse lines were adjusted to fit.

(3) Using the adjusted Salazar-Diaz traverse along the west bank of the Rio Grande of 1852 as a reference line, sites for monuments were selected at the proper distance at angle points to the eastward so that the resulting final boundary line along the middle of the river would be parallel to and 150 feet to the eastward of the line originally run in 1852 on the west bank of the river. Fortunately these sites are, in nearly all instances, on dry soil, furnishing a stable foundation for the monuments.

(4) After the erection of substantial concrete boundary line monuments at angle points, determined by the method indicated in the preceding paragraph, the true course and distance between adjacent monuments as well as the elevation of top of each monument, was very carefully determined.

Of the natural objects mentioned in the record as having been used by the Salazar-Diaz Survey of 1852, Muleros, a well known mountain with a definite sharp summit, rising nearly 1,000 feet above the surface of water in the river, was most easily and surely identified from Special Masters Exhibit No. 1. (The Emory Map of 1855.)

With Muleros as the initial point, the position of Frontera astronomical station, as accepted and marked upon the ground by engineers for the plaintiff and for the defendant was verified by the true course and distance from Muleros, namely N. 21° 34' 30" W., 2,974.93 meters or 9,760.25 feet. (Defendant's Exhibit No. 70.)

Using the line Frontera-Muleros as a base, the other triangulation stations RX, I, RXI, J, L, RXII, N, O, P, Q, and RXIII, were located on the ground from the angles and distances of Salazar and Diaz given on pages 2386-2388 of the Record. Triangulation stations P and Q were considered as having been closely identified on the ground. Each of these stations being located on a definite ridge or mesa point on the western edge of the Rio Grande Valley and more than 300 feet above the river. These two mesa points although considerably eroded by wind and rain since first established in 1852 have apparently not changed much in appearance since that date. The points adopted and marked for triangulation stations P and Q, in 1929, may therefore be considered as located within a very few feet of the original Salazar-Diaz stations and serve as a check on locations adopted for Muleros, Frontera, and all other triangulation and traverse stations of the Salazar-Diaz Survey of 1852.

Stations I, J, L, and N, which are likewise situated on the mesa bluff on the west side of the valley are in each case on comparatively level, sandy summits whose appearance has undoubtedly been greatly changed by wind storms since first located in 1852. These stations as well as stations O, RX, RXI, RXII, and RXIII were established in 1929 as nearly as possible from the angles and distances given in the record.

They are all located in the comparatively level valley with no natural features to help in their identifications.

The triangulation and transit traverse along or near the New Mexico-Texas boundary in the Rio Grande Valley was connected with the first-order triangulation net of the United States through stations Canutillo, North Franklin, International Boundary Monuments Nos. 1, 2, and 3, by the New Mexico-Texas Boundary Commission in 1929 and 1930 and consequently the geographic positions of all stations as well as positions of all boundary and reference monuments have been computed on the North American datum of 1927.

The instrumental work of 1929 and 1930 along the disputed New Mexico-Texas boundary line in the valley of the Rio Grande was done by E. L. McNair, geodetic engineer, chief of field party, for more than 30 years an employee of the United States Department of the Interior Geological

counter ## 490

2.5

Survey. Mr. McNair was also chief of field party in the survey and monumenting of the 100th Meridian boundary between Oklahoma and Texas, as noted in report of the commissioner for the Supreme Court of the United States, October term 1929 No. 6, Original, The State of Oklahoma, Complainant, vs. the State of Texas, Defendant, the United States of America, Intervener.

Angles in the triangulation were measured with a theodolite having a circle 8 inches in diameter reading by two micrometers to 2 seconds of arc. The closure error of 29 triangles in the scheme is 3.2".

Angles at stations along the traverse lines were measured at least four times with a transit having a circle 6½ inches in diameter, reading by 2 verniers to 30" of arc. Observations to determine the true meridian were made on Polaris at intervals not exceeding 3 miles.

Distances were measured with a steel tape 300 feet in length under a tension of 20 lbs.; the temperature was ob served at frequent intervals, and the necessary correction was applied to reduce to the standard temperature of 68°.

An invar tape 300 feet in length was available as a standard of comparison and the 300 foot steel tape was tested with it every few days.

Distances were also reduced to mean sea level so that the geodetic positions of all stations and monuments could be computed.

The boundary line between New Mexico and Texas in the Rio Grande Valley, established in 1929 and 1930 in compliance with terms of the decree of the Supreme Court of the United States dates April 9, 1928, and described in this report, will cause the net loss of approximately, 2496 acres or 3.9 square miles by Texas to New Mexico, as follows:

Texas :	ACTU
Patented land actually lost Doubtful patented area by Texas sold by Texas claimants as Texas land	37
Land gained from New Merico	2,87
Net Loss by Texas	2,0

counter ###91

DS



New Mexico:	Acres	
Patented Texas land gained by New Mexico	2,500 870	
Land lost by New Mexico	2,870	
Net gain by New Mexico	2,496	

The area gained by New Mexico near El Paso Power Co.'s Plant and near Spears Oil Mill and situated to the northeast of the Santa Fe Bailway right-of-way is approximately 6.2 acres including 3.4 acres immediately northeast of U. S. highway No. 80. Twelve hundred and twenty-two feet of U. S. highway No. 80, southeast from Boundary Monument 98 and 1814 feet of the Santa Fe By. track in the same locality are in New Mexico and not in Texas as commonly believed.

counter #4492

Db

THE FIELD NOTES OF THE BOUNDABY SUBVEY AND OF TRIANGULATION AND TRANSIT TRAV. ERSE, TOGETHER WITH TABULATIONS OF TECH.

NICAL DATA FOLLOW:

Descriptions and Geographic Positions on 1927 North American Datum of Triangulation Stations of the United States Coast and Geodetic Survey, The United States Geological Survey, and of the Salasar-Dias Survey of 1852 as reestablished by the New Mexico-Texas Boundary Line Commission in 1929 and 1930.

INTERNATIONAL BOUNDARY MONUMENT No. 1 OF UNITED STATES-MEXICO 1855

On the west bank of the Rio Grande, 635.8 feet due west from Reference Monument No. 17 which is on east bank of river. It is 483.39 feet due west from the terminal point of the New Mexico-Texas boundary, which point falls in the river (of 1930). No triangulation stations visible. Station mark: A cut stone monument 12 feet high, 5 feet square at base and 2½ feet square at top. It is encased in covering of concrete and painted white, An iron picket fence surrounds the monument for pretection.

[Latitude 31° 47' 01.608". Longitude 106° 31' 45.109".]

INTERNATIONAL BOUNDARY MONUMENT No. 2 OF 1855

Station is on the boundary line between Mexico and the United States on the top of first high ridge west of the Rio Grande. It is also a triangulation station of the U. S. Coast and Geodetic Survey.

Station mark: An obelisk of concrete 4 feet square at base and 12 feet high.

[Latitude 31° 47' 01.606". Longitude 106° 32' 12.164".]

To station-	Astmuth.	Baci	t estmuth.	At sea level, Log. meters.	Foet,
Inter. Bdy. Mon. No. 3 Muleres North Pranklin.	114 14 34	204	8 21.9 14 17 25 06	and the second second	15068.3 2968.7 45879.8

10

DT



D8

11 INTERNATIONAL BOUNDARY MONUMENT NO. 2 ECCENTRIC This is a station of the U.S. Coast and Geodetic Survey of 1893 which is 32 feet S. 30° E. true from Boundary Monument No. 2. It is on top of first high ridge west of the Bio Grande. Station mark: A bronze tablet of the U. S. Coast and Geodetic Survey cemented in solid rock. [Latitude 31° 47' 01.332". Longitude 106° 32' 11.978".] -Distance.-To station- Azimuth. Back azimuth. At sea level, Feet at Log. meters. surface. International 270 06 09.4 294 35 47.1 328 33 47.8 17 21 19.6 8.630204 Bdy. Mon. No. 8 90 07 34.8 14004.4 Muleros 114 36 03.7 Frontera 148 34 28.3 North Franklin. 197 19 56.8 2.959559 2989.7 3.566751 12100.8 4.141006 45401.2 INTERNATIONAL BOUNDARY MONUMENT No. 3 OF 1855 Situated on the boundary line between Mexico and the United States about 0.5 mile southwest of Anapra siding on the east edge of rim of mesa. This is also a triangulation station of the U.S. Coast and Geodetic Survey of 1893. Station mark: A monument about 12 feet high with base 4 feet square. [Latitude 31° 47' 01.609". Longitude 106° 34' 54.191".] -Distance.-At sea level, Feet at To station-Log. moters. surface. 8.543798 11477.8 4.194210 . - 27 81.4 51318.3 . 8.592942 88.5 12853.0 8.455061 9369.6 Muleros SIB 80 Inter. Bdy. Men. 11.0 8.539990 11351.2 No. 2 Ecc..... 279 65 69.4 . 8.46 10 3.630204 14004.4 NORTH FRANKLIN, EL PAGO COUNTY, TEXAS (Not Occupied) Situated on the highest peak of the Franklin Mountains, about 11 miles due north from El Paso, and 6.5 miles a little

10

south of east from Canutillo. It may be approached from either side with an approximate climb of 3,000 feet in each case.

This is a station of both the U. S. Coast and Geodetic Survey and of the U. S. Geological Survey.

Station mark: A bronze tablet of the U.S. Geological Survey set in solid rock.

[Latitude 31° 54' 10.122". Longitude 106° 29' 35.111".]

		1.1	10.00				-Distance.		
To station-	. '	.zim	uth.	Bacl	t azi	muth.	At sea level, Log. meters.	Feet at surface.	
Inter. Bdy. Mon.									
No. 2 Eccentric.	17	21	19.6	197	19	56.8	4.141006	45401.2	
Muleros	21	07	26.5	201	05	47.1	4.138313	45120.6	
Frontera	31	01	14.9	210	59	13.6	4.069560	38514.3	
Inter. Bdy. Mon.						10.0	1.000000	35014.3	
No. 3	32	27	57.4	212	25	09.1	4.194210	51318.3	
RX	34	42	20	214	40	00	4.085763		
Station I	44	46	20	224	42	45	4.181633	39978.4	
Station J	60	42	13	240	37	23	4.220642	49853.4	
RXI	61	54	17	241	50			54538.6	
Station L						24	4.118040	43062.8	
	80	56	42	260	50	53	4.244019	57554.8	
RXII	86	82	35	266	27	44	4.161032	47543.8	
Canutillo	97	51	24.54	277	45	22.83	4.2587468	59540.0	
Station P	102	16	35	282	10	22	4.277797	62209.8	
Station O	104	19	35	284	14	30	4.193704	51258.5	
Station Q	111	47	19	291	41	09	4.296243	64909.0	
RXIII	124	06	12	304	01	84	4.221550	54652.8	

FRONTERA, EL PASO COUNTY, TEXAS

This is a reestablished triangulation station of the Salazar-Diaz Survey of 1852 and an astronomic station of Major W. H. Emory of the same year. It is 163 feet south and 98 feet east of Gibsons Crossing of Santa Fe Railway, 32 feet southwest of center of railway track and 1.8 feet lower than top of rail.

Station mark: A bronze tablet set in concrete block 20 inches square and 24 inches deep, with top 3 inches above surface of ground. It is stamped "Reference Point No. 8. Frontera".

[Latitude 31° 48' 43.494". Longitude 106° 33' 25.081".]

13

counter ## 196

Dio

							Distan	ce
To station-		simu	atb.	Back	asir	nuth.	At ses level,	Feet,
	•						Log. meters.	surface.
International								
Bdy. Mon. No. 3	36	45	58.5	216	45	11.6	3.592942	12853.0
bay. mou. re	81	05	15	261	03	41	3.672778	15446.9
Station I	92	44	10	272	43	50	2.948923	2917.3
RX		_					3,937630	28424.4
Station J	102	48	31	282	45	42		
Station L	122	53	12	302	49	32	4.128030	44064.8
Canutillo	136	24	07	316	20	07	4.238154	56782.7
N. Franklin	210	59	13.6	31	01	14.9	4.069560	38514.3
			10.0					
Inter. Bdy. Mon.	-			140	-	00	3.566751	12100.8
No. 2 Ecc	328	33	48	148	34	26		
Muleros	338	24	49	158	25	11	3.473629	9765.4
Reference M o n.								
No. 25	356	16	39	176	16	43	3.225410	5514.1

MULEBOS, DONA ANA COUNTY, N. MEX.

This is a station of the Salazar-Diaz Survey of 1852. It is about 1,220 feet north of International Boundary line and 2,700 feet west of International Boundary Monument No. 2. It is on the highest peak of Muleros Mountain.

Station mark: A bronze tablet stamped "Muleros" set in solid rock.

Reference mark: A bronze tablet set in solid rock, 12.79 feet distant, in azimuth 291° 50' from the station mark.

[Latitude 31° 47' 13.644". Longitude 106° 32' 43.476".]

							Distance		
To station-		sim	ath.	Back azimuth.			At sea level, Log. meters.	Feet, surface.	
International Boundary Monu-									
ment No. 8	83	51	26.8	263	50	17.9	3.538980	11351.2	
1	109	31	55	299	80	00	3.785053	20003.9	
1	116	10	05	296	06	55	4.026564	34884.0	
L	129	07	00	309	03	00	4.202622	52322.0	
RXI	135	04	35	815	02	30	3.972240	30782.4	
RXH	141	28	30	321	25	21	4.183891	50113.3	
RX	144	47	35	324	46	56	8.536426	11284.6	
RXIII	158	14	14	338	11	21	4.377063	78293.4	
Frontera	158	25	11	338	24	49	8.473629	9765.4	
N. Franklin	201	05	47.1	21	07	26.5	4.138313	45120.0	
Inter. Bdy. Mon.									
No. 2 Ecc	294	35	47	114	36	04	2,959559	2989.7	

RX, DORA ANA COUNTY, N. MEL.

14

11

This is a station of the Salazar-Dias Survey of 1852. It is 0.55 mile west of Gibson's Crossing of Santa Fe Railway in cultivated field on land of T. D. Porcher.

Station mark: Standard concrete monument with bronze tablet stamped "Reference Point No. 45. BX".

[Latitude 31° 48' 44.87". Longitude 106° 33' 58.85".]

To station-	Asimuth.	Back asimuth.	At see level	Test
Int. Bdy. Mon.			Log. meters.	
No. 8	24 35 04	204 35 35	8.543798	11477.8
Station I	78 24 07	258 22 53	8.584510	12805.8
Station J		283 54 18	8.891518	25561.1
N. Franklin		34 42 20	4.065768	39978.4
Fronters		92 44 10	2.945023	2917.3
Muleros	824 46 56	144 47 35	8.536426	11284.6

RXI, DONA ANA COUNTY, N. MEL.

This is a station of the Diaz-Salazar Survey of 1852. It is 320 feet north and 3,160 feet west of highway bridge across Rio Grande west of the Country Club, 390 feet west of bridge across drainage ditch, 160 feet north of highway in cultivated field on land of S. N. Russell.

Station mark: A standard concrete monument with bronze tablet in top stamped "Reference Point No. 45. RXI".

[Latitude 31° 50' 49.25". Longitude 106° 36' 55.42".]

To st	ation—	Asim	uth.		k ant	auth.	At sea level, Log. meters.	Fort,	
					07		8.545408	11520.5	
	12				40		8.825067	21934.6	
Canutillo	14	3 25	46	823	26	87	4.082107	85882.1	
North Fre	naklia 24	1 80	24	61	54	17	4.118040	43062.8	
Muleros		5 02	30	135	04	35	8.972240	30782.4	
				100	09	23	8.670980	15381.8	

BXII, DONA ANA COUNTY, N. MEL.

A station of the Salazar-Diaz Survey of 1852. It is 0.6 mile north of Borderland road, 2,200 feet west of a northsouth road in cultivated field on land now owned by J. N. Dake, from L. M. Crawford Survey.

Station mark: A standard concrete monument with bronze tablet stamped "RXII Reference Point No. 43".

[Latitude 31° 53' 41.42". Longitude 106° 38' 45.45".]

To station-	Astmuth.		At set level, Log. meters.	Fort,
Station J Station L Canutillo Station P Station Q N. Franklin Muleros	0 10 22 56 29 56 153 35 46 140 16 55 154 29 56 205 27 44 521 25 21	235 28 80 813 84 85 820 15 20 834 26 19 85 82 85	3.800009 3.534080 3.694364 3.894059 3.956980 4.161082 4.183991	22821.6 11239.4 15967.7 20996.8 29953.8 47543.8 50113.3

BXIII, DONA ANA COUNTY, N. MRX.

This is the most northerly station of the Salazar-Dias Survey of 1852.

It is approximately 2.0 miles west of Anthony, N. Mex., about 640 feet north of an east-west road and nearly north from a bridge crossing irrigating canal. It is on land of Margaret Rowley.

Station mark: Standard concrete monument with bronze tablet stamped "RXIII Reference Point No. 42".

[Latitude 31° 59' 13.00". Longitude 106° 38' 20.43".]

	1.		11	1.1.1.1			Distan		
To station-	•		uth.	Back		muth.	At sea level, Log. meters.		
Caautillo	81	18	26	211	17	02	8,904890	26500.4	
Station P	41	39	12	221	87	86	8.851974	23336.5	
Station Q	66	21	83	246	20	01	3.006376	16384.7	
N. Franklin	804	01	34	124	06	12	4.221550	54652.8	
Maieros	338	11	21	158	14	14	4.877068	78298.4	

STATION I, DONA ANA COUNTY, N. MEL.

This is a station of the Salazar-Dias Survey of 1852. Situated about 3.5 miles nearly due west from El Paso Power Company's plant, on top of mesa on sandy promon-

15

counter ### 97

D"

tory. There are small sand dunes of changing form and clusters of greasewood.

16

2. 6

Station mark: An iron pipe 4 feet long driven 3 feet into the sand.

[Latitude 31° 48' 19.77". Longitude 106° 36' 21.89".]

To station-		sim	ath.	Back		muth.	At ses level.	Tert.
	•	•	•	•		-	Log. meters.	surface.
Station J				304	52	03	8.005500	15192.2
Station L				320	22	45	4.017180	84138.1
Station RXI	109	09	23	849	09	05	8.670930	15381.1
North Franklin	224	42	45	44	46	20	4.181633	49853.4
RX	258	22	53	78	24	07	8.584510	12005.8
Fronters	261	08	41	81		15	8.672778	15446.9
Muleros	289	30	00	109		55	8.785053	20003.9

STATION J, DONA ANA COUNTY, NEW MEL.

This is a station of the Salazar-Diaz Survey of 1852. Situated 4.2 miles west and 1,950 feet south of forks of highway at White's Spur, Santa Fe Bailway. It is on top of mesa on a conspicuous promontory around which passes the Southern Pacific Company railroad on the east and north making a deep cut through the point of promontory. Station is several hundred feet back from the railroad on practically the highest ground in immediate vicinity. Land is very sandy with clusters of greasewood.

Station mark: An iron pipe 4 feet long driven 3 feet in the sand.

[Latitude 31° 49' 45.73". Longitude 106° 38' 46.28".]

_		1		121			-Distan	ce
To station-		al m	uth.	Bac	t asi	moth.	Ben level.	Feet at
	•		•	•		-	Log. meters.	surface.
Station L	152	10	00	332	00	18	8.788262	19921.6
Canutillo	161	45	50	341	44	40	4.048027	30051.8
RXII	180	10	21	. 0	10	22	8.800000	23821.6
RXI	236	07	27	56	08	26	8.545408	11520.5
North Franklin.	240	27	23	60	42	18	4.220642	54538.6
Fronters	282	45	42	102	48	31	8.937630	28424.4
RX	288	64	18	103	56	48	8.891518	25561.1
Muleros	296	06	55	116	10	05	4.020564	34554.0
1	204	60	08	124	58	20	8.000.000	15192.3
International Bdy.		-			-	-		
Mon. 3		-			1.00			1220

STATION L, DONA ANA COUNTY, N. MEX.

This is a station of the Salazar-Diaz Survey of 1852. Situated on a conspicuous promontory about 0.9 mile south of Borderland road and about 4.6 miles west of Montoya. It is on top of mesa on very sandy land with clusters of greasewood.

It can be reached by driving west on Borderland road taking a second-class left-hand fork after leaving the valley lands. This road passes to the south of the promontory which can be reached by a short walk.

Station mark: An iron pipe 4 feet long driven 3 feet in the sand.

[Latitude 31° 52' 40.02". Longitude 106° 40' 34.12".]

	Asimuth.			Back asimuth.			-Distance.	
To station-								Feet
	•			•		"	Log. meters.	surface.
Canutillo				852	47	15	3.722747	17330.4
RXII			59	56	29	56	3.534090	11239.4
N. Franklin			53	80	56	42	4.241019	57554.8
RXI				120	42	19	3.825067	21934.6
Frontera			82	122	63	12	4.129030	44064.8
Muleros			00	129	07	00	4.202022	52322.0
Station I			45	140	24	50	4.017190	\$4138.3
Station J	332	09	18	152	10	00	3.783262	19921.6

STATION N OR CANUTILLO, DONA ANA COUNTY, N. MEL.

This station corresponds with station N of the Salazar-Diaz Survey of 1852 and is also a station of the U. S. Geological Survey of 1917. About 0.85 mile north and 4.8 miles west of Canutillo, Texas. It is on top of mesa at a point where a long narrow ridge projects farthest east into sand hill. The bluffs are quite precipitous on the south, east, and north. It may be reached by car by taking road west from La Union to top of mesa, then turning south and following rim of mesa to the station.

Station mark: A concrete post 2 feet long, 7 inches square at bottom, 5 inches at top, set about 22 inches in ground and bronze tablet of U. S. Geological Survey in top.

2-No. 2, Orig.

[Latitude 31° 55' 30.136". Longitude 106° 40' 59.324".]

							-Distance	
To station-		-	sth.	Back	, and	noth.	At sea level, Log. meters.	Feet, surface.
Station P	100	21	44	340	21	33	8.216274	6390.1
Station Q	175	16	83	355	16	25	8.688230	16005.4
Station RXIII	211	17	02	31	18	26	3.904990	25360.4
Station O	243	53	48	63	54	45	8.499544	10565.9
N. Franklin	277	45	23.83	97	51	24.54	4.258747	00040.0
Station RXII	313	34	28	133	35	40	8.696364	15987.7
Frontern	316	20	07	136	24	07	4.238154	56782.7
Station RXI	223	28	27	143	28	46	4.032107	85332.1
Station J	341	44	40	161	45	50	4.048027	30651.8
Station L	352	47	15	172	47	29	8.722747	17330.4

STATION O, DONA ANA COUNTY, N. MEX.

La Union, about 0.94 mile south and 0.45 mile east of Station O of the Salazar-Diaz Survey of 1852 would be to the west of this point but its visibility with stations L, N, P, and Q, would be cut off by grove of trees around farmhouse and its closeness to waste bank of drainage ditch, hence a position farther to the east was used. It is in a cultivated field.

Station mark: None.

ET AS CO. RIG SKEE

Latitude 31° 56' 15.25". Lo	ngitude 106° 39' 11.33'.]
-----------------------------	---------------------------

To station-	Asimuth.	Back asimuth.	At ses level. Feet.	
			Log. meters.	
Canatillo Station P Station Q North Franklin.	63 54 45 92 43 08 137 00 33 254 14 30	243 53 48 272 41 54 316 59 27 104 19 35	3.499544 3.530615 3.676470 4.195704	10365.9 11134.7 15578.7 51258.5

STATION P, DONA ANA COUNTY, N. MEX.

A station of the Salazar-Diaz Survey of 1852. La Union Crossroads, 0.8 mile south and 1.65 miles west of on top of mesa, on a projecting ridge.

A second-class road leads west from La Union. Stop just before road begins to climb mesa and walk southward following a ridge about 900 feet to the station.

Station mark: A concrete block of about 15 inches cubic dimensions in which is placed a copper bolt.

[Latitude 31° 56' 20.45". Longitude 106° 41' 20.38".]

	Ser Parcelet	Section !!				-Distance.		
To station-	. Asimu		Back		noth.	At ses level, Log. meters.	Fort, surface.	
9	182 36			85		3.520483 3.851974	10877.9	
Station O	272 41	54	92 102	43	08	8.530615	11134.7	
EXII	820 15	29	140	16	58	4.277797 3.804059	62209.8 20895.8	
Casutillo	340 21	33	100	21	44	8.216274	5399.8	

STATION Q, DONA ANA COUNTY, N. MEX.

This is a station of the Salazar-Diaz Survey of 1852. La Union Crossroad, 1.3 miles north and 1.65 miles west of, on a narrow projecting point from the mesa. At this point the projecting rock or caliche is only about 6 feet wide and is evidently gradually breaking away.

Station mark: A concrete block of approximately 15 inches cubic dimension with a copper bolt 6 inches long in top.

Reference Mark: A small iron bolt set in cement 11.05 feet distant in azimuth 127° 38'.

[Latitude 31° 58' 07.97". Longitude 106° 41' 14.63".]

To station-	Asimuth.			Back		muțà.	At sea level, Log. meters.	Foet,
RXIII	246	20	01		21	85	3.006376	16364.T
N. Franklin	291	41	00	111	47	19	4.296248	64909.0
Station O	316	50	27	187	00	83	3.676470	15578.7
RXII	884	28	19	154	29	88	3,958930	29653.3
Canutillo	355	16	25	175	16	83	8.688230	10006.4
Station P	1	36	42	182	86	89	3.520483	10877.9

counter \$\$\$99

DESCRIPTIONS AND GEOGRAPHIC POSITIONS ON 1927 NORTH AMERICAN DATUM OF BOUNDARY LINE MONUMENTS AND REFERENCE MONU. MENTS ALONG OR ADJACENT TO THE NEW MEXICO-TEXAS BOUNDARY LINE IN THE RIO GRANDE VALLEY FROM THE PARALLEL OF 32 DEGREES SOUTHWARD TO THE PARALLEL OF 31 DÉGREES 47 MINUTES

MONUMENTS

All monuments, unless otherwise described, consist of a concrete base 24 by 24 by 24 inches set in the ground with top flush with the surface. A galvanized metal form 3 feet long, 14 inches in diameter at base, 8 inches in diameter at top, filled with concrete is embedded 6 inches in the concrete base, 30 inches showing above ground. The weight of each monument exceeds half a ton.

In center of top of the form a bronze tablet with inscription shown facing page 20 is cemented for boundary line monuments and a similar tablet with inscription shown facing pag. 54 is cemented for reference points or marks. The mean sea-level elevation given, as well as the geographic position, is in each instance that of the cross mark on the tablet cemented in top of the monument form.

In the total length of the boundary line, 25.17 miles, 105 monuments were set; the average distance between monuments is 0.24 mile; in addition, 45 reference monuments were set adjacent to the line and 6 triangulation stations were marked so that they can be identified at any time in the future.

Clark Monument No. 1

Clark Monument No. 1 as established by Scott-Cockrell Commission of 1911.

Anthony, N. Mex., 0.6 mile west of, 285 feet north of eastwest road in a cultivated field owned by J. W. Bouldin. A concrete monument having a cubical base 28 inches square, with corners to the cardinal points, set 30 inches in the



BRONZE TABLET IMBEDDED IN TOP OF EACH BOUNDARY LINE MONUMENT

counter ##500

ground, with a superstructure in the form of the frustrum of a cone encased in galvanized iron 24 inches in diameter at the base, 18 inches at the top and 22 inches high. In the top of the monument there is embedded a circular brass plate 6 inches in diameter, marked "NEW MEXICO" on the north and "TEXAS" on the south of an east-west division line.

Latitude 32° 00' 02.324". Longitude 106° 36' 56.349". Elevation 3789.768.

Gannett Monument No. 1

Anthony, N. Mex., 0.75 mile west of, 285 feet north of public road and nearly north of a bridge crossing irrigating canal, in cultivated field on land said to belong to J. W. Bouldin. A concrete monument with base 30 inches square and set 30 inches in the ground with a superstructure in the form of a frustrum of a cone encased in galvanized iron 24 inches in diameter at the base, 18 inches at the top, and standing 30 inches high. In the top is placed a bronze tablet 4 inches in diameter stamped "BOUNDARY MONUMENT No. 1. ELEVATION 3790."

Latitude 32° 00' 02.324". Longitude 106° 37' 05.056." Elevation 3790.419.

Boundary Monument No. 2

Anthony, N. Mex., 0.8 mile west of, 1,500 feet south of public road in cultivated field owned by S. D. Blair and about 500 feet east of Mr. Blair's house.

Standard concrete monument with bronze tablet stamped "Boundary Monument No. 2. Elev. 3,790."

Latitude 31° 59' 44.496". Longitude 106° 37' 07.482". Elevation 3790.393.

Boundary Monument No. 3

Anthony, N. Mex., 1 mile west of, 0.6 south of main eastwest highway, on low, uncultivated, brushy land owned by A. A. Howell. It is 390 feet S. 42° W. (true) from point where line crosses drainage ditch. A standard concrete

21

counter \$4501

monument with bronze tablet stamped "Boundary Monument No. 3. Elev. 3,785."

Latitude 31° 59' 30.876". Longitude 106° 27' 22.020". Elevation 3,785.448.

Boundary Monument No. 4

Anthony, N. Mex., 1.25 miles west of, 0.5 mile southeast of highway bridge across river, 125 feet east of cut bank at dividing line between sandy bed of river and vegetation; brushy, uncultivated land owned by A. A. Hornell.

Standard concrete monument stamped "Boundary Monument No. 4. Elev. 3,786."

Latitude 31° 59' 29.058." Longitude 106° 37' 34.822". Elevation 3,786.373.

Angle Point 4-a

Boundary position in Rio Grande of 1930, between Monuments 4 and 5. This position of an angle point on boundary line comes in the bed of the Rio Grande of 1930 and hence no monument was built. Water was about 4 inches deep on January 28, 1930. An iron pipe 4 feet long is driven 3 feet into the sandy bed of the river. This angle point is on prolongation of line from Monument 3 to Monument 4, true bearing S. 80° 32' 30" W. and is 1,411.06 feet distant from Monument 4. It is also on prolongation of line from Monument 6 to Monument 5; true bearing N. 48° 52' 42" E. and is 450.85 feet distant from Monument 5.

Latitude 31° 59' 26.764". Longitude 106° 37' 50.980".

Boundary Monument No. 5

Anthony, N. Mex., 1.5 miles west of and approximately 0.65 mile south of highway bridge across the Rio Grande. It is on west bank of the river, 35 feet southwest from cut bank in fringe of timber and brush bordering river. Land is owned by Jesus Bivas.

Standard concrete monument with bronze tablet stamped "Boundary Monument No. 5. Elev. 3,786." Latitude 31° 59' 23.831". Longitude 106° 37' 54.923". Elevation 3,785.777.

Boundary Monument No. 6

Anthony, N. Mex., 1.8 miles west and 0.9 mile south of, 560 feet north of east-west road, and about 950 feet east of crossroads which are 35 feet west of bridge crossing irrigating canal, in cultivated field of Margaret Rowley just west of an irrigating ditch.

Standard concrete monument with bronze tablet stamped "Boundary Monument No. 6. Elev. 3,790."

Latitude 31° 59' 12.206". Longitude 106° 38' 10.547". Elevation 3,789.989.

Reference Monument 42 or RXIII

This is a reestablished triangulation station of the Salazar-Diaz Survey of 1852. It is approximately 2.0 miles west and 1. mile south of Anthony, N. Mex., about 640 feet north of an east-west road and nearly north from a bridge crossing irrigating canal.

Standard concrete monument with bronze tablet stamped "RXIII Reference Monument No. 42. Elev. 3791."

Latitude 31° 59' 13.000". Longitude 106° 38' 20.430". Elevation 3790.714.

Boundary Monument No. 7

Anthony, N. Mex., 2.0 miles west and 1.3 miles south of, 185 feet west of a road on west side of irrigating canal, 90 feet N. 73° W. true from corner of an adobe house in cultivated field owned by J. O. Westlake.

Standard concrete monument with bronze tablet stamped "Boundary Monument No. 7. Elev. 3788."

Latitude 31° 58' 52.404". Longitude 106° 38' 20.957". Elevation 3788.261.

Boundary Monument No. 8

Vinton, 1.9 miles north and 2.0 miles west of, 65 feet west of roadway along west side of drainage canal, 12 feet west of fence, in cultivated field owned by J. O. Westlake.

counter \$\$502

D16

Standard concrete monument with bronze tablet stamped "Boundary Monument No. 8. Elev. 3788."

Latitude 31° 58' 40.190". Longitude 106° 38' 16.348". Elevation 3787.582.

Boundary Monument No. 9

Vinton, 1.8 miles north and 1.9 miles west of, 300 feet north of an east-west road, 70 feet northwest of northwest corner of house of J. J. Hoskins.

Standard concrete monument with bronze tablet stamped "Boundary Monument No. 9. Elev. 3786."

Latitude 31° 58' 34.053". Longitude 106° 38' 06.184". Elevation 3785.658.

Boundary Monument No. 10

Vinton, 1.75 miles north and 1.85 miles west of, 50 feet south of east-west highway in cultivated field owned by D. P. Stewart.

Standard concrete monument with bronze tablet stamped "Boundary Monument No. 10. Elev. 3785."

Latitude 31° 58' 30.401". Longitude 106° 38' 00.532". Elevation 3784.620.

Boundary Monument No. 11

Vinton, 1.5 miles north and 1.5 miles west of, 1,140 feet south of east and west road, in cultivated field on Gowan Jones farm.

Standard concrete monument with bronze tablet stamped "Boundary Monument No. 11. Elev. 3785."

Latitude 31° 58' 19.633". Longitude 106° 37' 47.013". Elevation 3784.683.

Boundary Monument No. 12

Vinton, 1.45 miles north and 1.4 miles west of, just at east edge of highway which passes along west side of drainage ditch, 55 feet west of a two-story adobe house, on land of D. P. Stewart. Standard concrete monument with bronze tablet stamped "Boundary Monument No. 12. Elev. 3787."

Latitude 31° 58' 17.636". Longitude 106° 37' 33.504". Elevation 3787.275.

Boundary Monument No. 13

Vinton, 1.6 miles north and 1.2 miles west of, in cultivated field on land of D. P. Stewart and about 1,100 feet northeast of house. Concrete monument with bronze tablet in top stamped "Boundary Monument No. 13. Elev. 3782." Latitude 31° 58' 24.625". Longitude 106° 37' 21.575". Elevation 3782.060.

Boundary Monument No. 14

Vinton, 1.60 miles north and 1.1 miles west of, in cultivated field on land owned by D. P. Stewart. Standard concrete monument with bronze tablet stamped "Boundary Monument No. 14. Elev. 3782." Latitude 31° 58' 24.898". Longitude 106° 37' 16.658". Elevation 3782.137.

Boundary Monument No. 15

Vinton, 1.5 miles north and 1.0 mile west of, near northeast corner of land owned by Hemly and Rishaberger just on east slope of an irrigating ditch, 10 feet east of a cottonwood tree and 25 feet southeast of a cottonwood tree.

Concrete monument with bronze tablet stamped "Boundary Monument No. 15. Elev. 3784."

Latitude 31° 58' 19.276". Longitude 106° 37' 07.896". Elevation 3783.745.

Boundary Monument No. 16

Vinton, 1.20 miles north and 0.9 mile west of, in cultivated field on land owned by Gus Eminger.

Standard concrete monument with bronze tablet in top stamped "Boundary Monument No. 16. Elev. 3781."

Latitude 31° 58' 03.869". Longitude 106° 37' 04.232". Elevation 3780.514.

Vinton, 1.0 mile north and 0.85 mile west of, about 0.25 mile N. 73° E. true from house of Gus Eminger, on land owned by Hemley and Rishaberger.

Standard concrete monument with tablet stamped "Boundary Monument No. 17. Elevation 3781."

Latitude 31° 57' 55.730". Longitude 106° 37' 06.552". Elevation 3780.584.

Boundary Monument No. 18

Vinton, 0.9 mile north and 1.0 mile west of, about 1,000 feet S. 70° E. from residence of Gus Eminger, in cultivated field on land owned by Hemley and Rishaberger.

Standard concrete monument with bronze tablet stamped "Boundary Monument No. 18. Elev. 3780."

Latitude 31° 57' 50.250". Longitude 106° 37' 09.692". Elevation 3779.686.

Boundary Monument No. 19

Vinton, 0.85 mile north and 1.1 miles west of, about 800 feet southeast from residence of Gus Eminger, 80 feet northeast from angle of roadway, in cultivated field owned by Hemley and Rishaberger.

Standard concrete monument with tablet stamped "Boundary Monument No. 19. Elev. 3780."

Latitude 31° 57' 45.906". Longitude 106° 37' 15.830". Elevation 3779.648.

Boundary Monument No. 20

Vinton, 0.65 mile north and 1.20 miles west of, about 1,250 feet north and 420 feet east of entrance to Price's dairy, in cultivated field on land said to belong to E. D. White and 15 feet northwest of property line between White and Price. Standard concrete monument with bronze tablet stamped

"Boundary Monument No. 20. Elev. 3778".

Latitude 31° 57' 39.510". Longitude 106° 37' 26.345". Elevation 3778.150.

Boundary Monument No. 21

Vinton, 0.5 mile north and 1.3 miles west of, just north of Price's dairy, 300 feet north of Price's residence, 35 feet west of entrance to dairy farm and 22 feet north of eastwest road, in ditch at roadside.

Standard concrete monument with bronze tablet stamped "Boundary Monument No. 21. Elev. 3776".

Latitude 31° 57' 27.317". Longitude 106° 37' 31.301". Elevation 3775.980.

Boundary Monument No. 22

Vinton, 0.3 mile north and 1.25 miles west of, 1.160 feet south of east-west highway and about 300 feet southeast of Price's Dairy barn, 75 feet southeast of a corral.

Standard concrete monument, with bronze tablet, stamped "Boundary Monument No. 22. Elev. 3777".

Latitude 31° 57' 15.641". Longitude 106° 37' 28.771". Elevation 3777.223.

Boundary Monument No. 23

Vinton, 0.15 mile north and 1.15 miles west of, 1.750 feet south of east-west public road, and 0.25 mile southeast of silos at Price's dairy, in cultivated field on land of Theo. Price.

Standard concrete monument with bronze tablet stamped "Boundary Monument No 23. Elev. 3777".

Latitude 31° 57' 09.801". Longitude 106° 37' 20.358". Elevation 3777.314.

Boundary Monument No. 24

Vinton, 0.35 mile north and 1.0 mile west of, about 1.800 feet east of Price's dairy buildings, 850 feet south of eastwest highway. 300 feet west of a drainage ditch, in center of an irrigating ditch, land owned by Price's dairy. Standard concrete monument with bronze tablet in top stamped "Boundary Monument No. 24. Elev. 3776".

Latitude 31° 57' 18.577". Longitude 106° 37' 07.837". Elevation 3775.950.

Boundary Monument No. 25

Vinton, 0.4 mile north and 0.8 mile west of, 0.4 mile east of Price's dairy buildings, 700 feet south of east-west road, 70 feet east of drainage ditch, in cultivated field on land owned by Hemly and Bishaberger.

Standard concrete monument with bronze tablet stamped "Boundary Monument No. 25. Elev. 3776".

Latitude 31° 57' 20.590". Longitude 106° 37' 03.463". Elevation 3776.302.

Boundary Monument No. 26

Vinton, 0.4 mile north and 0.7 mile west of, 0.6 mile east of Price's dairy 40 feet west of an irrigating ditch, at edge of cultivated field, on land owned by Hemly and Rishaberger.

Standard concrete monument with bronze tablet stamped "Boundary Monument No. 26. Elevation 3776".

Latitude 31° 57' 22.107". Longitude 106° 36' 51.197". Elevation 3776.364.

Boundary Monument No. 27

Vinton, 0.1 mile north and 0.65 mile west of, just on east edge of an irrigating ditch, on land said to be owned by T. Sugahara.

Standard concrete monument with bronze tablet stamped "Boundary Monument No. 27. Elev. 3774".

Latitude 31° 57' 06.802". Longitude 106° 36' 49.694". Elevation 3774.014.

Boundary Monument No. 28

Vinton, 0.1 mile south and 0.7 mile west of, about 800 feet west of the Rio Grande of 1930, 50 feet south of a second class roadway and 200 feet east of adobe house of T. Sugahara who is reported to own the land. Standard concrete monument with bronze tablet stamped "Boundary Monument No. 28. Elevation 3773". Latitude 31° 56' 56.313". Longitude 106° 36' 53.081". Elevation 3773.202.

Boundary Monument No. 29

There is no boundary monument No. 29.

Boundary Monument No. 30

Vinton, 0.2 mile south and 0.7 mile west of, 150 feet southeast of a drainage canal, on land owned by Mr. Chavez. Standard concrete monument with bronze tablet stamped "Boundary Monument No. 30. Elev. 3771". Latitude 31° 56' 48.668". Longitude 106° 37' 05.934".

Elevation 3771.205.

Boundary Monument No. 31

Vinton, 0.35 mile south and 1.15 miles west of, 150 feet north of a drainage ditch, 800 feet west of house of Mr. Chavez on whose land it is.

Standard concrete monument with bronze tablet stamped "Boundary Monument No. 31. Elev. 3776".

Latitude 31° 56' 42.947". Longitude 106° 37' 22.751". Elevation 3775.889.

Boundary Monument No. 32

Canutillo, 1.9 miles north and 1.2 miles west of, in middle of cultivated field owned by M. J. Garrett. Standard concrete monument with bronze tablet stamped "Boundary Monument No. 32. Elevation 3772". Latitude 31° 56' 25.356". Longitude 106° 37' 18.312". Elevation 3772.491.

Boundary Monument No. 33

Canutillo, 1.6 miles north and 1.2 miles west of, in middle of cultivated field on land owned by Mrs. H. L. Boxberger;

counter \$4505

29

standard concrete monument, with bronze tablet stamped "Boundary Monument No. 33. Elev. 3771". Latitude 31° 56' 08.449" Longitude 106° 37' 17.316". Elevation 3771.237.

Boundary Monument No. 34

Canutillo, 1.2 miles north and 1.40 miles west of, 450 feet east of an irrigating canal in cultivated field on land of Mrs. H. L. Boxberger; standard concrete monument with bronze tablet stamped "Boundary Monument No. 34. Elev. 3771".

Latitude 31° 55′ 55.621″. Longitude 106° 37′ 22.635″. Elevation 3771.147.

Boundary Monument No. 35

Canutillo, 1.2 miles north and 1.40 miles west of, 450 feet west of a roadway on west side of irrigating canal, in cultivated field on land owned by F. M. Dunlap; standard concrete monument with bronze tablet stamped "Boundary Monument No. 35. Elev. 3770".

Latitude 31° 55′ 46.227″. Longitude 106° 37′ 30.543″. Elevation 3770.348.

Boundary Monument No. 36

Canutillo, 1.0 mile north and 1.5 miles west of, 280 feet east of a public road in field owned by Fred W. Freeman; standard concrete monument with bronze tablet stamped "Boundary Monument No. 36. Elev. 3770".

Latitude 31° 55′ 40.984″. Longitude 106° 37′ 38.172″. Elevation 3770.403.

Boundary Monument No. 37

Canutillo, 0.9 mile north and 1.65 miles west of, 450 feet west of a public road in cultivated field on land owned by P. H. Bailey; standard concrete monument with bronze tablet stamped "Boundary Monument No. 37. Elev. 3770". Latitude 31° 55' 35.587". Longitude 106° 37' 45.149". Elevation 3770.028.

Boundary Monument No. 38

Canutillo, 0.7 mile north and 1.6 miles west of, 350 feet west of a public road in cultivated field on land owned by P. H. Bailey; standard concrete monument with bronze tablet stamped "Boundary Monument No. 38. Elev. 3770". Latitude 31° 55' 24.779". Longitude 106° 37' 41.132". Elevation 3770.001.

Boundary Monument No. 39

Canutillo, 0.85 mile north and 1.35 miles west of, 45 feet west of an irrigating canal, 10 feet west of center of roadway, on land owned by F. W. Freeman; standard concrete monument with bronze tablet stamped "Boundary Monument No. 39. Elev. 3768".

Latitude 31° 55' 31.254". Longitude 106° 37' 26.076". Elevation 3768.298.

Boundary Monument No. 40

Canutillo, 0.8 mile north and 1.2 miles west of, 850 feet east of irrigating canal, in cultivated field on land owned by F. W. Freeman; standard concrete monument with bronze tablet stamped "Boundary Monument No. 40. Elev. 3769".

Latitude 31° 55′ 27.489″. Longitude 106° 37′ 15.587″. Elevation 3769.084.

Boundary Monument No. 41

Canutillo, 0.65 mile north and 1.0 mile west of, about 1,000 feet S. 63° W. true from dairy buildings at Gillett's dairy, in cultivated field owned by Gillett dairy farm; standard concrete monument with bronze tablet stamped "Boundary Monument No. 41. Elev. 3769".

Latitude 31° 55' 19.785". Longitude 106° 37' 04.805", Elevation 3768.601.

31

counter \$ \$ 506

32

EI Res & Ed Sk 53

Canutillo, 0.55 mile north and 0.8 mile west of, 2,250 feet north of east-west road, 250 feet east of roadway to Gillett's dairy, in cultivated field owned by John Van Horn; standard concrete monument with bronze tablet stamped "Boundary Monument No. 42. Elev. 3768".

Latitude 31° 55' 16.620". Longitude 106° 36' 51.295". Elevation 3768.468.

Boundary Monument No. 43

Canutillo, 0.5 mile north and 0.7 mile west of, 1,900 feet north of east-west road, 820 feet east of road to Gillett's dairy in cultivated field owned by John Van Horn who lives to the south on the road to Canutillo; standard concrete monument with bronze tablet stamped "Boundary Monument No. 43. Elev. 3767".

Latitude 31° 55' 13.178". Longitude 106° 36' 44.275". Elevation 3766.642.

Boundary Monument No. 44

Canutillo, 0.3 mile north and 0.85 mile west of, 750 feet north of east-west road, 400 feet S. 38° W. from point where line crosses drainage canal, in cultivated field on land owned by Gillett's dairy farm; standard concrete monument with bronze tablet stamped "Boundary Monument No. 44. Elev. 3767".

Latitude 31° 55' 01.871". Longitude 106° 36' 54.537". Elevation 3766.660.

Boundary Monument No. 45

Canutillo, 0.3 mile south and 1.05 miles west of, 530 feet N. 37° 30' E. true from center of road in front of James Hibbert's house, in cultivated field on land owned by B. L. Hibbert; standard concrete monument with bronze tablet stamped "Boundary Monument No. 45. Elev. 3767".

Latitude 31° 55' 03.355". Longitude 106° 37' 05.887". Elevation 3767.366.

Boundary Monument No. 46

Canutillo, 1.4 miles west of, 185 feet east of a northsouth road, 140 feet east of an irrigating canal, in cultivated field near southwest corner of property owned by Minnie M. Hibbert; standard concrete monument with bronze tablet stamped "Boundary Monument No. 46. Elev. 3768". Latitude 31° 54' 47.168". Longitude 106° 37' 25.253". Elevation 3767.613.

Boundary Monument No. 47

Canutillo, 0.15 mile south and 1.55 miles west of, 830 feet north and 1,050 feet west of a crossroads, in cultivated field on land owned by Henry Cordell; standard concrete monument with bronze tablet stamped "Boundary Monument No. 47. Elev. 3767".

Latitude 31° 54' 40.401". Longitude 106° 37' 39.674". Elevation 3767.000.

Boundary Monument No. 48

Canutillo, 0.25 mile south and 1.9 miles west of, 300 feet north of east-west public road, on south side of drainage ditch at foot of waste bank, on land owned by J. T. Kennedy; standard concrete monument with bronze tablet stamped "Boundary Monument No. 48. Elev. 3767". Latitude 31° 54' 34.940". Longitude 106° 37' 59.102". Elev. 3766.984.

Boundary Monument No. 49

Canutillo, 0.5 mile south and 2.15 miles west of, about 175 feet northwest of a public road and 90 feet northwest of a drainage ditch and 190 feet northeast of a second drainage ditch, in a cultivated field on land owned by G. E. Kennedy; standard concrete monument with bronze tablet stamped "Boundary Monument No. 49. Elev. 3765". Latitude 31° 54' 25.212". Longitude 106° 38' 13.352". Elevation 3765.459.

3-No. 2, Orig.

33

counter + 4507

DZI

34

Canutillo, 0.55 mile south and 2.3 miles west of, 210 feet N. 16° W. from northeast corner of residence of J. N. Duke on whose land the monument is located; standard concrete monument with bronze tablet stamped "Boundary Monument No. 50. Elev. 3767".

Latitude 31° 54' 18.031". Longitude 106° 38' 24.013". Elevation 3766.888.

Boundary Monument No. 51

Canutillo, 0.75 mile south and 2.50 miles west of, 475 feet north of east-west road which is the northern boundary of the Santa Teresa land grant, 1,215 feet west of crossroads, in cultivated field on land owned by L. L. Lewis; standard concrete monument with bronze tablet stamped "Boundary Monument No. 51. Elev. 3767".

Latitude 31° 54' 07.508". Longitude 106° 38' 34.362". Elevation 3766.518.

Boundary Monument No. 52

Canutillo, 1.0 mile south and 2.6 miles west of, 1,980 feet west of a north-south road and 900 feet south of an eastwest road in cultivated field on land owned by Wesley Black; standard concrete monument with bronze tablet stamped "Boundary Monument No. 52. Elev. 3766".

Latitude 31° 53' 54.162". Longitude 106° 38' 43.080". Elevation 3766.074.

Boundary Monument No. 53

Canutillo, 1.25 miles south of, 2.6 miles west of, 0.6 mile north of Borderland road, and 2,060 feet west of north and south road, in cultivated field on land now owned by J. N. Duke from L. M. Crawford Survey; standard concrete monument with bronze tablet stamped "Boundary Monument No. 53. Elev. 3,765."

Latitude 31° 53' 42.009". Longitude 106° 38' 43.679". Elevation 3765.356.

Reference Monument No. 43 = RXII

This is a reestablished triangulation station of the Salarar-Diaz Survey of 1852. It is 0.6 mile north of Borderland road, 2,200 feet west of north-south road, in cultivated field on land owned by J. N. Duke, from L. M. Crawford Survey; standard concrete monument with bronze tablet stamped "Reference Monument No. 43 RXII. Elev. 3767." Latitude 31° 53' 41.420". Longitude 106° 38' 45.446". Elevation 3767.314.

Boundary Monument No. 54

Borderland Gin, 1.15 miles west of, 2,500 feet north of Borderland road, 1,200 feet west of north-south road, in cultivated field on land owned by J. N. Duke, in the L. M. Crawford Survey; standard concrete monument with bronze tablet stamped "Boundary Monument No. 54. Elev. 3766."

Latitude 31° 53' 33.399". Longitude 106° 38' 33.601". Elevation 3765.785.

Boundary Monument No. 55

Borderland Gin, 1.05 miles west and 2,400 feet north of, 700 feet west of north-south road in cultivated field on land owned by H. C. Mandell; standard concrete monument with bronze tablet stamped "Boundary Monument No. 55. Elev. 3766."

Latitude 31° 53' 32.546". Longitude 106° 38' 27.812". Elevation 3765.628.

Boundary Monument No. 56

Borderland Gin, 0.9 mile west of, 2,200 feet north of Borderland road, 35 feet east of north-south road, 0.25 mile south of dairy ranch; standard concrete monument with bronze tablet stamped "Boundary Monument No. 56. Elev. 3763."

* titude 31° 53' 30.420". Longitude 106° 38' 19.421". Elevation 3763.251.

36

Borderland Gin, 0.75 mile west of, 1,730 feet north of Borderland road, 850 feet east of north-south road, 325 feet west of drainage ditch, in cultivated field of W. S. Taylor; standard concrete monument with bronze tablet stamped "Boundary Monument No. 57. Elev. 3762."

Latitude 31° 53' 25.784". Longitude 106° 38' 09.913". Elevation 3761.606.

Boundary Monument No. 58

Borderland Gin, 0.6 mile west of, 1,000 feet north of Borderland road, 680 feet east of drainage ditch, in cultivated field on land owned by W. E. Clem; standard concrete monument with bronze tablet stamped "Boundary Monument No. 58. Elev. 3761."

Latitude 31° 53' 18.598". Longitude 106° 37' 59.757". Elevation 3761.216.

Boundary Monument No. 59

Borderland Gin, 2,250 feet west of, 90 feet north of center of road, in cultivated field on land owned by W. E. Clem who lives just west of the monument; standard concrete monument with bronze tablet stamped "Boundary Monument No. 59. Elevation 3759."

Latitude 31° 53' 09.549". Longitude 106° 37' 49.050". Elevation 3759.429.

Boundary Monument No. 60

Borderland Gin, 1,825 feet west of, 875 feet south of Borderland road, in cultivated field on land owned by Wm. Bosing; standard concrete monument with bronze tablet stamped "Boundary Monument No. 60. Elev. 3759."

Latitude 31° 52' 59.980". Longitude 106° 37' 44.121". Elevation 3758.724.

Boundary Monument No. 61

Borderland Gin, 1,960 feet west and 1,670 feet south of, in cultivated field on land owned by Wm. Bosing; standard concrete monument with bronze tablet stamped "Boundary Monument No. 61. Elev. 3758."

Latitude 31° 52' 52.091". Longitude 106° 37' 45.677". Elevation 3758.431.

Boundary Monument No. 62

Borderland Gin, 2,780 feet south and 2,450 feet west of, in cultivated field on land owned by Sam Wade who lives on the land just south of Borderland road; standard concrete monument with bronze tablet stamped "Boundary Monument No. 62. Elev. 3758."

Latitude 31° 52' 41.107". Longitude 106° 37' 51.343". Elevation 3758.363.

Boundary Monument No. 63

Borderland Gin, 0.8 mile south and 0.7 mile west of, 500 feet north of an east-west road, 30 feet west of cut bank of drainage ditch, on side of waste bank; standard concrete monument with bronze tablet stamped "Boundary Monument No. 63. Elev. 3764."

Latitude 31° 52' 25.393". Longitude 106° 38' 03.564". Elevation 3763.503.

Boundary Monument No. 64

Borderland Gin, 1.1 miles south and 0.75 mile west of, in cultivated field on land owned by Cathcart and Mason; standard concrete monument with bronze tablet stamped "Boundary Monument No. 64. Elev. 3755."

Latitude 31° 52' 09.978". Longitude 106° 38' 07.960". Elevation 3755.154.

Boundary Monument No. 65

Borderland Gin, 1.35 miles south and 0.7 mile west of, 150 feet east of an irrigating ditch, in cultivated field on land owned by Cathcart and Mason; standard concrete monument with bronze tablet stamped "Boundary Monument No. 65. Elev. 3755."

counter 44509

DZ3

37

Latitude 31° 51' 58.293". Longitude 106° 38' 06.759". Elevation 3755.095.

Boundary Monument No. 66

Rio Grande highway bridge on Country Club road, 1.2 miles north and 1.55 miles west of, on west side of drainage ditch, on top of waste bank: standard concrete monument with bronze tablet stamped "Boundary Monument No. 66. Elev. 3762."

Latitude 31° 51' 49.169". Longitude 106° 37' 54.330". Elevation 3762.172.

Boundary Monument No. 67

Rio Grande bridge, 1.2 miles north and 1.55 miles west of, on east bank of drainage ditch, 20 feet from waters edge; standard concrete monument with bronze tablet stamped "Boundary Monument No. 67. Elev. 3756."

Latitude 31° 51' 48.501". Longitude 106° 37' 53.305". Elevation 3756.200.

Boundary Monument No. 68

Rio Grande bridge, 1.0 mile north and 1.3 miles west of, 1,160 feet south and 700 feet west of right angle in paved highway, in cultivated field on land owned by Stevens and Channell; standard concrete monument with bronze tablet stamped "Boundary Monument No. 68. Elev. 3753."

Latitude 31° 51' 40.652". Longitude 106° 37' 39.694". Elevation 3752.798.

Boundary Monument No. 69

Bio Grande bridge, 1.0 mile north and 1.3 miles west of, 125 feet N. 31° W. from a cottonwood tree, in cultivated field on land owned by Stevens and Channell; standard concrete monument with bronze tablet stamped "Boundary Monument No. 69. Elev. 3753."

Latitude 31° 51' 37.062". Longitude 106° 37' 36.870". Elevation 3752.613.



counter ++510

Bio Grande Bridge, 0.7 mile north and 1.15 miles west of, on east bank of drainage ditch, 8 feet from waters edge and base 2 feet above surface of water, near southwest property line of Jesus Alba; standard concrete monument with bronze tablet stamped "Boundary Monument No. 70. Elev. 3747."

Latitude 31° 51' 21.761". Lengitude 106° 37' 29.003". Elevation 3746.946.

Boundary Monument No. 71

Rio Grande Bridge, 2,400 feet north and 5,000 feet west of, on west side of drainage ditch and about 10 feet from edge of water, 35 feet northwest of flume crossing ditch, on land of Jesus Alba; standard concrete monument with bronze tablet stamped "Boundary Monument No. 71. Elev. 3751." Latitude 31° 51' 10.034". Longitude 106° 37' 16.428". Elevation 3751.300.

Reference Monument No. 33

Rio Grande Bridge, 2,170 feet north and 4,640 feet west of, 50 feet northeast of true boundary line which comes in drainage ditch, on land of J. C. White; standard concrete monument with bronze tablet stamped "Reference Point No. 33. Elev. 3751."

Latitude 31° 51' 07.503". Longitude 106° 37' 12.579". Elevation 3751.326.

Angle Point 71-a

The position of this angle point falls in a drainage canal and therefore no monument could be erected at the exact place but Reference Monument 33 was built 50 feet N. 45° 39° 32' E. from it to mark the point.

Latitude 31° 51' 07.157". Longitude 106° 37' 12.993".

	True course	Surface distance, feet
To Boundary Monument 71	N. 45° 33' 30" W.	415.32
To Reference Monument 33	N. 45° 39' 32" E.	50.00
To Angle Point 71-b	S. 44° 20' 28" E.	1,880.32

Angle Point 71-b

The position of this angle point falls in the same drainage canal as 71-a and Reference Monument 32 was erected N. 45° 39' 32" E., 50 feet distant to mark the point. Latitude 31° 50' 53.851". Longitude 106° 36' 57.762".

	True course	Surface distance, feet
То 71-а	N. 44° 20' 28" W.	1,880.32
To Reference Monument 32	N. 45° 39' 32" E.	50.00
To Boundary Monument 72	S. 40° 44' 38" E.	471.04

Reference Monument No. 32

Rio Grande Bridge, 820 feet north and 3,330 feet west of, 50 feet northeast of the true boundary line which comes in drainage ditch; the line between Reference Monuments Nos. 32 and 33 being parallel to and 50 feet northeast of the true boundary line; standard concrete monument with bronze tablet stamped "Reference Point No. 32. Elev. 3751."

Latitude 31° 50' 54.197". Longitude 106° 36' 57.348". Elevation 3750.830.

Boundary Monument No. 72

Rio Grande Bridge, 430 feet north and 3,060 feet west of, 270 feet north of east-west highway on west bank of drainage ditch and between water's edge and waste pile, on land of S. N. Russell; standard concrete monument with bronze tablet stamped "Boundary Monument No. 72. Elev. 3749." Latitude 31° 50' 50.320". Longitude 106° 36' 54.202".

Elevation 3749.316.

RXI or Reference Monument No. 44

Rio Grande Bridge, 320 feet north and 3,160 feet west of, 160 feet north of highway and 390 feet west of bridge across drainage ditch, in cultivated field on land of S. N. Russell; standard concrete monument with bronze tablet stamped "Reference Monument No. 44 RXI Elev. 3750." This is a reestablishment of triangulation station of the Salazar-Diaz Survey of 1852.

Latitude 31° 50' 49.252". Longitude 106° 36' 55.420". Elev. 3749.527.

Boundary Monument No. 73

Rio Grande Bridge, 70 feet north and 2,600 feet west of, 90 feet south of road and 160 feet east of bridge over drainage ditch, on land of A. M. Heineman; standard concrete monument with bronze tablet stamped "Boundary Monument No. 73. Elev. 3750."

Latitude, 31° 50' 46.751". Longitude 106° 36' 49.009". Elevation 3749.869.

Boundary Monument No. 74

Rio Grande Bridge, 70 feet north and 950 feet west of, 67 feet south of center of paved road at edge of field on land owned by Z. T. White; standard concrete monument with b:onze tablet stamped "Boundary Monument No. 74. Elev. 3751."

Latitude 31° 50' 47.459". Longitude 106° 36' 29.773". Elevation 3751.194.

Boundary Monument No. 75

Rio Grande Bridge, 100 feet south and 120 feet east of east end of, in brushy thicket, on land of L. M. Crawford; standard concrete monument with bronze tablet stamped "Boundary Monument No. 75. Elev. 3749."

Latitude 31° 50' 44.650". Longitude 106° 36' 15.396". Elevation 3748.661.

Boundary Monument No. 76

Rio Grande Bridge, 680 feet south and 1,260 feet east of, 0.75 mile northwest of Country Club in cultivated field on land of M. B. White and L. M. Crawford; standard concrete monument with bronze tablet stamped "Boundary Monument No. 76. Elev. 3750."

41

DZG

Latitude 31° 50' 39.352". Longitude 106° 36' 04.130". Elevation 3750.397.

Boundary Monument No. 77

Rio Grande Bridge, 0.45 mile south and 0.25 mile east of, 0.50 mile west of Country Club, 165 feet east of levee roadway, on uncultivated land on property of O. C. Coles and L. M. Crawford; standard concrete monument with bronze tablet stamped "Boundary Monument No. 77. Elev. 3749." Latitude 31° 50' 22.010". Longitude 106° 36' 03.378". Elevation 3749.260.

Boundary Monument No. 78

Bio Grande Bridge, 0.6 mile south and 850 feet east of, 480 feet north of drainage ditch, 160 feet southeast of levee roadway on uncultivated land, the property of Coles and Crawford; standard concrete monument with bronze tablet stamped "Boundary No. 78. Elev. 3749."

Latitude 31° 50' 13.424". Longitude 106° 36' 08.851". Elevation 3748.643.

Boundary Monument No. 79

Rio Grande Bridge, 0.9 mile south and 750 feet east of, 800 feet south of drainage canal, in cultivated field on property of Z. T. White; standard concrete monument with bronze tablet stamped "Boundary Monument No. 79. Elevation 3747."

Latitude 31° 50' 00.792". Longitude 106° 36' 10.127". Elevation 3746.632.

Boundary Monument No. 80

Rio Grande Bridge, about 1 mile south and 560 feet east of, in cultivated field on property of Z. T. White; standard concrete monument with bronze tablet stamped "Boundary Monument No. 80. Elev. 3746."

Latitude 31° 49' 54.390". Longitude 106° 36' 12.315". Elevation 3746.372.

El Aso Co. Rid SK.53

aunter ++513

DZT



counter \$4514

43

Bio Grande Bridge, about 1.25 miles south and 200 feet east of, 115 feet westerly from levee roadway, 70 feet from present Rio Grande bank or 30 feet from highwater bank, in brush and timber; standard concrete monument with bronze tablet stamped "Boundary Monument No. 81. Elev. 3747."

Latitude 31° 49' 40.548". Longitude 106° 36' 16.311". Elevation 3746.804.

Angle Point 81a in Rio Grande of 1930 South of Monument No. 81

This position of angle point 81a in the boundary line comes in the bed of the Rio Grande of 1930, and hence no monument could be set.

This angle point is on prolongation southward of line from Monument No. 80 to Monument No. 81, true bearing 8.13° 50' 55" W., and is 193.85 feet distant from Monument No. 81.

Latitude 31° 49' 38.685". Longitude 106° 36' 16.849".

Reference Monument No. 30

Bio Grande Bridge, 1.3 miles south of, on west side of Bio Grande 387.8 feet from Boundary Monument No. 81 on projection of line from Monument No. 80 to Monument No. 81. It is 76 feet west of cut bank of river close to base of sand hill bluffs; standard concrete monument with bronze tablet stamped "Beference Point No. 30." Latitude 31° 49' 36.822". Longitude 106° 36' 17.387".

Boundary Monument No. 82

Bio Grande Bridge, about 1.5 miles south and 0.2 mile east of, 100 feet west of line roadway and 90 feet east of cut bank of river, in brush and timber on land of Z. T. White; standard concrete monument with bronze tablet stamped "Boundary Monument No. 82. Elevation 3745." Latitude 31° 49' 27.749". Longitude 106° 36' 05.122". Elevation 3745.030.

EI 1050 Co 121 54 54 53

counter \$ 4515

Angle Point 81b in Rio Grande of 1930 West of Monument No. 82

This position of angle point 81b in boundary line comes in bed of Rio Grande of 1930 and therefore no monument could be erected. This angle point is on prolongation westward of line from Monument 83 to Monument 82; true bearing S. 87° 14' 00" W. and is 180.90 ft. distant from Monument No. 82.

Latitude 31° 49' 27.663". Longitude 106° 36' 07.216".

True bearing from angle point 81a south of Monument No. 81 to angle point 81b west of Monument No. 82 is S. 36° 44' 10" E., distance 1,389.93 feet.

Reference Monument No. 29

Rio Grande Bridge, about 1.5 miles south and 0.15 mile east of, on west side of river, 40 feet west of cut bank and 30 feet east of base of sand hill bluffs, in brush; standard concrete monument with bronze tablet stamped "Reference Point No. 29."

Latitude 31° 49' 27.576". Longitude 106° 36' 09.310"

Boundary Monument No. 83

Rio Grande Bridge, about 1.45 miles south and 0.7 mile east of, 1,000 feet south of drainage canal, in cultivated field on land of Z. T. White; standard concrete monument with bronze tablet stamped "Boundary Monument No. 83. Elev. 3743."

Latitude 31° 49' 28.991". Longitude 106° 35' 35.029". Elevation 3742.957.

Boundary Monument No. 84

Pioneer Park, 0.5 mile north and 0.5 mile west of, in cultivated field on land owned by Z. T. White; standard concrete monument with bronze tablet stamped "Boundary Monument No. 84. Elev. 3742."

Latitude 31° 49' 25.743". Longitude 106° 35' 25.487". Elevation 3741.728.

Boundary Monument No. 85

Pioneer Park, about 0.4 mile north and 0.3 mile west of, about west of Whites Spur on property of Z. T. White; standard concrete monument with bronze tablet stamped "Boundary Monument No. 85. Elev. 3742." Latitude 31° 49' 18.878". Longitude 106° 35' 13.133". Elevation 3742.108.

Boundary Monument No. 86

Pioneer Park, 1,850 feet north and 1,240 feet west of, in field on property of Z. T. White; standard concrete monument with bronze tablet stamped "Boundary Monument No. 86. Elev. 3739".

Latitude 31° 49' 16.857". Longitude 106° 35' 09.299". Elevation 3739.239.

Boundary Monument No. 87

Pioneer Park, 1,180 feet north and 920 feet west of, on land now being cleared and graded for cultivation, on property of Z. T. White; standard concrete monument with bronze tablet stamped "Boundary Monument No. 87. Elev. 3741".

Latitude 31° 49' 10.150". Longitude 106° 35' 05.579". Elevation 3740.537.

Boundary Monument No. 88

Pioneer Park, approximately near the center of the socalled park, unimproved; standard concrete monument with bronze tablet stamped "Boundary Monument No. 88. Elev. 3740".

Latitude 31° 48′ 58.513″. Longitude 106° 34′ 54.966″. Elevation 3740.129.

NOTE.—Monument 86 was set in the bed of the former course of the Rio Grande. Since being established, grading and filling has been done which nearly or quite covers the monument.

counter \$4516

Pioneer Park, 430 feet south and 270 feet east of, in cultivated field on property of Z. T. White; standard concrete monument with bronze tablet stamped "Boundary Monument No. 89. Elev. 3739".

1.1.

EI BAN CO EIS SX 53

Latitude 31° 48' 54.275". Longitude 106° 34' 51.854". Elevation 3739.331.

Boundary Monument No. 90

Pioneer Park, 900 feet south and 430 feet east of, east of public road leading to Pioneer Park, in cultivated field on property of R. E. Gilbert; standard concrete monument with bronze tablet stamped "Boundary Monument No. 90. Elev. 3739".

Latitude 31° 48' 49.595". Longitude 106° 34' 49.949". Elevation 3738.869.

Boundary Monument No. 91

Pioneer Park, 0.4 mile south and 1,740 feet east of, about 90 feet north of a public road which has a bearing of about 8. 30°W., in cultivated field on land reported as owned by B. E. Secrest; standard concrete monument with bronze tablet stamped "Boundary Monument No. 91. Elevation 3738".

Latitude 31° 48' 37.111". Longitude 106° 34' 34.807". Elevation 3738.123.

Boundary Monument No. 92

Pioneer Park, 0.4 mile south and 0.55 mile east of, about 4,000 feet west and 900 feet south of Gibson's crossing of Santa Fe Bailway, 275 feet northwest from cut bank of Rio Grande, in cultivated field on land of Henry Veck, standard concrete monument with bronze tablet stamped "Boundary Monument No. 92. Elev. 3737".

Latitude 31° 48' 36.334". Longitude 106° 34' 12.833". Elevation 3736.727.

Boundary Monument No. 93

Gibsons Crossing of Santa Fe Bailway, 0.55 mile west of, in cultivated field on land of T. D. Porcher; standard concrete monument with bronze tablet stamped "Boundary Monument No. 93. Elev. 3736".

Latitude 31° 48' 45.947". Longitude 106° 34' 00.044". Elevation 3735.827.

Reference Monument No. 45 or BX

Gibson's Crossing, about 2,800 feet west and 25 feet south of, in cultivated field owned by T. D. Porcher. This is a reestablished triangulation station of the Salazar-Diaz Survey of 1852; standard concrete monument with bronze tablet stamped "Reference Monument No 45 RX. Elev. 3736".

Latitude 31° 48' 44.870". Longitude 106° 33' 58.846". Elevation 3735.929.

Boundary Monument No. 94

Gibson's Crossing, 0.5 mile west and 260 feet north of, in cultivated field on land owned by T. D. Porcher; standard concrete monument with bronze tablet stamped "Boundary Monument No. 94. Elev. 3736".

Latitude 31° 48' 47.654". Longitude 106° 33' 58.085". Elevation 3736.359.

Boundary Monument No. 95

Gibson's Crossing, 1,630 feet west of and 45 feet south of, in cultivated field on land of T. D. Porcher; standard concrete monument with bronze tablet stamped "Boundary Monument No. 95. Elev. 3736".

Latitude 31° 48' 44.651". Longitude 106° 33' 45.110". Elevation 3736.215.

Boundary Monument No. 96

Gibson's Crossing, 1,520 feet west and 540 feet south of, in cultivated field on land of M. P. Gibson; standard con-

47

counter 44517

crete monument with bronze tablet stamped "Boundary Monument No. 96. Elev. 3736". Azimuth to chimney on El Paso Power Plant is 295° 41' 30".

Latitude 31° 48' 39.752". Longitude 106° 33' 43.873". Elevation 3735.972.

Boundary Monument No. 97

Gibson's Crossing, 800 feet south and 115 feet west of, 590 feet southeast from M. P. Gibson's house, 15 feet west of a private road, in cultivated field on land owned by E. Gibson; standard concrete monument with bronze tablet stamped "Boundary Monument No. 97. Elev. 3735".

Latitude 31° 48' 37.202". Longitude 106° 33' 27.567". Elevation 3734.934.

Azimuth to chimney on El Pago Power Plant is 300° 53' 30".

Reference Monument No. 8 or Frontera

This is a reestablished triangulation station of the Salazar-Diaz Survey of 1852 and astronomic station by W. H. Emory in 1852. It is 163 feet south and 98 feet east of Gibson's Crossing of Santa Fe Railway, 32 feet southwest of center of railway track, and 1.8 feet lower than top of rail; a concrete block 20 by 20 inches square and 24 inches deep with top about 3 inches above surface of ground. A bronze tablet in top stamped "Reference Point No. 8 — Frontera. Elev. 3736".

Latitude 31° 48' 43.494". Longitude 106° 33' 25.081". Elevation 3736.103.

Boundary Monument No. 98

El Paso Power Plant, 1,530 feet distant from west chimney of, in azimuth 144° 09' in center of paved highway, 492.5 feet northwest from crossing of spur railway track to Spear's oil mill. Bronze tablet cemented in pavement and stamped "Boundary Monument No. 98. Elev. 3731".

Latitude 31° 48' 28.403". Longitude 106' 32' 56.747". Elevation 3730.844.

Boundary Monument No. 99

El Paso Power Plant, about 1,200 feet N. 15° 19' W. true from west chimney of, 390 feet N. 56° 07' W. true from northwest corner of seed warehouse at Spear's Oil Mill, in brushy land; standard concrete monument with bronze tablet stamped "Boundary Monument No. 99. Elev. 3732". Latitude 31° 48' 27.544". Longitude 106° 32' 50.008". Elevation 3732.452.

Boundary Monument No. 100

El Paso Power Plant, about 987 feet N. 40° 10' W. true from west chimney of, 95 feet N. 59° 36' W. true from northwest corner of seed warehouse, at Spear's Oil Mill, 8 inches northeast of rail of spur track to seed warehouse, and nearly in line with northeast line of warehouse; concrete block 17 by 17 inches square and 24 inches deep with top about 2 inches lower than top of rail; bronze tablet in top stamped "Boundary Monument No. 100. Elev. 3732". Latitude 31° 48' 25.846". Longitude 106° 32' 47.170". Elevation 3731.907.

Reference Monument No. 9

This monument is N. 44° 47' E. true and 40 feet distant from Boundary Monument 100. It is on property of Spears and Co.; standard concrete monument with bronze tablet stamped "Reference Point No. 9. Elev. 3733". Latitude 31° 48' 26.127". Longitude 106° 32' 46.844". Elev. 3733.345.

Reference Monument No. 10

This monument is S. 44° 47' W. true and 40 feet distant from Boundary Monument No. 100. It is on property of Spears and Co.; standard concrete monument with bronze tablet stamped "Reference Point No. 10. Elev. 3733." Latitude 31° 48' 25.565". Longitude 106° 32' 47.496". Elevation 3733.244.

counter #4518

D32

4-No. 2, Orig.

49

El Paso Power Plant, on property of, 150 feet southwest of main track of Santa Fe Ry., 90 feet from cut bank of Rio Grande, on low land; standard concrete monument with bronze tablet stamped "Boundary Monument No. 101. Elev. 3729".

Azimuth to east chimney on power plant is 63° 19'. Latitude 31° 48' 18.133". Longitude 106° 32' 40.736". Elevation 3729.189.

Boundary Monument No. 102

On west bank of Rio Grande. S. 59° 52' E. of northeast corner of El Paso Power Plant, 260 feet N. 6° 30' E., true, from front door of brick schoolhouse; standard concrete monument with bronze tablet stamped "Boundary Monument No. 102. Elev. 3732".

Latitude 31° 48' 11.728". Longitude 106° 32' 35.772". Elevation 3732.224.

Boundary Monument No. 103

Courchesne bridge, 170 feet S. 32° 30' W. from west end of, 35 feet northwest of corner of brick house, 35 feet southeast of public road; standard concrete monument with bronze tablet stamped "Boundary Monument No. 103. Elev. 3731".

Latitude 31° 48' 07.435". Longitude 106° 32' 28.602". Elevation 3730.993.

Angle Point 103-a

The position of this angle point in boundary line, designated as 103-a, falls in Rio Grande of 1930 and therefore no monument could be built. This angle point is determined from Salazar-Diaz course (4-a) S. 71° 40' 50" F. Mag. distance 207.0 meters (Record page 2380) true bearing S. 59° 54' 50" E. corrected distance 679.85 feet from Monument 103; true bearing from Reference Monument 23 is N. 32° 48' 05" E. distance 50.15 feet, true bearing from Reference Monument No. 11 is S. 32° 48' 05" W., distance 359.07 feet (surface).

Latitude 31° 48' 04.064". Longitude 106° 31' 21.787".

Angle Point 103-b

This angle point in the boundary line falls in the Bio Grande of 1930 and therefore no monument could be built. This point is determined from Salazar-Diaz course of 5-a, 8. 66° 18' 00" E. magnetic, true course S. 54° 32' 00" E.; distance 479.5 meters (Record page 2380) corrected distance used 1626.63 feet from Angle Point 103-a.

True bearing from Reference Monument 12 is S. 52° 42' 16" W., distance 101.61 feet.

True bearing from Reference Monument 22 is N. 52° 42' 16° E., distance 333.75 feet.

It is on the prolongation of the line from Monument 105 to Monument 104 and is 1011.80 feet N. 20° 02' 30" W. from Monument 104.

Latitude 31° 47' 54.725". Longitude 106° 32' 06.439".

Boundary Monument No. 104

Courchesne Bridge, 0.6 mile southeast of, on west bank of Rio Grande opposite Courchesne quarries across river, 25 feet southwest of cut bank on land owned by Jim Derrick who lives about 600 feet to the west. Standard concrete monument with bronze tablet stamped "Boundary Monument No. 104. Elev. 3731".

Latitude 31° 47' 45.329". Longitude 106° 32' 02.411". Elevation 3731.24.

Boundary Monument No. 105

Courchesne Bridge, about 0.8 miles southeast of, on west bank of river opposite Courchesne's residence, 20 feet southwest of cut bank of river, on land owned by Jim Derrick; standard concrete monument with bronze tablet stamped "Boundary Monument No. 105. Elev. 3730".

Latitude 31° 47' 35.630". Longitude 106° 31' 58.269". Elevation 3730.14.

counter ++519

D33

50

ET for Ca BH SK 53

Reference Monument No. 21

Courchesne Bridge, 0.75 mile south and 0.5 mile east of, just above prominent rocky bluff, 67 feet north of center of railway track (spur to brickyard) and 75 feet south of cut bank of river; standard concrete monument with bronze tablet stamped "Reference Point No. 21. Elev. 3734".

Latitude 31° 47' 29.565". Longitude 106° 31' 56.822". Elevation 3734.34.

Angle Point 105-a

This angle point in the boundary line falls in the Rio Grande of 1930 and therefore no monument could be built to mark it. This point is on the prolongation of the Salazar-Diaz course 5-b, S. 31° 47' 30" E. Magnetic, or S. 20° 02' 30" E., true, of which monuments 104 and 105 form a part and is 549.10 feet S. 20° 02' 30" E. from Monument 105. This angle point is near the western (upper) end or beginning of the Canyon and from this point the course of the boundary line through the Canyon was selected in accordance with the recommendations of the Special Master in Section V (1) of his report (see page 5 of this report). It is S. 33° 03' 45" W. 291.57 feet distant from Reference Monument 13 and N. 33° 03' 45" E. 116.02 feet from Reference Monument 21.

Latitude 31° 47' 30.526". Longitude 106° 31' 56.089".

Angle Point 105-b

This angle point in the boundary line falls in the Rio Grande of 1930 and therefore no monument could be built to mark it. This point is near the middle of the narrowest part of the Canyon of 1850-1852 and of 1913 (the date the suit was filed) and is N. 86° 15' 12" E., 615.31 feet from angle point 105-a. It is also N. 6° 09' 50" E., 119.20 feet from Reference Monument 20 and S. 6° 09' 50" W., 119.20 feet from Reference Monument 14.

Latitude 31° 47' 30.914". Longitude 106° 31' 48.988".

Angle Point 105-c

This angle point in the boundary line falls in the Bio Grande of 1930 and therefore no monument could be built to mark it. This point is near the lower end of the Canyon of 1850 and of 1913 and is N. 28° 42' 05" W., 519.98 feet distant from Monument 106. It is also S. 63° 27' 35" E., 1,004.65 feet distant from Angle Point 105-b, and N. 43° 19' 01" E., 150.02 feet from Reference Monument 19 and 8. 43° 19' 01" W. 264.13 feet from Reference Monument 15. Latitude 31° 47' 26.483". Longitude 106° 31' 38.565".

Boundary Monument No. 106

On west bank of river opposite El Toro Cement Company's plant, 211 feet N. 5° 45' E. true from end of pier of Southern Pacific Railway Company's bridge, second pier from west end and 190 feet N. 59° 20' E. true, from end of pier, first pier from west end, 22 feet from cut bank of river, on land probably overflowed by highwater; standard concrete monument with bronze tablet stamped "Boundary Monument 106. Elev. 3727".

Latitude 31° 47' 21.970". Longitude 100° 31' 35.672". Elevation 3727.30.

South Terminal Point 106-a

This point falls in the Rio Grande of 1930, 483.39 feet due east from International Boundary Monument No. 1 and 152.41 feet due west of Reference Monument 17. It is $8.9^{\circ}.09'.10''$ W., 2,084.16 feet distant from State Boundary Monument 106, which is located near the southern end of Canyon. This course is that given for Salazar-Diaz course 7-a for Section RX to RIX; namely S. 2° 36' 50" E., magnetic or S. 9° 09' 10" W. true, (Record page 2380) and was adopted in order to conform to statement of Special Master, Section V (1); page 5 this report. "The location of the west bank and of the course of the river, in 1852, from the southern end of the Canyon to the International Boundary

CONTRACTOR OF THE OWNER

D34

53

counter \$4520

Line, vis., to the parallel of 31 degree 47 minutes north latitude, I find was that shown by the Salazar-Diaz Survey." Latitude 31° 47' 01.608". Longitude 106° 31' 39.511".

Reference Monument No. 1, El Paso County, Texas

La Tuna, Texas, about 205 feet north and 436 feet east of main crossroads at, 35 feet south of actual New Mexico-Toxas State line, 4 feet south of an adobe house; concrete monument in galvanized metal form 17 inches in diameter at top and standing 18 inches high. This monument marks astronomic station of Arthur D. Kidder of 1903. A bronze tablet of the New Mexico-Texas Boundary Commission of 1928 was cemented in the top and stamped "Reference Point No. 1. Elev. 3804".

Latitude 32° 00' 01.972". Longitude 106° 36' 14.465". Elevation 3804.204.

Reference Monument No. 2, El Paso County, Texas

La Tuna, Texas, 1.5 miles south of, Vinton, 1.7 miles north of, 26 feet west of center of highway, 53 feet east of center of Santa Fe Bailway track, 3 feet east of right-ofway fence; standard concrete monument with bronze tablet stamped "Beference Point No. 2. Elev. 3786".

Latitude 31° 58' 27.384". Longitude 106° 36' 14.794". Elevation 3785.724.

Reference Monument No. 3, El Paso County, Texas.

Vinton station, 360 feet north of, 63 feet east of main track of Santa Fe Railway, 65 feet west of main paved highway; standard concrete monument with bronze tablet stamped "Reference Point No. 3. Elev. 3788".

Latitude 31° 57' 04.767". Longitude 106° 36' 09.786". Elevation 3787.795.

Reference Monument No. 4, El Paso County, Texas

Canutillo, 235 feet north of station, 50 feet west of center of main track of Santa Fe Bailway, 50 feet east of bank of



BRONZE TABLET IMBEDDED IN TOP OF EACH REFERENCE POINT MONUMENT

counter ++521
Bio Grande, 2½ feet north of fence corner of Mr. Barnett's yard; standard concrete monument with bronze tablet stamped "Reference Point No. 4. Elev. 3769". Latitude 31° 54' 46.366". Longitude 106° 36' 02.989". Elevation 3768.813.

Reference Monument No. 5, El Paso County, Texas

Montoya, or Borderland Road, 165 feet west of crossroads at, 45 feet west of center of Santa Fe Railway track and 45 feet south of Borderland Highway close to a fence corner; standard concrete monument with bronze tablet stamped "Reference Point No. 5. Elev. 3764". Latitude 31° 53' 08.445". Longitude 106° 35' 48.927". Elevation 3763.611.

Reference Monument No. 6, El Paso County, Texas

Borderland Road, 1.35 miles south of, 240 feet north of switch stand at south end of siding, 53 feet east of center of Santa Fe Railway track, 34 feet west of center of paved highway, and 3 feet east of right-of-way fence; standard concrete monument with bronze tablet stamped "Reference Point No. 6. Elev. 3758".

Latitude 31° 51' 56.454". Longitude 106° 35' 19.802". Elevation 3758.181.

Surface dis- tance, feet
22545.4
22179.8
27465.7
36380.9
32652.6
31606.2

Reference Monument No. 7, El Paso County, Texas

Whites Spur, Santa Fe Railway, 300 feet north of switchstand at south end of, 40 feet cast of center of main track, 35 feet west of center of paved road, S. 15° 30' W. true from

counter 44522

southwest corner of brick public school building; standard concrete monument with bronze tablet stamped "Reference Point No. 7. Elev. 3751".

Latitude 31° 50' 10.788". Longitude 106° 34' 36.299". Elevation 3751.367.

Reference Monument No. 8 or Frontera, El Paso County, Texas

This is a reestablished triangulation station of the Salasar-Diaz Survey of 1852 and astronomic station by W. H. Emory in 1852. It is 163 feet south and 98 feet east of Gibson's Crossing of Santa Fe Railway, 32 feet southwest of center of railway track, and 1.8 feet lower than top of rail; a concrete block 20 by 20 inches square and 24 inches deep with top about 3 inches above surface of ground. A bronze tablet in top stamped "Reference Point No. 8— Frontera. Elev. 3736".

Latitude 31° 48' 43.494". Longitude 106° 33' 25.081". Elevation 3736.103.

Reference Monument No. 9, El Paso County, Texas

This monument is N. 44° 47' E. and 40 feet distant from Boundary Monument 100. It is on property of Spears and Co.; standard concrete monument with bronze tablet stamped "Reference Point No. 9. Elev. 3733".

Latitude 31° 48' 26.127". Longitude 106° 32' 46.844". Elevation 3733.345.

Reference Monument No. 10, Dona Ana County, N. Mex.

This monument is S. 44° 47' W. and 40 feet distant from Boundary Monument No. 100. It is on property of Spears and Co.; standard concrete monument with bronze tablet stamped "Beference Point No. 10. Elev. 3733".

Latitude 31° 48' 25.565". Longitude 106° 32' 47.496". Elevation 3733.244.

Reference Monument No. 11, El Paso County, Texas

Courchesne Bridge, 600 feet southeast of northeast end of, 340 feet south of southeast corner of two-story brick pubhe school building, 64 feet north from cut bank of river on line with angle point 103-a in Rio Grande and with Reference Monument No. 23 across the river; standard concrete monument with bronze tablet stamped "Reference Point No. 11. Elev. 3730".

Latitude 31° 48' 07.050". Longitude 106° 32' 19.533". Elevation 3730.01.

	True course	feet
To Ref. Mon. 12	8.45° 40' E.	1693.67
To Rof Mon 93	S 32° 48' W	409 22

Reference Monument No. 12, El Paso County, Texas

Courchesne Bridge, 1,400 feet south and 1,900 feet east of, on east side of river, 88 feet southwest from center of main paved highway and 45 feet northeast from cut bank of river on line with angle point 103-b in Rio Grande and with Reference Monument No. 22 across river; standard concrete monument with bronze tablet stamped "Reference Point No. 12. Elev. 3731."

Latitude 31° 47' 55.343". Longitude 106° 32' 05.493". Elevation 3731.36.

*.	True course	Surface distance, feet		
To Ref. Mon. 22	S. 52° 42' W	435.36		
To Ref. Mon. 23	N. 59° 39' W	. 1,660.89		

Reference Monument No. 13, El Paso County, Texas

A. Courchesne's residence, about 600 feet south of, east side of Rio Grande, 10 feet west of west corner of stable corral, 57 feet from nearest point of cut bank and 73 feet back from cut bank on line with angle point 103-a in Rio Grande and with Reference Monument No. 21 across the river; standard concrete monument with bronze tablet stamped "Reference Point No. 13. Elev. 3732."

Latitude 31° 47' 32.944". Longitude 106° 31' 54.246". Elevation 3732.35.

To Ref. Mon. 21.

							True course	Surf	ace dis feet	tance,	
	1						S. 33° 04' W		407	50	

57

037

Reference Monument No. 14, El Paso County, Texas

58

Southwestern Portland Cement Company's plant, about 1,500 feet northwest from, inside stable corral of the company, 160 feet south of center of Santa Fe Railway track and 15 feet north of cut bank of river; standard concrete monument with bronze tablet stamped "Reference Point No. 14. Elev. 3731."

Latitude 31° 47' 32.098". Longitude 106° 31' 48.828". Elevation 3731.29.

	True course	feet
To Ref. Mon. 15	8.70° 38' E.	1,131 21
To Ref. Mon. 19	S. 49° 10' E.	1,034 80
To Ref. Mon. 20	8. 6° 10' W.	238 40
To Ref. Mon. 21	S. 69° 39' W.	736 10

Reference Monument No. 15, El Paso County, Texas

Southwestern Portland Cement Company's plant, about 50 feet south of rock unloading platform into elevators, 62 feet north from center of Santa Fe Railway track and 125 feet from cut bank of river on line with angle point 105-c in Rio Grande and with Reference Monument 19 across the river; standard concrete monument with bronze tablet stamped "Reference Point No. 15. Elev. 3735."

Latitude 31° 47' 28.385". Longitude 106° 31' 36.466". Elevation 3734.80.

	Burface di True course fee	
To Ref. Mon. 19	8. 43° 19' W. 414	
To Ref. Mon. 20	N. 82° 47' 30" W. 1,101	.41

Reference Monument No. 16, El Paso County, Texas

On east side of Rio Grande, opposite plant of Southwestern Portland Cement Company. It is 300 feet north of second pier from west end of Southern Pacific Railway bridge and just across river from Boundary Monument No. 106. It is in rear of alley driveway at back of yard

and residence belonging to cement company, inside chicken vard and 23 feet from cut bank of river; standard concrete monument with bronze tablet stamped "Reference Point No. 16. Elev. 3734."

Latitude 31° 47' 22.272". Longitude 106° 31' 33.813." Elevation 3733.65.

	Bur True course	face distance, feet
Ref. Mon. 17	S. 9° 14' W.	2,115 55
Ref. Mon. 18	8.79° 13' W.	339 61
Ref. Mon. 19	N. 58° 20' 45" W.	602 86

To

To

To

Burface distance

Reference Monument No. 17, El Paso County, Texas

On east bank of Rio Grande opposite American Smelting and Refining Company's smelter, on extension eastward of International Boundary line, 635.80 feet due east of Internstional Boundary Monument No. 1, 43 feet east from edge of water, no cut bank, concrete base 30 by 30 inches square and 27 inches deep, surmounted by concrete monument encased in galvanized iron, standing 30 inches above base and 13 inches in diameter at the top. Bronze tablet in top stamped "Reference Point No. 17. Elev. 3726."

Latitude 31° 47' 01.608". Longitude 106° 31' 37.746". Elevation 3726.40.

To International Boundary	Bu True course	feet
Monument 1 . New Mexico-Texas Bound-	8.90° 00' W.	635 80
ary Monument 106 Reference Monument 16	N. 4° 58' 30" E. N. 9° 14' E.	2,065 42 2,115 55

Reference Monument No. 18, Dona Ana County, N. Mex.

On west side of Rio Grande, 64.5 feet northwest of north end of west pier of upper Southern Pacific Railway bridge, 10 fent west of roadway 176.17 feet from Boundary Monument No. 106, in line with Reference Monument No. 16

counter \$4524

59

E1 Pax Co RU 54 55

across river; standard concrete monument with bronze tablet stamped "Reference Point No. 18, Elev. 3729." Latitude 31º 47' 21.644". Longitude 106° 31' 37.677".

Elevation 3729.15.

Burface distance. True course feet

To	Reference Monume	nt 16	N. 79° 13' E.	339.61
To	Boundary Monume	nt 106.	N. 79º 13' E.	176.20

Reference Monument No. 19, Dona Ana County, N. Mer.

On southwest side of Rio Grande opposite Southwestern Portland Cement Company's plant, 105 feet south of cut bank of river and 42 feet north of center of roadway; standard concrete monument with bronze tablet stamped "Reference Point No. 19. Elevation 3730."

Latitude 31° 47' 25.403". Longitude 106° 31' 39.757". Elevation 3730.33.

		Burface distance, feet
To Reference Monument No. 20	N. 61° 28' 15" W	. 920.37

Reference Monument No. 20, Dona Ana County, N. Mer.

Courchesne Bridge, 0.75 mile south and 0.6 mile east of, opposite quarries of Southwestern Portland Cement Company, on south side of river at rock bluff 80 feet high at point originally known as the Canyon. It is directly opposite stable and corral of the cement Company, 56 feet north of center of spur railway track at slope of waste bank from railway cut, 17 feet south from cut bank of river; standard concrete monument with bronze tablet stamped "Reference Point No. 20. Elev. 3,729."

Latitude 31° 47' 29.753". Longitude 106° 31' 49.124". Elevation 3,728.90.

		Burface	distance
	True course	123.001	leet
234 8		2.501	

To Beference Monument 21 ... S. 88° 22' W. 664.67 Beference Monument No. 21, Dona Ana County, N. Mex.

Courchesne Bridge, 0.75 mile south and 0.5 mile east of, just above prominent rocky bluff, 67 feet north of center of railway track (spur to brickyard) and 75 feet south of cut bank of river; standard concrete monument with bronze tablet stamped "Reference Point No. 21. Elev. 3734." Latitude 31° 47' 29.565". Longitude 106° 31' 56.822". Elevation 3,734.34.

Surface distance,

61

True course feet

To Reference Monument No. 20 N. 88° 22' E. 664 67

Reference Monument No. 22, Dona Ana County, N. Mex.

Courchesne Bridge, 0.4 mile southeast of, on west bank of Rio Grande, 20 feet southwest of cut bank of river and 150 feet southeast of home of H. A. Kezer who owns the land; standard concrete monument with bronze tablet stamped "Reference Point No. 22. Elev. 3732." Latitude 31° 47' 52.733". Longitude 106° 32' 09.505". Elevation 3731.74.

Surface distance,

True course

feet

				and the second second
To	Boundary	Monument 104	S. 39° 17' 25" E.	966.86
				195 96
То	Reference	Monument 12	N. 52° 42' 16" E.	435 36

Reference Monument No. 23, Dona Ana County, N. Mex.

Courchesne Bridge, about 680 feet southeast of, 115 feet northeast of roadway, 30 feet southwest of cut bank of river, in cultivated field on land owned by H. A. Kezer; standard concrete monument with bronze tablet stamped "Reference Point No. 23. Elev. 3731."

Latitude 31° 48' 03.648". Longitude 106° 32' 22.099". Elevation 3731.37.

Surface distance.

feet

039

True course

To Boundary Monument 103 N. 55° 41' 55" W. 679 13

counter \$4525

Reference Monument No. 24, El Paso County, Texas

62

Courchesne Bridge, 61 feet west of southwest end of, 90 feet west of bank of Rio Grande 5 feet southwest of a corner fence post and 1 foot southeast of fence line; standard concrete monument with bronze tablet stamped "Reference Point No. 24. Elev. 3732".

Latitude 31° 48' 08.863". Longitude 106° 32' 28.320". Elevation 3732.307.

To Boundary Monument	True course	Surface distance, feet
103	S. 9° 34' W.	146.40
To Muleros	S. 13° 11' 30"	5,732.0
To International Boundary		
Monument No. 3		14,309.6
To North Franklin	N. 22° 14′ 45″ E.	39,451 4

Reference Monument No. 25, Dona Ana County, N. Mer.

Courchesne Bridge, about 0.9 mile west and 0.4 mile south of, at farmhouse of T. W. Osinga, on a sandy knoll 75 feet south of road and 175 feet east of driveway to house; standard concrete monument, with bronze tablet stamped "Reference Point No. 25. Elev. 3752".

Latitude 31° 47' 49.049". Longitude 106° 33' 20.939". Elevation 3752.478.

	True course	Surface distance, feet
To International Boundary		
Monument No. 3	S. 59° 14' W.	9,370 2
То І	N. 78° 44' 30" W	. 15,924 9
To Reference Monument 26	N. 75° 46' W.	8,556
To Frontera	N. 3° 43' 15" W.	5,514 2
To North Franklin	N. 26° 49' E.	43,162 6

Reference Monument No. 26, Dona Ana County, N. Mex.

Courchesne Bridge, 2.45 miles west of, 600 feet west of Rio Grande on a sandy knoll, 100 feet east of a roadway; standard concrete monument with bronze tablet stamped "Reference Point No. 26. Elev. 3785".

Latitude 31° 48' 09.870". Longitude 106° 34' 57.029". Elevation 3784.649.

		1	surface distance.
		True course	feet
То	I	N. 82° 13' W.	7,394.2
	RX		6,143 0
	Muleros		12,853.9

Beference Monument No. 27, Dona Ana County, N. Mex.

Courchesne Bridge, 2.7 miles west and 0.75 mile north of, at west edge of Rio Grande just where an outcrop of granite rock juts into the river about opposite Pioneer Park east of river, in crevice of jagged rock set in concrete; bronze tablet stamped "Reference Point No. 27. Elev. 3741". Latitude 31° 48' 47.826". Longitude 106° 35' 13.370". Elevation 3740.824.

Beference Monument No. 28, Dona Ana County, N. Mex.

Courchesne Bridge, 3.6 miles west and 1.45 miles north of, on sand hill bluffs just west of river near place where boundary line falls in the river, 50 to 60 feet above river; standard concrete monument with bronze tablet stamped "Reference Point No. 28. Elev. 3794".

Latitude 31° 49' 24.442". Longitude 106° 36' 10.243". Elevation 3793.966.

		Surface distance
	True course	feet
To Station I	S. 8° 44' 30" W.	6,613 2
To Station J	N. 80° 55' W.	13,636 6
To North Franklin	N. 49° 42' 15" E	44,670 6
To Station Muleros	S. 53° 29' 30" E.	22,210 4

Reference Monument No. 29, Dona Ana County, N. Mex.

Bio Grande Bridge, about 1.5 miles south and 0.15 mile east of. on west side of river, 40 feet west of cut bank and 30 feet east of base of sand hill bluffs, in brush; standard

63

concrete monument with bronze tablet stamped "Reference Point No. 29".

Latitude 31° 49' 27.576". Longitude 106° 36' 09.310".

True course

Surface distance,

feet

To	Reference	Monument 30	N. 36° 44' 10" W.	1,165 8
_			N. 87º 14' 00" E.	361 8

Reference Monument No. 30, Dona Ana County, N. Mex.

Bio Grande Bridge, 1.3 miles south of, on west side of Bio Grande 387.76 feet from Boundary Monument No. 81 on projection of line from Monument No. 80 to Monument No. 81. It is 76 feet west of cut bank of river close to base of sand hill bluffs; standard concrete monument with bronze tablet stamped "Reference Point No. 30".

Latitude 31° 49' 36.822". Longitude 106° 36' 17.387".

Reference Monument No. 31, Dona Ana County, N. Mex.

Rio Grande Highway bridge west of Country Club, 0.4 mile west and 0.4 mile south of, 2,430 feet south and 1,120 feet east of triangulation station RXI, near base of foothills on west side of valley, 300 feet west of drainage canal; standard concrete monument with bronze tablet stamped "Beference Point No. 31. Elev. 3758".

Latitude 31° 50' 25.200". Longitude 106° 36' 42.453". Elevation 3757.865.

Surface distance.

			True course	feet
To	Station	J	S. 69° 32' W.	11,406 2
To	Station	RXI	N. 24° 43' 30" W.	2,675 9
To	Station	Muleros	S. 46° 50' E.	28,288 0
To	Station	I	S. 7° 58' 30" E.	12,800 6

Beference Monument No. 32, El Paso County, Texas

Rio Grande Bridge, 820 feet north and 3,330 feet west of, 50 feet northeast of the true boundary line which comes in drainage ditch; the line between Reference Monuments Nos. 32 and 33 being parallel to and 50 feet northeast of the true boundary line; standard concrete monument with bronze tablet stamped "Reference Point No. 32. Elev. 3751".

Latitude 31° 50′ 54.197″. Longitude 106° 36′ 57.348″. Elevation 3750.830.

Reference Monument No. 33, El Paso County, Texas

Rio Grande Bridge, 2,170 feet north and 4,640 feet west of, 50 feet northeast of true boundary line which comes in drainage ditch, on land of J. C. White; standard concrete monument with bronze tablet stamped "Reference Point No. 33. Elev. 3751."

Latitude 31° 51′ 07.503″. Longitude 106° 37′ 12.579″. Elevation 3751.326.

Reference Monument No. 34, Dona Ana County, N. Mex.

Borderland Gin, 1.75 miles south and 0.45 mile west of, on top of waste bank on west side of drainage canal, 20 feet south of line of bridge across canal; standard concrete monument with bronze tablet stamped "Reference Point No. 34. Elev. 3762."

Azimuth to Muleros triangulation station is 315° 29'. Latitude 31° 51' 39.442". Longitude 106° 37' 49.958". Elevation 3762.187.

Reference Monument No. 35, El Paso County, Texas

Montoya, 1.65 miles west of, 600 feet west of Borderland Cotton Gin, 50 feet east of crossroads, 15 feet east of irrigating canal, 20 feet north of east-west road; standard concrete monument with bronze tablet stamped "Reference Point No. 35. Elev. 3762."

Latitude 31° 53' 08.895". Longitude 106° 37' 29.906". Elevation 3761.670.

Reference Monument No. 36, Dona Ana County, N. Mex.

Borderland Gin, 1.25 miles west of, 800 feet east of bluff at west side of valley, 50 feet west of irrigating canal, 20 5-No. 2, Orig.

65

counter 44527

feet south of highway and 20 feet north of gate at entrance to Henry R. Goggin's farm, 2 feet from telephone pole; standard concrete monument with bronze tablet stamped "Reference Point No. 36. Elev. 3765."

66

11

Latitude 31° 53' 08.315". Longitude 106° 38' 39.412". Elevation 3765.376.

				1	True	cour	se	Surface distance, feet
To	Station	J	S.	1°	39'	30"	W.	20484.3
To	Station	L	S.	73°	53'	00"	W.	10062.4
To	Station	Canutillo	N.	40°	04'	30"	W.	18735.6

Reference Monument No. 37, Dona Ana County, N. Mex.

La Union crossroads, 3.4 miles south and 0.4 mile east of, 200 feet north of east-west road, 25 feet above level of valley land, on a sandy knoll; standard concrete monument with bronze tablet stamped "Reference Point No. 37. Elev. 3798."

Latitude 31° 54' 04.900". Longitude 106° 39' 13.955". Elevation 3798.213.

		True course	Surface distance, feet	
То	Station	L	S. 38° 51' 30" W.	11016.0
To	Station	Canutillo	N. 46° 30' 45" W.	12520.0

Reference Monument No. 38, Dona Ana County, N. Mex.

La Union crossroads, 2 miles nearly due south of, 700 feet south of an adobe house with elevated water tank in rear, 300 feet northwest of an adobe house, just east of a dim roadway; standard concrete monument with bronze tablet stamped "Reference Point No. 38. Elev. 3788."

Azimuth to Canutillo triangulation station is 97° 29'. Latitude 31° 55' 20.878". Longitude 106° 39' 36.487". Elevation 3787.962.

Beference Monument No. 39, Dona Ana County, N. Mex.

La Union crossroads, 445 feet south and 14 feet east of, 150 feet west of road on bank, 20 feet higher than road, 67

150 feet north of northeast corner of adobe house of Eusebio Tellez, 4 feet southeast of corner fence post; standard concrete monument with bronze tablet stamped "Beference Point No. 39. Elev. 3798."

Latitude 31° 56′ 58.176″. Longitude 106° 39′ 38.547″. Elevation 3798.935.

	True course	distance, feet
To Station Canutillo	S. 38° 02' 50" W.	11298.0
To Station T	S. 66° 31' 30" W.	9568.6
To Station North Franklin	S.71° 57' 30" E.	54720.0

Reference Monument No. 40, Dona Ana County, N. Mex.

La Union crossroads, 2.05 miles north and 0.6 mile west of, on a point of land running out from the foothills and about 10 feet higher than level of bottom lands; standard concrete monument with bronze tablet stamped "Reference Point No. 40. Way, 3800."

Latitude 31° 58' 49.519". Longitude 106° 40' 14.363". Elevation 3799.780.

Reference Monument No. 41, Dona Ana County, N. Mex.

Anthony, N. Mex., 3 miles west of, at Valley High School, directly in front of and 130 feet distant from main entrance, on bank of irrigating canal; standard concrete monument with bronze tablet stamped "Reference Point No. 41. Elev. 3799."

Latitude 31° 59' 50.484". Longitude 106° 39' 16.618". Elevation 3798.943.

Reference Monument No. 42 is RXIII, Dona Ana County, N. Mex.

This is a reestablished triangulation station of the Salazar-Diaz Survey of 1852. It is approximately 2.0 miles west and 1.0 mile south of Anthony, N. Mex., about 640 feet north of an east-west road and nearly north from a bridge crossing irrigating canal.

Standard concrete monument with bronze tablet stamped "RXIII Reference Monument No. 42, Elev. 3791."

Latitude 31° 59' 13.000". Longitude 106° 38' 20.430". Elevation 3790.714.

Reference Monument No. 43 is RXII, Dona Ana County, N. Mex.

This is a reestablished triangulation station of the Salasar-Diaz Survey of 1852. It is 0.6 mile north of Borderland road, 2,200 feet west of north-south road, in cultivated field on land owned by J. N. Duke, from L. M. Crawford Survey; standard concrete monument with bronze tablet stamped "Beference Monument No. 43 RXII. Elev. 3767."

Latitude 31° 53' 41.420". Longitude 106° 38' 45.446". Elevation 3767.314.

Beference Monument No. 44 is RXI, Dona Ana County, N. Mex.

Rio Grande Bridge, 320 feet north and 3160 feet west of, 160 feet north of highway and 390 feet west of bridge across drainage ditch, in cultivated field on land of S. N. Russell; standard concrete monument with bronze tablet stamped "Reference Monument No. 44 RXI. Elev. 3750."

This is a re-establishment of triangulation station of the Salazar-Diaz Survey of 1852.

Latitude 31° 50' 49.252". Longitude 106° 36' 55.420". Elevation 3749.527.

Beference Monument No. 45 is RX, Dona Ana County, N. Mex.

Gibson's Crossing, about 2,800 feet west and 25 feet south of, in cultivated field owned by T. D. Porcher. This is a reestablished triangulation station of the Salazar-Dias Survey of 1852; standard concrete monument with bronze tablet stamped "Reference Monument No. 45 RX. Elev. 3736."

Latitude 31° 48' 44.870". Longitude 106° 33' 58.846". Elevation 3735.929. REESTABLISHMENT OF SALAZAB-DIAZ RIVER TRAVERSE OF 1552 FROM FRONTERA ASTRONOMIC AND TRIANGULATION STATION UP WEST BANK OF RIO GRANDE TO TRIANGULATION STATION RXIII

From Fronters to BX

			True Asimuth after apply ing cor-		LADCE	atha	sted
Station to Station		netic	rection of		10.000	True Asimuth	Distance, Feet
Frontern to 1. 1-2	8, 88	25 W.	100 11	250.5 467.5 157.5	1,533.79	18° 41' 45' 100 19 12 167 55 40	822.18 1,510.15 515.22
14	N.86	48 W.	104 58	303.5	905.73	105 09 45 44 19 42	960.85 158.05

The positions of Frontera and RX as determined by triangulation being considered correct, a computation of latitudes and departures by the Salazar-Diaz courses and distances results in a closure 4.45 feet too far north and 46.89 feet too far west. A proportionate correction for each latitude and departure gives azimuths and distances as shown under "Adjusted."

counter \$\$529

D43

69

				RX to RX	I Salasa	-Dias Survey	ALC: NOT				
Station to	Ma	meth		True As		Die	tance	2.3		-	neted.
Station	Co	urse		11. 40	Cor.	Meters	Feet	True	L sim	oth	Distance, Feet
								•			
X-1	8. 37*	47'	W.	49*	33'	472.0	1548.55	48	30	06	1536.25
- 2	8.80	35	W.	92	21	627.5	2058.72	92	22	80	2015.17
- 3	N. 58	08	W.	133	38	591.5	1940.61	133	55	58	1900.74
- •	N. 30	54	W.	160	52	100.5	526.57	161	02	24	\$20.55
- 5	N. 44	07	₩.	147	39	148.5	487.20	147	55	85	480.78
- 6	N. 50	00	W.	141	46	464.0	1522.81	142	04	87	1499.76
- 7	N. 37	21	W.	154	25	228.0	781.63	154	40	09	722.46
- 8	N. 70	22	W.	121	24	107.5	852.09	121	41	21	346.10
- 9	N. 69	00	W.	122	46	891.0	1282.81	123	08	83	1250.26
-10	N. 80	15	W.	111	31	261.0	856.30	111	44	18	839.06
-11	8.75	36	W.	87	22	881.0	2890.41	87	14	30	2827.78
-12	N. 48	50	W.	142	56	477.0	1564.96	143	18	36	1542.20
2-13	N. 1	44	E.	193	30	525.5	1724.08	193	54	00	1709.21
3-14	N. 4	00	E.	195	46	203.5	667.65	196	14	00	062.20
-15	N. 7	02	W.	184	44	899.5	1310.09	184	54	00	1297.81
-16	N. 16	03	E.	207	40	299.0	980.97	208	34	45	977.75
-17	N. 13	53	W.	177	53	501.5	1645.84	177	54	43	1628.04
-18	N. 73	09	W.	118	37	811.5	1021.98	118	58	00	1002.26
-19	N. 88	56	W.	102	50	384.0	1259.84	102	56	07	1232.96
-20	8.75	50	W.	87	36	529.5	1787.20	87	84	00	1699.50
0-RXI	N. 63	05	W.	128	41	200.0	656.17	129	00	10	644.73

-500

Att

The positions of RX and RXI as determined by triangulation being considered as correct a computation of latitudes and departures by the Salazar-Diaz courses and distances results in a closure of 165.5 feet too far north and 383.6 feet too far west. A proportionate correction to each latitude and departure gives azimuths and distances as shown under "Adjusted."

RXI to RXII Salasar-Dias Survey

Station to	Ma	gneti	c		20-52	Dia	tance			thA	usted.
Station	Course		True Asimuth		Meters	Feet	True Asimuth			Distance, Feet	
	1.2123	1.	× 1					•		•	
RXI-1	N. 52*	05'	W.	139*	45'	142.0	465.88	139	15	05	479.70
1-2	N. 55	41	₩.	136	09	554.0	1817.58	135	39	20	1873.85
2-3	N. 56	53	W.	134	57	123.5	405.18	134	27	10	417.90
3-4	N. 58	48	W.	138	02	484.0	1587.92	137	32	30	1636.10
4-5	N. 35	00	W.	156	41	505.0	1656.82	156	19	15	1698.50
5-6	N. 45	16	W.	146	34	117.0	383.86	146	06	20	394.55
6-7	N. 67	19	W.	124	31	428.5	1405.84	124	08	20	1454.35
7-8	N. 00	87	W.	131	18	454.0	1489.50	130	43	30	1537.90
	N. 16	44	W.	175	06	879.0					
	N. 2	43	E.		88		1243.44	175	00	52	1271.40
				194		495.0	1624.01	193	41	87	1654.10
10-11	N. 28	27	E.	215	17	584.0	1916.01	218	85	45	1919.65
11-12	N. 13	17	E.	205	07	856.0	1167.98	208	45	15	1181.27
12-13	N. 1	41	W.	190	09	222.5	729.98	189	82	25	744.93
13-14	N. 35	14	W.	156	86	292.0	958.00	156	14	10	962.12
14-15	N. 56	35	W.	135	15	874.0	1227.03	184	45	12	1265.40
15-16	N. 61	41	W.	130	09	830.0	1082.68	129	29	40	1118.15
16-17	N. 71	40	W.	120	10	269.0	882.54	119	44	15	914.00
17-18	N. 85	02	W.	106	48	214.0	702.10	106	81	40	729.30
18-19	8. 88	09	W.	99	59	160.0	524.93	90	40	00	545.78
19-RXII	N. 56	14	W.	135	36	397.0	1802.50	185	06	15	1343.08
10-1A11							1004.00	100	00	10	1010.00

The positions of RXI and RXII as determined by triangulation, being considered as correct, a computation of latitudes and departures by the Salazar-Diaz courses and distances results in a closure 380.45 feet too far south and 532.27 feet too far east. A proportionate correction to each latitude and departure gives azimuths and distances as shown under "Adjusted."

1

5 1

molection

counter \$4530

		1. 12 A 10 A 10	-		Sector Sector	and .
Itation to	Magnotic Course	True Asimuth 11" 40" Cor.	Meters	Test	True Asimuth	Distance, Feet
xII-1	N. 9" 20 W.	188* 21	415.5	1368.19	182 24 25	1330.86
	N. 16 47 E. N. 27 38 E.	206 88 219 19	495.0	1624.01 1438.64	200 08 00 219 59 48	1504.36
	N.89 15 B	231 01	305.0	1197.50	231 41 25	1106.30
	N. 38 53 E.	230 39	492.5	1615.81	251 19 23	1600.58
	N. 36 58 E. N. 50 35 E. N. 48 51 E.	251 21 240 87	543.0 424.5	1781.40 1302.72	251 45 54 241 12 12	1777.38
- 8	N. 55 OT E.	224 53	788.0	2421.28	225 34 26	2393.47
-10	N. 86 45 E. N. 25 18 E.	278 31 217 04	297.5 367.0	976.05 1204.07	278 42 57 217 44 00	976.64 1185.96
-11	N. 71 16 W.	120 30	155.5	510.17	119 54 10	507.05
-12	N. 86 08 W.	105 43	873.0	1228.75	105 21 45	1221.56 1222.80
-10	N. 61 06 W. N. 78 24 W.	105 43 120 40 113 22 63 49	376.5 272.0	1235.23 892.39	112 52 17	800.02
-15	8.53 03 W.	68 49	473.5	1558.47	63 16 43	1560.68
	N. 28 56 W. N. 35 20 E.	162 50 227 06	442.0 281.0	1450.18 921.91	162 26 22 227 47 17	1418.72 911.87
-18	N. 38 48 E.	230 29	255.5	836.61	281 09 85	828.67
-19	N. 28 17 E. N. 7 19 E.	215 08 199 05	348.0 412.0	1141.78 1351.70	215 42 10 199 30 52	1123.65
	N. 14 80 W.	177 16	521.5	1710.95	177 12 02	1670.40
-23	N. 28 84 W.	168 12	608.0	1978.34		1983.33 1000.37
-33	N.56 04 E. N.42 40 E.	247 50 234 26	510.5 393.0	1674.86 1289.87	235 05 04	1279.13
-35	N. 8 07 E.	194 53	817.5	1041.08	195 13 47	1018.57
-38	N. 16 22 W. 8. 70 12 W.	175 24 81 58	426.5 209.0	1399.28 882.54	175 17 20 81 46 45	1366.27 882.88
	8.50 30 W.	62 16	117.5	385.50	61 42 24 50 36 25	387.48
	8.39 30 W. N.61 56 W.	61 16 129 60	454.5 342.5	1491.14 1123.68	129 10 00	1112.77
	Section Spins					
						arted.
intion to Histion	Magnetic Course	True Asimuth 11° 40' Cor.	Meters	Feet	True Asimuth	Distance, Feet.
	N. 22 04 W.	160 42	404.0	1325.46	160 27 20 199 06 22	1295.00 1291.98
	N. 6 55 E. N. 42 04 E.	196 41 283 50	433.5 855.0	1164.70	234 29 20	1155.20
	N. 37 51 E.	229 87	200.0	656.17	250 17 50 206 06 20	640.80 567.96
	N. 37 51 E N. 13 45 E N. 1 34 E	205 81 198 20	176.5	579.07 815.29	198 38 50	796.97
6-36	N. 22 68 W.	168 48	467.5	1588.79	165 32 06	1496.75
1-38	N. 64 09 W.	121 21	256.0 100.0	889.89 328.06	126 57 19 95 17 49	328.08
	8.74 87 W. 8.44 17 W.	56 03	384.0	1259.84	55 25 20	1200.18
	8.88 24 W.	100 12	363.0	1289.87 1650.28	99 57 49 133 08 52	1288.32 1631.53
0-41	N. 68 01 W. N. 63 59 W.	188 45 127 47	505.0 185.0	608.95	127 07 13	601.54
1-42		125 58	844.5	1130.25	125 19 00 162 10 14	1121.00
3-43	N. 65 48 W.					
1-43	N. 65 48 W. N. 29 13 W. N. 6 20 W.	162 34 185 16	429.5	1409.12 2158.79	162 10 14 185 23 42	1378.60 2107.96

at the first the work.

Pasa (b) Bid Ski 5%

ū

D't2

saliti ya chi ku k

putation of latitude and departures by the Salazar-Diaz courses and distances results in a closure of 951.16 feet too far north and 2.71 feet too far west. A proportionate correction for each latitude and d parture gives azimuths and distances as under "Adjusted."

3

-

and particular

1

4.1

17. A.

counter ++531

10 1

12

From Station 1 Near Frontern Bouth to International Boundary on Parallel of 31" 47".

Salasar-Dias Survey 1852

		True	Dis	tance
Station to station	Magnetic course	esimuth 11° 46' correction	Meters	Feet
	8. 83" 17" E.	288* 29' 00"	859.0	2,818.24
1. 2	N. 86 41 40" E.	278 27 40	172.5	565.94
2.3	8. 06 45 10 E.	305 00 50	72.5	237.86
3- 4		324 82 00	283.0	928.48
+ 5	8. 47 14 E.	826 80 20	244.5	802.1
5-6	8. 45 15 40 E.		241.0	790.6
6.7	8. 66 48 E.			679.1
7-8	8. 71 40 50 E.		207.0	
8.9	8. 66 18 00 E.	305 28 00	479.5	1,573.1
9-10	8, 31 47 30 E.	839 58 30	814.0	2,670.0

The 3 trial courses following are not the courses as given in the Salasar-Diaz notes but were selected in accordance with the recommendation of the Special Master in Section V (1) of his report.

10-11	 266* 10' 10"	 701.18 904.29
11-12	 297 37 30 329 05 05	 423.21
12-13	 829 00 00	

The next course corresponds to the Salazar-Dias Course 7-a for Section RX to RIX and extends to the South Terminal Point in the Rio Grande of 1930 on the International Boundary.

13-14 8. 2* 36' 50" E. 9* 00' 10" 2,084.16

Trial Line from Clark Monument No. 1 Southwest Down East Bank of Rio Grande of 1850-1860 to RXIII

According to Texas Surveys Nos. 161, 162, and 35

Station to station	True	Dis- tance, feet
Clark No. 1 to Station 1 1-2 2-3 3-4 4-5 Sta. 5 marked point on east bank op	42 17 20 80 52 00 49 58 38	600.00 1,890.00 1,961.30 2,538.30 2,001.20

N.

counter +4532



14

12

1.00

counter \$\$533

Hagnetic Declination of Variation by Various Authorities Pacing Declination of Variation by Various Authorities Pacing Date observation Date observation 1552 Pacing Date observation <				75
Values of Magnetic Declination or Variation by Various Authorities Declination or Variation by Various Authorities Declination decode Locality Date observed 1852 Jack 1997 Jack 1997 <td< td=""><td></td><td>metic Declinati</td><td></td><td>15</td></td<>		metic Declinati		15
Beclina - Greed ton mark 10 Deciliar direction observed 1852 Authority Inter between 1852 Authority Prontera 1852 12° 24' 12° 24' Mai, W. H. Emory. Inter a Stall Direction Market Stall for on Elio Grande 1855 11 55 11 55 11 50 Mai, W. H. Emory. Inter a Stall Direction Paso (Juares Observatory). 1852 12 10 12 00 120 Mainet Stall Direction Pontera 1852 12 00 120 00 200 Mainet Stall Direction Pontera 1852 12 00 120 01 200 Authority Pontera 1852 12 00 120 00 200 Coast and Odded Surveys Pontera 1850 12 25 12 19 N. Marchera Exhibit The weighted mean value adopted by the New March, Dep. der faiter Surveys of the Stallar Dep. der faiter Surveys of the Stallar Dep. der faiter Monument or Angle Point 1100 11 22 Author, der faiter Surveys of the Stallar Dep. der faiter Monument or Angle Point 100 000.00				
Declina duced Join east, 50 Authority Prontera 1852 12° 24° 12° 24° Mai, W. H. Emory. Mailai point at Latitude 51° 47° on Bio Grande	values or Magnetic Declina	tion or variati		various Authorities
LocalityDate observed 1852AuthorityFronters185212*24'12*24'Maj. W. H. Emory.Initial point et Lativade Sir185511 5511 5212*24'Maj. W. H. Emory.'6'' on Rio Grande			duced	
Initial point at Latitude 31° 47 on 810 Grande	Locality			Authority
47 on Bio Grande. 1855 11 55 11 52 Mat. W. H. Emory. Paso (Juares) 1852 11 14 11 14 Defendant's Exhibit No. 1. Paso (Juares) 1852 12 10 12 10 12 40 Paso (Juares) 1852 12 00 12 00 12 60 Registration Dias. Frontera 1916 12 30 11 64 Engineers Post and Steen for plain-tiff. Frontera 1852 12 00 12 00 U. 8. Coast and Geodetic Surrey. Prontera 1859 12 25 12 10 Jon H. Clark. Prontera 1859 12 25 12 10 Jon H. Clark. Prontera 1859 11 50 11 52 Amoon Mills, Dep. Trans Survey 35. 1849 11 50 11 52 Amoon Mills, Dep. Trans Survey 35. 1949 11 50 11 52 R. Harver. Thagulation stations N-O 1916 11 52 R. Harver. Thagulation stations N-O 1916 11 52 R. Harver. Monument or Angle Point. 1916 11 52 R. Harver. Monument or Angle Point. 1916 11 50 11 52 R. Harver. Monument or Angle Point. 11 50 11		1852 12*24'	12* 24'	Maj. W. H. Emory.
Pase (Juares)		1855 11 55	11 52	Master's Exhibit
Prontera 1916 12 30 11 64 Engineers Post and Steen for plain-tiff. Prontera 1852 12 00 12 00 10 00 0. 8. Coast and Geodetic Surrey. Prontera 1859 12 30 11 20 12 00 12. 00 12. 00 12. 00 10. 8. Coast and Geodetic Surrey. Prontera 1859 12 25 12 10 11. 22 12.00 10. M. Mez.Texas Bdy. Texas Surrey. 35				Defendant's Exhibit No. 70.
Frontera 1552 12 00 12 00 U. 8. Coast and Geodetic Survey. Frontera and area adjacent 1929 13 03 12 19 N. Mex-Terms Edy. Line Commission. John H. Clark. Frontera	Paso (Juarez Observatory) Frontera	1852 12 10 1916 12 30	12 10 11 54	Engineers Post and Steen for plain-
Fronters and ares adjacent 1929 13 03 12 19 N. Mer.Terms Bdy. Line Commission Pronters 1850 12 25 12 19 John H. Clark. Terms Surveys 161 to 11 30 11 22 Anson Milla, Dep. Burreyor. Terms Surveys 55	Frontera	1852 12 00	12 00	U. S. Coast and
Frontera 1539 12 25 12 19 John H. Clark. Texas Surveys 161 11 30 11 22 Anon Mills, Dep. Surveyor. Texas Survey 35 1849 11 50 11 22 A. Howard, Dep. Surveyor. Triangulation stations N-O 1916 11 50 11 22 A. Howard, Dep. Surveyor. The weighted mean value adopted by the New Mexico-Texas Boundary Line Commission in 1929-1830 and applied to magnetic courses of the Salasar-Dias traverse of 1852, to reduce them to true courses, is 11° 46° E. Description of Boundary Line by Courses and Distances Monument or Angle Point. Course referred Standard Temp. 66° F. to true N. or 8. Mon. No. 2. 8.6 8.7 W. 1513.61 Mon. No. 3. 8.42 17.30 W. 1500.66 1500.98 Mon. No. 4. 8.90°00 W. 749.87 750.00 Gannett No. 1 to Mon. No. 2 8.6 8.7 W. 1513.61 1513.92 Mon. No. 3. 16.42 17.30 W. 1600.66 1600.98 Mon. No. 4. 8.6 50 92.30 W. 1117.79 1117.99 <td< td=""><td>Fronters and area adjacent</td><td>1929 13 03</td><td>12 19</td><td>N. Mex-Texas Bdy.</td></td<>	Fronters and area adjacent	1929 13 03	12 19	N. Mex-Texas Bdy.
Texas Survey 35	Frontera. Texas Surveys 161 to 171	1859 12 25 1800 11 30	12 19 11 22	John H. Clark. Anson Mills, Dep.
Triangulation stations N-O 1916 11 46 Defendant's Exhibit No. 70. The weighted mean value adopted by the New Merico-Teras Boundary Line Commission in 1929-1930 and applied to magnetic courses of the Salasar-Dias traverse of 1852, to reduce them to true courses, is 11' 46' E. Description of Boundary Line by Courses and Distances Distance Monument or Angle Point. No. 70. Course referred Standard Temp. 68' E. Course referred Standard Temp. 68' Feet. Course referred Standard Temp. 68' Feet. Course referred Standard Temp. 68' 1813.98' 00' W. 749.87' 750.00 Gannett No. 1 to Mon. No. 2 8. 6 37 W. 1813.61 1813.98' Mon. No. 2 to Mon. No. 4 5.90 22 30 W. 11117.79 1117.99 Mon. No. 4 to Angle Point 4a in river of 19630 8. 48 52 40 W. 1786.45 1786.77 400.85 Mon. 5 to Mon. 7	Texas Survey 35	1849 11 50	11 52	R. A. Howard, Dep.
The weighted mean value adopted by the New Mexico-Texas Boundary Line Commission in 1920-1030 and applied to magnetic courses of the Salasar-Dias traverse of 1852, to reduce them to true courses, is 11° 46° E. Description of Boundary Line by Courses and Distances Distances Monument or Angle Point. Monument or Angle Point. Cark No. 1 to Gannett No. 1 Gannett No. 1 to Gannett No. 1 Sov 00° W. 749.57 750.00 Gannett No. 2 to Mon. No. 2 B. 6 37 W. 1813.61 1813.98 Mon. No. 3 to Mon. No. 4 Sov 22 30 W. 11117.79 1117.99 Mon. No. 4 to Angle Point 4a in river of 1830 v. 450.77 450.85 Mon. 5 to Mon. 5 Source 76 123 0 W. 1410.81 1411.06 Angle Point 4a to Mon. 5 B. 48 52 40 W. 1786.45 1786.77 Mon. 5 to Mon. 7 B. 48 52 40 W. 1786.45 1786.77 Mon. 5 to Mon. 7 B. 44 08 00 W. 2192.96 2183.37 Mon. 7 to Mon. 8 B. 57 50 00 E. 1296.67 1206.90 Mon. 8. 5 Mon. 9 Mon. 8 to Mon. 7 B. 54 00 C. 1296.67 1206.90 Mon. 8 to Mon. 9 Mon. 8 to Mon. 9 Mon. 8 to Mon. 9 Mon. 8 to Mon. 8 B. 54 100 E. 1072.35 1073.12				Surveyor. Defendant's Exhibit
Monument or Angle Point. Sea level. surface. Monument or Angle Point. Course referred to true N. or 8. Standard Temp. 68* F. Clark No. 1 to Gannett No. 1	Line Commission in 1929-193	and applied	to mag	netic courses of the
Feet. Feet. Clark No. 1 to Gannett No. 1			true c	ourses, is 11° 46' E. s and Distances
Clark No. 1 to Gannett No. 1 8.90° 00' W. 749.87 750.00 Gannett No. 1 to Mon. No. 2 8.6 87 W. 1813.61 1813.93 Mon. No. 2 to Mon. No. 3 8.42 17 30 W. 1800.06 1800.96 Mon. No. 3 to Mon. No. 4 5.80 32 30 W. 1117.79 1117.99 Mon. No. 4 to Angle Point 4a in river 6.80 32 30 W. 1410.61 1411.06 Angle Point 4a to Mon. 5 8.48 53 00 W. 450.77 450.85 Mon. 5 to Mon. 6 8.48 53 00 W. 450.77 450.85 Mon. 5 to Mon. 6 8.48 53 W. 1786.45 1786.77 Mon. 6 to RXIII N.84 35 30 W. 255.02 255.17 Mon. 6 to Mon. 7	Description of Boundar	course ref	ourses	Distance At At surface.
Mon. No. 4 to Angle Point 4a in river of 1930 S. 80 32 30 W. 1410.81 1411.06 Angle Point 4a to Mon. 5 S. 48 53 00 W. 450.77 450.85 Mon. 5 to Mon. 6 S. 48 52 40 W. 1786.45 1786.77 Mon. 6 to MXIII N.84 35 53 W. 855.02 855.17 Mon. 6 to Mon. 7 N.84 35 53 W. 2192.96 2193.37 Mon. 7 to Mon. 8 8.17 50 00 E. 1296.67 1293.90 Mon. 8 to Mon. 9 So 8.14 106 E. 1072.93 1073.12	Description of Boundar	course ref	ourses	Distances Distances Distance At At sea level. surface. Standard Temp. 68* F.
Angle Point 4a to Mon. 5	Description of Bounday Monument or Angle Point. Clark No. 1 to Gannett No. 1 Gannett No. 1 to Mon. No. 2. Mon. No. 2 to Mon. No. 3	Course ref to true N. 8.90°00 8. 6 37 8. 42 17	w. 30 w.	ourses, is 11° 46° E. s and Distances Distance At scalerel. surface. Standard Temp. 68° F. Feet. 749.87 1813.61 1813.93 1900.66
Mon. 6 to Mon. 7	Description of Boundar Monument or Angle Point. Clark No. 1 to Gannett No. 1 Gannett No. 1 to Mon. No. 2. Mon. No. 2 to Mon. No. 3 Mon. No. 3 to Mon. No. 4 Mon. No. 4 to Angle Point 4a in p	Course ref to true N. 	w. W. So W. So W. So W.	At At Stance At At At scalevel. surface. Standard Temp. 68* F. Feet. Feet. 749.87 750.00 1813.61 1813.93 1900.66 1800.96 1117.79 1117.99
Mon. 8 to Mon. 9	Description of Boundar Monument or Angle Point. Clark No. 1 to Gannett No. 1 Gannett No. 1 to Mon. No. 2. Mon. No. 2 to Mon. No. 3 Mon. No. 2 to Mon. No. 4 Mon. No. 4 to Angle Point 4a in of 1930 Angle Point 4a to Mon. 5 Mon. 5 to Mon. 6.	Course ref to true N. 	w. 30 W. 30 W. 30 W. 30 W. 40 W.	At At sand Distances Distance At At scalerel. surface. Standard Temp. 68° F. Feet. Feet. Feet. 749.87 750.00 1813.61 1813.98 1800.66 1800.98 1117.79 1117.99 1410.81 1411.06 450.77 450.85 1786.45 1786.75
Mon. 9 to Mon. 10 8, 52 50 02 E. 611.06 611.17	Description of Bounday Monument or Angle Point. Clark No. 1 to Gannett No. 1 Gannett No. 1 to Mon. No. 2. Mon. No. 2 to Mon. No. 3 Mon. No. 3 to Mon. No. 4 Mon. No. 4 to Angle Point 4a in r of 1930 Angle Point 4a to Mon. 5 Mon. 5 to Mon. 6. Mon. 6 to RXIII. Mon. 6 to RXIII.	Course ref to true N. 	erred & ourses erred & or 8. 	At At At At scalevel. surface. Standard Temp. 68* F. Feet. Feet. Feet. 749.87 750.00 1813.61 1813.93 1800.66 1880.96 1117.79 1117.99 1410.81 1411.06 450.77 450.85 1788.45 1788.47 2192.96 2193.37

-

10 1

counter 44534

÷

		Dista	BCP.	Automatical and the state of the		Distan	
	Course referred	At sea level.	At surface.			At sea level. Standard Tes	At
	to true N. or B.			Monument or Angle Point.	to true N. or B.	Fret.	Feet.
Mon. 10 to Mon. 11		Feet.	Feet. 1594.19	Mon. 60 to Mon. 61	8. 9 22 17 1	7. 808.40	808.54
Men. 11 to Men. 13	1.80 00 33 1	1181.04	1181.24	Mon. 61 to Mon. 62	8. 23 45 10 W	1905.65	1212.85
Men. 12 to Mon. 13	N. 55 80 18 1		1247.07	Non. 63 to Mon. 64	8.13 40 15 W	. 1608.15	1608.44
Mon. 13 to Mon. 14	N. 80 17 13 1 6. 63 01 15 1	944.85	424.65	Mon. 64 to Mon. 65	8. 5 01 34 1		1185.54
Mon. 15 to Mon. 16	8. 11 27 15 1		1588.88	Mon. 65 to Mon. 66		and the second se	111.46
Mon. 16 to Mon. 17	8.13 38 38 1	7. 846.45 7. 616.26	846.00 616.37	Mon. 67 to Mon. 68	5.55 57 30 I	and the second se	1417.17
Mon. 18 to Mon. 19	8. 50 17 55 1	W. 057.30	687.42	Mon. 65 to Mon. 69	8.23 42 42 12		1088.92
Mon. 19 to Mon. 20		W. 1112.80	1113.00	Mon. 70 to Mon. 71	8.42 28 21 E	1006.06	1606.95
Mon. 21 to Mon. 22	8. 10 28 08 1	1 1190.90	1200.30	Mon. 71 to Angle point 71a In drainage ditch of 1980.	8.45 33 30 E	415.25	415.32
Mon. 22 to Mon. 23	8.00 80 46 1 N. 50 35 15 1		954.97 1396.66	Mon. 71 to Reference Mon. 33	8.52 24 45 2	419.30	419.81
Mon. 28 to Mon. 24	N. 61 39 30 1		428.27	Angle point 71a to Reference Mon.	N.45 20 22 1	50.00	50.01
Mon. 25 to Mon. 28		L 1068.00	1068.19	Angle point 71s to Angle point 71b			1890.35
Mon. 20 to Mon. 27		R. 1552.28 W. 1099.47	1552.80	In daimage ditch of 1930.			
Mos. 28 to Mos. 30	8.55 05 50 1	W. 1850.42	1350.68	Angle point 71b to Boundary Mon. 72		470.96	471.0
Note: There is no Mon. 29. Mon. 30 to Mon. 31	8.05 14 55 1	W. 1560.21	1500.40	Angle point 71b to Reference Mon	· · · · · · · · · · · · · · · · · · ·		50.0
Mon. 81 to Mon. 82	8.12 08 35 1	E. 1818.50	1818.82	Beference Mon. 33 to Reference	N. 45 80 32 1	50.00	
Mon. \$2 to Mon. \$3	6. 2 53 43	E. 1710.78 W. 1874.90	1711.08	Mon. 82	8.44 20 28 1	E. 1879.99	1980.8
Mon. 55 to Mon. 54	8.85 40 24		1166.87	Reference Mon. 32 to Boundary Mon. 72.	8. 34 44 17 1	476.70	476.7
Mon. 35 to Mon. 30	8. 51 07 38		844.00 811.98	Mon. 72 to Mon. 78	8.51 00 36 1	575.31	575.4
Mon. 26 to Mon. 27	8. 47 47 07	L 1145.86	1146.07	Mon. 72 to RXI-Ref. Mon. 44		W. 180.57	150.0
Mon. 28 to Mon. 30	N. 68 14 47	E 1453.27	1453.88	Mon. 78 to Mon. 74	. 8. 77 06 00 1	1. 1272.28	1272.4
Mon. 39 to Mon. 40		E 1212.31	1212.88	Mon. 75 to Mon. 76	8. 61 08 45 1		1100.T
Mon. 41 to Mon. 42	8.74 38 15	E. 1207.50	1212.81	Mon. 76 to Mon. 77			968.0
Mon. 42 to Mon. 43		E. 696.02 W. 1445.08	1445.33	Mon. 78 to Mon. 79	8. 4 54 17		1281.4
Mon. 44 to Mon. 45	N. 81 17 15	W. 980.00	18.000	Mon. 79 to Mon. 80		and the second se	1441.0
Mon. 45 to Mon. 46		W. 2837.17 W. 1418.75	2537.50	Mon. 80 to Angle point 81a in river			1654.8
Mon. 46 to Mon. 47	8.71 45 20	W. 1768.84	1763.00	of 1930 Angle point Sia to Ref. Mon. 30	8. 13 00 00		198.8
Mon. 48 to Mon. 40		W. 1578.82 W. 1170.95	1573.00	Angle point 81a to Angle point 81		States and	and the second
Mon. 49 to Mon. 50		W. 1170.95 W. 1888.19	and the second	in river of 1930	. 8. 36 44 10	E. 1380.66 W. 180.90	1389.9 180.9
Mon. \$1 to Mon. 52	8. 29 07 40	W. 1543.98		Angle point 81b to Ref. Mon. 29 Angle point 81b to Mon. 82	. N. 87 14 00	E. 180.90	180.9
Mon. 82 to Mon. 53		W. 1229.26 W. 168.76	1220.46	Angle point 81b to Mon. 88	. N. 87 14 00	E. 2780.40 E. 2509.50	2780.9
Mon. 53 to Mon. 54	8.44 58 04	E. 1229.76	1229.85	Mon. 82 to Mon. 83		E. 886.40	806.0
Mon. 64 to Mon. 68			506.85 755.00	Mon. 84 to Mon. 85	. 8. 56 56 15	E. 1271.90	1272.1
Men. 55 to Men. 56	5.00 15 35	1. 944.25	944.82	Mon. 85 to Mon. 86		E. 388.72 E 750.08	750.5
Men. 87 to Men. 58	8. 50 30 27	E. 1187.80		Mon. 87 to Mon. 88	. 8. 37 54 30	E 1490.46	1400.1
Men. 25 to Men. 20		E. 1300.27 E. 1055.47	Contraction of the second s	Mon. 88 to Mon. 89	8. 22 04 55	E. 505.53	805.0
	A CARACTER					1.1.1.1.1.1	

. . . ··

11

EI Pass 813 St 53

L.

counter ##5 35

1

11-14-1

78				
		Dista	nce.	- 1
		At see level.	At	
Manager to the Date	Course referred	Standard Te		
Monument or Angle Point.	to true N. or S.	Feet.	Feet.	
Mon. 89 to Mon. 90 Mon. 90 to Mon. 91	8. 19 09 45 E. 8. 46 00 10 E.	500.84	500.93	
Mon. 91 to Mon. 92	8. 87 37 30 E.	1816.27 1897.72	1816.59 1898.06	
Mon. 92 to Mon. 93 Mon. 93 to Mon. 94	N. 48 39 25 E. N. 44 22 35 E.	1470.02 241.23	1470.27 241.27	
Mon. 98 to RX-Ref. Mon. 45 Mon. 94 to Mon. 95	8.43 31 25 E. 8.74 49 40 E.	150.12	150.14	
Mon. 95 to Mon. 96	5.12 07 45 E.	506.49	1100.01 506.58	
Mon. 96 to Mon. 97	8.79 38 56 E. N. 18 37 34 E.	670.98	1430.44 671.10	
Mon. 97 to Mon. 98 Mon. 98 to Mon. 99	8.71 30 53 E. 8.81 31 22 E.	2804.23	2904.73	
Mon. 99 to Mon. 100	8. 54 59 37 E.	298.94	588.04 298.99	
Mon. 100 to Mon. 101	8.35 27 38 E. N.44 47 15 E.		957.00 40.00	
Mon. 100 to Ref. Mon. 10 Mon. 101 to Mon. 102	8.44 47 15 W 8.33 30 07 E		40.00 776.15	
Mon. 102 to Mon. 103	8.54 57 52 EL	755.59	755.72	
Mon. 103 to Ref. Mon. 23 Mon. 103 to Ref. Mon. 24	8.55 41 15 E. N. 9 34 08 E.	679.19 146.37	679.31 146.40	
Mon. 108 to Ref. Mon. 11 Mon. 108 to Angle point 103a	8.87 09 05 E. 5.59 54 50 E.	783.62	783.76	
In river of 1930.	0.00 01 00 E.	019.12	679.84	
Angle point 103a to Angle point 103b	8. 54 32 00 E.	1628.34	1626.63	and the first second
Angle point 103a to Ref. Mon. 11 Angle point 108a to Ref. Mon. 23.	N. 32 48 05 E, 8. 32 48 05 W	359.01	359.07 50.15	
Angle point 108b to Mon. 104	8. 20 02 30 E.	1011.62	1011.80	FOLD OUT IS TOO LARGE TO BE FILMED
Angle point 103b to Ref. Mon. 12 Angle point 103b to Ref. Mon. 22	N. 52 42 16 E. 8. 52 42 16 W	101.59	101.61 333.75	COL IS TOO LARGE TO BE FILMED
Mon. 104 to Mon. 105	8. 20 02 30 E. N. 14 43 20 W		1043.48 1046.43	
Mon. 104 to Ref. Mon. 22	N. 39 17 25 W	966.09	966.86	
Mon. 105 to Angle point 105a Mon. 105 to Ref. Mon. 13	8. 20 02 30 E. 8. 51 58 50 E.	440.70	549.10 440.77	
Mon. 105 to Ref. Mon. 21 Angle point 105s to Angle point	8. 11 30 44 E.	625.57	625.68	
1056	N. 86 15 12 E.	615.20	615.31	
Angle point 105a to Ref. Mon. 13 Angle point 105a to Ref. Mon. 20	N. 33 03 45 E. 8. 82 34 46 E.	606.17	291.57 606.28	
Angle point 105a to Ref. Mon. 21 Angle point 105b to Angle point	8. 33 03 45 W	. 116.00	116.02	
105c	8. 63 27 35 E. N. 6 09 50 E.	1004.50 119.18	1004.68 119.20	
Angle point 105b to Ref. Mon. 20	8. 6 00 50 W	. 119.18	119.20	
Angle point 105b to Ref. Mon. 21	8. 78 31 50 W 8. 28 42 00 E.	519.88	691.10 519.98	
Angle point 105c to Ref. Mon. 15 Angle point 105c to Ref. Mon. 19	N. 43 19 00 E. 8. 43 19 00 W		264.18 150.02	
Mon. 105 to 106a-South	8. 9 09 10 W		2064.16	
Terminal point in river of 1980.				
			The second of	

1e

counter \$4536

D50

									Dista	ace.
						Course			At sea level. tandard Ter	At surface. mp. 68* F.
	Mon	ame	ent or	Angle	Point.	to true	N. or 8		Feet.	Feet.
						N. 6	01 50	W.	651.77	651.88
	108	to.	Ref							001.00
100.	106	to	Ref.	Mon.	15				163.39	163.41
ton.	106	to	Ref.	Mon.	16	N. 79	12 58	E.		
lon.	106 106	to	Ref. Ref.	Mon. Mon.	16	N. 79 8. 4	12 58 58 30	E. W.	163.39	163.41
ton.	106 106 106	to	Ref. Ref. Ref.	Mon. Mon. Mon.	16 17 18	N. 79 8. 4 8. 79	12 58 58 30 12 58	E. W.	163.39 2065.05	163.41 2065.42
ion.	106 106 106 106	10 10 10 10	Ref. Ref. Ref.	Mon. Mon. Mon.	16	N. 79 8. 4	12 58 58 30 12 58	E. W.	163.39 2065.05 176.17	163.41 2065.42 176.20

Total distance along the New Mexico-Texas Boundary Line from Gannett Monument No. 1 on the parallel of 32° north latitude, to the south terminal point on the paralled of 31° 47' north latitude is 25.17 miles.

A statement of the time employed and the expense incurred in the performance of the work will be the subject of a later report. In compliance with the terms of the decree, 10 copies of the report with map have to-day been filed with the Clerk of the Court. One hundred and sixty additional copies of the report with map have been filed with the Clerk of the Court for the use of such interested parties as may apply for them.

Respectfully submitted, Samuel S. Gannett, Commissioner.

Washington, D. C., July 17, 1930.

1 1

Walker Black and an and the second

(4481)