

It is ordered by the Court that the following report of H. D. Kern, Surveyor appointed to survey the North Boundary line of Baylor County, of correct field notes of said line and the map or plat of the same be and are hereby recorded,

5

5"

Corrected field notes of the North Boundary line of Baylor County & South Boundary line of Wilbarger County.

Beginning at a slab rock 18x24 inches set in ground on South Side of Small drain, Course North West, Said rock is facing to South East & North West and marked as follows, viz: On N.W. Side ^{W.C.} SW Cor. and on S.E. Side ^{30 A} B NW Cor. I set up a second Stone facing to S.W. marked ^{NE} BCXXX and a third Stone marked SEWC. This corner we identified as the N.W. Corner of Archer County by the foregoing described first Stone and by mile stones North, South, East and West, whence also a dead double mes. tree we marked X hrs. S. $27\frac{1}{2}$ W $138\frac{1}{2}$ vrs. another dead mesq. 8 in. in diameter marked X hrs. S. $35^{\circ}50'$ W 118 vrs. bed of hollow in draw Course N.W. hrs. N. 100 vrs. and red bank at head of Saurin hrs. S. $87\frac{1}{2}$ E. 155 vrs. and Cottonwood on branch a little West of South (over hill) about 700 vrs. and the N.W. Corner of Survey No. 6 Block No. 6 H. & J. C. R. R. Co. hrs. W. 516 vrs. and N. 76 vrs.

First Mile


Thence West at var. N. $10^{\circ}20'$ E at 777 vrs. center of branch Course S.W. at 1400 vrs. a hollow at 1900.8 vrs. a Stone on W. Slope of hill marked ^{B.C.I.} M' on South Side and ^{W.C.I.} M' on North whence N.W. Corner of Survey No. 31 of Blk. 6 H. & J. C. R. R. Co. hrs. S. 494 vrs. and W. 454 vrs.

Second Mile

Thence West at 20 vrs. a draw course S.W. at 515 vrs. a branch Course S.W. at 1270 vrs. pass 9 vrs. South of a crooked mes. tree at 1780 vrs. a branch Course S.W. at 1900.8 vrs. a Stone on ridge marked ^{B.C.I.} M' on South

5/2

counter 50370



Baylor Co. Edging. Case #2

the same as the same appears on the minutes of said Court at its regular February term A. D. 1890, in Vol. 1 of said minutes, at pages 519 to 526.

Given under my hand and Seal of office this 30th day of May A. D. 1890.

D. L. Kenan, C. C. C.
Baylor Co., Texas.

510

counter 50369

1888 and connections made to H. & T. O. Ry. Co's.
 Surveys Dec. 19th & 20th 1889,

4 Barnett Wear } Chain Carriers
 4 Brummett Findley }

The State of Texas }
 County of Baylor } J. A. D. Kerr, Special Surveyor
 appointed by the Commissioners' Court of
 4 Baylor County, to Survey and establish the North
 boundary line of Baylor County, which is also
 the South boundary line of Wilbarger County,
 and to begin at the et. W. corner of Archer County,
 as is recognized by the Commissioner of the
 Gen^l L^d Office, and to run due West, do hereby
 Certify that I have done the same in com-
 pliance with the order of said Court and
 in accordance with Law, and that the fore-
 going field notes and the plat thereto
 attached represents, and that their position,
 relative to the surrounding surveys, and
 all the corners, marks and objects, natural
 and artificial are truly described and
 that the Chainmen were legally qualified.
 Witness my hand at Seymour
 Texas, this Feby. 11th 1890.

A. D. Kerr
 Surveyor

The State of Texas }
 County of Baylor } J. D. L. Keenan, Clerk of the
 County Court of Baylor County, Texas, do
 hereby Certify that the above & foregoing is a
 true and correct copy of the filed notes
 & plat of the North line of Baylor County
 and the order of the County Commissioners'
 Court of Baylor County, Texas, approving

Baylor Co. Bldg. Cont. # 2

hrs. out of breaks to prairie at 1000 hrs. Start
down grassy slope at 1380 hrs. Cross deep branch
course et. 1/5 E. at 1900⁸ hrs. a stone pile on
barren ground center stone marked ^{B₂₈M} on
South Side and ^{W₂₈M} on et. side, whence a cotton-
wood tree brs. N. 1/4^o E. about 600 hrs. Mes. stump
on ridge brs. et. 25 1/2 W. about 200 hrs. top of
round rocky hill brs. West 42 hrs. and
stone pile at S.W. corner of Survey No. 75
brs. S. 58 1/2 E. 347 hrs.

29th Mile

Thence West at 810 hrs. a pt. whence S.W. corner
of fence brs. N. 17 1/2 W. 200 hrs. at 1000 hrs.
branch course North at 1900⁸ hrs. a stone
marked ^{B₂₉M} on South Side and ^{W₂₉M} on et. side
whence a hackberry in draw brs. S. 88 3/4 E. 170 hrs.
and a small round natural knoll brs. S. 15 E.
77 hrs. and a tripple cottonwood brs. S. 54 1/4
W. about 200 hrs.

30th Mile

Thence West at 1120 hrs. a branch course
North at 1558 hrs. cross branch at 1578 hrs.
a pond at 1900⁸ hrs. a large sand stone rock
3 feet and 3 feet facing North and South
and situated in valley of South Beaver
Creek, marked ^{NE} K ^{NW} X^B X^X on South Side and
H^W on North Side, a large hackberry tree
brs. N. 25 3/4 E. 138 hrs. and another brs. et. 21 1/2
E. 131 hrs. and round low mound brs. S.
57 1/4 W. 112 hrs. and S.W. corner of Survey
No. 67 Bldg. 18 N. & T. C. R. R. Co. brs. S. 682 hrs.
and E. 950 hrs. and an old stone mound
for S.W. corner of 1280 acre Survey for
A. M. Millen brs. S. 3491 hrs. and W. 587 hrs.

Surveyed Nov. 23rd and 24th & Dec. 13th & 14th

5²

brs East $4\frac{1}{2}$ vrs. and at E. Corner of Survey
No. 70 Block brs East 604 vrs. and N.
172 vrs.

25th Mile

Thence West at 480 vrs. top of ridge in very
rough country, at 940 vrs. cross branch course
North at 1900.8 vrs. a stone marked B_{25}^M on
South Side and W_{25}^M on North Side, whence
bunch of hackberry trees brs. N. 85 E. 34 vrs.
and enter one of another grove brs. N. 59 $\frac{1}{4}$
E. 34 vrs. and North East corner of Survey
cto. 91 brs E. 668 vrs. and S. 398 vrs.

26th Mile

Thence West at 60 vrs. deep branch at 400 vrs.
out of bracks at 1900.8 vrs. a stone marked
 B_{26}^M on Side and W_{26}^M on North Side, on west
Side of draw course N. W. whence at E.
corner of Survey cto. M. E. P. + P. R. R. Co. brs.
E. 260 vrs. and at 970 vrs.

27th Mile

Thence West at 840 vrs. valley of branch
covered with small timber course North
at 1900.8 vrs. a stone in barren brackly land
marked B_{27}^M on South Side and W_{27}^M on North
Side, whence a cotton wood tree brs. N. 8 $\frac{1}{4}$ E.
about 500 vrs. and at E. end of long knoll
brs. Sauer course 37 vrs. and round sharp
topped knoll with scrubby brush on top
brs. N. 84 $\frac{1}{4}$ W. about one half mile and
North end of ridge brs. S. 69 $\frac{1}{4}$ E. about 200
vrs. and old stone mound at S. E. corner
of Survey cto. 75 Block, N. W. C. Ry. Co. brs.
N. 29 E. 457 vrs.

28th Mile

Thence West at 258 vrs. cross branch 4 feet
deep and 6 feet wide course N. 40 E. at 940

20th Mile

Thence west at 560 vrs. road at 640 vrs. Start down hill into Valley leading north into Beaver Creek at 1800 vrs. across said Valley to top of hill, at 1900[±] vrs. a Stone in draw course North, marked ^B₂₀M on S. Side and ^W₂₀M on North Side, whence et. W. Corner of Survey eto. 68 vrs. W. 912 vrs. and North 54 vrs.

21st Mile

Thence West 1900[±] vrs. a Stone in Small mesq. bush marked ^{BCI}_M on S. Side and ^W_M on North Side, whence S. W. Corner No. 67 Block vrs. S. 526 vrs. and W. 850 vrs.

22nd Mile

Thence West at 420 vrs. Cross branch in broad Valley course et. at 1900[±] vrs. a Stone marked ^B₂₂M on Side and ^W₂₂M on et. Side; at Confluence of Two Small branches in Valley whence S. W. Corner of Survey No. 67 vrs East 1050 vrs. and S. 526 vrs.

23^d Mile

Thence West cross branch course North at 340 vrs. cross tributary of South Beaver at 1900[±] vrs. a Stone marked ^B₂₃M on S. Side and ^W₂₃M on et. Side, whence et. E. Corner of Survey No. 69 vrs. E. 542 vrs. and et. 742 vrs.

24th Mile

Thence West at 230 vrs. edge of braky land course et. at 920 vrs. Cross branch in Valley at 1600 vrs. West edge of braky at 1900[±] vrs. a pile of flat Sand Stone rocks, one of which is marked ^B₂₄M and one marked ^W₂₄M in East edge of braky land leading North to Beaver Creek, whence top of Dead Mes. Stump

16th Mile

Thence West at 200 vrs. cross East Coffee Creek
general Course down Stream S. 45 E. at 500 vrs.
foot of round hill on South Side dead mesq. tree
on Summit at 600 vrs. a draw in rough brake
at 700 vrs. top of hill at 1760 vrs. cross Seymour
and Vernon road on West Side of Cattle trail
at 1900 ± vrs. a Stone in rough brake MKD.
B₁₆M on South Side and W₁₆M on North Side, North
point of Sharp Md. 40 feet high brs S. 21½
W. and East end of long Ridge on South Side
of Coffee Creek brs S. 5° W. Small round mound
in draw brs West about 75 vrs. and the et. N.
Cor. Sur. No. 79 brs 496 vrs. et. and 492 vrs. W.

17th Mile

Thence West at 865 vrs. cross tributary of
North Coffee Creek Course South at 1900 ±
vrs. a Stone in Valley marked B₁₇M on S.
Side and W. 17 M. on N. Side whence a grove
of hackberry brs East 170 vrs. and a leaning
mesq. tree 3 in. dia. brs et. 64 E. 9 vrs. and
North end of flat top mound brs N. 85½ W.
et. E. Corner of Survey No. 77 Block 2 brs S.
74 vrs. and W. 428 vrs.

18th Mile

Thence West at 290 vrs. cross branch in
field at 1200 vrs. in edge of mesq. prairie,
at 1900 ± vrs. a Stone on West Slope of mesq.
prairie and about 100 vrs. East of Slope of
hill to West, Stone MKD. T₁₈M. on S. Side &
W₁₈M. on et. Side.

19th Mile

Thence West at about 360 vrs. cross branch
(doubtful) at 580 vrs. top of hill at 1900.8
vrs. Stone in Valley marked B₁₉M. on S. Side
and W. 19 M. on et. Side.

12th Mile

Thence West at 883 cross a small branch in wide valley Course S.E. at 1900[±] vrs. a stone in head of draw Course S.E. marked $\frac{B}{M}$ on South Side and $\frac{W}{M}$ on N. Side whence N.E. Corner of Survey No. 13 Block 3 Trs. N. 284 vrs. and North 1060 vrs.

13th Mile

Thence West at 400 vrs. cross road Course N.E. at 480 vrs. in draw Course South at 1260 vrs. a branch Course S. 15° W. at 1900[±] vrs. a stone in head of hollow leading South Stone marked B.C.T. 13 M on Side and $\frac{W}{M}$ on North Side whence N.W. Corner of Survey No. 13 Block 3 Trs. N. 436 vrs. and W. 222 vrs.

14th Mile

Thence West crossing heads of six draws in 500 vrs. at 1200 vrs. in Canyon general Course West at 1400 vrs. branch Course South west at 1500 vrs. Mouth of branch at 1900[±] vrs. a stone in marked $\frac{B}{M}$ on South Side and $\frac{W}{M}$ on North Side whence a hackberry marked X Trs. S. 89 $\frac{1}{4}$ East about 60 vrs. and a red bluff Trs. East 420 and S.W. corner of Survey No. 3 Block 3 Trs. S. 134 vrs. and W. 150 vrs.

15th Mile

Thence West at 60 vrs. cross branch Course S.E. at 1396 vrs. branch Course South at 1460 vrs. cross branch (tributary of East Coffin Creek lower South East at 1900.8 vrs. a stone in Valley marked $\frac{B}{M}$ on S. Side and W. 15 M. on North Side whence a hackberry tree 4 in in dia Trs. N. 30 $\frac{1}{4}$ E. 20 vrs. marked X and hackberry 6 in in dia. marked X Trs. S. 59 E. 38 and N.W. corner of Survey No. 81 Block 2 Trs. S. 704 vrs. and E. 88 vrs.

branch Course S.W. at 1260 vrs. branch Course South at 1900[±] vrs. a Stone marked ^{BCL} 8^m on S. Side, and ^W 8^m on Et. Side whence the S.W. Corner of Survey No. 43 Block 3 brs S. 390 vrs. and East 618 vrs.

9th Mile

Thence West at 330 vrs. head of hollow leading North at 1060 vrs. crop branch Course South at 1360 vrs. crop branch Course S.W. at 1720 vrs. top of high hill near its extreme South point at 1900[±] vrs. a Stone marked ^{BCL} 9^m on South Side and ^W 9^m on North Side whence flat Top Mountain brs S. 3¹/₂ W. and East point of long ridge brs S. 8° W. also S.E. Cor. of Survey No. 29 Block 3 brs East 680 vrs. and South 960 vrs.

10th Mile

Thence West at 740 vrs. branch ^{and} at 790 vrs. crossed same third time Course South at 1060 vrs. top of hill at 1160 vrs. west edge of same at 1360 vrs. cross a branch Course S. 10° W. at 1760 vrs. top of hill at 1900[±] vrs. a Stone on West Slope of rocky hill marked ^{BCL} 10^m on South Side and ^W 10^m on North Side whence a low round mound in valley brs S. 40 W. and N.W. Cor. Survey No. 29 Block 3 H. & T. C. R. R. Co. brs East 162 vrs. and Et. 308 vrs.

11th Mile

Thence West at 110 vrs. branch Course S. 35° W. at 150 vrs. top of East Side of hill, level prairie to 1770 vrs. pass through South Edge of grove in Whiskey Creek when Course South Elm marked ≡ on right of line and hackberry marked ≡ on left of line at 1900[±] vrs. a Stone marked ^S 11^m on S. Side and ^W 11^m on Et. Side whence S.W. Corner Survey No. 27 Block 3 brs East 224 vrs. + S. 262 vrs.

Baylor Co. Survey 1872

Side and $\frac{10}{2}M$ on North Side,

Third Mile

Thence West at 1286 vs. Crop a branch 2 feet deep and 4 feet wide Course S. 35° E. at 1900⁸ vs. a Stone marked $\frac{BCI}{3M}$ on South Side and $\frac{WC}{3M}$ on the North Side.

4th. Mile

Thence West at 33 vs. in branch at 293 vs. branch in bend general Course South at 1390 vs. Crop branch Course S. E. at 1415 vs. Crop bend in Sauer North of line at 1900⁸ vs. a Stone on ridge marked $\frac{BCI}{4M}$ on South Side and $\frac{WC}{4M}$ on North Side, whence N. W. Cor. to 17 Block to vs. S. 578 vs. and W. 898 vs.

5th Mile

Thence West at 115 vs. Crop new road Course S. W. at 1900⁸ vs. a Stone in Valley of branch marked $\frac{BCI}{5M}$ on South Side and $\frac{W}{5M}$ on North Side a mesq^t tree marked X vs. N. 57 $\frac{1}{2}$ W. 41 vs. and another forked mesq. marked X vs. N. 27 $\frac{1}{2}$ W. 5 vs.

6th Mile

Thence West at 140 vs. a branch Course N. 15 E. at 1900⁸ vs. a Stone marked $\frac{BCI}{6M}$ on South Side and $\frac{WC}{6M}$ on North Side.

7th Mile

Thence West at 1344 vs. a pt. whence a Stake for N. W. Cor. Survey No. 4 Block to for H. & J. C. R. R. Co. vs. North 188 vs. at 1758 vs. enter branch general Course S. E. at 1785 vs. out of Sauer at 1900⁸ vs. a Stone marked $\frac{BCI}{7M}$ on South Side and $\frac{WC}{7M}$ on N. Side whence N. W. Cor. said etc. 4 vs. E. 556⁸ vs. and North 188 vs.

8th Mile

Thence West at 580 vs. Thence at 800 vs.

Field Notes of
North Line of
Baylor County

32

Filed Feby. 11th 1890.

D. L. Kenan, clerk.

Approved in open
Com. Court Feby 11th 1890
S. J. Newton -
Co Judge

(Copy)

Filed in the General Land
Office Jan 3^d 1890 -

R. D. Shelly
Chief Clerk.

This belongs in
Baylor Co. file

500 Ram