

1 1  
Brooks County  
Field Notes  
Boundary Lines.

Recd. in G.L.O.  
Sept. 2, 1911.

The West line and  
parts of the North and  
South boundaries herein  
now form the bound-  
aries of Jim Hagg

The State of Texas.

County of Nueces.

Fieldnotes of a survey of the Boundary lines of Brooks County, Texas, made under and by virtue of an Act of the Thirty-second Legislature of the State of Texas, passed at its regular session of January 1911.

Beginning at a concrete pillar, 6" square at the top, standing on the Southern boundary line of Nueces County, set for the North-Eastern corner of said Brooks County, being the Northwestern corner of Willacy County, also created by said Legislature at said session, thence S.00°23'45"E. with the line dividing said Brooks and Willacy Counties, at 482 varas cross MRs. H. M. King's Southern boundary pasture fence, 87.3 varas East of a corner; at 1368 varas center of the Paisano Creek running Southeast; at 1900.8 varas set a cedar post, 8" in diameter, marked 1 on the Northern side, B on the Western side, and W on the Eastern side, for the 1st., mile.

Thence S.00°23'45"E. 982.2 varas center of the Palo Blanco Creek running Southeast; at 1900.8 varas set a cedar post, 8" in diameter, marked 2 on the Northern side, B on the Western side, and W on the Eastern side, for the 2nd., mile.

Thence S.00°23'45"E. at 1900.8 varas set a cedar post, 8" in diameter, marked 3 on the Northern side, B on the Western side, and W on the Eastern side, for the 3rd., mile.

Thence S.00°23'45"E. at 603.3 varas cross a fence running East, 1.6 varas East of its corner; at 898.5 varas an old mezquite post, the Southeastern corner of the "El Tule" grant, whence the original old mezquite bearing tree, marked  $\square$ , bears S.4°15'W. 44.3 varas; at 978.6 varas in Los Olmos Creek, the Northwestern corner of the "Santa Rosa de Arriba" grant, as established by decree of the District Court of Travis County, in Cause No. 18,889, styled the State of Texas versus D. R. Fant and D. Sullivan; at 1009 varas the Southern bank of the said Los Olmos Creek, running Easterly; at 1900.8 varas set a cedar post, 8" in diameter, marked 4 on the Northern side, B on the Western side, and W on the Eastern side, for the 4th., mile.

Thence S.00°23'45"E. at 1422.5 varas leave an old stake marked H 1.65 varas to the East; at 1900.8 varas set a cedar post, 8" in

We, C. F. H. v. Blucher, and Conrad M. v. Blucher,  
Civil Engineers and Land Surveyors, employed by the Chairman of the Com-  
mittee to Organize Brooks County, created under and by virtue of an Act of  
the Thirty-second Legislature of the State of Texas, passed at its regular  
Session of January 1911, do hereby certify that the foregoing survey was  
made according to law, and that the limits, boundaries, and corners, with  
the marks, natural and artificial, are truly described in the foregoing  
plats and fieldnotes.

Witness our hands.

*C. F. H. v. Blucher*

*Conrad M. Blucher*

X  
Sworn to and subscribed before  
me this 30th. day of Aug. 1914.

*J. P. E. Luter, Clerk.*

*County Court Tarrant Co., Texas.*

*By Bertha Kaler, Deputy.*

boundary line of said Nueces County as originally surveyed by the said J. J. Dix in January 1878, whence the original bearing tree marked X bears S.33° 29'W. 91 varas.

Thence S.89°48'40"E. at 868.76 varas set a cedar post, 9" in diameter, marked 54 on the Western side, <sup>J</sup>W on the Northern side, and B on the Southern side, for the 54th, mile.

Thence S.89° 48'40"E. at 1900.8 varas set a concrete pillar, 6" square at the top, marked 55 on the Western side, <sup>J</sup>W on the Northern side, and B on the Southern side, in low mezquite, for the 55th, mile.

Thence S.89°48'40"E. at 688 varas center of the Palo Blanco Creek running Southeasterly; at 1900.8 varas set a cedar post, 10" in diameter, marked 56 on the Western side, N on the Northern side, and B on the Southern side, in light low brush, for the 56th, mile.

Thence S89°48'40"E. at 1082.44 varas set a cedar post, 6" in diameter, marked N on the Northern side, and B on the Southern side, marking the location of the 4-league post of the Southern boundary line of Nueces County as surveyed by the said J. J. Dix in January 1878; at 1900.8 varas set a cedar post, 8" in diameter, marked 57 on the Western side, N on the Northern side, and B on the Southern side, in light low brush, for the 57th, mile.

Thence S.89°48'40"E. at 1609.28 varas the stone monument at the Southeastern corner of the said " Paisano " grant bears S.7°01'20"W. 364.46 varas; at 1900.8 varas set a concrete pillar, 6" square at the top, marked 58 on the Western side, N on the Northern side, and B on the Southern side, in Prairie with scattering brush, for the 58th, mile.

Thence S.89°48'40"E. at 226.25 varas a mezquite post, marked E, 2' high, the Southwestern corner of Nancy Abbey survey No. 351, Veteran Donation Certificate No. 1114, bears N.56°31'20"E. 165.64 varas; at 370 varas enter pond; at 449 varas leave same; at 1900.8 varas set a cedar post, 15" in diameter, marked 59 on the Western side, N on the Northern side, and B on the Southern side, in light mezquite, for the 59th, mile.

Thence S.89°48'40"E. at 392 varas cross the Paisano Creek running Southeasterly; at 1132.88 varas the place of beginning. Surveyed April 5th, to July 28th, 1911.

Roy R. Cahill, John Pons, Will. Dorothy, )  
John H. Klaeser, Chas. Wheeler, ) Chain carriers.

Thence S.89°42'10"E. at 1900.8 varas set a concrete pillar, 6" square at the top, marked 47 on the Western side, <sup>J</sup>W on the Northern side, and B on the Southern side, in Western margin of a road running North-erly, for the 47th, mile.

Thence S.89°42'10"E. at 1209 varas cross the Cibolo Creek running E. S. E; at 1900.8 varas set a cedar post, 10" in diameter, marked 48 on the Western side, <sup>J</sup>W on the Northern side, and B on the Southern side, in chaparral, for the 48th, mile.

Thence S.89°42'10"E. at 1900.8 varas set a cedar post, 9" in diameter, marked 49 on the Western side, <sup>J</sup>W on the Northern side, and B on the Southern side, about 175 varas South of the Western end of a Huis-ache pond, for the 49th, mile.

Thence S.89°42'10"E. at 1900.8 varas set a concrete pillar, 6" square at the top, marked 50 on the Western side, <sup>J</sup>W on the Northern side, and B on the Southern side, in dense thicket, for the 50th, mile.

Thence S.89°42'10"E. at 700.95 varas cross the San An-  
tonio & Aransas Pass Railroad, <sup>running</sup> N.6°35'23"E; at 982.51 varas the original 2-league post of the South boundary line of Nueces County, set by J. J. Dix in January 1878, make large mound of earth around the same, in dense thicket.

Thence S.89°44'10"E. at 708 varas cross the Los Olmos Creek running South; at 918.29 varas set a cedar post 7" in diameter, marked 51 on the Western side, <sup>J</sup>W on the Northern side, and B on the Southern side, in dense thicket, for the 51st, mile.

Thence S.89°44'10"E. at 320.46 varas the stone monument marking the Southwestern corner of the " Paisano " grant, bears S.4°10'E. 532.4 varas; at 645 varas a drain runs Southeasterly; at 1321 varas the Rio Grande City road runs Northeasterly; at 1900.8 varas set a concrete pillar, 6" square at the top, marked 52 on the Western side, <sup>J</sup>W on the Northern side, and B on the Southern side, in dense thicket, for the 52nd, mile.

Thence S.89°44'10"E. at 1900.8 varas set a cedar post, 9" in diameter, marked 53 on the Western side, <sup>J</sup>W on the Northern side, and B on the Southern side, in dense thicket, for the 53rd, mile,

Thence S.89°44'10"E. at 537 varas enter a dry pond at its Northwestern edge; at 778 varas leave same at its Northeastern edge; at 1032.04 varas set a cedar post 12" in diameter, marked <sup>J</sup>W on the Northern side, and B on the Southern side, marking the 3-league point of the Southern

Thence S.89°37'40"E. at 684 varas cross said Las Labor-  
citas Creek running Northeasterly; at 1900.8 varas set a cedar post, 9" in  
diameter, marked 39 on the Western side, D on the Northern side, and B on  
the Southern side, in prairie, about 150 varas North of the said Las Labor-  
citas Creek, for the 39th, mile.

Thence S.89°37'40"E. at 1900.8 varas set a concrete pil-  
lar, 6" square at the top, marked 40 on the Western side, D on the Northern  
side, and B on the Southern side, in rolling prairie, for the 40th, mile.

Thence S.89°37'40"E. at 1900.8 varas set a cedar post,  
9" in diameter, marked 41 on the Western side, D on the Northern side, and  
B on the Southern side, in prairie, for the 41st, mile.

Thence S.89°37'40"E. at 1900.8 varas set a concrete pil-  
lar, 6" square at the top, marked 42 on the Western side, D on the Northern  
side, and B on the Southern side, in prairie, about 60 varas South of the  
said Las Laborcitas Creek running Easterly, for the 42nd, mile.

Thence S.89°37'40"E. at 1326 varas cross said Las Laborè  
citas Creek running Southeasterly; at 1900.8 varas set a cedar post, 8" in  
diameter, marked 43 on the Western side, D on the Northern side, and B on  
the Southern side, on Northern point of a knoll in prairie with scattering  
mezquite, for the 43rd, mile.

Thence S.89°37'40"E. at 1900.8 varas set a cedar post,  
8" in diameter, marked 44 on the Western side, D on the Northern side, and  
B on the Southern side, in prairie with scattering mezquite, for the 44th,  
mile.

Thence S.89°37'40"E. at 844.96 varas set a concrete pil-  
lar, 6" square at the top, marked D on the Northwestern side, <sup>J</sup>W on the North-  
eastern side, and B on the Southeastern and Southwestern sides, marking the  
location of the Southeastern corner of said Duval County, and the Southwest-  
ern corner of what was formerly Nueces County, (being now the Southwestern  
corner of the newly created County of Jim Wells) as originally surveyed by  
J. J. Dix in January 1878.

Thence S.89°42'10"E. at 1055.84 varas set a cedar post,  
9" in diameter, marked 45 on the Western side, <sup>J</sup>W on the Northern side, and  
B on the Southern side, in light low brush, for the 45th, mile.

Thence S.89°42'10"E. at 1900.8 varas set a cedar post,  
12" in diameter, marked 46 on the Western side, <sup>J</sup>W on the Northern side, and  
B on the Southern side, in low scattering brush, for the 46th, mile.

side, and B on the Southern side, for the 30th, mile.

Thence  $S.89^{\circ}32'40''E.$  at 1900.8 varas set a cedar post, 12" in diameter, marked 31 on the Western side, D on the Northern side, and B on the Southern side, in prairie, for the 31st, mile.

Thence  $S.89^{\circ}32'40''E.$  at 1900.8 varas set a cedar post, 12" in diameter, marked 32 on the Western side, D on the Northern side, and B on the Southern side, in cluster of mezquite bushes, on knoll in prairie, for the 32nd, mile.

Thence  $S.89^{\circ}32'40''E.$  at 1900.8 varas set a cedar post, 8" in diameter, marked 33 on the Western side, D on the Northern side, and B on the Southern side, in prairie, for the 33rd, mile.

Thence  $S.89^{\circ}32'40''E.$  at 1642.51 varas set a cedar post, 8" in diameter, marked D on the Northern side, and B on the Southern side, in prairie with scattering mezquite, to mark the location of the old 8-league post of the original survey of the Southern boundary line of Duval County, as made by J. J. Dix in January 1878.

Thence  $S.89^{\circ}37'40''E.$  at 258.29 varas set a cedar post, 12" in diameter, marked 34 on the Western side, D on the Northern side, and B on the Southern side, in prairie with scattering brush, for 34th, mile.

Thence  $S.89^{\circ}37'40''E.$  at 1750 varas cross the Palo Blanco Creek running Northeast; at 1900.8 varas set a concrete pillar, 6" square at the top, marked 35 on the Western side, D on the Northern side, and B on the Southern side, in mezquite thicket, on sloping bank of said Palo Blanco Creek, for the 35th, mile, whence the Eastern fence of lane running N. N. E. bears West 6.2 varas.

Thence  $S.89^{\circ}37'40''E.$  at 470 varas the said Palo Blanco Creek runs Southeast; at 1900.8 varas set a cedar post, 8" in diameter, marked 36 on the Western side, D on the Northern side, and B on the Southern side, in prairie with scattering mezquite, for the 36th, mile.

Thence  $S.89^{\circ}37'40''E.$  at 1900.8 varas set a cedar post, 9" in diameter, marked 37 on the Western side, D on the Northern side, and B on the Southern side, in prairie with scattering mezquite, for the 37th, mile.

Thence  $S.89^{\circ}37'40''E.$  at 604 varas Las Laborcitas Creek running Southeast; at 1900.8 varas set a cedar post, 12" in diameter, marked 38 on the Western side, D on the Northern side, and B on the Southern side, in thicket on the Northern slope of the Las Laborcitas Creek, for the 38th, mile.

B on the Southern side, on high hill with scattering brush, for the 21st, mile.

Thence S.89°24'40"E. at 1900.8 varas set a cedar post, 8" in diameter, marked 22 on the Western side, D on the Northern side, and B on the Southern side, in sandy prairie, about 60 varas East of a road, and 150 varas West of a brushy hollow, for the 22nd, mile.

Thence S.89°24'40"E. at 1900.8 varas set a cedar post 12" in diameter, marked 23 on the Western side, D on the Northern side, and B on the Southern side, on the Southern edge of a thicket of young mezquite bushes about 6' high, for the 23rd, mile.

Thence S.89°24'40"E. at 1900.8 varas set a cedar post, 10" in diameter, marked 24 on the Western side, D on the Northern side, and B on the Southern side, in thicket, about 30 varas N.45°E. from the Northeastern margin of a pond, for the 24th, mile.

Thence S.89°24'40"E. at 1900.8 varas set a concrete pillar, 6" square at the top, marked 25 on the Western side, D on the Northern side, and B on the Southern side, for the 25th, mile.

Thence S.89°24'40"E. at 1375 varas cross the Palo Blanco Creek running S. S. E; at 1900.8 varas set a cedar post, 9" in diameter, marked 26 on the Western side, D on the Northern side, and B on the Southern side, in dense thicket, for the 26th, mile.

Thence S.89° 24' 40" E. at 1900.8 varas set a cedar post, 9" in diameter, marked 27 on the Western side, D on the Northern side, and B on the Southern side, on the Western slope of a hill, in prairie, for the 27th, mile.

Thence S.89°24'40"E. at 1535.15 varas set a cedar post, 7" in diameter, marked D on the Northern side, and B on the Southern side, to mark the location of the old 6-league post of the original survey of the Southern boundary line of Duval County, as made by J. J. Dix in January 1878.

Thence S.89°32'40"E. at 365.65 varas set cedar post, 9" in diameter, marked 28 on the Western side, D on the Northern side, and B on the Southern side, in prairie, for the 28th, mile.

Thence S.89°32'40"E. 1900.8 varas set a cedar post, 10" in diameter, marked 29 on the Western side, D on the Northern side, and B on the Southern side, in prairie, for the 29th, mile.

Thence S.89°32'40"E. at 1900.8 varas set a concrete pillar, 6" square at the top, marked 30 on the Western side, D on the Northern



8" in diameter, marked 11 on the Western side, D on the Northern side, and B on the Southern side, on the Northern bank of the Magueyes Creek, running Southeasterly, for the 11th, mile.

Thence S.89°24'40"E. at 1900.8 varas set a cedar post, 9" in diameter, marked 12 on the Western side, D on the Northern side, and B on the Southern side, 20 varas North of the said Magueyes Creek, for the 12th, mile.

Thence S.89°24'40"E. at 1900.8 varas set a cedar post, 9" in diameter, marked 13 on the Western side, D on the Northern side, and B on the Southern side, in sandy prairie, with scattering mezquite, for the 13th, mile.

Thence S.89°24'40"E. at 1900.8 varas set a cedar post, 8" in diameter, marked 14 on the Western side, D on the Northern side, and B on the Southern side, in prairie with scattering mezquite bushes, for the 14th, mile.

Thence S.89°24'40"E. at 1900.8 varas set a concrete pillar, 6" square at the top, marked 15 on the Western side, D on the Northern side, and B on the Southern side, in sandy prairie with scattering bushes, for the 15th, mile.

Thence S.89°24'40"E. at 1900.8 varas set a cedar post, 8" in diameter, marked 16 on the Western side, D on the Northern side, and B on the Southern side, in prairie, for the 16th, mile.

Thence S.89°24'40"E. at 1900.8 varas set a cedar post, 9" in diameter, marked 17 on the Western side, D on the Northern side, and B on the Southern side, in sandy prairie, for the 17th, mile.

Thence S.89°24'40"E. at 1900.8 varas set a cedar post, 8" in diameter, marked 18 on the Western side, D on the Northern side, and B on the Southern side, in Uzzle's field, for the 18th, mile.

Thence S.89°24'40"E. at 1900.8 varas set a cedar post, 10" in diameter, marked 19 on the Western side, D on the Northern side, and B on the Southern side, 44.5 varas South of Dud Davis' Northern field fence running East and West, for the 19th, mile.

Thence S.89°24'40"E. at 1900.8 varas set a concrete pillar, 6" square at the top, marked 20 on the Western side, D on the Northern side, and B on the Southern side, in chaparral, for the 20th, mile.

Thence S.89°24'40"E. at 1900.8 varas set a cedar post, 10" in diameter, marked 21 on the Western side, D on the Northern side, and

10" in diameter, marked 1 on the Western side, W on the Northern side, and B on the Southern side, in solid limestone, making a mound of earth and stones for the 1st, mile, 15.87 varas North of fence running about East and West.

Thence S.89°24'40"E. at 1900.8 varas set a cedar post, 9" in diameter, marked 2 on the Western side, W on the Northern side, and B on the Southern side, in light brush, for the 2nd, mile.

Thence S.89°24'40"E. at 1900.8 varas set a concrete pillar, 6" square at the top, marked 3 on the Western side, W on the Northern side, and B on the Southern side, for the 3rd, mile.

Thence S.89°24'40"E. at 1900.8 varas set a cedar post, 10" in diameter, marked 4 on the Western side, W on the Northern side, and B on the Southern side, 2 varas South of the Northern fence of Mrs. Chas. A. Meuly's Las Animas pasture, in light brush, on the Northeastern slope of a low ridge, whence a Pita 7' high, bears West 2 varas, for the 4th mile.

Thence S.89°24'40"E. at 1900.8 varas set a cedar post, 9" in diameter, marked 5 on the Western side, W on the Northern side, and B on the Southern side, for the 5th, mile.

Thence S.89°24'40"E. at 1900.8 varas set a concrete pillar, 6" square at the top, marked 6 on the Western side, W on the Northern side, and B on the Southern side, for the 6th, mile in light scattering chaparral.

Thence S.89°24'40"E. at 1900.8 varas set a cedar post, 8" in diameter, marked 7 on the Western side, W on the Northern side, and B on the Southern side, 79.78 varas North of a pasture fence running East and West, for the 7th, mile, in scattering low chaparral.

Thence S.89°24'40"E. at 1900.8 varas set a cedar post, 9" in diameter, marked 8 on the Western side, W on the Northern side, and B on the Southern side, in low scattering chaparral, for the 8th, mile.

Thence S.89°24'40"E. at 1900.8 varas set a cedar post, 9" in diameter, marked 9 on the Western side, W on the Northern side, and B on the Southern side, for the 9th, mile, in light chaparral, sand dunes to the Northwest.

Thence S.89°24'40"E. 1900.8 varas set a concrete pillar, 6" square at the top, marked 10 on the Western side, D on the Northern side, and B on the Southern side, in prairie, for the 10th, mile.

Thence S.89°24'40"E. at 1900.8 varas set a cedar post,

Thence North at 1763.5 varas leave a stake 3" in diameter, and 2.5' high, with stone at foot of same, 12 varas to the Eastward; at 1900.8 varas set a cedar post 10" in diameter, marked 28 on the Southern side, B on the Eastern side, and Z on the Western side, in thicket, on the Southeastern slope of a long ridge; for the 28th, mile.

Thence North at 1900.8 varas set a cedar post, 10" in diameter, marked 29 on the Southern side, B on the Eastern side, and Z on the Western side, for the 29th, mile.

Thence North at 1900.8 varas set a concrete pillar, 6" square at the top, marked 30 on the Southern side, B on the Eastern side, and Z on the Western side, for the 30th, mile, in thicket.

Thence North at 1900.8 varas set a cedar post, 12" in diameter, marked 31 on the Southern side, B on the Eastern side, and Z on the Western side, for the 31st, mile.

Thence North at 1613 varas on the top edge of said plateau; at 1678 varas leave said plateau; at 1900.8 varas set a cedar post 12" in diameter, marked 32 on the Southern side, B on the Eastern side, and Z on the Western side, for the 32nd, mile.

Thence North 54 varas on top of said plateau; at 1900.8 varas set a cedar post, 12" in diameter, marked 33 on the Southern side, B on the Eastern side, and Z on the Western side, in thick low brush, for the 33rd, mile.

Thence North 539.6 varas intersect the Southern boundary line of Webb County, set a concrete pillar, 6" square at the top, marked W on the Northern side, B on the Southeastern side, and Z on the Southwestern side, for the Northwestern corner of said Brooks County.

Thence with the Northern boundary line of said Brooks County, the Southern boundary lines of the Counties of Webb, Encinal, Duval, and Nueces, as surveyed by J. J. Dix in January 1878, and referred to in section 2, Chapter LXI, Acts of the Sixteenth Legislature of the State of Texas, page 68, as closely as can be determined from the existing monuments, and land-marks, S.89°15'40"E. at 610.35 varas set a cedar post, 8" in diameter, marked B on the Southern side, and W on the Northern side, in solid limestone, making a mound of earth and stones, at the 9th, league point of the Southern boundary line of what was formerly Encinal County.

Thence S.89°24'40"E. at 1290.45 varas set a cedar post,

New Zapote Jim Hogg  
N.W. Cor. Jim Hogg County  
N.E. Cor. Zapote

Thence North at 819 varas on the Western slope of a very prominent hill, near the abandoned Buenos Ayres ranch, a lone mezquite tree, 15" in diameter and about 25' tall, marked X on the Southeastern side, bears N.41°30'W. 13.9 varas, Gin at the Randado ranch (Northwestern edge of building) bears N.68°41'E; at 1900.8 varas set a cedar post, 8" in diameter, marked 19 on the Southern side, B on the Eastern side, and Z on Western side, for the 19th, mile, in thick brush on top of hill.

Thence North at 1900.8 varas set a concrete pillar, 6" square at the top, marked 20 on the Southern side, B on the Eastern side, and Z on the Western side, for the 20th, mile.

Thence North at 1522 varas a smooth-wire fence running Easterly; at 1529 varas center of the road from El Randado ranch to Las Escobas ranch running Westerly; at 1900.8 varas set a cedar post 10" in diameter, marked 21 on the Southern side, B on the Eastern side, and Z on the Western side, for the 21st, mile.

Thence North at 1900.8 varas set a cedar post, 10" in diameter, marked 22 on the Southern side, B on the Eastern side, and Z on the Western side, for the 22nd, mile.

Thence North at 1900.8 varas set a cedar post, 12" in diameter, marked 23 on the Southern side, B on the Eastern side, and Z on the Western side, in thick brush, for the 23rd, mile.

Thence North at 1587 varas on top of edge of bluff, edge of plateau, known as the "Bordo"; at 1900.8 varas set a cedar post, 8" in diameter, marked 24 on the Southern side, B on the Eastern side, and Z on the Western side, in mound of stones, for the 24th, mile.

Thence North at 1375 varas leave said plateau; at 1900.8 varas set a concrete pillar, 6" in diameter, marked 25 on the Southern side, B on the Eastern side, and Z on the Western side, for the 25th, mile.

Thence North at 1290 varas on top edge of said plateau; at 1900.8 varas set a cedar post, 8" in diameter, marked 26 on the Southern side, B on the Eastern side, and Z on the Western side, for the 26th, mile, in mound of earth and stones.

Thence North at 35 varas enter cañon; 305 varas on top of said plateau; at 345 varas enter cañon; at 1900.8 varas set a cedar post, 8" in diameter, marked 27 on the Southern side, B on the Eastern side, and Z on the Western side, in thicket, for the 27th, mile.

Now Repod of Jim Hogg

to the Palo Blanco ranch runs Northwesterly; at 911 varas a road runs Westerly; at 1900.8 varas set a mezquite post 8" in diameter, marked 9 on the Southern side, B on the Eastern side, and Z on the Western side, for the 9th, mile, in thicket.

Thence North through thicket, at 1900.8 varas set a mezquite post, 12" in diameter, marked 10 on the Southern side, B on the Eastern side, and Z on the Western side, for the 10th, mile.

Thence North through thicket, at 628 varas cross a ravine running Southwest; at 1208 varas center of a creek running Northwest; at 1900.8 varas set a concrete pillar, 6" square at the top, marked 11 on the Southern side, B on the Eastern side, and Z on the Western side, for the 11th, mile.

Thence North through thicket, at 684 varas a creek runs Southwesterly; at 824 varas cross the road running to El Randado ranch; at 1900.8 varas set a cedar post, 8" in diameter, marked 12 on the Southern side, B on the Eastern side, and Z on the Western side, for the 12th, mile.

Thence North through thicket, at 1355 varas a fence runs Northeasterly; at 1900.8 varas set a cedar post, 8" in diameter, marked 13 on the Southern side, B on the Eastern side, and Z on the Western side for the 13th, mile.

Thence North through thicket, at 1492 varas a gulch runs Southwesterly; at 1900.8 varas set a cedar post, 8" in diameter, marked 14 on the Southern side, B on the Eastern side, and Z on the Western side, for the 14th, mile.

Thence North through thicket, at 427 varas cross a gulch running Southwesterly; at 1900.8 varas set a concrete pillar, 6" square at the top, marked 15 on the Southern side, B on the Eastern side, and Z on the Western side for the 15th, mile.

Thence North through thicket, at 1900.8 varas set a cedar post, 8" in diameter, marked 16 on the Southern side, B on the Eastern side, and Z on the Western side, for the 16th, mile.

Thence North at 1900.8 varas set a cedar post, 8" in diameter, marked 17 on the Southern side, B on the Eastern side, and Z on the Western side, for the 17th, mile.

Thence North at 1900.8 varas set a cedar post, 10" in diameter, marked 18 on the Southern side, B on the Eastern side, and Z on the Western side, for the 18th, mile, in thick low brush.

Now Zapata & Jim 1489

S.W. Cor. Jim Hogg  
County

-ner of said Brooks County, whence the old stump marked XX, and the old post marked XXI, mentioned in the fieldnotes of the boundary line between said Starr and Zapata Counties, as Surveyed by J. C. Eivet in 1882, bear N.24° 43'42"E. 333.2 varas, and 2234 varas respectively.

Thence North through dense thicket, 1765.4 varas a road runs S.54°W; at 1900.8 varas set a mezquite post, 10" in diameter, marked 1 on the Southern side, B on the Eastern side, and Z on the Western side, for the 1st, mile.

Thence North through dense thicket, at 1900.8 varas set a mezquite post, 12" in diameter, marked 2 on the Southern side, B on the Eastern side, and Z on the Western side, for the 2nd, mile.

Thence North through thicket, with much prickly pear, at 56.3 varas cross a fence running about N.54°20'E. said to be on the Southeastern boundary line of the "Charco Redondo" grant; at 1900.8 varas set a mezquite post, 12" in diameter, marked 3 on the Southern side, B on the Eastern side, and Z on the Western side, for the 3rd, mile.

Thence North at 667 varas cross a road running Northwest; at 827 varas cross a road running Northeasterly towards a windmill; at 1900.8 varas set a mezquite post, 12" in diameter, marked 4 on the Southern side, B on the Eastern side, and Z on the Western side, for the 4th mile.

Thence North at 1298.3 varas cross a fence running about S.54°W; at 1300.3 varas a stone marked F G G, bears N.54°03'E. 99.5 varas; at 1471.3 varas cross a fence running N.36°W; at 1900.8 varas set a mezquite post, 10" in diameter, marked 5 on the Southern side, B on the Eastern side, and Z on the Western side, for the 5th, mile.

Thence North through chaparral, at 1900.8 varas set a mezquite post, 8" in diameter, marked 6 on the Southern side, B on the Eastern side, and Z on the Western side, in thicket, for the 6th, mile.

Thence North through dense thicket, at 1900.8 varas set a mezquite post, 8" in diameter, marked 7 on the Southern side, B on the Eastern side, and Z on the Western side, for the 7th, mile, in thicket.

Thence North through thicket, at 1000 varas on a prominent hill with low chaparral; at 1900.8 varas set a mezquite post, 8" in diameter, marked 8 on the Southern side, B on the Eastern side, and Z on the Western side, in earth mound, in dense thicket, for the 8th, mile.

Thence North through light chaparral, at 763 varas road

New Zapata & Jim Hogg

of limestone and earth, 3' high, and 5' diameter at base, around said post, for the 52nd, mile.

Thence N.89°44'10"W. at 1900.8 varas set a cedar post, 10" in diameter, marked 53 on the Eastern side, B on the Northern side, and S on the Southern side, for the 53rd, mile.

Thence N.89°44'10"W. through dense thicket, at 1900.8 varas set a concrete pillar, 6" square at the top, marked 54 on the Eastern side, B on the Northern side, and S on the Southern side, for the 54th, mile.

Thence N.89°44'10"W. at 690.6 varas a fence runs about North and South; at 788.4 varas a post marking the Eastern corner of the "Javali" and the Northern corner of the "Zacatosa" grants, bears S.12°37'43"W. 1474.2 varas, and the Northeastern corner of Zarragosa Guerra's stone house bears S.29°41'23"W. 583.4 varas; at 1431 varas cross Javali Creek running Southwesterly; at 1900.8 varas set a cedar post 10" in diameter, marked 55 on the Eastern side, B on the Northern side, and S on the Southern side, for the 55th, mile.

Thence N.89°44'10"W. at 1900.8 varas set a cedar post 12" in diameter, marked 56 on the Eastern side, B on the Northern side, and S on the Southern side, in light chaparral and prickly pear, for the 56th, mile.

Thence N.89°44'10"W. at 1900.8 varas set a concrete pillar, 6" square at the top, marked 57 on the Eastern side, B on the Northern side, and S on the Southern side, for the 57th, mile, in low brush.

Thence N.89°44'10"W. through low chaparral, at 563 varas an open hilltop; at 600 varas enter chaparral with much prickly pear; at 1900.8 varas set a cedar post, 8" in diameter, marked 58 on the Eastern side, B on the Northern side, and S on the Southern side, for the 58th, mile, in chaparral and prickly pear.

Thence N.89°44'10"W. at 597 varas the Western side of the public road from Roma to Hebronville, running about N19°E; at 1900.8 varas set a mezquite post, 8" in diameter, marked 59 on the Eastern side, B on the Northern side, and S on the Southern side, for the 59th, mile.

Thence N.89°44'10"W. at 1622.6 varas intersect the line dividing the Counties of Starr and Zapata, as they were before the creation of said County of Brooks, set a concrete pillar, 6" square at the top, marked B on the Northeastern side, Z on the Northwestern and Southwestern sides, and S on the Southeastern side, in dense thicket, for the Southwestern cor-

cross a fence running North and South; at 357.3 varas leave an old stake about 2" in diameter, 8" high, marked =, 1.2 varas to the Southward; at 936 varas enter large mezquite timber, a great many trees of which are dead; 1724 varas enter dense thicket with much prickly pear; at 1900.8 varas set a cedar post, 8" in diameter, marked 47 on the Eastern side, B on the Northern side, and S on the Southern side, for the 47th, mile.

Thence N.89°44'10"W. through dense thicket, at 566 varas in bottom of a large basin, or small valley, extending Southward; at 900 varas on rocky hillside; at 1015 varas on the Southern slope of said hill; at 1900.8 varas set a concrete pillar, 6" square at the top, marked 48 on the Eastern side, B on the Northern side, and S on the Southern side, in thicket, for the 48th, mile.

Thence N.89°44'10"W. through mezquite and dense thicket, at 1900.8 varas set a cedar post 10" in diameter, marked 49 on the Eastern side, B on the Northern side, and S on the Southern side, in solid limestone, with stone mound 3' high, and 4' in diameter at the base, on the Northern slope of a high hill or ridge, with low brush and prickly pear, for the 49th, mile, whence E. R. Jenson's residence at his "Casa Verde" ranch, bears N.22° 29'W.

Thence N.89°44'10"W. through hilly land, low brush on the hilltops, and dense thickets in the valleys, at 1900.8 varas set a cedar post, 8" in diameter, marked 50 on the Eastern side, B on the Northern side, and S on the Southern side, in the bottom of a drain running Southerly, for the 50th, mile.

Thence N.89°44'10"W. at 324.8 varas corner post at corner of fence, bears S.00°06'E. 191.6 varas, whence an old dead mezquite tree, 14" in diameter, marked "366 N E" on blaze, bears N.7°50'E. 17.5 varas; at 325.8 varas cross a fence running N.0°24'E; at 1900.8 varas set a concrete pillar, 6" square at the top, marked 51 on the Eastern side, B on the Northern side, and S on the Southern side, for the 51st, mile.

Thence N.89°44'10"W. through scattering chaparral, at 324 varas enter mezquite timber; at 560 varas center of the road to the San Roman ranch, running Southerly; at 851 varas the center of a creek running Southerly; at 1440 varas leave mezquite timber and enter chaparral; at 1900.8 varas set a cedar post, 10" in diameter, marked 52 on the Eastern side, B on the Northern side, and S on the Southern side, in solid limestone, with mound



the Southern side for the 38th, mile.

Thence N.89°44'10"W. through mezquite timber, at 389 varas as pass the corner of a pasture fence; at 1900.8 varas set a concrete pillar 6" square at the top, marked 39 on the Eastern side, B on the Northern side, and S on the Southern side, for the 39th, mile.

Thence N.89°44'10"W. through mezquite timber, rolling land, at 1105 varas enter thicket with prickly pear; at 1900.8 varas set a cedar post, 8" in diameter, marked 40 on the Eastern side, B on the Northern side, and S on the Southern side, for the 40th, mile.

Thence N.89°44'10"W. through thicket, at 1694.3 varas leave the Northwestern corner of Jesus Garcia Ramirez' pasture about 14 varas to the South; at 1900.8 varas set a cedar post 8" in diameter, marked 41 on the Eastern side, B on the Northern side, and S on the Southern side, for the 41st, mile.

Thence N.89°44'10"W. through thicket, at 1644.5 varas the Lobitos well bears South 43 varas; at 1900.8 varas set a concrete pillar, 6" square at the top, marked 42 on the Eastern side, B on the Northern side, and S on the Southern side, for the 42nd, mile.

Thence N.89°44'10"W. through thicket, at 1900.8 varas set a cedar post 8" in diameter, marked 43 on the Eastern side, B on the Northern side, and S on the Southern side, for the 43rd, mile.

Thence N.89°44'10"W. through thicket, at 1900.8 varas set a cedar post 8" in diameter, marked 44 on the Eastern side, B on the northern side, and S on the Southern side, for the 44th, mile.

Thence N.89°44'10"W. through thicket, at 226.07 varas a post in stone mound, at corner of pasture fences, the Southwestern corner of the said "Agua Nueva de Abajo" grant; at 600 varas on crest of a rocky hill; at 1900.8 varas set a concrete pillar, 6" square at the top, marked 45 on the Eastern side, B on the Northern side, and S on the Southern side, for the 45th, mile.

Thence N.89°44'10"W. through scattering mezquite, at 331.2 varas San Juanito well bears S.2°24'E. 32.76 varas; at 1783 varas a small drain runs Southeasterly; at 1900.8 varas set a cedar post, 8" in diameter, marked 46 on the Eastern side, B on the Northern side, and S on the Southern side, for the 46th, mile.

Thence N.89°44'10"W. through chaparral, at 291 varas

Jim Hogg & Stark

S on the Southern side, for the 31st., mile, in scattering mezquite.

Thence N.89°54'43"W. at 1900.8 varas set a cedar post, 8" in diameter, marked 32 on the Eastern side, B on the Northern side, and S on the Southern side, for the 32nd., mile.

Thence N.89°54'43"W. at 1900.8 varas set a concrete pillar, 6" square at the top marked 33 on the Eastern side, B on the Northern side, and S on the Southern side, for the 33rd., mile.

Thence N.89°54'43"W. at 1900.8 varas set a cedar post, 8" in diameter, marked 34 on the Eastern side, B on the Northern side, and S on the Southern side, for the 34th., mile.

Thence N.89°54'43"W. at 500 varas the Jesus Maria ranch bears North about 700 varas; at 1900.8 varas set a cedar post, 8" in diameter, marked 35 on the Eastern side, B on the Northern side, and S on the Southern side, for the 35th., mile.

Thence N.89°54'43"W. at 318.46 varas a pile of stones the Southeastern corner of the " Agua Nueva de Abajo" grant, to Juan Manuel Ramirez, whence a stone pillar at the Northwestern corner of the "Sal Colorada" grant bears N.2°25'46"E. 1692.73 varas.

Thence deflect to left, or Southward, 00°08'25", compass bearing being S.89°56'52"W. along a very crooked fence, same count, through scattering chaparral, at 1900.8 varas set a concrete pillar, 6" square at the top, marked 36 on the Eastern side, B on the Northern side, and S on the Southern side, for the 36th., mile.

Thence S.89°56'52"W. at 704 varas enter thicket; at 992 varas leave same and enter mezquite brush; at 1512 varas leave said mezquite brush; at 1900.8 varas set a cedar post, 8" in diameter, marked 37 on the Eastern side, B on the Northern side, and S on the Southern side, for the 37th., mile.

Thence S.89°56'52"W. at 1077.3 varas the windmill at Jesus Garcia Ramirez' San Pedro ranch bears N.11°56'W; at 1599.8 varas a large stone at corner of fences, marking the Southern boundary line of the said "Agua Nueva de Abajo" grant, being also one of the corners of the old partition of the said " Agua Nueva de Abajo" grant.

Thence deflect to right, or Northward, 00°18'58", compass bearing being N.89°44'10"W, same count, at 1900.8 varas set a cedar post, 8" in diameter, marked 38 on the Eastern side, B on the Northern side, and S on

Jim Hogg's Star

and H on the Southern side, for the 21st., mile.

Thence N.89°54'43"W. at 1900.8 varas set a cedar post, 8" in diameter, marked 22 on the Eastern side, B on the Northern side, and H on the Southern side, for the 22nd., mile.

Thence N.89°54'43"W. at 1900.8 varas set a cedar post, 8" in diameter, marked 23 on the Eastern side, B on the Northern side, and S on the Southern side, for the 23rd., mile.

Thence N.89°54'43"W. at 1900.8 varas set a concrete pillar, 6" square at the top, marked 24 on the Eastern side, B on the Northern side, and S on the Southern side, for the 24th., mile.

Thence N.89°54'43"W. at 827.9 varas cross a fence running about North and South; at 1900.8 varas set a cedar post 8" in diameter, marked 25 on the Eastern side, B on the Northern side, and S on the Southern side, in scattering mezquite, for the 25th., mile.

Thence N.89°54'43"W. at 1900.8 varas set a cedar post, 8" in diameter, marked 26 on the Eastern side, B on the Northern side, and S on the Southern side, in scattering mezquite, for the 26th., mile.

Thence N.89°54'43"W. at 1900.8 varas set a concrete pillar, 6" square at the top, marked 27 on the Eastern side, B on the Northern side, and S on the Southern side, for the 27th., mile, in scattering mezquite.

Thence N.89°54'43"W. at 900 varas enter thicket; at 1142.6 varas cross a fence supposed to be on the Eastern boundary line of the "Santa Teresa" grant, whence fence corner bears N.1°E. 1303.3 varas; at 1900.8 varas set a cedar post, 8" in diameter, marked 28 on the Eastern side, B on the Northern side, and S on the Southern side, for the 28th., mile.

Thence N.89°54'43"W. at 1900.8 varas set a cedar post 8" in diameter, marked 29 on the Eastern side, B on the Northern side, and S on the Southern side, for the 29th., mile.

Thence N.89°54'43"W. at 672.1 varas cross a fence on the boundary line dividing the said "Santa Teresa", and "Sal Colorado" grants, South of the Santa Teresa settlement, whence a stone monument the Northwestern corner of said "Santa Teresa" grant bears N.00°35'E. 1337.3 varas; at 1900.8 varas set a concrete pillar, 6" square at the top, marked 30 on the Eastern side, B on the Northern side, and S on the Southern side, in light brush, for the 30th., mile.

Thence N.89°54'43"W. at 1900.8 varas set a cedar post, 8" in diameter, marked 31 on the Eastern side, B on the Northern side, and

Thence N.89°54'43"W. through prairie, at 1900.8 varas set a cedar post, 8" in diameter, marked 13 on the Eastern side, B on the Northern side, and H on the Southern side, for the 13th., mile.

Thence N.89°54'43"W. through prairie, at 1900.8 varas set a cedar post, 8" in diameter, marked 14 on the Eastern side, B on the Northern side, and H on the Southern side, for the 14th., mile.

Thence N.89°54'43"W. through prairie, at 1900.8 varas set a concrete pillar, 6" square at the top, marked 15 on the Eastern side, B on the Northern side, and H on the Southern side, for the 15th., mile, about 400 varas South of the Vargas Creek;

Thence N.89°54'43"W. through scattering Mezquite, at 993.2 varas cross a fence running North and South, supposed to be the dividing line between the Vargas, and La Rucia grants; at 1900.8 varas set a cedar post, 8" in diameter, marked 16 on the Eastern side, B on the Northern side, and H on the Southern side, about 450 varas South of said Vargas Creek, for the 16th., mile.

Thence N.89°54'43"W. at 1900.8 varas set a cedar post, 8" in diameter, marked 17 on the Eastern side, B on the Northern side, and H on the Southern side, about 400 varas South of said Vargas Creek, for the 17th., mile.

Thence N.89°54'43"W. at 1900.8 varas set a concrete pillar, 6" square at the top, marked 18 on the Eastern side, B on the Northern side, and H on the Southern side, about 500 varas South of the said Vargas Creek, for the 18th., mile.

Thence N.89°54'43"W. at 1502 varas cross a fence running about North and South, supposed to be on the Western boundary line of the said La Rucia grant; at 1637.3 varas the Southern gable of Hate's house bears N.67°57'W; at 1900.8 varas set a cedar post, 8" in diameter, marked 19 on the Eastern side, B on the Northern side, and H on the Southern side, in prairie, for the 19th., mile.

Thence N.89°54'43"W. at 980.5 varas the Southern gable of said Hate's house bears N.32°01'W; at 1900.8 varas set a cedar post, 8" in diameter, marked 20 on the Eastern side, B on the Northern side, and H on the Southern side, for the 20th., mile, in prairie.

Thence N.89°54'43"W. at 316.5 varas the Southern gable of said Hate's house bears N.16°50'E; at 1900.8 varas set a concrete pillar, 6" square at the top, marked 21 on the Eastern side, B on the Northern side,

Thence N.89°54'43"W. through prairie, at 364 varas enter chaparral and mezquite; at 1900.8 varas set a cedar post, 8" in diameter, marked 4 on the Eastern side, B on the Northern side, and H on the Southern side, for the 4th., mile.

Thence N.89°54'43"W. at 1900.8 varas set a cedar post, 8" in diameter, marked 5 on the Eastern side, B on the Northern side, and H on the Southern side for the 5th., mile.

Thence N.89°54'43"W. at 450 varas leave mezquite and chaparral and enter sandy prairie; at 1069.1 varas an Artesian well bears N.18°57'W. 104.9 varas; at 1124 varas the left margin of a deep swale or drain running Southeast; at 1376 varas right margin of said swale; at 1718.5 varas Huisaches Altos windmill bears N.68°22'W; at 1900.8 varas set a concrete pillar, 6" square at the top, marked 6 on the Eastern side, B on the Northern side, and H on the Southern side, for the 6th., mile.

Thence N.89°54'43"W. at 1900.8 varas set a cedar post, 8" in diameter, marked 7 on the Eastern side, B on the Northern side, and H on the Southern side, for the 7th., mile.

Thence N.89°54'43"W. at 1827.1 varas the said Huisaches Altos windmill bears N.16°36'W; at 1900.8 varas set a cedar post, 8" in diameter, marked 8 on the Eastern side, B on the Northern side, and H on the Southern side, for the 8th., mile.

Thence N.89°54'43"W. at 118 varas cross a fence running about N.3°25'W; at 1409.6 varas cross a fence running about S.9°20'W; at 1900.8 varas set a concrete pillar, 6" square at the top, marked 9 on the Eastern side, B on the Northern side, and H on the Southern side, for the 9th., mile.

Thence N.89°54'43"W. at 1900.8 varas set a cedar post, 8" in diameter, marked 10 on the Eastern side, B on the Northern side, and H on the Southern side, for the 10th., mile.

Thence N.89°54'43"W. through scattering mezquite, at 0.36 vara cross a fence running in a Northerly direction; at 1900.8 varas set a cedar post, 8" in diameter, marked 11 on the Eastern side, B on the Northern side, and H on the Southern side, near the Eastern margin of Tasa-jal lake, for the 11th., mile.

Thence N.89°54'43"W. at 1900.8 varas set a concrete pillar, 6" square at the top, marked 12 on the Eastern side, B on the Northern side, and H on the Southern side, for the 12th., mile.

Mary McFarland survey No. 784, bears N.82°W. 1104.7 varas; at 1188 varas enter Zacahuistle flat; at 1900.8 varas set a cedar post, 8" in diameter, marked 31 on the Northern side, B on the Western side, and W on the Eastern side, for the 31st., mile.

Thence S.00°23'45"E. at 54 varas to 130 varas pass through the Western end of a long pond extending Northeasterly; at 216 varas leave said Zacahuistle flat; at 313.2 varas the Gigante well bears S. 31°22'W; at 864 varas enter scattering mezquite; at 974.7 varas the Southeastern edge of a pond bears N.45°W. 29 varas; said Gigante well bears S.40°36'W; at 1260 varas leave said scattering mezquite and reenter prairie; at 1900.8 varas set a cedar post, 8" in diameter, marked 32 on the Northern side, B on the Western side, and W on the Eastern side, for the 32nd., mile.

Thence S.00°23'45"E. at 189 varas said Gigante well bears S.69°45'W, the Southern end of the Coyote Mott bears N.66°E; at 1900.8 varas set a concrete pillar, 6" square at the top, marked 33<sup>B</sup> on the Northwestern side, H on the Southwestern side, W on the Northeastern and Southeastern sides, for the Southeastern corner of said Brooks County, whence said Gigante well bears N.48°43'W, Coyote well bears S.85°28'E, Crisostomo windmill bears S.75°11'W.- The foregoing line passes mostly through prairie, and was surveyed jointly by A. M. French, representing said Willacy County, and C. F. H. v. Blucher, representing said Brooks County. The cedar posts set for the mile posts are 8" and over in diameter, except at the top, where the same were hewed to about 6" square. The said concrete pillars are 6" square at the top, and 8" square at the bottom, and are 6' long, each being re-inforced by two twisted steel rods about 5/8" diameter,

Thence from said concrete pillar set for the Southeast corner of said Brooks County, N.89°54'43"W. making an angle, at this corner, of 89°30'58"; over prairie, through Mrs. H. M. King's Chaparrosa Pasture, at 1900.8 varas set a cedar post, 8" in diameter, marked 1 on the Eastern side, B on the Northern side, and H on the Southern side, for the 1st., mile.

Thence N.89°54'43"W. through prairie, at 1522 varas enter Frederick Sprague's Pasture; at 1900.8 varas set a cedar post, 8" in diameter, marked 2 on the Eastern side, B on the Northern side, and H on the Southern side, for the 2nd., mile.

Thence N.89°54'43"W. through prairie, at 1900.8 varas set a concrete pillar, 6" square at the top, marked 3 on the Eastern side, B on the Northern side, and H on the Southern side, for the 3rd., Mile.

Thence S.00°23'45"E. at 396 varas pass along the foot  
enter Pinole  
of the Western side of Pinole Hill; at 490 varas, lake extending Northwest  
and Southeast; at 647 varas leave same; at 738 varas enter an arm of said  
Pinole lake; at 803 varas leave said arm; at 1900.3 varas set a cedar post,  
8" in diameter marked 25 on the Northern side, B on the Western side, and  
W on the Eastern side, for the 25th., mile.

Thence S.00°23'45"E. at 1260 varas to 1800 varas pass  
through land with Zacahuistle flats and narrow sandy ridges; at 1900.8 var-  
as set a cedar post, 8" in diameter, marked 26 on the Northern side, B on  
the Western side, and W on the Eastern side, in Zacahuistle flat, for the  
26th., mile.

Thence S.00°23'45"E. at 1584 varas to 1836 varas pass  
through flats or dry shallow ponds; at 1900.8 varas set a concrete pillar,  
6" square at the top, marked 27 on the Northern side, B on the Western side,  
and W on the Eastern side, on the Northern slope of a brushy hill, for the  
27th., mile.

Thence S.00°23'45"E. at 100 varas on the crest of said  
sand  
hill; at 223 varas leave said brush; at 360 varas enter a small hill with  
a deep depression on the Eastern side; at 522 varas leave said sand hill;  
at 1900.8 varas set a cedar post, 8" in diameter, marked 28 on the North-  
ern side, B on the Western side, and W on the Eastern side, for the 28th.,  
mile.

Thence S.00°23'45"E. at 726 varas Byington's house bears  
S.30°18'W; Adkins' house bears S.67°12'20"W; at 1678.6 varas Byington's house  
bears S.53°33'W; Adkins' house bears S.77°34'W; at 1900.8 varas set a cedar  
post, 8" in diameter, marked 29 on the Northern side, B on the Western side,  
and W on the Eastern side, for the 29th., mile.

Thence S.00°23'45"E. at 882.1 varas Byington's house  
bears N.69°01'W; Adkins' house bears N.89°15'W; Alto Bonito Hill bears  
N.54°22'E; at 1900.8 varas set a concrete pillar, 6" square at the top,  
marked 30 on the Northern side, B on the Western side, and W on the East-  
ern side, in sandy prairie, for the 30th., mile.

Thence S.00°23'45"E. at 162.9 varas cross a fence sup-  
posed to be on the Northern boundary line of the "San Salvador del Tule"  
grant, crossing our line on a course of S.82°10'E, whence a stake set by  
the County Surveyor of Hidalgo County, for the Southeastern corner of the

marked 18 on the Northern side, B, on the Western side, and W on the Eastern side, for the 18th., mile.

Thence S.00°23'45"E. at 1573 varas cross a fence running Southerly; at 1900.8 varas set a cedar post, 8" in diameter, marked 19 on the Northern side, B on the Western side, and W on the Eastern side, for the 19th., mile.

Thence S.00°23'45"E. at 1175.6 varas cross a fence running Westerly, 19.4 varas West of the Southeastern corner of said small pasture; at 1621.1 varas the Northern gable of a small house bears S.48°W; at 1900.8 varas set a cedar post, 8" in diameter, marked 20 on the Northern side, B on the Western side, and W on the Eastern side, for the 20th., mile.

Thence S.00°23'45"E. at 504 varas center of a small creek running into a pond to the Eastward; at 779 varas center of another small creek running Northeasterly into said pond; at 1650 varas cross a road running Southeasterly; at 1865 varas enter Live Oak saplings; at 1900.8 varas set a cedar post 10" in diameter, marked 21 on the Northern side, B on the Western side, and W on the Eastern side, for the 21st., mile.

Thence S.00°23'45"E. at 450 varas leave said Live Oak saplings; at 890.3 varas the Well-tube of Lasater's Well No.3, bears S. 69°06'40"E. 172.3 varas; at 1305 varas the 12" cast-iron pipe, at the Northeastern corner of the "Santa Quiteria" grant, to Ramon C. Guerra, bears S.64°30'50"E. 3782.5 varas, and the Southwestern corner of Survey No. 75, and the Northeastern corner of survey No. 85, Texas-Mexican Railway Surveys, an iron pipe, bears N.84°15'07"E. 1004.84 varas; at 1900.8 varas set a cedar post, 8" in diameter, marked 22 on the Northern side, B on the Western side, and W on the Eastern side, for the 22nd., mile.

Thence S.00°23'45"E. at 831 varas to 907 varas cross the Eastern end of a pond; at 1267 varas to 1353 varas cross a pond; at 1566 varas pass 7 varas West of a small pond; at 1900.8 varas set a cedar post, 8" in diameter, marked 23 on the Northern side, B on the Western side, and W on the Eastern side, for the 23rd., mile.

Thence S.00°23'45"E. at 236.9 varas cross a fence running Westerly; at 450 varas to 603 varas cross a pond; at 1900.8 varas set a concrete pillar, 6" square at the top, marked 24 on the Northern side, B on the Western side, and W on the Eastern side, for the 24th., mile.



1900.8 varas set a cedar post, 8" in diameter, marked 11 on the Northern side, B on the Western side, and W on the Eastern side, for the 11th., mile.

Thence S.83°23'45"E. 1476 varas to 1800 varas in Zacahuistle flat; at 1900.8 varas set a cedar post, 8" in diameter, marked 12 on the Northern side, B on the Western side, and W on the Eastern side, for the 12th., mile, whence Sullivan's Windmill bears N.64°11'W, Palo Mocho Windmill bears N.15°16'E, and a distant Windmill bears N.52°07'W.

Thence S.00°23'45"E. at 1213 varas said Sullivan's Windmill bears N.35°07'W; at 1634.2 varas the Northwestern edge of sand dunes bears S.45°E. about 500 varas; at 1900.8 varas set a cedar post, 8" in diameter, marked 13 on the Northern side, B on the Western side, and W on the Eastern side, for the 13th., mile.

Thence S.00°23'45"E. at 515 varas to 680 varas in Zacahuistle flat; at 792 varas the Patricio Windmill bears S.34°44'E; at 1900.8 varas set a cedar post, 8" in diameter, marked 14 on the Northern side, B on the Western side, W on the Eastern side, about 54 varas Northeast of a brackish pond; for the 14th., mile.

Thence S.00°23'45"E. at 283.3 varas cross a fence running S.89°41'W; at 1113.7 varas the said Patricio Windmill bears S.76°24'E; at 1415 varas enter sand dunes; at 1900.8 varas set a cedar post, 8" in diameter, marked 15 on the Northern side, B on the Western side, and W on the Eastern side, for the 15th., mile.

Thence S.00°23'45"E. at 34 varas leave said sand dunes; at 1321.4 varas the said Patricio Windmill bears N.48°01'E; at 1900.8 varas set a cedar post, 8" in diameter, marked 16 on the Northern side, B on the Western side, and W on the Eastern side, for the 16th., mile.

Thence S.00°23'45"E. at 1900.8 varas set a cedar post, 8" in diameter, marked 17 on the Northern side, B on the Western side, and W on the Eastern side, in the Southern edge of a zacahuistle flat, for the 17th., mile.

Thence S.00°23'45"E. at 1137.6 varas the Northeastern corner of a small pasture bears N.89°58'W. 4.5 varas; at 1137.8 varas cross a fence running S.83°18'E, 1.7 varas N.83.18'W. from the Western gate-post on a road running South; at 1900.8 varas set a cedar post, 8" in diameter,

diameter, marked 5 on the Northern side, B on the Western side, and W on the Eastern side, for the 5th., mile.

Thence S.00°23'45"E. at 524 varas pass the Eastern edge of a long pond; at 792 varas enter Zacahuistle flat; at 1152 varas leave the same; at 1779 varas enter pond; at 1886 varas leave the same; at 1900.8 varas set a cedar post, 8" in diameter, marked 6 on the Northern side, B on the Western side, and W on the Eastern side, for the 6th., mile.

Thence S.00°23'45"E. at 119 varas enter a pond; at 298 varas leave the same; at 1106.2 varas cross dismantled telephone line from the Santa Rosa ranch to Falfurrias, running N.61°45'W; at 1343 varas cross the road from said Santa Rosa ranch to Falfurrias, running Westerly; at 1556.8 varas leave the corner of a pasture fence about 5.3 varas to the East; at 1900.8 varas set a cedar post, 8" in diameter, marked 7 on the Northern side, B on the Western side, and W on the Eastern side, for the 7th., mile.

Thence S.00°23'45"E. at 1310 varas enter Live Oak timber; at 1900.8 varas set a cedar post 8" in diameter, marked 8 on the Northern side, B on the Western side, and W on the Eastern side, for the 8th., mile.

Thence S.00°23'45"E. at 549.5 varas corner of a fence running S.88°10'W; at 720 varas leave said Live Oak timber; at 1067.6 varas a corner of a fence running Westerly; at 1900.8 varas set a cedar post, 8" in diameter, marked 9 on the Northern side, B on the Western side, and W on the Eastern side, for the 9th., mile.

Thence S.00°23'45"E. at 864 varas to 1136 varas leave a large pond to the West of the line; at 1900.8 varas set a cedar post, 8" in diameter, marked 10 on the Northern side, B on the Western side and W, on the Eastern side, for the 10th., mile.

Thence S.00°23'45"E. at 767 varas enter sand dunes; at 1474 varas leave same; at 1681.8 varas a post marked F, the Southwestern corner of the said "Santa Rosa de Arriba" grant, as established by the said decree of the District Court of Travis County, in said cause No. 18,889, styled the State of Texas versus D. R. Fant and D. Sullivan, whence a Live Oak tree 32" in diameter, marked T, in the Southern edge of Palo Mocho Mott, bears N.48°E. 6.7 varas, and a branch of a reclining Live Oak tree, 13.3" in diameter, marked V, bears S.9°E. 6.8 varas; at

①

BROOKS  
Co

Field Notes

Bdry. lines