



1 County Court Minutes. In Vacation Monday
2 the 28th day of February 1898 —
3 Whereas it appears to the Court that
4 the legal boundaries of Callahan County
5 have never been established — It is
6 therefore ordered adjudged and decreed by
7 the Court that a survey of said bound-
8 ary lines be had, and the same estab-
9 lished and that Murray Harris and M. R.
10 Nailly be appointed Special Surveyors of
11 Callahan County, to make such survey
12 and to establish the N. E. N. W. S. W. & E
13 Corners of said County and the intermediate
14 boundary lines between said Corners and
15 that a stone slab or durable posts be pla-
16 ced at every mile along each of said
17 lines, and that the same be plainly
18 blazed, marked and hacked where there
19 are objects upon which the same can
20 be placed, so that the exact acreage of
21 each survey lying partly in this and
22 adjoining Counties may be easily ascer-
23 tained — and that each corner be marked
24 so as to identify it as a corner —
25 and all mile posts be numbered and
26 marked C. C. L. on Callahan County side —
27 Said Surveyors to qualify and give bond
28 and in all things make such surveys in
29 ^{conformity} ~~accordance~~ with law, and that such
30 survey commence at the SW Corner of
31 Stephens County on the 18th day of April
32 A. D. 1898 and that the County Court of



See Page 16

1 Stephens, Eastland, Shackelford, Taylor
2 and Coleman Counties be notified by the
3 Clerk of this Court by a certified copy
4 hereof being forwarded to each of said
5 Courts - Ordered by the Court that the
6 Clerk notify Messrs Harris & Staley of
7 their appointment as Surveyors to
8 establish County boundaries upon
9 their taking oath and giving bond as
10 required by law, and the date upon
11 which said survey will be made.

12 Ordered by the Court that the Commis-
13 sioners Court of Callahan County be re-
14 quested to act with the County Court
15 in the establishment of the boundary
16 lines of said County
17

18 In Vacation April 5th AD 1898

20 Ordered by the Court that the Clerk of
21 this Court notify the County Courts
22 of the Counties of, Stephens, Brown,
23 Eastland, Coleman, Taylor & Shackel-
24 ford that Callahan County will on
25 the 23rd day of May AD 1898 proceed to
26 establish the boundary lines of Callahan
27 County - Said survey to begin at the S.W.
28 Corner of Stephens County.
29

30 May 16th 1898 In Vacation
31 Ordered by the Court that D.S. Woods be
32



1 substituted in lieu of Murray Harris in
2 Connection with M R Nailly to survey
3 the boundary lines of Callahan County,
4 in accordance with the foregoing orders.
5 It appearing from the returns of the
6 Sheriffs of aforesaid Counties that notice
7 has been legally served upon the County
8 Courts of same, said survey will proceed
9 on May 23rd AD 1898 to establish said
10 boundaries upon the terms and con-
11 ditions of this Court with order of
12 Commissioners Court this day entered
13 in Record Book "C" Page # 781 records
14 of said Commissioners Court.

15
16 Ordered by the Court that the bonds of
17 D S Woods and M R Nailly as special
18 Surveyors to establish boundary
19 lines of Callahan County be and
20 the same are this day approved —

21 Monday August 9th AD 1898 In Vacation —

22
23
24 Ordered by the Court that D S Woods ^{and} M R Nailly
25 heretofore appointed as special surveyors to survey
26 & establish the boundary lines of Callahan Co. by
27 both this the Co & Commissioners Courts, having given Bond
28 and taking the oath as required by law ^{and} having
29 in accordance with previous orders of this Court
30 made their survey and filed their report
31 in this Court, the same is ordered recorded



1 *< Surveyors Report on Boundary Surveys >*

2 Baird Texas, July 26th 1898-

3 *To The Honorable*
4 County Judge ^{and} Commissioners of Callahan
5 County Texas -

6 We herewith hand you
7 report of the boundary surveys of Calla-
8 han County as made by us on the ground
9 and the marks - bearings natural and
10 artificial objects and mounds, more fully
11 described in the accompanying field notes
12 The instructions received from the Hon
13 A. J. Baker Land Commissioner of the
14 State of Texas directed us to begin
15 the work at the South West Corner of
16 Stephens County, a copy of field notes
17 of the South West Corner of Stephens
18 and the South boundary of said County was
19 furnished us by said Land Commissioner
20 and will accompany this report for fu-
21 ture reference The acts passed by the 16
22 Legislature April 22/1879 has been
23 strictly complied with Each mile on
24 the four boundary lines - Road and Rail
25 Road Crossings are marked by a stone
26 averaging 3" x 14" x 20" set in the ground
27 one foot and well marked, as described
28 in field notes. The four corners of the
29 County are exceptionally well marked
30 with large stone well set in ground
31 and plainly marked - Bearing trees ^{and}
32 side line trees are also well marked throughout



1 observations was taken at the South west Cor
2 of Stephens County to determine the true
3 Variation, and the line located according
4 by - Mr J B Ammerman of Cises, Texas
5 represented Eastland County - Mr G S Hines
6 represented Coleman County and was with
7 us when the line was run from the
8 west corner of Comanche County to the
9 South East Corner of Callahan and on
10 west to the S. W. Cor of Callahan -
11 Brown County was not represented
12 in the Survey - Taylor County had no
13 one to take part in the survey, but
14 the West boundary of Callahan and the
15 East boundary of Taylor Counties, being
16 so near the same, there was no
17 cause for disagreement - Shackelford
18 was represented by Mr Aikens, but
19 would not participate in the Survey,
20 claiming the beginning corner, about
21 one mile and 100 Yds East and 600 Yds
22 South from the one we were instructed
23 to begin at -

Respectfully Submitted

J S Woods Surveyor in charge

MR Nally - Co Surveyor Callahan Co Tex

27 Filed for record August 9th 1898 and
28 recorded August 18th 1898 in Book
29 "B" 1 page No 404 was read of Civil
30 minutes of County Court of Calla-
31 han Co Tex - W W Danson Co Cl
32 Callahan County Texas



(Field Notes from Civil Land Office of S. Line & SE Cor Stephens County, Tex.)

Variation
9° 30'

The State of Texas }
County of Stephens } Field Notes of the south boundary
line of Stephens and the North boundary line of
Eastland Counties.

Beginning at a stone
set in the ground and marked SW
Cor Str 1 & NW Cor of E 6 from which
a mesquite MD SW Cor S. C. br N 46 E
120 ft. a mesq MD SW SE NW CE br
S 75 E 120 ft. This stone is 515 ft 380 ft S
of the NE Corner of 1/4 Section No 99 University
land. Thence East at 515 ft crossed the
East line of University 1/4 Section No 99
380 ft S of its NE Cor also crossed
the West line of Section No 465 SPRR
Survey 556 ft from its NW Cor. On east
at 1870 ft crossed a branch 1900 ft set
1st mile stone MD SEC I on N & E C I on
South from which a L. O MD CE
1 br S 73 W 60 ft & L. O. MD SEC I
br S 77 W 48 4/5 ft Thence East at 25
ft crossed the east line of SPRR
Section No 465, 740 ft from its NE
Corner also the West line of the 464
SPRR same distance from its NW Cor
on east at 793 ft crossed E line of
464 & W line of 463 at 1160 ft crossed
branch (at 1200 ft crossed board branch
Course N & South at 1400 ft top
of High Hill at 1900 ft set 2nd mile
stone MD SEC II on N & E C II on



1 the South side from which a S.O. M.D. S.C.S.
2 hrs N 55 1/2 E 45 1/2 a S.O. M.D. E.C.S. hrs S
3 7 1/2 E 79 1/2 hrs Thence on E at 800 1/2 hrs
4 crossed the E line of Sec 463 & W line
5 of Sec 462 S.P.R.R. Co 740 1/2 S of N.W. Cor
6 of 463 & 740 1/2 S of N.W. Cor of 462 on East
7 at 1900 hrs set 3rd mile stone M.D. S.C.S.
8 III on N 1/2 E.C.S. III on S said stone is
9 in S.P.R.R. Co 462- 740 1/2 S and 1100 1/2
10 E of the N.W. Cor of said section
11 from this stone a S.O. M.D. S.C.S. hrs N
12 1/2 E 1/4 West 21 4/5 1/2 a S.O. M.D. E.C.S.
13 hrs S 36 E 7 3/5 1/2 hrs Thence East at 100
14 hrs a branch at 540 hrs West Pecan
15 Creek on East at 1900 hrs set stone
16 M.D. S.C.S. IV on N 1/2 E.C.S. IV on S from
17 which a mesquite M.D. S.C.S. hrs N 6 1/2
18 E 18 1/2 a S.O. M.D. E.C.S. hrs S 33 1/2 E 12 1/5
19 hrs Thence East at 1400 hrs Valley of East
20 fork of Pecan Creek on East at 1900 hrs
21 set mile stone on top of high hill M.D.
22 S.C.S. V on N 1/2 E.C.S. V on S from which a
23 mesq M.D. E.C.S. hrs S 34 W 13 1/2 a S.O.
24 M.D. S.C.S. hrs S 68 W 76 1/2 hrs Thence E at
25 960 hrs crossed the West line of the R.A.
26 Pace Survey 580 hrs South from its N.W.
27 Corner on E at 1900 hrs set stone M.D.
28 S.C.S. VI on N 1/2 E.C.S. VI on S from which a
29 mesq M.D. S.C.S. hrs N 35 E 39 1/2 a Mesq
30 M.D. E.C.S. hrs S 34 E 63 1/2 hrs Thence E at
31 180 hrs cross main prong of Pecan
32 Creek at 440 hrs top of high hill on E



1 at 1900 hrs at foot of a hill set 7th mile
2 stone mnd SCS VII on N & E S VII on South
3 from which a double L.O mnd SCS on right
4 and SCS on left bars N 6 W N 5 W 80 ds
5 Thua E at 1540 hrs cross branch course
6 NE at 1900 hrs set 8th mile stone on the
7 W. bank of Cedar Mountain Creek said
8 stone is mnd SCS VIII & E S VIII
9 bearing S 80 mnd SCS N 31 E 75
10 a P.O mnd E S N 74 1/2 E 9 4/5 ds
11 Thua East at 9 hrs crossed Cedar Mou-
12 ntain on East at 550 ds cross the west
13 line of the ~~HW~~ ~~Merrell~~ HW Merrell survey
14 650 hrs S from its NW Cor on East at 760
15 hrs crossed Sandy (or 45 mile creek) at 1900
16 hrs set 9th mile stone mnd SCS IX on N
17 & E S IX on S from which a large
18 P.O mnd SCS brs S 65 1/2 E 8 1/3 ds a P.O.
19 mnd E S brs S 34 1/2 E 9 1/5 This stone is in
20 the HW Merrell survey 550 hrs from its E ^{line}
21 7650 hrs S from the A line variation 9 28
22 Thua East at 350 hrs crossed the E line
23 of the HW Merrell survey and the west
24 line of the G.W. Chick survey 650 hrs S
25 of its NW Cor. Thua E at 1900 hrs set
26 10th mile stone mnd SCS X on N & E S
27 X on S from which a L.O brs N 45 W 86
28 W mnd SCS & L.O mnd E S brs S 85 1/2 E
29 143 hrs This stone is in the G.W. Chick
30 survey Thua E at 680 at 900 at 1200
31 and at 1380 hrs crossed prongs of little
32 Sandy Creek on East at 1900 hrs set



11th mile stone MMD SCS XI on N E C S XI
on South No bearings convenient this
stone is also in the Gull Creek Survey
Thence East at 1900 Ws set the 12th mile
stone MMD SCS XII on N E C S XII on S
from which a P.O. MMD E C S brs S 51 E
71 Ws a P.O. MMD SCS brs S 64 1/2
is 30 Ws S of the N E Cor of the Gull Creek
Survey Thence East at 1400 Ws set 13th
mile stone MMD SCS XIII on N E C S XIII
on the S from which a large P.O. MMD
S C S brs S 87 1/2 W 48 Ws a P.O. MMD
E C S brs S 72 3/4 W 46 Ws This
stone is in Section No 456 S P R R Co
Survey 855 W 7103 Ws N of its S E Cor
Thence E at 855 Ws crossed E line of
Section No 456 and W line of Sect # 457
S P R R Co Survey 797 Ws S of N E Cor
of Sec 456 N W Cor of 457 on E at
16x0 Ws crossed W fork of Duck
Creek at 1900 Ws set the XIV stone
MMD SCS XIV on N E C S XIV on S
from which a P.O. MMD E C S brs S
68 E 1 1/5 Ws a P.O. MMD SCS brs N
70 1/2 W. 11 Ws This stone is in Sect 457
S P R R Co Survey 85 W 797 Ws S of its
N E Cor Thence East at 1900 Ws set 15th mile
stone on the West Bank of Middle Duck Creek
Stone MMD SCS XV on N E C S XV
on S from which a P.O. MMD SCS
brs N 84 1/2 W 7 Ws a P.O. MMD E C S brs
N 68 E 11 3/5 Ws - Thence E (Variation 9 26 E)



at 1800 $\frac{1}{2}$ East horn of mountain at 1900 $\frac{1}{2}$
1 set 16th mile stone mnd SCL XVI on N \vee
2 ECL XVI on S from which a P.O. brs
3 S 87 E 18 $\frac{1}{2}$ mnd ECL a P.O. mnd SCL
4 brs N 65 E 32 $\frac{1}{2}$ $\frac{1}{2}$ Thence E 1160 $\frac{1}{2}$ Crossed
5 prong of Duck Creek on E at 1300 $\frac{1}{2}$
6 Crossed Brecknridge and Eastland road at
7 1900 $\frac{1}{2}$ set 17th mile stone on top of hill
8 Stone mnd SCL XXII on N \vee ECL XVII on S
9 from which a P.O. mnd SCL brs N 56 W
10 15 $\frac{3}{5}$ $\frac{1}{2}$ a P.O. mnd ECL brs S 50 E 16 $\frac{1}{2}$
11 Thence East at 1900 $\frac{1}{2}$ set 18th mile
12 stone mnd SCL XXIII on N \vee ECL XVIII on the S
13 from which a P.O. mnd SCL brs N 87 E 16 $\frac{1}{5}$
14 $\frac{1}{2}$ a P.O. mnd ECL brs S 62 $\frac{1}{2}$ E 73 $\frac{1}{2}$ Thence
15 E at 1900 $\frac{1}{2}$ set 19th mile stone mnd SCL
16 XIX on N \vee ECL XIX on the South from
17 which a P.O. mnd ECL brs S 71 W 11 $\frac{1}{2}$
18 a P.O. mnd SCL brs N 52 E 17 $\frac{3}{5}$ $\frac{1}{2}$ Thence
19 East at 916 $\frac{1}{2}$ crossed the E line of Section
20 No 128 \vee West line of Sec No 127 N \vee $\frac{1}{2}$ $\frac{1}{3}$
21 RR Co Survey 715 $\frac{1}{2}$ N of the SE Cor of Section
22 No 128 \vee SW Cor of Section No 127 on East
23 1900 $\frac{1}{2}$ set 20th mile stone mnd SCL XX
24 on N \vee ECL XX on South, from which a
25 a P.O. mnd SCL brs N 4 E 5 $\frac{1}{2}$ $\frac{1}{2}$ a P.O.
26 mnd ECL brs S 3 W 16 $\frac{1}{2}$ $\frac{1}{2}$ this stone is
27 984 $\frac{1}{2}$ E \vee 715 $\frac{1}{2}$ N of the SW Cor of Sec 127
28 N \vee B RR Co Survey. Thence East at 1900 $\frac{1}{2}$
29 set 21st mile mnd SCL XXI on N \vee ECL
30 XXI on S from which a P.O. mnd SCL
31 brs N 13 $\frac{1}{2}$ W 3 $\frac{3}{5}$ $\frac{1}{2}$ a P.O. mnd ECL brs



1 S 44 1/2 W 6 3/5 Vs This stone is on the S E 1/4 of
2 Section No 26 N 9 1/2 B R R Co Survey 984 Vs East
3 & 7 1/5 Vs N from its SW Cor Thence on East
4 at 1900 Vs to 22nd mile stone mmd SCL XXII
5 on N & ECL XXII on S from which a PO
6 mmd SCL br N 4 1/4 W 1 7/5 Vs a PO mmd
7 ECL br S 76 1/2 W 15 3/5 Vs This stone is in
8 Section 123 N 9 1/2 B R R Co Survey 948 Vs E
9 & 7 1/5 N of its SW Cor. Thence on E at 916 Vs
10 crosses the E line of Section No 125 N 9
11 1/2 B R R Survey 715 Vs N of its S E Cor &
12 61 Vs N of the N W Cor of J E Barnes pre-
13 emption on East at 1900 Vs to 23rd mile
14 stone mmd SCL XXIII on N & ECL XXIII
15 on South this stone is in sand rough
16 34 Vs E 76 1/2 Vs N of the N E Cor of J E Barnes
17 Pre-emption & the N W Cor of A J Bricks
18 Pre-emption Thence on E at 1330 Vs crossed
19 the W line of the D M Harms Survey
20 990 Vs N of its SW Cor on E at 1900 Vs to
21 24th mile stone mmd SCL XXIV on N and
22 ECL XXIV on S from which a PO mmd
23 SCL br N 13 1/2 W 4 7/5 Vs a PO mmd ECL
24 br S 47 E 4 Vs Thence E at 1300 Vs crossed
25 the East line of the Harms Survey 40
26 Vs S of the SW Cor of W M Noland's pre-
27 emption on E at 1647 Vs crossed the
28 West line of D J Bullocks pre-emption
29 35 Vs S of his N W Cor on E at 1900 Vs
30 to XXI Mile Stone mmd SCL XXV on N
31 and ECL XXV on S from which a PO
32 mmd SCL br S 45 1/2 E 10 Vs a PO mmd



1 E & S hrs S $13\frac{3}{4}$ E $15\frac{3}{5}$ vs. This stone is
2 S 33 vs & W 72 vs from the SE Cor of Wm
3 Nolands pre-emption Thence E at 372 vs
4 crossed the E line of S J Bullocks pre
5 emption (variation 9 N E) his NE Cor
6 on E through heavy sand roughs at
7 1900 vs set 26th mile stone on East edge
8 of rough mtd SCS XXVI on N & ECS XXVI
9 on South a small Blue Jack mtd
10 SCS hrs N $7\frac{1}{2}$ W 10 $\frac{3}{5}$ vs Thence E
11 at 800 vs Eastern base of mountain at
12 1200 vs S P RR in S R Kitchelov Survey
13 on E at 1900 vs set the 27th mile stone
14 on a triangular point of rock where
15 North Palo Pinto Creek runs East & E
16 then suddenly turns North - this stone
17 is on a very high point and is mtd
18 SCS XXVII on N & ECS XXVII on South -
19 Thence E at 40 vs brink of Palo Pinto
20 Creek Bluffs at 548 vs cross Palo Pinto
21 Gorge at 1900 vs set 28th mile stone mtd
22 SCS XXVIII on N & ECS XXVIII on South
23 from which a large P O mtd SCS hrs
24 N $7\frac{1}{2}$ E 76 vs a P O mtd ECS hrs S
25 C. W 73 $\frac{3}{5}$ vs. Thence on E at 1900 vs
26 set 29th mile stone at foot of high
27 mountain (known as hungry hollow
28 mountain) No bearings convenient said
29 stone is mtd SCS XXIX on N & ECS
30 XXIX on S. Thence E at 460 vs crossed
31 the O Bailey mt line 300 vs N
32 of its SW Cor on E at 1137 vs a point



300 Ys N of JB Andersons NE Cor on E
at 1900 Ys set 30th mile stone mkd S&S
XXX on N & E&S XXX on S. from which
a P.O. mkd S&S brs N $\frac{1}{2}$ W 8 $\frac{1}{5}$ Ys a
P.O. mkd E&S brs S 47 E 3 $\frac{1}{5}$ Ys this
stone is in the O Bailey survey 765
W W 43 Ys S of the SE Cor of J H
Hartsfield pre-emption also 187 Ys W 4
43 Ys S of the NE Cor of W T Davis
Pre-emption. Thence on E at 800 Ys
Come to the old Palo Pinto County
line where set a stone mkd SE Cor & C
from which a P.O. mkd S.E.C. & C brs N
20 E 6 Ys — Finished June 22nd 1880

W B Sandlin } ch

J S Greenlee } ch

M K Huddleson } ch

Douglas Davis } ch

I, R A McNeilly surveyor of Stephens
County do hereby certify that the
above survey was made according
to law, that the limits boundaries,
and stones with the marks natural
and artificial are truly described in
the foregoing plat and field notes —
Witness my hand this June 29th 1880 —

R. A. McNeilly —
C. S. Stephens Co. Texas

The State of Texas }
County of Stephens } I, D W Hullum
County Clerk of Stephens County,
Texas, do hereby certify that the



1 within and foregoing is a true and correct
 2 copy of the original report of R A McNeilly
 3 County Surveyor of Stephens County of the
 4 South boundary line of Stephens County
 5 as established by him and was received
 6 and approved by the County Commissioners
 7 Court of said County of Stephens on the
 8 2nd day of July 1880 and was duly and
 9 correctly spread on the minutes of said
 10 Court- Given under my hand and the
 11 Seal of said Court at office in MacKenridge
 12 this 11th day of July 1881-

D W Nullum
 County Clerk Stephens Co Tex

Seal

15 General Land Office, Austin Tex Mch 12-1898
 16 I, Andrew J Baker, Commissioner of the
 17 General Land Office of the State of Texas,
 18 do hereby certify that the above and
 19 foregoing is a true and correct copy of the
 20 original, together with all the endorsements,
 21 erasures and interlineations thereon,
 22 now on file in this office-

23 In testimony whereof, I hereunto set
 24 my hand and affix the impress of the
 25 Seal of said Office, the date last above
 26 written

Andrew J Baker
 Comr. Genl. Land Office.

Seal

27
 28
 29
 30 The following notation appears on back of these filed
 31 notes, written in pencil, as follows, to-wit:
 32 "S.W. Co does not agree with the one established



1 in 1879 (see field notes of Shackelford Co) also
2 the surveyors of the adjoining Counties did
3 not participate in running the line
4 begins on 1/4 Sec 99 University Land "

5 Filed for record Aug 9th AD 1898 and
6 recorded August 19th 1898 in Book "B"
7 Pages No 405 to 411 Incl, record of
8 Minutes County Court Callahan
9 County Texas - W W Danson
10 County Clerk Callahan County, Texas.
11



x (*Field Notes of the Boundary Lines of Callahan Co, Tex, 1873*)

1 State of Texas
2 County of Callahan } Field notes of the Boundary
3 lines of Callahan County.
4

5
6 Beginning at a large sand stone six inches
7 thick, eighteen inches wide and five feet long set
8 in the ground three feet and marked S. W. Cor. S. Co.
9 S. E. Cor S. Co. on north side and N. W. Cor E Co and N. E. Cor
10 C Co on south side. The south west corner
11 of Stephens county, the south East corner
12 of Shackelford the north west corner of Eastland
13 county and the north East corner of Callahan
14 County. The original corner was in timbered
15 land but now a field, and the old mesquite
16 bearing trees have been cut down and the stone
17 broken into three pieces. The new stone was
18 set at the intersection of the south and west
19 lines. Said corner is situated in Mr. Allinder's
20 field on our Quarter $\frac{1}{4}$ section No. 99 State
21 University Land 515 vrs, west and 380 vrs south
22 of the north East corner. Take repeated obser-
23 vations and find variations to be $9^{\circ}26'$ East

24
25 Thence South variation $9^{\circ}26'$ at 570 vrs cross
26 south line of survey No. 99 State University
27 515 vrs, west of the south East corner 600 vrs top of
28 sand stone Ridge 897 cross a Road $915\frac{1}{3}$ cross a Road
29 75 vrs, East of a cross Road at 1060 cross south line
30 of survey No. 465 S. P. R. R. Co and north line of survey
31 No. 2055 Peter's Colony 632 vrs west from the
32 North East corner of No. 2055, 1350 vrs, Rocky line



1
2 Stone side Mill 1601 vrs, drain 1655 drain course south
3 west & west 1698 County road 1900 vrs, set a sand
4 stone in ground Mkd. C. C. L. I. M. S. on west & E. C. L. on East
5 side Callahan County Line, One mile south on west side
6 and Eastland County Line on East side Bearing
7 trees marked with two crosses with two stacks
8 between side line trees marked with Four stacks.

9
10 Thence South 290 Branch course north west
11 at 504 vrs, cross north line of survey No. 2055
12 Peter's Colony 615 vrs, west from north East cor
13 1110 Road 1285 same road 1388 cross road 1390
14 vrs, center of Battle Creek course north
15 west 1650 vrs road 1800 vrs, rocky line stone
16 side Mill 1830 Enter High Prairie 1900 vrs
17 2nd mile south set a sand stone in ground
18 Mkd. C. C. L. 2 Ms on west side & E. C. L. on
19 East side from which a Live oak 18' dia brs
20 N 75° W 2 2/3 vrs double {, O. one 12" dia the other 10"
21 brs. S 77° E 19 5/6

22 Thence South at 29 1/4 vrs cross north line
23 of survey No. 2988 Peter's Colony 598 vrs,
24 west from north East corner 480 vrs country
25 road at 1371 vrs, cross Texas Central Rail Road
26 Course N, 29° 20' W 1455 vrs, cross Moran & Crisco Road
27 in lane which is also the north line Survey
28 No. 3200 Peter's Colony 581 vrs west from the north
29 East corner 1840 old road 1900 vrs set a sand stone in
30 ground Mkd. C. C. L. 3 Ms on West & E. C. L. on East side
31 from which a P. O. 8" brs N. 20° 15' W 80 2/3 vrs Two Post oaks con-
32 nected at base 18" dia brs S 57° 15' E 33 vrs,



1
2 Thence South at 180 vrs. Head of drain 264 vrs
3 Head of drain 549 vrs Road 683 Road 735 Branch
4 general course East at 900 vrs cross north line
5 of survey No. 3188 Peter's colony 570 1/2 vrs west from
6 the N.E. cor, 1735 Branch 1900 vrs set a sand stone
7 in ground Mk'd. C. C. L 4 Ms on west side & F. C. L on East
8 side from which a S. Q. 15" dia brs N. 44° 10' E 100 vrs
9 a S. Q. 18" dia brs N 42° 30' E 95 vrs.
10 Thence South at 345 vrs cross north line of survey
11 No. 3191 Peter's colony 560 vrs west from the N.E. cor
12 985 cross country road 1020 drain course East
13 1170 vrs, cross Battle Creek course N.E. 1671 Road
14 course E & W 1674 vrs, cross north line of survey
15 No. 3163 560 vrs, west from the N.E. cor 1900 vrs,
16 set a sand stone in ground Mk'd. C. C. L 5 Ms on
17 west side & F. C. L on East side from which
18 a mesq 8" dia brs S 45° E 52 2/3 vrs mesq 10" dia brs
19 S 18° E 49 vrs.
20 Thence South at 890 drain "Tank to Right" 985 vrs.
21 Road 1020 Rocky Hill side at 1138 vrs cross
22 north line of survey No. 3164 Peter's Colony 560
23 vrs west from N.E. cor, 1140 vrs Baird and Becken-
24 ridge Road in lane course East & west 1230 Rocky
25 draw 1380 Rocky surface to Right 1400 Rocky
26 Ridge large flat Rock 1480 flat drain 1641 Road
27 1740 flat drain 1900 vrs, set a lime stone in
28 ground Mk'd C. C. L 6 Ms on west & F. C. L on East
29 side from which a mesq 8" dia brs S 30° E 65 2/3 vrs
30 Thence South at 591 1/2 vrs cross north line
31 of survey No. 3165, 550 vrs west from N.E. cor,
32 770 vrs, country Road 885 drain 1690 country Road



1 1740 vrs N.E. bank of Snake Branch course northwest
2 Large water hole 1832 S.W. Bank 1900 vrs set a
3 lime stone in ground Mk'd C.C. L 7 MS on west
4 & E.C. L on East side from which a mesq 8" dia brs
5 S 77° 45' W 4 3/10 vrs double mesq each 10" dia brs S 66° 45' E
6 50 vrs.

7 Thence south at 45 vrs cross north line
8 of survey No 3166 Peter's Colony 540 vrs west
9 from the N.E. Cor, 320 slough 407 Snake Branch
10 course East 630 & 690 cross same Road 770 Snake
11 Branch 1112 Road at 1439 vrs, cross north line
12 of survey No. 3167 Peter's Colony 540 vrs, west from
13 the N.E. Cor, 1660 top of Rocky Ridge 1900 vrs set
14 a lime stone in ground Mk'd, C.C. L 8 MS on west side
15 & E.C. L on East side from which a Post oak
16 24" dia brs N, 10° 30' W 78 1/6 vrs a Live oak 10" dia brs, S 25° 15' W
17 46 7/8 vrs S. C. 12" dia brs S 26 1/2 W 50 1/2 vrs

18 Thence south at 306 vrs drain 540 drain
19 720 drain at 814 vrs, cross north line of survey
20 No. 3168 Peter's Colony 530 vrs west from N.E. Cor
21 882 drain 909 drain 1020 drain 1380 Road on
22 top of Ridge course south East 1830 old Road
23 1870 head of drain 1900 vrs set a sand stone
24 in ground Mk'd, C.C. L 9 MS on west & E.C. L on East
25 side from which a mesq 14" dia brs N 71° 30' W
26 64 vrs, S. C. 14" dia brs S 72 1/2 W 144 vrs,

27 Thence south at 130 vrs drain 206 vrs set a
28 sand stone in ground on north line of the
29 Texas and Pacific R.R. right of way and on
30 south side of the Baird and Cisco wagon
31 Road Mk'd, C.C. L on west side 224 vrs center
32 of T. & P. R.R. Track course of T. & P. N, 85° 22' E 7 1/6 vrs.



1 East from 377 mile Post 262 vrs cross South
2 line of Survey No 3168 Peters Colony 520 vrs
3 W from the S.E. Cor 334 vrs Gross N line of
4 the E Platt Preemption 211 vrs West from the NE
5 Corner 365 vrs top of ridge 480 Rocky side
6 Hill facing South 643 Country road 750
7 head of brushy drain 905 brushy green briar
8 branch, course west, 1105 Crossdinner branch
9 Course North West at 1180 vrs Gross N line
10 of survey No. 4 B. B. B. and C. R. R. Co, 680 vrs East from the
11 N. W. Cor 1145 drain 1174 Old Road 1194 same drain 1205
12 cross bend of same drain 1300 same drain 1310 same
13 drain 1335 same 1425 same drain 1885 same drain
14 1900 vrs, stone set in ground in same drain Mkd,
15 C. C. L 10 MS on west & E. C. L on East side
16 from which a double S. O. one branch 10" dia
17 and the other 14" dia brs N. 69° W 61 1/2 vrs
18 Thence South 30 vrs drain 53 vrs, same drain
19 65 same drain 96 vrs, head of same drain 285 vrs
20 drain 345 drain 668 Country Road 716 drain 865 spill
21 side & Rocky Hill side at 999 vrs cross south line
22 of survey No. 4 B. B. B. & C. R. R. Co, 916 vrs, East from the south
23 west corner 1120 vrs, summit of High Ridge 1165 vrs,
24 south brow of steep Hill side 1420 Rocky sided Hill
25 1476 drain course East 1565 old road 1645 drain 175-7
26 Country Road 1815 North line of survey No. 1. B. B. B. & C.
27 919 vrs, East from N. W. Cor, 1790 top of East end of high
28 ridge 1900 vrs set a sand stone in ground Mkd,
29 C. C. L 11 MS on west & E. C. L on East side from which
30 a S. O. 8" dia brs. S 42° 25' E 73 2/3 vrs S. O. 14" dia brs. S 33° 10' E,
31 85 vrs.

32 Thence south at 108 vrs drain 360 to 390 vrs, several



1 Drain 480 vrb. Top of high ridge near East End
2 600 vrb. drain course west 660 drain 795 drain
3 course west 979 drain 1215 East End of high point
4 of ridge 1410 old road 1718 Branch course west 1806
5 vrb. cross south line of survey No. 1. B. B. B. & C. R. P. Co.
6 95 1/2 East of the S. W. Cor 1897 drain course west
7 1900 vrb. set a lime stone in ground Mkd. C. C. L -
8 12 Ms on west & E. C. L on East side from which a
9 Post oak 18" dia brs S 69° W 13 2/3 vrb Post oak 16" dia brs
10 S 13° 30' W 46 1/2 vrb.
11 Thence South 95 vrb road 505 drain 555 drain
12 800 and 810 drain 900 Rocky side Hill 960 top
13 of Ridge 1145 drain ~~course~~ west 1318 drain
14 1338 cross bend of same drain 1540 top of Gravelly
15 & Sandy Hill 1620 small drain 1806 vrb. cross north
16 line of survey No. 129 Texas Central R. R. Company
17 34 vrb. East of N. W. Cor. 1900 vrb. set a lime
18 stone in ground in Black Jack Thicket Mkd.
19 C. C. L 13 Ms on west & E. C. L on East side from
20 which a P. O. 10" brs. N. 14° 10' E. 24 2/3 vrb P. O. 16" brs. N. 16° 30' E 35 vrb
21 Thence South Through and over level
22 Post oak & Black Jack Table at 1065 vrb drain 1290
23 drain 1840 road course East & West 1810 drain
24 course East 1900 vrb set a lime stone in ground
25 Mkd C. C. L 14 Ms on W & E C. L on E side from which
26 P. O. 11" brs S 18° 15' E 4 1/6 W P. O. 13" brs N 80° W 19 5/8 vrb
27 Thence South at 20 Ms cross north line of survey
28 No 128 Texas Central Rail Road 56 W East
29 of N. W. Cor at 27 Ms old road 375 drain
30 at 1889 Ms set a sand stone in ground on N. side
31 of Cottonwood and Scranton Road, about 1/2 mile
32 west from the village of Scranton Mkd



1 CCS on W & ECL on E side, 1394 Center of road
2 1890 W Road in lane 1900 Ws set a sand
3 stone in ground MKS CCS 15 MS on West
4 and ECL on East side from which a PO
5 11" brs S 48° 50' W 11" Ws PO 10" brs S 58° 50' E 14" Ws
6 Thence South through Black Jack and
7 sand roughs at 20 Ws Cross North line of
8 Survey No 127 Texas Central RR 30 Ws E of the
9 North West Cor. 1900 Ws set a lime stone in
10 ground MKS CCS 16 MS on W & ECL on E side
11 from which a tripple black jack br N 78° 15' E
12 10 3/4 Ws - Thence S 65 Ws Cross N line of C & N
13 RR 31 Ws E of the most northerly NW Cor at 318
14 Ws Cross N. line of the Panhandle Survey 1331 Ws
15 New road on the N line of the Bumby League
16 Survey 1429 Ws E of the most northerly NW Cor
17 1440 road 1740 drain in field 1900 Ws set a
18 lime stone in ground in field, MKS CCS 17 MS
19 on W & ECL on East side from which a PO
20 24" brs N 85° 55' E 77 Ws PO 11" brs S 0° 30' E 195 Ws
21 Thence South at 225 Ws drain 338 road
22 1440 drain in field 1900 Ws set a lime
23 stone in ground in Vanderpool's field MKS
24 CCS 18 MS on W & ECL on East side from
25 which a PO 10" brs N 31° 5' E 46 2/3 Ws PO 11" brs S 20°
26 W 56 Ws - Thence S 45 Ws road 225 Ws creek a tributary
27 of the Leon, Course East, 344 old road 304 old road 349 Road
28 392 & 890 same road 938 road at Gate 1151 road 1505 drain
29 1900 Ws set a lime stone in ground in Bialo field
30 MKS CCS 19 MS on W & ECL on E side from
31 which a PO 10" brs N 86° 45' E 188 1/3 Ws PO 12" brs E 191 2/3
32 Ws - Thence S at 631 Ws Cross South line of the

22

1 Bumley League Survey 320 Ws East from the
 2 North West Corner of the Winfrey Survey or
 3 2720 Ws E from the SW Cor of the Bumley
 4 League Survey 950 Drain 970 Same Drain
 5 1007 Road 1111 Road 1128 Drain 1140 Road
 6 1160 Same Road 1273 Same 1831 Drain
 7 1900 Ws Set a line stone in ground M&D
 8 C&L 20 M.S. on W V E C&L on East side, from
 9 which a P.O. 12" brs S 78° 30' E 9 2/3 Ws P.O.
 10 10" brs S 76° 40' W 11 2/3 Ws -
 11 Thence S. at 45 Ws Drain 168 Drain 339
 12 road at 433 Ws pass 375 Ws E from the NE
 13 Cor of the Sayers Sur. 510 Drain 732 deep gulch
 14 965 Rocky Hill side 1100 Rocky point on North West
 15 point of high hills 1120 head of small Gulch
 16 crossing high ridge 1545 Ws to steep rocky side
 17 hill facing S 1799 1/2 Ws Set a stone on South
 18 side of the Cisco and Cross Plains Road M&D
 19 C&L on W V E C&L on E side - 1900 Ws Set a line
 20 stone in ground M&D C&L 21 M.S. on West and
 21 E C&L on East side from which a P.O. 14" brs S 19° 50'
 22 E 2 1/2 Ws P.O. 14" brs S 11° 25' W 2 2/3 Ws
 23 Thence S at 15 Ws old road 135 Drain 184
 24 Drain 620 Drain 1900 Ws Set a line stone
 25 in ground M&D C&L 22 M.S. on W V E C&L on E
 26 side from which a P.O. 7" brs S 49° 15' E 6 1/3 Ws
 27 P.O. 11" brs S 49° 30' E 6 1/2 Ws
 28 Thence S at 308 Ws Cross a road 653 Ws
 29 Cross North line of the L in the Sayers
 30 Sur. 337 Ws W from the NE Cor. 760 Ws Cross
 31 N. prong of Savannah Creek 869 South prong of
 32 same Creek Course East 1343 old Road



Beq

1 1621 W Cross North line of the Lake Survey
2 537 W W from the S E Cor of the Sayers Survey
3 1743 road 1900 W set a lime stone set in
4 ground MMD CCL 23 MS on W V ECL on East
5 side from which a P.O. 14" br N 18 30 W 19 20 P.O. 16"
6 br N 80 45 E 39 1/2 W
7 Thence South at 510 drain 1040 dup wash
8 in field 1412 road in law 1441 W Cross North
9 line of the Hyatt Hickman Survey 1168 W E
10 from the NW Cor 1766 drain 1900 W set a lime
11 stone in ground MMD CCL 24 MS on
12 West V ECL on E side from which a P.O.
13 17" br S 67 45 W 14 1/2 W P.O. 14" br N 62 E 26 1/2 W
14 Thence South at 364 1/2 W pass 12 1/2 W west
15 from front of F D Montgomery's house at 578
16 W Cross N line of the Guiser Survey
17 in law 1169 W E from the NW Cor 1095
18 drain in field 1900 W set a lime stone in ground
19 in B Vistal's field MMD CCL 25 MS on W V ECL on E
20 side from which a P.O. 8" br S 1 E 44 1/2 W
21 a Black Jack 6" br S 0 2 E 518 W
22 Thence South at 390 cross a road 582 road
23 in law also the S line of the Guiser Survey
24 1184 W E from the SW Cor 558 W set a lime
25 stone on S side of road MMD CCL on W V
26 ECL on E side 1113 W road 1668 law
27 1900 W set a lime stone in ground MMD CCL
28 26 MS on W V ECL on East side, from
29 which a Saw oak 6" br S 65 5 W 19 W
30 B J 6" br S 7 2 30 W 7 1/2 W
31 Thence South through Black Jack thickets
32 at 173 W road 708 road in back bottom

1 at 911 W Cross South line of the Click survey 1207
 2 W East from the SW Corner. Also Cross Country road
 3 at same point. 1900 W Set a lime stone in
 4 ground, in R B Atwoods field MMS CCS 27 MS
 5 on W & ECL on East side from which a PO
 6 in line 15' brs S 84° E 110 2/3 W a B of 10' brs
 7 N 49 10' E 141 2/3 W

8 Thence S at 367 W Cross S line of the Wren-
 9 lion survey 116 W West of the S E Cor
 10 250 road 308 old road 385 road 600 a small
 11 ditch through Black Jack thicket 1039 road

12 X 1680 W Cross N line of the ENT Brooks pre-emption
 13 97 W W from the NE Cor 1697 old roads 1900 W
 14 Set a lime stone in ground in ENT Brooks
 15 field MMS CCS 38 MS on W & ECL on East side
 16 from which a PO 18' brs S 63° 55' E 13 W PO 18' brs
 17 S 56° 30' E 122 1/3 W

18 Thence South at 402 W branch at 632 Varas
 19 Set a lime stone on North side of road
 20 MMS CCS on West & ECL on East side 694 W
 21 Cross South line of the Brooks Pre-emption
 22 116 W W from the South East Cor 1595 road
 23 Also Cross South line of the Bryson Pre-
 24 emption 178 W W from the S.E. Corner. 1900
 25 W Set a lime stone in ground in Rube
 26 Brooks field MMS CCS 29 MS on West
 27 and ECL on East side from which a
 28 double PO 10' 8 1/2" both MMS, the right hand
 29 one brs S 54 1/2° E 74 1/3 W PO 12" dia brs S
 30 46° 20' E 74 1/6 W

31 Thence South at 659 W road in line
 32 947 W Cross South line of the Atwood



1 Pre-emption 235 1/2 W from the S E Cor. 1373 Cross N. line of
2 the A J McGowan Survey 1165 1/2 E of N W Cor 1578 1/2 road. 1900 1/2
3 set a stone in ground MKS Co S E Cor 30 M S on W & E C
4 on East side from which a sand oak 10"
5 brs N 10° 15' W 4 2/3 Vs sand oak 10" brs S 5 1/4
6 30° E 8 5/6 Vs

7 Thence South at 529 2/3 Vs set a large
8 stone 5 1/2" x 16" x 5' long set in the ground
9 three feet, MKS S W C Co S E Cor Co Co on North
10 side & B C on South side from which a
11 P.O. 14" brs N 70° 30' E 21 1/2 Vs P.O. 15" brs S 78° 25' E
12 79 Vs the South West Corner of Eastland County
13 and the South East Corner of Callahan County
14 on the North line of Brown County -
15 This corner is in George Carri's field
16 1057 Vs S 7163 Vs East from the N W
17 corner of the A J McGowan Survey
18 Eleven miles and three hundred and
19 three Vares West from the West Corner of
20 Comanche County

21 Said West Cor of Comanche and North East
22 Corner of Brown Counties is situated
23 in Rankin's field on Survey No 11 B B B B
24 O R R Co Co Vs S 276 Vs S 60° W
25 from the N E Corner of said Section
26 No 11 a large stone set in ground MKS N E
27 Cor B C on Brown County side & N W Cor C C
28 on Comanche County side from which a
29 P.O. MKS N. W. C. C. brs N 67° 30' E 9 Vs. P.O.
30 MKS N E Cor B C. brs S 4° W 18 Vs

31 Take an observation and find variation to
32 be 9° 12' East. Thence due West, Variation



9⁰' Eleven miles and three hundred and three
Vrs to an intersection with a line run
due South from the South West Corner of
Stephens County thirty miles and 329 ²/₃ Vrs
to said intersection

Thence West on South line of Callahan
and North line of Brown Counties, at
494 Vrs old road 549 ¹/₂ road, through sand
roughs & Black Jack at 1165 Vrs Cross E line
of the Joseph Larins Survey 1273 Vrs North of
the S E Cor 1900 Vrs set a sand stone in ground
MKD CCLW 1 M on North side and
BCL on South side from which a P.O. 12"
brs N 61° E 3 Vrs P.O. 10" brs S 77° 45' W 1 ¹/₃ Vrs
Thence West at 1123 Vrs road 1270 road
1832 Cross E line of the D Thomas Survey
106 Vrs South from the N E Cor 1512 road 1653 road
1680 drain 1900 Vrs set a sand stone in ground
MKD CCLW 2 M on N side and BCL on South
side from which a P.O. 10" brs S 73° 30' E 12 ²/₃ Vrs
P.O. 20" brs N 16° 15' W 13 Vrs

Thence W at 678 Vrs Cross East line of
Survey in name of James Simmons
665 Vrs S from the N E Cor 665 old road 728
Cross Plains and Brown road road 1015 old
road 1331 Road 1335 drain 1593 small drain 1680 drain
1871 small drain 1880 drain in red clay wash
1900 Vrs set stone in ground in red clay wash
MKD CCLW 3 M on N BCL on South side
from which a P.O. 10" brs N 67° 45' E 85 ¹/₃ Vrs P.O. 9"
brs N 63° 45' E 86 Vrs

Thence West at 272 Vrs rocky drain



1 at 407 Ws rocky side Hill 480 bend in branch
2 486 center of same 678 Ws Green briar or Turkey Creek
3 698 Cross East line of Comal County School land
4 191 Ws N from the NE Cor of sub division No 36 stop
5 984 road 1337 road 1340 drain ^{+(18/937)} 1437 Old road 1618 road
6 1900 Ws set a lime stone in ground in M Elliotts
7 field MKS C&S W 4 M on N V B&S on S Side
8 from which a PO 17" brs S 89° 30' W 580 Ws
9 Thence W at 350 Ws large pile of rock in
10 drain 822 dinner branch 989 Ws Cross West
11 line of sub division No 33 Comal County
12 School Land 141 Ws North from the
13 SW Cor 1077 road 1167 road 1363 road 1597 Ws
14 pass the N. W. Cor of Brown and the
15 NE Corners of Coleman Counties
16 1765 drain 1900 Ws set a lime stone in ground
17 MKS C&S W 5 M on N side & C&S on S side
18 from which a forced PO 24" brs S 34° W 42 1/2
19 Ws L. O. 32" brs N 75° 30' W 3 1/2 Ws
20 Thence W at 885 Ws Road 987 head of drain
21 902 road 1020 high prairie hill 1057 road in
22 lane, which is also the N line of sub div
23 No 40 Comal County School Land 131 1/2 Ws North
24 from SW Cor 1597 Ws pass stone set
25 in ground MKS C&S W 1 M on S side & C&S
26 on N side. "one mile west on Coleman County's
27 North line" from which a S. O. 14" dia brs S
28 8° 15' W 115 1/3 Ws L. O. 18" brs N 88° W 163 9/10 Ws 1770
29 drain 1855 Creek 1900 Ws set a lime stone in ground
30 MKS C&S W 6 M on N side & C&S on South
31 Side from which a PO 20" brs S 63° 30' E 48 1/2 Ws
32 L. O. 20" dia brs S 67° 30' E 49 2/3 Ws

28



1 Thence W at 142 1/2 Cross W line of sub Div
2 No 1 Comal Co School Land 128 Varas North
3 from SW Cor NW drain 709 passed large forked Pine
4 Oak 1 1/2 hrs North of line on rocky point of hill 1215
5 Cross Coleman and Cises Road on W line of
6 Sub Div No 12 in law, 120 1/2 hrs North from the
7 South West Corner of said No 12-1227 1/2
8 sit a lime stone under fence on W side of
9 Coleman & Cises Road MKD C&S on N and C&S
10 on S side at 1597 1/2 hrs passed a lime stone sit
11 in ground MKD C&S W 7 M on S and C&S
12 on N. side from which a forked L.O. 60 S 72 30
13 W 67 1/2 hrs. at 1900 1/2 hrs sit lime stone in ground
14 MKD C&S W 7 M on N & C&S on South side
15 from which a forked L.O. 18" hrs S 60 W 396 1/2
16 Thence West at 207 1/2 hrs Cross west line of
17 Sub Div No 13 Comal County School Land 117 1/2
18 North from SW Cor at 128 1/2 hrs sit stone on West
19 side of Sub Div No 14 Comal County School
20 Land 112 1/2 hrs North from SW Cor on East side of
21 road MKD C&S on each side 1290 Center of road
22 at 1570 road 1597 1/2 hrs pass stone sit in ground
23 MKD C&S W 8 M on S & C&S on North side
24 from which a mesq 14 hrs S 47° E 15 1/2 hrs mesq
25 3" hrs S 18 30 W 5 1/2 hrs at 1900 1/2 hrs sit a lime stone
26 in ground MKD C&S W 8 M on N & C&S on South
27 side from which a L.O. 18" hrs N 32 30 E 170 1/2
28 Thence West at 293 1/2 hrs Cross Little Bean Creek
29 387 1/2 hrs same creek also the west line of the
30 Comal County School Land 130 Varas North
31 from SW Cor of Sub Div No 15 with E line of the
32 Anthony Bates Survey 435 1/2 hrs same creek

29



1 554 W Road 1597 W Pass lime stone set in ground
2 MKS CCSW 4 M on South side & CCS on N. side
3 from which a S.O. 9' brs N 16° W 31 W S.O. 18' brs N 2 1/2
4 30 W 36 2/3 W 1800 Ws set a lime stone in
5 ground MKS CCSW 7 M on N side and CCS on
6 S side from which a S.O. 36" brs N 33 1/2 W 85 1/2 W
7 S.O. 15" brs N 15 30 W 41 1/3 W
8 Thence West at 40 Ws top of high hill at 382 Ws
9 Cross W line of Anthony Bates Survey No 183
10 230 2/10 Ws S from N.W. Cor at 1597 Pass lime
11 stone set in ground MKS CCSW 5 M on S & CCS
12 on N side from which a S.O. 13" brs S 15 W 46 W
13 S.O. 11" brs N 5 45 E 111 Ws at 1900 Ws set lime stone
14 in ground at foot of rocky knoll MKS CCSW 10 M
15 on N & CCS on South side from which a
16 three pronged S.O. 40" dia brs S 84 50 W 136 2/3 Ws Group of
17 S.O's right hand one brs 18" dia brs N 24 10 E 175 Ws
18 left hand one 20" brs N 73 E 174 1/2 Ws
19 Thence W at 99 Ws drain at 1597 pass a lime
20 stone set in ground MKS CCSW 6 M on South
21 & CCS on N side, from which a mag 6" brs S 37 30
22 E 73 1/5 Ws Mag 9" brs N 15 1/2 W 96 2/3 Ws 1900 Ws set a
23 lime stone in ground MKS CCSW 11 M on North
24 & CCS on S side from which a group of 3 S.O's
25 the right hand one 10" brs S 54 W 207 Ws
26 the left hand one 15" brs S 53 1/2 W 209 2/3 Ws
27 Thence W at 653 Ws Cross West line of the
28 Orin P Hayes No 188. 90 1/2 Ws South from the
29 NW Cor and East line of the Wm Mason Survey
30 No 193. 503 1/2 Ws South from the NE Cor 9 Ws Creek
31 course South at 1597 pass lime stone set in
32 ground MKS CCSW 7 M on S. side and CCS on



1 North side from which a group of three mesq
2 right hand one 6" br N 9° 30' W 7 1/4' br left hand one
3 6" br N 10° W 7 1/4' br Mesq 6" br N 79° 30' W 6 1/2' br. 1750 top
4 of High ridge 1900' br set a lime stone in
5 ground MKS CCLW 12 M on N & CCL on S
6 side from which a 50° 30' br S 18° 30' E 7 1/2' br
7 "Mesq" br S 2° 15' W 19 1/4' br
8 Thence W. at 376' br Burnt Branch, course south
9 into Pecan Bayou 743' br cross East line
10 of the J. M. Call Survey 513 1/2' br South
11 from NE Cor at 1597' pass lime stone set in
12 ground MKS CCLW 8 M on South side and
13 CCL on North side from which a mesq 12"
14 br S 88° E 18 1/4' br S 01° 1/2' br S 3° 15' E 9 3/10' br at 1900
15' br set a lime stone in ground MKS CCLW
16 13 M on North side and CCL on South side
17 from which a S. O. 15' br S 39° 15' W 9 3/10' br - Six
18 Six oaks in group, west one marked br N 75° E 24 0/10'
19' br Thence W at 743' br cross West line of the
20 J. M. Call Survey No 196. 7633 1/5' br North of
21 the SW Cor and east line of the Stinson & Westall
22 No 199. 753 1/5' br N of the SE Cor at 1597' br pass
23 lime stone set in ground MKS CCLW 9 M on
24 South side and CCL on N. side from which a
25 Large rock in ledge on west slope of Hill MKS
26 X br N 75° E 40 3/10' br 1659 Road 1791 Road
27 1900' br set a lime stone in ground MKS CCL
28 W 14 M on N side and CCL on South side
29 from which a Pecan 20" br S 78° 45' W 16 7/8' br
30 Pecan 76" br S 10° 30' W 18 7/2' br
31 Thence West Crossing Pecan Bayou three
32 times at 890' br cross West line of the Stinson



1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32

Westall No 199,6908's N of the SW Cor & E line
of the A Cole Survey No 300-600 8's N from
the SE Cor at 1597 pass lime stone set in ground
mkd C&S W 10 M on South Side & C&S on North
side from which a mesq 30' brs S 38° 30' W 78 1/2 8's
a mesq 30' brs S 78° 30' W 31 1/2 8's 1800 8's Cross West
line of the A Cole Survey No 200-649 8's North
from SW Cor and the East line of the L McNeil
1900 8's at a lime stone in ground marked
C&S W 15 M on N and C&S on S. side from
which a forked Mesq 15' brs S 7° 25' E 26 5/3 8's
Mesq 20' brs S 4° 15' E 33 1/3 8's
Thence West at 898 8's Cross West line of the L
McNeil, 1300 8's South of the N.W Cor 1035 8's head
of drain 1597 pass a lime stone set in ground
mkd C&S W 11 M on South & C&S on N side from
which a wild China 10' brs S 61° 30' E 38 8's. Mesq 11'
brs N 50° W 78 1/2 8's 1697 rocky drain at 1578 Cross
the West line of Ann C Harrison Survey 300
8's South from the most westerly N.W Cor
Also the E line of No 117 G.H. & H.R.R. Co 300 8's South
of the NE Cor. 1900 8's at a lime stone in ground
mkd C&S W 16 M on North & C&S on South side
from which a mesq 9' brs N 89° W 156 1/2 8's Mesq
15' brs N 36° 45' W 173 7/3 8's
Thence W at 200 8's Cross North point of
High Ridge 372 rocky drain 750 drain 1578 8's
Cross West line of Survey No 117 G.H. & H.R.R. Co
333 8's South of N.W Cor - 1597 pass lime stone
set in ground mkd C&S W 12 M on South
and C&S on North side from which a mesq 12'
brs N 86° 45' W 74 3/5 8's a forked Mesq 12' brs N 73° 30' W

37



1 777³/₁₀ & 1683 drain 1900 & set a lime stone on
2 North end of ridge mtd c&sw 17 m on North and
3 c&sw on S. side, from which a mesq 14" brs
4 S 11° E 90¹/₂ & Mesq 12" brs N 55° E 27¹/₂ & brs
5 Thence W at 816 East prng of Crooked Creek at
6 1588 & cross W line of No 111 G H & H 334¹/₅ & South
7 of NW Cor 1597 & pass lime stone set in ground
8 mtd c&sw 13 m on S & c&sw on N side from
9 which a mesq 15" brs S 76° W 43¹/₁₀ & forced Mesq 12"
10 brs N 29° 30' E 108¹/₂ & 1503 & set lime stone under East
11 fence of lane on Baird and Calman road mtd
12 c&sw on each side 1900 & set a lime stone in ground
13 mtd c&sw 18 m on N and c&sw on South side
14 from which a mesq 5" brs N 5° W 43 & Mesq 7"
15 brs N 23° 40' E 38 & brs
16 Thence W at 600 & rocky prairie at 1598 cross
17 W line of Survey No 110 G H & H 337¹/₅ & S of the
18 NW Cor 1597 pass lime stone set in ground
19 mtd c&sw 14 m on S & c&sw on North side from
20 which a mesq 6" brs N 41¹/₂ E 33¹/₅ & Mesq 6" brs S 44¹/₂ E
21 27¹/₁₀ & 1776 drain 1900 & set a lime stone in
22 ground mtd c&sw 19 m on N. and c&sw on South
23 side from which a mesq 6" brs N 39° 15' E 62¹/₃ & Mesq 12"
24 brs N 41° 50' E 71 & brs
25 Thence W at 120 & top of high ridge 1180 drain
26 at 1598 & cross W line of No 109 G H & H 385 & S.
27 from NW Cor. 1597 pass lime stone set in ground
28 mtd c&sw 13 m on South and c&sw on N
29 side from which a mesq 12" brs N 66° E
30 158¹/₁₀ & Mesq 6" brs S 57° E 20¹/₂ & 1754 Road 1830
31 Road 1900 & set a lime stone in ground
32 mtd c&sw 20 m on North & c&sw on S. side

33



1 from which a mesq 4" dia br S 21° 45' W 32 5/16 8/10
2 Mesq 4" br S 17° 15' W 38 1/2 8/10
3 Thence W 600 8/10 old road 720 top of high
4 hill or point of hill 984 head of rocky drain
5 1042 rocky drain 1598 Cross West line of Survey No
6 108 GN 454 394 1/10 South of NW Cor 1597 pass lime
7 stone set in ground MKS C&S W 17 M on South
8 & C&S on N Side, from which a forked L.O. br
9 N 16° E 312 6/10 to West Caddo Peak br N 60° E 1900
10 No set lime stone in ground on high hill, the
11 east border of level prairie stone MKS C&S W
12 21 M on N & C&S on South side from which
13 a cluster of hack berries at Spring 12 in number
14 brs N 10° W 478 8/10 to center of group, 4 of same MKS
15 East Caddo Peak br N 69° 10' E West Caddo Peak
16 brs N 60° 30' E
17 Thence West at 1410 high prairie ridges 1598 8/10
18 Cross West line of Survey 107 GN 424
19 1/10 South of NW Cor 1597 pass lime stone
20 set in ground MKS C&S W 17 M on South
21 side and C&S on North side from which
22 a mesq 12" brs S 17° 30' W 127 7/10 8/10 was a mesq 12" brs
23 S 7° 30' W 315 1/2 8/10 West point of Roberson's Peak br
24 S 5° 15' W 1900 set a lime stone in ground MKS
25 C&S W 22 M on North & C&S on South side
26 from which a mesq 15" brs S 10° 30' W 216 8/10 Mesq
27 10" brs S 3° 30' E 222 2/3 8/10
28 Thence West 1069 Rocky Branch 1310 head of
29 rocky gulch 1598 8/10 Cross West line of
30 Survey No 106 GN 453 1/10 South of the NW Cor
31 1597 pass lime stone set in ground MKS
32 C&S W 18 M on South side and C&S on N. Side

34



1 From which a S. O. 15" brs S 84° 10' E 35 1/2 & S O 18" brs
2 S 86 1/2 E 34 1/2 & 1640 drain 1900 & set a lime stone
3 in ground MKD CCLW 23 M on North & CCL
4 on South side from which a S. O. 30" brs S 27° 20' E
5 162 & a S. O. 14" brs S 27° 30' E 162 2/3 &

6 Thence W 340 & rocky ridge 782 drain 1200
7 rocky spring branch 1598 Naras Cross West
8 line of No 105 G. H. N. 473 & S from NW Cor
9 1597 & pass lime stone set in ground MKD
10 CCLW 19 M on South & CCL on N. side from
11 which a mesq 9" brs N 7° 5' 30' E 35 & Mesq 14" brs N
12 17 20' E 36 1/3 & 1900 & set lime stone in ground
13 MKD CCLW 24 M on N & CCL on South side
14 from which a mesq 8" brs N 3° E 144 & Mesq 12"
15 brs N 41° W 110 &

16 Thence W at 541 drain 647 drain 900 high
17 hill 1092 road 1598 & Cross W line of No 104
18 G. H. N. 493 & S of NW Corner - 1597 pass lime
19 stone set in ground MKD CCLW 20 M on South
20 & CCL on North side from which a S. O. 13" brs
21 N 12° E 729 & Mesq 6" brs N 9° 30' E 781 & 1721 flat drain
22 1900 & set lime stone in ground MKD CCLW
23 23 M on North, & CCL on South side from which
24 a mesq 4" brs N 19° 10' E 171 & Mesq 6" N 32° E 243 1/3 &
25 Thence West at 135 & flat drain 377 old
26 road 780 rocky ridge 1595 Cross W line
27 of Sur No 103 G. H. N. 0513 & South from
28 NW Cor 1597 pass lime stone set in ground
29 MKD CCLW 21 M on S & CCL on North
30 side from which a mesq 6" brs S 67° E 67 1/10 &
31 Mesq 6" brs S 69° E 59 & 1900 & set a lime
32 stone in ground MKD CCLW 26 M on North

1 and 66 L on south side, from which a forced
 2 mesq 10" brs S 19° 15' E 13 1/2' brs L O 12" brs North
 3 9° 30' W 306 VMS

4 Thence West 605 brs top of rock on west hill side
 5 807 rocky branch 945 trout Creek course
 6 South to join Red Creek 1595 brs Cross W. line
 7 of No 102 GHVH 5 47 brs South from N.W. Corner
 8 1597 pass lime stone set in ground marked
 9 C.E.S.W 27 M on South & C.E.S. on North side
 10 from which a mesq 8" brs S 82° E 69 brs a
 11 mesq 10" brs N 39° 30' E 139 brs 1900 brs lime stone
 12 in ground mld C.E.S.W 27 M on North side
 13 and C.E.S. on South side from which a
 14 S O 24" brs S 42° 30' E 57 1/2' brs Double L.O. each 15"
 15 brs S 31° 35' E 391 brs

16 Thence West 120 brs rocky hill 485 drain 750
 17 top of hill 1596 brs Cross W line of No 101 GHVH
 18 373 brs S from NW Cor 1597 pass lime stone
 19 set in ground mld C.E.S.W 23 M on South
 20 & C.E.S. on North side from which a S O 36" brs
 21 N 40° 45' W 15 1/2' brs Group of L.O's seven in number
 22 center one mld brs S 33° 15' E 213 brs 1620 rocky
 23 drain 1890 drain 1900 brs set a lime stone in
 24 ground mld C.E.S.W 28 M on N & C.E.S. on S
 25 side, from which a L.O. 20" brs S 37° 6' E 90 brs L.O. 18"
 26 brs S 38° 45' E 86 1/2' brs

27 Thence West 300 brs rocky ledge on side hill
 28 390 top of high hill 1517 rocky point 1596 brs
 29 Cross West line of Survey No 100 GHVH 599 brs
 30 South of N.W. Cor at 1597 pass lime stone set
 31 in ground mld C.E.S.W 22 M on S. & C.E.S. on
 32 North side from which a large rock on

1 west slope of high hill br S. 77° E 17 1/2' W Mess
 2 8" br S 53° 15' W 27' W 1900 W set a lime stone in
 3 ground Mld CCLW 29 M on North & CCL on
 4 South side from which Elm 16" br S 12° W 37 1/2' W
 5 a Pecan 16" br S 13° E 97' W stone in Valley of
 6 Jim Ned Creek

7 Thence W crossing ~~top~~ Jim Ned Creek. In
 8 Course South East. 1140 Top of Hill 1596 W cross W.
 9 line of Survey No 99 GHT RR Co 6 W W S. from
 10 NW Cor 1597 W pass lime stone set in ground
 11 Mld CCLW 75 M on South & CCL on N. Side

12 From which a mesq 12" br S 73° 15' W 107 W is a
 13 L. O. 18" br N 18° 30' E 85 1/2' W L. O. 36" br N 19° E 87 1/3' W is
 14 1900 W set a ^{large} lime stone 5" x 24" x 4' long
 15 set in ground with stone mound at Base

16 Mld S W Cor C Co S E Cor T Co on North side & CCL
 17 on South side from which a L O 24" br N 0° 35' W
 18 73 1/3' W L. O. 14" br N 120° E 39' W a mesq 8" br S 79°

19 East 119 Ws - Said South West Corner of
 20 Callahan and South East Corner of Taylor
 21 on North line of Calaman County is
 22 situated on North Slope of high hills,
 23 South of Jim Ned Creek 304 W
 24 W. and 6 W W S South from the North
 25 East Corner of Survey No 98 GHT
 26 RR Co

27 Thence North at 301 Country road 600 top
 28 of first hill south of Jim Ned Creek 6 W W S
 29 cross North line of Survey No 98-304 W
 30 from NE Cor. 680 foot of hill 913 W Center
 31 of Jim Ned Creek, on N. over high rolling
 32 rocky hills W 29 1/3' W set a lime stone in

5 W. Cor.
Callahan 54'

SW Cor Callahan
County



1 Ground MKS CCL N1 M on E & FCS on W. side
2 from which a mesq 6" br S 15° 15' W 32 Vrs
3 Mesq 10" br S 49° 10' E 90 Vrs
4 Thence North at 94 Vrs Cross N line of Survey
5 No 177 G. W. Denton 380 Vrs West from N.E. Corner
6 on North over high rolling hills 1900 Vrs set a
7 lime stone in ground on East slope of rocky
8 hill, MKS CCL N2 M on E & FCS on West
9 side from which a L.O. 10" br S 66° 45' W 44 1/3 Vrs
10 L.O. 30" br S 68° 10' W 43 Vrs
11 Thence North at 94 Vrs Cross North line
12 of Survey No 178, 356 Vrs West from N.E. Cor
13 100 Vrs deep rocky drain at 344 Vrs Cross South
14 line of Survey No 390, G.W. Denton 772
15 Vrs W from N.E. Cor on North over rolling fire
16 Oak & Mesquite Prairie 1900 Vrs set lime stone in
17 ~~xxxx x xxxxxxxx xxxxxxxx~~ ground MKS CCL N3 M on E
18 side and FCS on W side from which a L.O. 20" br
19 S 89° 25' E 47 Vrs L.O. 30" br S 40° 5' E 70 2/3 Vrs
20 Thence N. at 344 Vrs Cross North line of Survey
21 No 390 G.W. Denton 798 Varas West of the
22 N.E. Cor. on North through gently rolling Post
23 Oak and sand soil crossing Camp branch & old
24 government Road 1900 Vrs set a lime stone
25 in ground MKS CCL N4 M on E side & FCS on
26 W. side from which a P.O. 8" br S 9° W 1/6 Vrs P.O. 10"
27 br N 70° 5' E 11 Vrs
28 Thence North at 354 Vrs Cross N line of No 339
29 Geny Hancock 873 Vrs W from N.E. Corner 1900 Vrs
30 set a lime stone in Steve Perry's field MKS CCL
31 N5 M on E side & FCS on W. side from which
32 a L.O. 10" br S 35° 10' E 84 1/3 Vrs L.O. 15" br S 27° 25' E 163 5/6 Vrs

38



1 Thence North at 165 Yds road in lane 306 Yds
2 road in field which is also the N line of the
3 Applewhite survey 834 Yds N of the NE Cor 1200
4 top of high ridge 1536 drain 1690 Yds set lime
5 stone in ground on S. side of Tecumseh and
6 Contents road M&D C&L on E & F C&L on West
7 side, at 1550 Yds cross N line of survey No. 14
8 SPRR Co 847 Yds West from NE Cor 1900 Yds set
9 a lime stone in ground in small prairie, M&D
10 C&L 76 M on E & F C&L on west side, from
11 which a spanish oak 17" br S 75° E 120 2/3 Yds spi. oak
12 17" br S 71° 45' E 132 2/3 Yds

13 Thence N at 90 Yds deep wash in old road
14 130 drain on N. over high hills & small drains
15 to Pean Bayou at 1350 Yds cross N line of
16 survey No 15 SPRR 830 Yds W from NE Cor
17 1696 Yds South prong of Pean Bayou 1900 Yards
18 set lime stone in ground and in front
19 about 375 Yds from D.D. & Windham Stone residence
20 Stone M&D C&L 77 M on E & F C&L on W side
21 from which a span oak 10" br N 57° W
22 112 2/3 Yds S. O. 15" br N 58° E 165 1/2 Yds

23 Thence North crossing two high ridges at
24 1635 drain 1550 Yds cross N line of No 16
25 SPRR 835 Yds W of NE Cor 1400 Yds set a lime
26 stone in ground M&D C&L 78 M on East
27 side and J. C. L on West side, from which
28 a P.O. 20" br N 46° W 16 2/3 Yds. P.O. 16 br S 33° 15' E 29 Yds

29 Thence North over rough rocky hills and
30 deep Arroyos at 1678 Yds cross North line of
31 No 19 SPRR 872 Yds West of the NE Cor. 1840 drain
32 1900 Yds set limestone in ground M&D C&L 79 M

39



1 on East side and SCL on West side, from which a
2 L.O. in group 8" br N 0° 2' W 237 2/3 vs L.O. in group 15"
3 br N 0° 5' E 241 vs
4 Thence North over high rough rocky hills
5 and arroyos at 1738 vs Cross N. line of No 20
6 SPRR Co 892 vs West of NE Cor. 1900 vs set a
7 lime stone in ground near top of high hill on
8 North base of hill MKD C&S N 10 M on E + 9 C&S on
9 West side from which a L.O. 14" br N 66° 40' E 148 vs
10 Span oak 8" S 61° 30' W 138 vs
11 Thence N. Crossing two drains to South -
12 Pecan Creek and through Creek Valley at 1754
13 Cross N line of Survey No 21 SPRR 887 vs W.
14 from NE Cor 1900 vs set lime stone in ground
15 MKD C&S N 11 M on E + 9 C&S on West side from
16 which a P.O. 11" br S 66° 50' W 17 2/3 vs P.O.
17 15" br N 85° 15' E 27 1/3 vs
18 Thence N. through Creek Valley 430 vs
19 North prong of South fork of Pecan Creek 1742
20 vs Cross North line of No 16 SPRR 882 vs
21 W of NE Cor - 1900 vs set a lime stone in
22 ground, in Newt Smith's field MKD C&S N 12 M
23 on E and 9 C&S on W, side, from which a P.O. 12"
24 br S 37° 30' W 151 vs P.O. 17" br S 31° 15' W 175 vs
25 Thence North at 170 drain course east on
26 North through field and Post oak timber at 1825
27 Cross North line of Survey No 8 SPRR 898 vs
28 West of NE Cor 1900 vs set a lime stone in
29 ground on South West slope of high ridge
30 MKD C&S N 13 M on East side + 9 C&S
31 on West side from which a L.O. 18" br
32 S 5° 15' W 309 vs L.O. 18" br S 4° 30' W 309 vs



1 Thence north over high rocky hills 1500 yds foot of
2 high hill 1518 yds cross north line of survey no 3
3 S. P. R. R. 768 yds west of N & Co. 1788 drain 1863 drain
4 1900 yds set a lime stone in ground. In small
5 mesq valley between high hills mtd CCL N 14 M.
6 on East side + TCL on west side. from which
7 a mesq 6 hrs S 63° 15' E 16 yds mesq 04" hrs N 88° 50'
8 E 4 6 yds. Thence North 330 yds top of N &
9 point of High Hill 1518 yds cross north line
10 of no 55 Lunatic Asylum 60 yds East from
11 N. W. Co. 1531 Road 1900 yds set a lime stone in
12 ground mtd CCL N 15 M. on East + TCL on
13 west side from which a mesq 6 hrs S 74° 10' W
14 64 1/3 yds mesq 5" hrs S 60° 50' W 79 1/2 yds. Thence
15 North crossing Lytle Creek 1513 yds Secumset and
16 Abilene Road which is also the North line of survey no
17 50 Lunatic Asylum 880 yds west of N & Co 1525 yds
18 set lime stone in ground under fence on north
19 side of road mtd CCL on East + TCL on west
20 side 1900 yds set a lime stone in ground mtd
21 CCL N 16 mi on East + TCL on west side
22 from which a mesq 4" hrs N 73° E 4 1/3 yds mesq
23 4" hrs N 87° 40' E 17 1/2 yds. Thence North at 1057
24 yds creek course south west by west 1514
25 yds road in lane which is also the
26 North line of survey no 34 Lunatic Asylum
27 867 yds west from N & Co 1900 yds set a lime stone
28 in ground mtd CCL N 17 M. on East + TCL on
29 west side from which a mesq 8" hrs S 88°
30 10' W 17 yds a mesq 7" hrs S 76° 50' E 29 2/3 yds. Thence
31 North crossing three drains to Lytle
32 Creek 1514 yds cross north line of survey



1 No. 31 Lunatic Asylum 867 $\frac{1}{4}$ West from N.E.
2 Cor. 1900 $\frac{1}{16}$ set a lime stone in ground in north
3 prong of Lytle Creek mid C.C.L. N18M on East side
4 + T.C.L. on west side from which a Hackberry
5 5" bus S42°30' E 53 $\frac{1}{3}$ $\frac{1}{16}$ mesq 11 bus N 11°10' E 44 $\frac{1}{2}$ $\frac{1}{16}$
6 Thence north at 1035 $\frac{1}{16}$ Public Road 1049 $\frac{1}{16}$ set a
7 lime stone in ground on N.E. side of Road mid C.C.L.
8 on East + T.C.L. on west side 1574 $\frac{1}{16}$ Cross north
9 line of survey no 26 S.P. RR 858 $\frac{1}{16}$ West from
10 N.E. Cor 1850 drain 1900 $\frac{1}{16}$ set a lime stone in ground
11 mid C.C.L. N19M on East + T.C.L. on west side
12 from which a mesq 7" bus N 81°35' W 189 $\frac{1}{2}$ $\frac{1}{16}$
13 mesq 10" bus N. 78°30' W 227 $\frac{2}{3}$ $\frac{1}{16}$. Thence north Crossing
14 two old roads 1507 $\frac{1}{16}$ Cross north line of
15 no 23 S.P. RR 840 $\frac{1}{16}$ West from N.E. Cor
16 1900 $\frac{1}{16}$ set a lime stone in ground
17 mid C.C.L. N20M on East side + T.C.L. on West
18 side from which a mesq 5" bus S 79°30' E 20 $\frac{1}{2}$ $\frac{1}{16}$
19 mesq 5" bus S 27°10' E 50 $\frac{1}{16}$. Thence north 280
20 $\frac{1}{16}$ rocky hill side Crossing two drains
21 1502 $\frac{1}{16}$ Abitem + Baird Road also north
22 line of survey no. 22. S.P. RR 835 $\frac{1}{16}$
23 West from N.E. Cor. 1511 $\frac{1}{16}$ set a lime
24 stone on north side of said road mid
25 C.C.L. on East + T.C.L. on west side 1900 $\frac{1}{16}$
26 set a lime stone in ground mid. C.C.L. N21
27 M on East + T.C.L. on west side from
28 which a mesq 8" bus S 71°50' W 15 $\frac{1}{16}$ mesq
29 6 bus S. 22°15' E 23 $\frac{1}{16}$. Thence north
30 Crossing drain 1502 $\frac{1}{16}$ Cross
31 North line of survey no 4 Blind Asylum
32 842 $\frac{1}{16}$ West from North East Corner



1 1900 vs set a lime stone in ground MKD C C L N 22 N
2 on East side and T C L on west side from which
3 Court House in Abilene hrs N 64° 30' W Stand pipe
4 in Abilene hrs N 67° 10' W Mesq 3" hrs N 67° 25' W
5 38 vs thence north at 67 vs old road 600 drain
6 1494 public Road also north line of survey no 57
7 Blind Asylum 850 vs west of the N E corner 1900 vs
8 set a lime stone in ground MKD C C L N 23 N
9 on East & T C L on west side from which Elm
10 10" hrs N 7° 40' W. 485 vs Court House in
11 Abilene hrs N 73° W.
12 Thence north at 502 vs North fork of rainy creek
13 Course north west 1302 vs Center of Texas
14 & Pacific R R 186 vs East of the 408th Mile
15 post Course of Rail Road N. 73° 20' W. 1321
16 vs set lime stone by rail road fence on
17 North side MKD C C L on East & T C L on West
18 side 1497 Center of Baird and Abilene
19 Road, and also north line of survey no 56
20 Blind Asylum 851 vs west from the
21 N E Cor. 1506 vs set a lime stone by fence on
22 North side of said Road MKD C C L on East
23 & T C L on West side 1900 vs set a lime
24 stone in ground in field MKD C C L N 24 N
25 on East & T C L on west side from
26 which the Court House in Abilene
27 hrs N 82° W. Stand pipe in Abilene
28 hrs N 83° 10' W.
29 Thence north at 908 vs County Road 1597 vs
30 Cross north line of survey no 43. 854 vs west
31 from N. E. Cor. 1900 vs set lime stone in ground MKD
32 C C L N 25 N on East side & T C L on West side from which



1 mesy 4" bus N $0^{\circ}15'$ E $10\frac{2}{3}$ vs mesy 5" bus $S73^{\circ}20'$ E $21\frac{1}{2}$
2 vs. Thence North at 1078 vs Branch 1497 vs cross
3 North line of survey no 42 Blind Asylum
4 850 vs West of N. E. Cor 1900 vs set a lime
5 stone in ground mkd CCL N 26 M on East
6 + T C L on west side from which a mesy
7 4" bus $S52^{\circ}20'$ W $33\frac{1}{2}$ vs mesy 3" bus $S49^{\circ}$ W $33\frac{1}{2}$
8 vs. Thence North at 1080 Branch Course N W
9 at 1610 vs Cross North line of survey no 29 Blind
10 Asylum 844 vs West of N. E. Cor. 1635
11 road 1900 vs set a lime stone in ground
12 mkd CCL N 27 M on East + T C L on west
13 side from which a mesy 8" bus $S73^{\circ}35'$
14 W $4\frac{3}{4}$ vs mesy 5" bus N. $63^{\circ}45'$ W $25\frac{1}{3}$ vs
15 Thence North over rolling mesquite prairie
16 at 1616 vs Cross North line of survey no
17 28 Blind Asylum 842 vs West of N E Cor 1900
18 vs set a lime stone in ground In Brown
19 field mkd CCL N 28 M on East + T C L on West
20 side from which a mesy 4" bus N. $79^{\circ}30'$ W $15\frac{1}{3}$
21 vs a mesy 5" bus N. $61^{\circ}30'$ W $17\frac{2}{3}$ vs.
22 Thence North at 625 vs road in field
23 1622 vs Cross north line of survey no. 18
24 Blind Asylum 830 vs West of N. E. Cor. 1900
25 vs set a lime stone in ground In Robt
26 Granthams field CCL N 29. M on East +
27 T C L on west side from which a mesy
28 10" bus $S29^{\circ}45'$ W. $45\frac{7}{8}$ vs.
29 Thence North through fields at 1622 vs
30 Cross North line of survey no 16 Blind Asylum
31 830 vs West from N E Cor. 1708 vs. Baird &
32 Anson Road at 1718 vs set a lime



1 stone on north side of said road mkd C C L
2 on East side and T C L on West side 1400
3 Vis connect with old corner set for the NE
4 Cor of Taylor and South East of Jones
5 County, a large lime stone 6' x 20" x 5 1/2" set
6 in ground and a rock mound at Base
7 on West bank of Dead man creek mkd
8 NE C T C. S.E. C J C 30 miles west, on West side
9 and Jan 27, 1882 on East side, to which
10 is added NW Cor. C C. from which an Elm
11 14" brs N. 37° 35' W. 67 1/2' Walnut 12" brs S 38°
12 35' E 84 1/2' Vis said corner is situated 830 1/2' Vis
13 West and 278 1/2' Vis north from the South
14 East Corner of survey no 11 Blind Asylum,
15

N.W. Cor. Callahan
N.E. Cor. Taylor
S.E. Cor. Jones

16
17 Beginning at the South West Corner of
18 Stephens and North West Corner of Eastland
19 Counties which is also the North East Cor.
20 of Callahan County. Thence West
21 with North boundary of Callahan and
22 South boundary of Shackelford Counties
23 at 435 1/2' Cross West line of survey no 99
24 State University 380 1/2' South from N.W.
25 Cor 1060 old road 1391 1/2' Cross West line
26 of survey no 100 University Paul 370 1/2' Vis
27 South from N.W. Cor. 1900 1/2' Vis set a lime
28 stone in ground mkd C C L E 29 m on
29 South and S C L on North side from
30 which a P.O. 14" brs N 14° 15' W 134 1/3 1/2' Vis
31 P.O. 14" brs N. 6° W 152 1/2' Vis Thence West
32 at 293 1/2' Cross Battle Creek course



1 North 445 1/2 Cross West line of Surrey no 101
2 University 360 1/2 South of N W Cor 1382 1/2
3 set a sand stone in ground on East side of
4 the Cis et and Moran Road mkd C C L on
5 South and S C L on North side 1389 1/2
6 Cross West line of Surrey no 102
7 University land 345 1/2 South from N W
8 Cor 1853 1/2 Center of Texas Central Rail
9 way 1866 1/2 set a sand stone under fence
10 on West side of Texas Central right of way
11 mkd C C L on South and S C L on
12 North side 1900 1/2 set a lime stone
13 in ground in field mkd C C L E 78 M
14 on South and S C L on North side from
15 which a lone L. O. brs N. 80° 55' E S. O.
16 Cluster brs S 27° 30' E: Thence West 384 1/2
17 top of sand stone Hiee 478 1/2 Cross West
18 line of Surrey no 105 University land
19 337 1/2 South of N W Cor. 975 Drain
20 1270 Creek 1401 1/2 road in lane which
21 is also the West line of Surrey no 106
22 University 324 1/2 South from the N W
23 Cor. 1900 1/2 set a sand stone in ground
24 mkd C C L E 27 M on South and S C L on
25 North side from which a mes 10 brs
26 N. 79° 10' E 2 3 1/2 1/2 a mes of 24" brs S 78° 30'
27 W. 68 1/2. Thence West at 410 Road
28 552 1/2 Cross West line of Surrey no
29 109 University land 313 1/2 South
30 from N W Cor 1407 Road 1509 Cross
31 West line of Surrey no 110 University
32 301 1/2 South from N W Cor. 1900 1/2



1 set a lime stone in ground mcd C C L E
2 26 m on south & S C L on north side from
3 which a P.O. 10" brn n 84 w 30 1/2 v/s P.O. 12 brn
4 n. 2° w. 4 2 v/s; Thence west at 273 ~~the~~
5 rocky drain 565 v/s cross west line of
6 survey no 113 University 289 v/s south of
7 the N.W. Cor. 650 v/s point of Hill 950 drain
8 1110 branch 1468 v/s cross west line of
9 survey no 114 University 277 v/s south
10 of N.W. Cor. 1476 v/s Deep Creek Course
11 north east 1634 road 1900 v/s set a sand
12 stone in ground mcd C C L E 26 M on
13 south & S C L on north side from
14 which a mesq 10" brn n. 59° 36 E 13 7/3 v/s
15 mesq 12 brn s. 39° 30 w 2 2 v/s;
16 Thence west at 210 v/s road at fence
17 245 v/s top of rocky Hill facing east
18 445 v/s cross west line of survey no 117
19 University 268 v/s south from
20 N.W. Cor. 570 drain 1419 v/s cross west
21 line of survey no 118 University 254
22 v/s south from N.W. Cor 1900 v/s set
23 a lime stone in ground mcd C C L E
24 24 M on south & S C L on north side
25 from which a P.O. 10" s 74° 10 E 19 1/3 v/s P.O.
26 12" brn s 22 w. 54 2/3 v/s. Thence west
27 153 v/s drain 475 v/s road in lane
28 which is also the west line of survey
29 no 121 University 254 v/s south of
30 the N.W. Cor. 1900 v/s set a lime stone
31 in ground mcd C C L E 23 m on
32 south & S C L on north side. from



1 which a mesq 22" brs N. $41^{\circ} 30'$ E $15 \frac{2}{3}$ Vis. mesq
2 14" brs N 45° W 18 Vis. Thence west at 486 Vis
3 Cross west line of Survey no 46 Lunatic Asylum
4 227 Vis South of N.W. Cor. 920 drain on west
5 Crossing same drain seven times 1900 Vis
6 set a lime stone in ground mcd @ C L E 22 M
7 on south and SCL on north side from which
8 a forked mesq 12" brs S $78^{\circ} 40'$ E 101 Vis mesq 10"
9 N. 74° E $94 \frac{1}{6}$ Vis. Thence west 257 drain at 498 Vis
10 Cross west line of Survey no. 47 Lunatic Asylum
11 200 Vis South from N.W. Cor 1900 Vis set lime stone
12 in ground In Siccons field mcd @ C L E 21. M on South
13 & SCL on North side from which Hitson's Peak brs
14 S. 63° W. Tree on north end of same range of Hills
15 brs North $71^{\circ} 30'$ West: Thence west at 509
16 Vis Cross west line of Survey no 48 Lunatic
17 Asylum 173 Vis South of the N.W. Cor. 629 road
18 890 drain 1900 Vis set a sand stone in ground
19 mcd @ C L E 20 M on South and SCL on North
20 side from which a mesq 8" brs N. $47^{\circ} 30'$ E $27 \frac{1}{2}$ Vis mesq
21 12" brs N $84^{\circ} 20'$ E $46 \frac{2}{3}$ Vis. Thence west Crossing
22 two drains at 521 Vis ^{cross} west line of Survey no
23 49 Lunatic Asylum 146 Vis South of N.W. Cor
24 on west Crossing 6 drains 1576 Vis Cross west
25 line of Survey no 50 Lunatic Asylum 129 Vis. South
26 of the N.W. Cor. 1445 Vis Gravelly point on west
27 Crossing three drains 1900 Vis set a sand
28 stone in ground mcd @ C L E 19 M on South
29 & SCL on north side from which a mesq 8 brs N
30 $2^{\circ} 30'$ W. $6 \frac{2}{3}$ Vis mesq 8" brs S $89^{\circ} 50'$ E 2. Vis. Thence
31 West over rough marshed surface at base of
32 High Hills 1025 Vis East top of Hill Hills $18 \frac{1}{2}$



1 V/S Cross West line of survey no 66 Block 11 Texas and
2 Pacific Rail Road Co 658 V/S South from N.W. Cor. 1893 top
3 of Hill 1900 V/S set lime stone in ~~ground~~ stone
4 mound mkd @ C L E 18 M on South and S C L on North
5 side from which a mesy 6" bis S 59° 20' W. 63 V/S
6 Triple mesy 5" bis S. 21° 15' W. 75 V/S. Thence
7 West 275 V/S top of hill 590 West edge of rocky
8 bluff on West Cross rough rocky slopes & small
9 drains 1807 V/S Cross West line of survey no 67
10 Block 11 T & P R.R. 435 V/S South of N.W. Cor Crossing
11 drain to Hubbards Creek 1900 V/S set lime stone in ground
12 on north slope of Hill mkd @ C L E 17 M on South and
13 S C L on north side from which a mesy 10" bis N.
14 73° E 80 2/3 V/S mesy 12" bis S 85° 5' E 93 2/3 V/S. Thence
15 West 170 V/S North point of hill 598 V/S East Hubbard
16 Creek Genl Course north East 959 V/S Road 1418 top
17 of High Hill facing East 1821 V/S Course West line
18 of Survey no 63 Block 11 T & P R.R. 260 V/S South of
19 N.W. Cor. 1885 top of hill 1900 V/S a lime stone in
20 ground mkd @ C L E 16 M on South & S C L on North side
21 from which a mesy 5" bis N. 59° 35' W 17 2/3 V/S mesy 8"
22 bis S 19° E 31 V/S. Thence West through Rolling mesquite
23 Prairie 1833 V/S Cross West line of Survey no 96 Block 12 60 V/S
24 South from N.W. Cor 1900 V/S set a sand stone in ground
25 mkd @ C L E 15 M on South & S C L on North side from
26 which a mesy 5" bis N 86° 20' E 6 2/3 V/S mesy 5" bis
27 S 85° W 9 1/3 V/S. Thence West 478 V/S
28 Baid & Albany Road 504 V/S Cross South line
29 of Survey no 86 T & P Block 12 set a lime
30 stone in ground on said South line of no
31 86 by fence in lane on north side of
32 Road mkd @ C L on South & S C L on ^{North} ~~West~~ side



1 at 1837 1/2 Vrs Cross west line of Surrey no 86 Bk 12
2 T+P 141 Vrs North from the SW. Cor. 1839 Road 1900
3 Vrs set a lime stone in ground mkd @ C L E 14 M on
4 South + S C L on north side from which a mesq
5 6" bis S 69° E 13 Vrs mesq 6 bis N. 78° 30' W 11 Vrs. Thence
6 West at 598 top of rocky hill on East side of west
7 Hubbards creek 527 Vrs Slough 772 Vrs West
8 Hubbards Creek 184 1/2 Vrs on Cross west line of
9 Surrey no 87 Bk 12 T+P 377 Vrs North of the
10 SW Cor 1900 Vrs set a sand stone in ground mkd
11 @ C L E 13 M on South and S C L on north side from
12 which a mesq 8" bis S 45° 35' W 63 1/3 Vrs mesq 14" bis N 44° 30' E
13 60 2/3 Vrs. Thence West at 566 Vrs Cross north point
14 of high Hill a large stone mound on point, on line
15 980 Vrs top of high ridge 1455 drain 1845 Vrs Cross
16 West line of Surrey no 88 Bk 12 T+P 489 Vrs
17 North from SW Cor. 1900 Vrs set a lime stone in
18 ground mkd @ C L E 12 M on South + S C L on north side
19 from which a mesq 3" bis S 6° 50' W 83 Vrs mesq 8" bis S 6° 40'
20 E 114 Vrs. Thence West at 107 Vrs Cross west line of
21 Surrey no. 89 Block 12 T+P 720 Vrs North of SW. Cor.
22 1900 Vrs set a lime stone in ground mkd @ C L E
23 11 M on South + S C L on north side from which a mesq
24 5" bis N. 77° 50' E 46 Vrs mesq 5" bis S 54° 30' W 58 1/2 Vrs
25 Thence West at 115 Vrs Cross west line of Surrey
26 no. 90 Bk 12 T+P 852 Vrs north of SW Cor 932 Vrs deeper
27 hollow or drain 1900 Vrs set a lime stone in
28 ground mkd @ C L E 10 M on South + S C L on north
29 side from which a mesq 8" bis S 49° 30' E 57 1/2 Vrs
30 mesq 8" bis S 49° 35' 62 Vrs. Thence West
31 at 125 Vrs Cross west line of Surrey no 85
32 Bk 13 T+P 822 Vrs South of N W Cor. on West



1 over rolling Mesquite Prairie at 1900 vrs set a lime
2 stone in ground mkd @ C L E 9 M on South
3 + S C L on north side from which a mesq 4" bus N. 78
4 15' E 15 1/2 vrs mesq 4" bus N. 67° W 25 1/2 vrs.
5 Thence West at 145 vrs cross west line of Survey
6 no 86 Bk 13 TAP 645 vrs South of N.W. Cor 1070
7 High Prairie Ridge 1620 Rocky Hill side 1900 vrs
8 set a lime stone in ground mkd @ C L E 8 M on
9 South + S C L on north side from which a mesq
10 5" bus N. 51° 30' W 128 vrs mesq 4" bus N. 55°
11 45' W. 133 vrs. Thence West at 150 vrs
12 cross west line of Survey no 87 Bk 13 TAP 470 vrs
13 South of N.W. Cor on West over rolling Prairie
14 1900 vrs set a lime stone in ground mkd
15 @ C L E 7 M on South + S C L on north side from
16 which a mesq 12" bus N. 53° 25' E 50 1/2 vrs mesq
17 5" bus N. 75° 40' E 60 vrs. Thence West 144 vrs
18 cross west line of Survey no 88 Bk 13
19 TAP 311 vrs South of N.W. Cor on West Rolling
20 Prairie and small drains 1900 vrs set a lime
21 stone in ground mkd @ C L E 6 M on South + S C L
22 on north side from which a mes 5" bus N. 70° 45'
23 W 32 vrs mesq 4" bus N 88 W 35 1/2 vrs. Thence
24 West 148 vrs cross west line of Survey no 89
25 Bk 13 TAP 174 vrs South of N.W. Cor on West
26 over Rolling Prairie 1900 vrs set a lime stone
27 in ground mkd @ C L E 5 M on South + S C L
28 on north side from which a mesq 10" bus N 33°
29 15' E 51 vrs. Mesq 6" bus N. 34° 5' E 87 vrs. Thence
30 West 465 vrs Drain 936 Drain 1632 vrs
31 Cross north line of Survey no 90 Bk 13 TAP 1603 vrs
32 West from N.E. Cor 1900 vrs set a lime stone in ground mkd



1 @ C L E 4 M on South & S C L on north side from
2 which a mesq 4" hrs S 21° W 11 1/2 Vrs mesq 4" hrs S 3° 45' W
3 16 2/3 Vrs. Thence West 197 Vrs Cross West line of
4 Survey no 79 Blk 13 T & P 40 Vrs North of South West Cor,
5 on West over racing Prairie 1900 Vrs set a line
6 stone in ground mkd @ C L E 3 M on South & S C L
7 on north side from which a mesq 4" hrs S. 52° 20' E
8 19 Vrs a mesq 4" hrs 881° W 24 Vrs. Thence
9 West at 197 Vrs Cross West line of Survey no
10 62 Blk 14 T & P 220 Vrs North of South West
11 Cor. 1658 Drain 1900 Vrs set a line stone in
12 ground mkd @ C L E 2 M on South and S C L
13 on north side from which a mesq 5" S 32°
14 25' E 2 Vrs a mesq 5" hrs S. 63° 30' E 6 1/3 Vrs.
15 Thence West 199 Vrs Cross West line of Survey no
16 61 Blk 14 T & P 412 Vrs North of SW Cor on West
17 over Racing Prairie 1082 Vrs Cross West line
18 of Survey no 60 Blk 14 T & P 555 Vrs North of SW Cor
19 also the East line of Survey no 10 Blind
20 Asylum 1900 Vrs set a line stone in ground
21 mkd @ C L E 1 M on South & S C L on north side
22 from which a mesq 6" hrs N. 46° E 14 Vrs a mesq
23 5" hrs N. 81° E 26 2/3 Vrs. Thence West
24 over Racing Prairie 1082 Vrs Cross West
25 line of Survey no 10 Blind Asylum 278 Vrs North
26 of SW Cor 1885 Vrs Cross dead man Creek Gen Course
27 North West 1912 Vrs and 16 Vrs South the North
28 West Corner of Callahan and the North East
29 Cor of Jaylor. Survey Closed 12 Vrs East and
30 West & 16 Vrs North and South
31 Surveys Completed July 13. 1898
32



1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32

T H Floyd, Chairman

Perry Klepper "

J S Marshace "

W & F Shelton "

We M R Hailey County Surveyor and S. S. Woods Special Surveyor for Callahan County Texas do hereby Certify that the above Survey was made according to Law, that the limits boundaries and stones with the marks natural and artificial are truly described in the foregoing field notes,

Witness our hands this July 27th 1898
M. R. Hailey, County Surveyor
S. S. Woods, Special Surveyor

Filed for Record Aug 9, 1898 and
Recorded Aug 22nd 1898 In Book
B-1 Pages nos 411 to 435 Inclusive
Record of Civil Minutes of County
Court Callahan Co Texas

W W Dunson
Co Clerk Callahan Co Texas



Acres of Fractional Surveys on Boundary Lines Callahan Co, viz:

The State of Texas (In the Hon Commission-
County of Callahan) oners Court of Callahan Co Tex

We the undersigned
Surveyors appointed by your body to survey
and establish the boundary lines of Calla-
han County, and make an estimate of the
number of acres of each survey of land
cut off by said County, hereby report as
follows, to-wit:

East Boundary Line

12	Survey No 99 University	45 acres
13	" " 465 S P R R Co	207 "
14	" " 2055 Peters Colony	171 1/2 "
15	" " 2052	186 "
16	" " 2988	187 "
17	" " 3200	183 "
18	" " 3188	185 "
19	" " 3191	186 "
20	" " 3163	186 "
21	" " 3162	189 "
22	" " 3165	189 "
23	" " 3166	198 "
24	" " 3167	183 "
25	" " 3168	203 "
26	" " C. Plot - Pre-emption	130 "
27	" " 4 B B & C R R Co	259 "
28	" " 2677 R J & Co	120 "
29	" " 1 B B & C R R Co	313 "
30	" " 130 T C R R Co	6 "
31	" " 129	16 "
32	" " 128	18 "



1	Survey No 127	D C R R Co	19 acres
2		E T M R R Co	131 "
3	"	3 Jno Vanwickel	1060 "
4	"	10 A J Bumley	1548 "
5	"	11 A Winfrey	316 "
6	"	61 J Sayers x	1352 "
7	"	17 James Lape	709 "
8	"	8 Wyatt Nickman	203 "
9	"	753 D N Guser	407 "
10	"	771 Georg Olick	472 "
11	"	772 Abraham Bros	321 "
12	"	776 M L Smith	284 "
13		E N Brooks	147 "
14		W J Bryson	132 "
15		R L Atwood	6x "
16		Dorbis	106 ⁷ / ₁₀ "
17		W J McGoren	216 "
18	North Boundary Line, as follows, to wit:		
19	Survey No 850	James Savins	1676 "
20	"	782 S Thomas	26 "
21	"	779 James Simmons	225 ⁶ / ₁₀ "
22	Comal County School Land		160 ¹ / ₂ "
23	Do		134 ¹ / ₂ "
24	"	"	131 "
25	"	"	139 ¹ / ₂ "
26	"	"	140 "
27	"	"	150 "
28	"	"	128 "
29	"	"	155 ¹ / ₂ "
30	"	"	145 "
31	Survey No 183	Anthony Bates	587 ³ / ₁₀ "
32	"	188 A P Haynes	59 ¹ / ₂ "

Sub division
No 27 of -
No 181
Comal
County
School
Land

Sur 38
23
39
24
40
25
41
26
42
27
43
28
44
29
45
30



1	Survey No 193	Wm Mason	179 acres
2	"	196 J J McCall	163 "
3	"	199 W G Westall	764 "
4	"	200 Alfred Cole	210 1/2 "
5	"	230 Leander McNeal	218 8/10 "
6		A C Harrison	152 7/10 "
7	"	112 G H R R Co	113 "
8	"	111 "	111 "
9	"	110 "	113 "
10	"	109 "	129 "
11	"	108 "	131 1/2 "
12	"	107 "	137 3/4 "
13	"	106 "	147 - "
14	"	105 "	152 8/10 "
15	"	104 "	162 6/10 "
16	"	103 "	169 2/10 "
17	"	102 "	160 1/2 "
18	"	101 "	188 1/2 "
19	"	100 "	198 8/10 "
20	"	99 "	205 6/10 "
21	"	98 "	336 1/10 "
22	(West Boundary line of Galena, town;) Survey No 11 Blind Asylum		43 "
23	"	16 "	279 "
24	"	18 "	282 "
25	"	28 "	286 3/10 "
26	"	29 "	303 8/10 "
27	"	42 "	286 7/10 "
28	"	43 "	286 7/10 "
29	"	36 "	286 "
30	"	57 "	283 1/2 "
31	"	4 "	764 "
32	"	22 A P R R Co	280 6/10 "



1	Survey No 25	SPRR Co	267 acres
2	"	" 26	290' "
3	"	" 31 Lunatic Asylum	293 "
4	"	" 32	294 "
5	"	" 30	279 ³ "
6	"	" 35	305 "
7	"	" 3 SPRR Co	218 "
8	"	" 8	302 "
9	"	" 16	293 ⁸ "
10	"	" 21	301 ⁴ "
11	"	" 20	307 ² "
12	"	" 19	318 "
13	"	" 16	288 "
14	"	" 15	393 "
15	"	" 14	178 ^{8/10} "
16	"	" 388 Isaac Applwhite	277 ^{1/2} "
17	"	" 389 George Hancock	292 ² "
18	"	" 390 G W Denton	262 "
19	"	" 128 G N N R R Co	115 ^{1/2} "
20	"	" 127	106 ^{1/2} "
21	<i>(North Boundary Line as follows 2/3)</i>		
22	Survey No 10	SPRR Co Blind Asylum #	107 ^{1/2} "
23	Survey Notes Block 14 SPRR Co		86 ^{1/10} "
24	"	" 61 " " "	106 ^{1/2} "
25	"	" 62 " " "	43 ^{6/10} "
26	"	" 79 " 13	2 "
27	"	" 90 " " "	620 ^{1/2} "
28	"	" 89 " " "	561 ^{7/10} "
29	"	" 88 " " "	315 ^{1/10} "
30	"	" 87 " " "	453 "
31	"	" 86 " " "	396 "
32	"	" 85 " " "	328 "



1	Survey No 90 Block 12 Dr PRR Co	263 acres
2	" " 89 " " "	208 ³ / ₄ "
3	" " 88 " " "	135 "
4	" " 87 " " "	78 "
5	" " 86 " " "	19 ⁶ / ₁₀ "
6	" " 95 " " "	638 ³ / ₁₀ "
7	" " 96 " " "	380 ⁶ / ₁₀ "
8	" " 68 " " "	538 ⁶ / ₁₀ "
9	" " 67 " " "	471 "
10	" " 66 " " "	416 ² / ₁₀ "
11	" " 50 Lunatic Asylum	330 ¹ / ₂ "
12	" " 49 " " "	389 ¹ / ₂ "
13	" " 48 " " "	378 ⁸ / ₁₀ "
14	" " 47 " " "	371 " "
15	" " 46 " " "	336 ² / ₁₀ "
16	" " 121 University Land	117 ³ / ₁₀ "
17	" " 118 " " "	119 ¹ / ₂ "
18	" " 117 " " "	93 ³ / ₁₀ "
19	" " 114 " " "	117 ² / ₁₀ "
20	" " 113 " " "	114 ² / ₁₀ "
21	" " 110 " " "	109 ² / ₁₀ "
22	" " 109 " " "	106 ⁹ / ₁₀ "
23	" " 106 " " "	114 ² / ₁₀ "
24	" " 105 " " "	101 ⁴ / ₁₀ "
25	" " 102 " " "	96 ¹ / ₂ "
26	" " 101 " " "	98 ² / ₁₀ "
27	" " 100 " " "	97 "

Survey of the above lands begun May 26th 1898 and Completed July 13th 1898

John Marshall Chain
W. E. F. Shotton Carriers



1 J. M. A. Nailly County Surveyor of Callahan
 2 County Texas, and D. S. Woods
 3 County Surveyor of Wood County Texas
 4 do hereby certify that the foregoing
 5 described surveys was actually made
 6 by us on the ground on the days and
 7 date above mentioned, and that the
 8 number of acres in each survey are truly
 9 and correctly set forth in the above and
 10 foregoing report.

11 MR. Nailly
 12 Co Surveyor of Callahan Co Tex
 13 D. S. Woods

14 Special surveys for Callahan Co
 15 Filed for record August 9th 1898 and
 16 recorded August 22/1898 in Book "B".
 17 Pages # 435 to 439 Incl - Record of
 18 Minutes of Co Court Callahan Co,
 19 W. W. Dunson, Co Clerk Callahan Co

20 The foregoing minutes from page No 402
 21 to 439 both inclusive, examined and
 22 approved in vacation - This Aug 22/1898

23 Attest
 24 W. W. Dunson } J. E. Thomas
 25 County Clerk } Co Judge

26 The State of Texas, }
 CALLAHAN COUNTY. } I, W. W. Dunson, Clerk of

Court of Callahan County Texas, do hereby certify that the foregoing is a true and correct
 copy of the original orders and field notes as appears of
 record in Book "B" pages No 402 to 439 Incl record of
 Civil minutes Co Court Callahan County Texas

Witness my hand and seal of the County court of said County at the office in Baird
 Texas, this the 24 day of August 1898.

By: W. W. Dunson Dep. Attest: W. W. Dunson Clerk
 Counter 51083

①
Callahan Co. Bdry

\$ 30.

Field notes

of the County lines of

Callahan County

\$ 30.00

\$ 30.00

Filed in the General Land Office August 25th 1898.

Callahan Co. Bdry
- pp 45 to 53
50° each - 9 pp 45

Counter 51084