

(1)
Cottle County
vs Foard
Filed Feby 18th 1893

Separate & Id Dish, on
above date

Beaumont

E poly line Cottle v
Cottle & Foard bdry's

1 State of Texas }
2 Cattle County }

3 Field Notes of
4 the survey of the East line of Cattle
5 and the West line of Foard Counties:
6

7 Situated between said counties
8 and Beginning at a stake three
9 feet high and four pits, the N.W.
10 corner of Shool, the N.E. cor. of King,
11 and the old S.W. cor. of Haydenau
12 and S.C. cor. of Cattle Cos.

13 Thence West and at 2000 ft.,
14 cross Wichita River, course N 15 E.,
15 and at 1900 ft., three large rocks
16 one mrd. C.L. between two pits
17 from which a huckleberry bp. S 36 W
18 3900 ft.,

19 Thence West 1900 ft. to two
20 pits and rd. of earth and two large
21 stones, one set in ground and mrd.
22 C.L. from which a bunch of H.Bs.
23 bp. S 73 W and bunch of Musgt. bp.
24 S 59 W 2900 ft.

25 Thence West 1900 ft. to a large
26 stone set in ground & mrd. King on
27 south side & S.W. Foard & S.E. Cattle on
28 north side, from which a triple H.B.
29 bp. mrd. \bar{x} bp. S 33° 30' W 2500 ft., and four
30 other H.Bs. one mrd. \bar{x} bp. S 50° W 3000 ft.,
31 the foregoing three miles being run on
32 the line established by Ira Millington
thence turning at right angles ^{to} with said
Millington's line.

1 Thence North on the Toad-Cattle
 2 county line and at 533 vp, cross
 3 draw and up Mest. hill to mt,
 4 at 1011 vp, cross N. B. L. of sea. 45°
 5 F.P. Knott at 786 vp. E. from N.W. cor., at 1090 vp,
 6 cross small draw and Break and
 7 at 1900 vp. a milestone set in
 8 ground mrd. 1. m. C.C. on W
 9 side and C.L. on E. side from which
 10 a triple H.B. mrd. \bar{x} bp. N 47° 45' E
 11 220 vp, and Buffalo Lump bp.
 12 S 7° 45' E.

13 (1) Thence North at 248 vp. cross
 14 draw, at 284 vp. cross draw, at 720 vp,
 15 ascend mt. side, at 936 vp. cross
 16 flat top of mt., at 1011 vp. cross
 17 N. B. L. of sea. 2⁸_{F.P. Knott} at 786 vp. E. of
 18 N.W. cor. & at 1900 vp. a mile stone
 19 set in ground mrd. 2. m. C.C.
 20 on W side and C.L. on E from which
 21 a H.B. mrd. \bar{x} bp. S 33° W 146 vp,

22 (2) Thence North at 864 vp. cross
 23 small crk. course N. E. three times,
 24 at 1011 vp. cross N. B. L. of sea 26,
 25 F.P. Knott at 311 vp. E. of N.W. cor.,
 26 at 1512 vp. cross point to East and
 27 at 1900 vp. a mile stone marked
 28 3. m. C.C. on W side & F.C. low E.
 29 from which a Mest. mrd. \bar{x} bp.
 30 S 57° 30' E. 11 vp

31 (3) Thence North and at from 288
 32 to 360 vp. cross and recross draw

course East, at 1008 vp. cross crk,
course N.E., at 1011 vp. cross N.B.L. of
sec. 11 for said Knott at 308 E. of
(H). N.W. cor. and at 1900 vp. a mile
stone set in ground and mrd,
4. M.C.C. on W. side and F.C.L. on E.
no. Bearings in sight,

Thence North and at 1011 vp. cross
N.B.L. of sec. 8 for said Knott at
305' vp. E. of N.W. cor. and at 1900 vp
a mile stone mrd, 5. M.C.C. on W. side
(B). and F.C.L. on E. no Bearings in sight,

Thence north & at 186 vp. cross
small crk, course N.E., at 564 vp.
cross N.B.L. of sec 8 for said Knott
at 302 vp. E. of N.W. cor. at 828 vp.
cross draw course E., at 1188 vp.
cross draw course E., at 1728 vp.
(C). cross plain wagon road course
N.E. & S.W. and at 1900 vp. a mile
stone mrd, 6. M.C.C. on W. side and
F.C.L. on E. no. Bearings in sight.

Thence North and at 209 vp.
descend steep, rocky Bluff, at 245 vp.
cross N.B.L. of sec 6, for said Knott at
299 vp. E. of N.W. cor. at 360 vp. cross
(D). draw, at 1895 vp. cross S.B.L. of
Jno. T. Smith sm. at 1050 vp. E. of S.W.
cor. and at 1900 vp. a mile stone
mrd 7. M.C.C. on W. side and F.C.L.
on E. No. Bearings in sight.

Thence North and at 144 vp. cross

N. Prong of Wichita River course, S 64 E,
about 5600 ft, above mouth of creek
coming in from the north, at 3600 ft
ascend high bluff, at 1296 ft.,
cross rough breaks of crk, at 1310 ft.,
cross crk, and at 1900 ft., a mile
stone mrd, 8. M. C. C. on W. side
(8) and F. C. L. on E. from which cedar
tree mrd, $\frac{1}{2}$ bp, S $79^{\circ}W$, 12 ft., and
clump of H. B.s, one mrd, $\frac{1}{2}$ bp,
 $N 26^{\circ}45'W$, 35 ft.

Thence North and at 3890 ft.,
cross deep gulch, at 1731 ft., cross
wire fence, at 1895 ft., cross N. B. L.
(9) of Jno. T. Smith survey at 10440 ft., E. of
N. W. cor. and at 1900 ft., a mile
stone mrd, 9. M. C. C. on W. side and
F. C. L. on E. from which a bunch of
willow trees one mrd, $\frac{1}{2}$ bp, $N 20^{\circ}28'E$,
288 ft.,

Thence North and at 1080 ft. as-
cend hill, at 1638 ft., cross N. B. L. of
old sec. 35-S. O. A. R. Co. at 308 ft.
(10) E. of N. W. cor. and at 1900 ft., a
mile stone mrd, 10. M. C. C. on W. side
and F. C. L. on E. situated about $\frac{1}{4}$
mile S. E. from high Breaks and from
which a H. B. mrd, $\frac{1}{2}$ bp, S $79^{\circ}W$, 123 ft.

Thence North, and at 3240 ft., cross
road course N. E. & S. W., at 432 ft., pass
foot of Bluff, at 576 ft., ascend Bluff,
at 772 ft., ascend high bluff at 1638 ft.

(11) cross N. B. L. of sec, 27, S.P.Q.R.Co. at
305 vp, E. of N.W. cor. and at 1900 vp,
a mile stone mkd. 11.M. C.C. on W
side and F.C.L. on E. no. Bearings
to be seen

Thence North and at 864 vp, cross
crk. at bunch of st. Bs., at 1200 vp,
cross road, at 1638 vp, cross S.B.L.
of sec, 19 for S.P.Q.R.Co. at 302 vp.
E. of S.W. cor. and at 1900 vp, a mile
(12) stone mkd. 12.M. C.C. on W side and
F.C.L. on E. from which a stone monument
on high hill bp. S 31° W 2 82 vp, and
situated 72 vp. south of Good Cr. course
S.E.

(13) Thence North and at 1476 vp, cross
fork of Good Cr., at 1638 vp, cross
N. B. L. of sec, 19, for S.P.Q.R.Co. at 299 vp.
E. of N.W. cor., at 1656 vp, cross fence and
at 1900 vp, a mile stone mkd. 18.M.
C.C. on W side and F.C.L. on E. from
which a st. B. bp. N 85° E 115 vp.

(14) Thence North and at 828 vp, as-
cend steep rocky Break, at 1638 vp,
cross N. B. L. of sec, 16 for S.P.Q.R.Co. at
296 vp. E. of N.W. cor. and at 1900 vp,
a large pile of stones one mkd. 14.M.
C.C. on W side and F.C.L. on E. from
which a st. B. bp. N 77° 45' W 48 vp, and
a large stone mkd. \bar{x} B.s. N 14° 15' W
43 vp,

Thence North and at 1080 vp,

cross Rocky Point, at 1638 vp cross
 N.B.L. of sec. 9 for S.P.R.R.C. at
 293 vp E. of N.W. cor., at 1663 vp cross
 wire fence and at 1900 vp, a large
 pile of rocks on S. slope of rocky
 canon course N.E. one m.kd. 15 m
 C.C. on W side and F.C.L. on E.
 from which a mesgt. Br. N $60^{\circ}45'W$
 69 vp,

Thence North and at 1080 vp,
 cross creek course East 15 vp, below two
 large China trees, at 1281 vp, cross
 road course East, at 1638 vp, cross
 N.B.L. of sec. 6. S.P.R.R.C. at
 290 vp, E. of N.W. cor., at 1693 vp,
 ascend high hill or bluff pointing
 to S.E. and at 1900 vp, a large
 pile of stones one m.kd. 16 m, C.C.
 from which a bunch of N.B.s. one
 m.kd. \bar{x} Bear N $37^{\circ}W$ 207 vp.

Thence North and at 673 vp,
 cross S.B.L. of sec 102 P & N.C.R.R.C. at
 284 vp, N. of S.E. cor. and at
 1900 vp, a mile stone m.kd. 17 m.
 C.C. on W side and F.C.L. on E. No.
 Bearings in sight

Thence North and at 673 vp,
 cross S.B.L. of sec. 99 at 296 vp W
 of S.E. cor., at 1296 vp, ascend rough
 Break, at 1332 vp, cross road and at
 1900 vp, a large ml. of earth and
 two pits. No. Bearings in sight

1 Hence North and at 673 vp, cross
2 S. B. L. of sec. 91 for T. & N. O. R. R. Co.
3 at 308 vp, W. of S. E. cor., at 792 vp,
4 descend rough draw course North,
(9) 5 at 1512 vp, cross small crk. course
6 East and at 1900 vp, a mile stone
7 mkd. 19. m. C. C. on W. side and F. C. L.
8 on E. from which a S. B. mkd. $\frac{1}{2}$
9 bp, S 86 E 499 vp.

10 Hence North and at 673 vp,
11 cross N. B. L. of sec. 91 for T. & N. O. R. R.
12 Co. at 320 vp, W. of N. E. cor., at 1440 vp,
13 cross road, at 1620 vp, cross fence
14 and at 1900 vp, a mile stone
15 mkd. 20. m. C. L. No. Bearings.

16 Hence North and 673 vp. cross
17 the S. B. L. of sec. 57, T. & N. O. R. R. Co.
18 at 345 vp, W. of S. E. cor., at 1584 vp,
19 cross small crk. course about N 75 W
20 and at 1900 vp, a large pile of stores
21 from which a S. B. Bis. S 36 W 235 mds.

22 Hence North and at 673 vp.
23 cross S. B. L. of sec. 58, T. & N. O. R. R. Co.
24 at 357 vp, W. of S. E. cor., at 1900 vp,
(22) 25 @ mesgt. Post 3 ft. high mkd.
26 22. m. C. C. from which a mesgt.
27 tree Bis. N 44 W 147 vp.

28 Hence North and at 673 vp.
29 cross S. B. L. of sec. 60, T. & N. O. R. R.
30 Co. at 370 vp, W. of S. E. cor. and at
(23) 31 1900 vp, a mile stone mkd. "23rd C.C."
32 on W. side and F. C. L. on E. from which

1 a S.R. mrd, \bar{x} Brs. $S4^{\circ}30'W$ 390 ft.

2 hence North and at 678 vp,
3 cross S.B.L. of sec. 86, for A. Forsythe
4 at 482 vp, W. of S.E. cor., at 792 vp, cross
5 cr., course East and at 1900 vp, a
6 mile stone mrd, 24. M.C.C. on W.
7 side and T.C.L. on E. from which a
8 mesgt. mrd, \bar{x} br. S 10 \circ 1490 p.

9 hence North and at 673 vp,
10 cross S.B.L. of sec. 87 for A. Forsythe,
11 at 405 vp, W. of S.E. cor. and at 1900 vp,
12 a mile stone mrd, 25. M.C.C. no.
13 Bearings in sight.

14 hence North and at 678 vp,
15 cross S.B.L. of sec. 90 for A. Forsythe
16 at 418 vp, W. of S.E. cor., and at 1900 vp,
17 a mile stone mrd, 26. M.C.C. from which
18 a large S.R. in Branch br. N $84^{\circ}15'E$, 310 p.

19 hence North and at 673 vp
20 cross S.B.L. of sec. 93, for A. Forsythe at
21 431 vp W. of S.E. cor., at 1512 vp descend
22 Pease River Bluff and at 1900 vp, a
23 stake from which a China mrd. \bar{x}
24 br. N $73^{\circ}30'W$ 430 p. and China mrd. \bar{x}
25 Brs. $S78^{\circ}45'W$ 610 p.

26 hence North and at 270 vp the
27 middle of Pease River from which a
28 round, rocky Point of river bluff on
29 S. side of River br. S. 26 \circ E. about 400 p.,
30 and Point of Bluff on N. side of river
31 Brs. N. 47 \circ W about 250 p.,

1 Bearings marked \overline{x}
2 Surveyed on the 11, 12, 13,
3 and 14th days of Jan, A.D. 1893.

4 G. A. Moore } Chain Carriers,
5 J. D. Short }
6

7 We, A. A. Neff, Co. surveyor of
8 Comanche Co., and D. L. Reavis, Co.
9 Surveyor of Foard Co., do hereby cer-
10 tify that the fore going described
11 survey was made on the ground,
12 according to law, on the dates and
13 with the Chain Carriers aforesaid
14 duly qualified and that all the
15 connections, mill stones and Bearings
16 & make of the same are truly
17 and correctly described and set
18 forth in the foregoing Plat and
19 Field Notes.

20 It witness our hands this the
21 3rd day of Feby, A.D. 1893,

22
23
24
25
26
A. A. Neff,
D. L. Reavis.

THE STATE OF TEXAS, { I, Fred M Campbell
County of Comanche { Clerk of the County Court of
County, Texas, do hereby certify that the above and foregoing
is a true and correct copy of the original Field notes and
Plot of the East line of Comanche
now on file in said Court, in cause No. my office.

Given under my hand and Seal of said Court, at office in the Town
of Paducah, this the 15th day
of February A. D. 1893

Fred M Campbell
County Court, Comanche C. T.

Copy

✓ ² Boundary between
Cattle and

Board 605.

Filed Feby 18th, 1893

Recognized as a separate
Land District, from a
base date Bennett

Filed Feby 14/92
J.W. Campbell
Cattle C.P.Y.

Recd. 2/18/93
J.D. Short
Paducah
Ky

19	10
18	11
17	12
16	13
15	14
14	15
13	16
12	17
11	18
10	19
9	20
8	21
7	22
6	23
5	24
4	25
3	26
2	27
1	28
32	29
31	30
30	28
29	27
28	26
27	25
26	24
25	23
24	22
23	21
22	20
21	19
20	18
19	17
18	16
17	15
16	14
15	13
14	12
13	11
12	10
11	9
10	8
9	7
8	6
7	5
6	4
5	3
4	2
3	1
2	